

Basic Raster Styling and Analysis

QGIS Tutorials and Tips



Author

Ujaval Gandhi

<http://google.com/+UjavalGandhi>

Translations by

Whyjay Zheng

A 3x20 grid of squares representing a map. The word "Raster" is written in the top row, "QGIS" in the middle row, and "Vector" in the bottom row. The letters are formed by black squares on a white background.

[illegible]

- QGIS

000000 Columbia University 000 000000000 (GPW) v3 000000 ASCII
 0000001990 00 2000 000000000000
 00000000000000000000

1. [Population Density Grid, v3 download page.](#) Data Attributes .ascii
format 1° resolution 1990
Download Guest Download
2000

Downloads

Center for International Earth Science Information Network - CIESIN - Columbia University, and Centro Internacional de Agricultura Tropical - CIAT. 2005. Gridded Population of the World, Version 3 (GPWv3): Population Density Grid. New York: NASA Socioeconomic Data and Applications Center (SEDAC). <http://sedac.ciesin.columbia.edu/data/set/gpw-density>. Accessed DAY MONTH YEAR.

Please check the Research Note field for issues pertaining to importing authors that are organizations.


Data:

 feedback and support


□□□□□ 2 □ zip □□

gl_gpwv3_pdens_90_ascii_one.zip
gl_gpwv3_pdens_00_ascii_one.zip
[GPW3]


2. QGIS 2.0.1-Dufour




3. Ctrl zip



4. ☐ zip ☐ 2 ☐ *glds00ag60.asc*





5. ☐ CRS ☐ **EPSG:4326** ☐




8. □□□□□□□□
□□□


QGIS




[illegible]




14. `pop_density_change_2000_1990.tif` `glds00ag60@1` - `glds90ag60@1`



15. □□□□□□□□□□□□□□□□ QGIS □□






21. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□ ▶ □□□□□□




22. `negative_pop_change_2000_1990` `1` `0`

```
pop_density_change_2000_1990@1 < -10
```



23. 000000000000 00 00 000 0000 000000 00000 0 0000000 0
0000000000000000 000



24. □□□□□□□□□□□□□□□□□□

