Basic Raster Styling and Analysis

QGIS Tutorials and Tips




Author Ujaval Gandhi

http://google.com/+UjavalGandhi


Translations by SongHyun Choi

000 000 000 000 000 000 000 000 000 00
00 0000 1990 00 2000 0 000 000 0000000 00 000 0 000 000
• QGIS====================================
□ □□□□□ Columbia University□ Gridded Population of the World (GPW) v3 □□□□□ □□□


1. Go to the Population Density Grid, v3 download page. Select the Data Attributes as .ascii format, 1° resolution and 1990 year. Click Download. At this point, you may create a free account and login, or use the Guest Download button at the bottom to immediately download the data. Repeat the process for 2000 year data.




2. QGIS ---> --> --- --- :menuselection: Layer --> Add Raster Layer..` ---




3. 00000 00000 0000. 0000 :kbd: `Ctrl `0 0000 000 0000 00000. 0 0000 0







5. 0000 000 CRS0 00 00 0000. 000 0000 00/00000 00000 `EPSG:4326`0





6. □□□						
``glds	s90ag60.as	sc`` 🗆 🗆 🗆 🗆				





7. 00 00 CRS0 `EPSG:4326`0 0000.





























15. 0 000 0000 **QGIS**00 000 0000 000 0 0 0 0 0000.









18.	. 🗆 🗆 🗆 Style			guilabel: `Band	Rendering	g`□□ □□	
	:guilabel: `Render	type` 🗆 🗆 🗆 🗆		:guilabel:`Si	ngleband	pseudocolo	r`□
		guilabel: `Color in	terpolatio	n`🗆 🗆 🗆 :gui	label: `Discı	rete`□ □□□	\Box
	400 00 0000			:guilabel: Add	entry 🗆 4	HO 0000.	
				00 0000 00			
]	guilabel: `OI	Κ`□
						_	




∃:guilabel:` □□□.	Zoom	In`□□						





20. 00 00 :guilabel: `ldentify` 000 0000, 00 000 00000 0000 0 00000 0000











24. 00 00000 000 000 00 000 0 0 000.

