



```
X File Edit Selection View Go Run Terminal Help
       EXPLORER
                                               # styles.css X
                               .vscode > # styles.css > 4 .center

∨ OPEN EDITORS

           oreact.html .vscode
                                     body{
                                        margin: 0;
         X # styles.css .vscode
                                        padding: 0;
      ∨ DESKTOP
                                        font-family: Roboto;

✓ .vscode

                                        background-repeat: no-repeat;
        {} launch.json
                                        background-size: cover;
        o react.html
                                        background: linear-gradient(120deg, ■#ff50b3, ■#3ffb35);
                                        height: 100vh;
        # styles.css
                                        overflow: hidden;
                                      .center{
                                        position: absolute;
                                        top: 50%;
                                        left: 50%;
                                        transform: translate(-50%, -50%);
                                        width: 29vw;
                                        background: ■white;
                                        border-radius: 10px;
                                        text-align: center;
                                        padding: 0 0 20px 0;
                                        border-bottom: 1px solid ■ silver;
                                      .center form{
      > OUTLINE
                                        padding: 0 40px;
      > TIMELINE
                                        box-sizing: border-box;
       PROBLEMS
       No problems have been detected in the workspace.
```

```
XI File Edit Selection View
                                                                                                             Go Run Terminal Help
                                                 # styles.css X
        EXPLORER
D

✓ OPEN EDITORS

                                       .center form{
                                          box-sizing: border-box;
         X # styles.css .vscode
၀ွ

∨ DESKTOP

✓ .vscode

                                        form .txt_field{
        {} launch.json
B
                                          position: relative;
                                          border-bottom: 2px solid ■#adadad;
        react.html
         # styles.css
                                          margin: 30px 0;
                                        .txt_field input{
                                          width: 100%;
                                          padding: 0 5px;
                                          height: 40px;
                                          font-size: 16px;
                                          border: none;
                                          background: none;
                                           A two-dimensional transformation is applied to an element through the 'transform' property. This property contains a list of transform
                                           functions similar to those allowed by SVG.
                                           (Edge 12, Firefox 16, Safari 9, Chrome 36, IE 10, Opera 23)
                                           Syntax: none | <transform-list>
                                          transform: translateY(-50%);
                                          font-size: 16px;
                                          pointer-events: none;
      > OUTLINE
      > TIMELINE
        PROBLEMS
        No problems have been detected in the workspace.
```

```
X File Edit Selection View Go Run Terminal Help
D
        EXPLORER
                                                  # styles.css X

✓ OPEN EDITORS

                                 49 .txt_field_label{
         X # styles.css .vscode
                                          pointer-events: none;

∨ DESKTOP

                                        .txt_field span::before{
        {} launch.json
                                          content: '';
         o react.html
                                          position: absolute;
                                          top: 40px;
left: 0;
                                          width: 0px;
                                          height: 2px;
background: ■#2691d9;
                                           transition: .5s;
                                        .txt_field input:focus ~ label,
.txt_field input:valid ~ label{
                                         top: -5px;
                                          color: ■#2691d9;
                                        .txt_field input:focus ~ span::before,
                                        .txt_field input:Valid ~ span::before{
                                          width: 100%;
                                         .pass{
                                          margin: -5px 0 20px 5px;
color: ■#a6a6a6;
      > OUTLINE
      > TIMELINE
```

```
Edit Selection
                                                                                                            Desktop Desktop
                        View
                              Go Run Terminal Help
C
        EXPLORER
                                                 # styles.css X

∨ OPEN EDITORS

                                .vscode > # styles.css > & .center
            react.html .vscode
                                       .pass{
                                         margin: -5px 0 20px 5px;
         X # styles.css .vscode
                                         color: ■#a6a6a6;

∨ DESKTOP

                                         cursor: pointer;

✓ .vscode

        {} launch.json
B
         o react.html
                                       .pass:hover{
         # styles.css
                                         text-decoration: underline;
                                       input[type="Submit"]{
                                         width: 100%;
                                         height: 50px;
                                         border: 1px solid;
                                         border-radius: 25px;
                                         font-size: 18px;
                                         font-weight: 700;
                                         cursor: pointer;
                                       input[type="Submit"]:hover{
                                         background: ■#2691d9;
                                         color: ■#e9f4fb;
                                         transition: .5s;
                                       .signup_link{
      > OUTLINE
                                         margin: 30px 0;
      > TIMELINE
                                         text-align: center;
                                            TERMINAL
        PROBLEMS
```



