

SIMATS ENGINEERING
ASSESSMENT TOOL 3 - LOW (INDUSTRY PROBLEM SOLVING
TASKS)

COURSE CODE: CSA09

COURSE NAME: Programming in Java

COURSE OUTCOME COVERED

CO4: *Design and develop GUI-based user interfaces using Abstract Window Toolkit, Swing, and Applets by implementing event handling, layout managers, AWT controls, and menus. (BL3,BL5)*

Assessment Tool Weightage: 10%

QUESTIONS: 5

Total Marks: 50


ANNEXURE A

INDUSTRY PROBLEM SOLVING TASKS

Code of Conduct:

I Aruna NN 192424123 (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the student:



1. E-Commerce Admin Dashboard.

```
import javax.swing.*;
```

```
public class R1924123 {
```

```
    public static void main (String[] args) {
```

```
        JFrame f = new JFrame();
```

```
        JTextField t = new JTextField();
```

```
        JButton b = new JButton ("Add Product");
```

```
        t.setBounds (50, 50, 150, 30);
```

```
        b.setBounds (50, 100, 150, 30);
```

```
        f.add (t);
```

```
        f.add (b);
```

```
        b.addActionListener (e ->
```

```
            JOptionPane.showMessageDialog(f, "Product  
Added");
```

```
        );
```

```
        f.setSize (300, 200);
```

```
        f.setLayout (null);
```

```
        f.setVisible (true);
```

10
4
4
Output:

product Added

2. Smart Attendance System.

```
import javax.swing.*;  
Public class RA2424123 {  
    public static void main (String[] args) {  
        JFrame f = new JFrame();  
        JTextField t = new JTextField();  
        JButton b = new JButton ("Attendance");  
        t.setBounds (50, 50, 150, 30);  
        b.setBounds (50, 100, 150, 30);  
        f.add (t);  
        f.add (b);  
        b.addActionListener (e ->  
            JOptionPane.showMessageDialog (f,  
                "Attendance marked"));  
        f.setSize (300, 200);  
        f.setLayout (null);  
        f.setVisible (true);  
    }  
}
```

Output:

Attendance Marked.

3. Railway Reservation Interface

```
import javax.swing.*;

public class R192424123 {

    public static void main (String[] args) {
        JFrame f = new JFrame();
        JButton b1 = new JButton ("Book");
        JButton b2 = new JButton ("Cancel");

        b1.setBounds (50, 50, 100, 30);
        b2.setBounds (160, 50, 100, 30);

        f.add (b1);
        f.add (b2);

        b1.addActionListener (e -> JOptionPane.
            showMessageDialog (f, "Ticket Booked");
        );

        b2.addActionListener (e -> JOptionPane. showMessage
            Dialog (f, "Ticket cancelled")
        );

        f.setSize (350, 200);
        f.setLayout (null);
        f.setVisible (true);
    }
}
```

output:

- Ticket booked
- Ticket cancelled.

4. Inventory management system

```
import javax.swing.*;
```

```
public class R192424123 {
```

```
    public static void main(String[] args) {
```

```
        JFrame f = new JFrame("Add Stock");
```

```
        JTextField t = new JTextField();
```

```
        JButton b = new JButton("Add Stock");
```

```
        t.setBounds(50, 50, 150, 30);
```

```
        b.setBounds(50, 100, 150, 30);
```

```
        f.add(t);
```

```
        f.add(b);
```

```
        b.addActionListener(e -> JOptionPane.show  
            messageDialog(f, "Stock Updated"));
```

```
        f.setSize(300, 200);
```

```
        f.setLayout(null);
```

```
        f.setVisible(true);
```

4

3

Output:

Stock Updated.

10

5. Online Examination System.

```
import javax.swing.*;
```

```
public class R192424123 {
```

```
    public static void main (String[] args) {
```

```
        JFrame f = new JFrame();
```

```
        JRadioButton r1 = new JRadioButton("Java");
```

```
        JRadioButton r2 = new JRadioButton("Python");
```

```
        JButton b = new JButton("Submit");
```

```
        r1.setBounds(50, 50, 100, 30);
```

```
        r2.setBounds(50, 90, 100, 30);
```

```
        b.setBounds(50, 140, 100, 30);
```

```
        ButtonGroup bg = new ButtonGroup();
```

```
        bg.add(r1);
```

```
        bg.add(r2);
```

```
        f.add(r1);
```

```
        f.add(r2);
```

```
        f.add(b);
```

```
        b.addActionListener(e →
```

```
            JOptionPane.showMessageDialog(f "Exam Submitted")
```

```
        );
```

```
        f.setSize(300, 250);
```

```
        f.setLayout(null);
```

```
        f.setVisible(true);
```

10

4

4

output: Exam Submitted

