
DDL Commands-

```
CREATE TABLE Student(id INT PRIMARY KEY, Names VARCHAR(100),Marks INT );
CREATE TABLE Employee(ID INT);
SHOW TABLES;
ALTER TABLE Student ADD class VARCHAR(5);
SELECT * FROM Student;
ALTER TABLE Student MODIFY class VARCHAR(1);
DESC Student;
ALTER TABLE Student RENAME COLUMN class TO section;
SELECT * FROM Student;
ALTER TABLE Student DROP COLUMN section;
SELECT * FROM Student;
DROP TABLE Student;
SHOW TABLES;
```

DML Commands-

```
INSERT INTO Student VALUES(1,"ABC",96);
INSERT INTO Student VALUES(2,"PQR",98);
INSERT INTO Student VALUES(3,"XYZ",96);
SELECT * FROM Student;
UPDATE Student SET section ="A" WHERE id=1;
UPDATE Student SET section ="B" WHERE id=2;
UPDATE Student SET section ="C" WHERE id=3;
SELECT * FROM Student;
DELETE FROM Student WHERE id=3;
SELECT * FROM Student;
```

Commands:




```sql
CREATE TABLE Student(id INT PRIMARY KEY, Names VARCHAR(100),Marks INT );
CREATE TABLE Employee(ID INT);
SHOW TABLES;
INSERT INTO Student VALUES(1,"ABC",96);
INSERT INTO Student VALUES(2,"PQR",98);
INSERT INTO Student VALUES(3,"XYZ",96);
SELECT * FROM Student;
ALTER TABLE Student ADD class VARCHAR(5);
SELECT * FROM Student;
ALTER TABLE Student MODIFY class VARCHAR(1);
DESC Student;
ALTER TABLE Student RENAME COLUMN class TO section;
SELECT * FROM Student;
UPDATE Student SET section ="A" WHERE id=1;
UPDATE Student SET section ="B" WHERE id=2;
UPDATE Student SET section ="C" WHERE id=3;
SELECT * FROM Student;
DELETE FROM Student WHERE id=3;
SELECT * FROM Student;
ALTER TABLE Student DROP COLUMN section;
SELECT * FROM Student;
DROP TABLE Student;
SHOW TABLES;
```

Outputs:

```
+-------+--------------+------+-----+---------+-------+
| Field | Type         | Null | Key | Default | Extra |
+-------+--------------+------+-----+---------+-------+
| id    | int          | NO   | PRI | NULL    |       |
| Names | varchar(100) | YES  |     | NULL    |       |
| Marks | int          | YES  |     | NULL    |       |
| class | varchar(1)   | YES  |     | NULL    |       |
+-------+--------------+------+-----+---------+-------+
```

```
+----+-------+-------+---------+
| id | Names | Marks | section |
+----+-------+-------+---------+
|  1 | ABC   |    96 | NULL    |
|  2 | PQR   |    98 | NULL    |
|  3 | XYZ   |    96 | NULL    |
+----+-------+-------+---------+
```

```
+----+-------+-------+---------+
| id | Names | Marks | section |
+----+-------+-------+---------+
|  1 | ABC   |    96 | A       |
|  2 | PQR   |    98 | B       |
|  3 | XYZ   |    96 | C       |
+----+-------+-------+---------+
```

```
+----------------------------------+
| Tables_in_sandbox_db |
+----------------------------------+
| employee                         |
| student                          |
+----------------------------------+
+----+-------+-------+
| id | Names | Marks |
+----+-------+-------+
|  1 | ABC   |    96 |
|  2 | PQR   |    98 |
|  3 | XYZ   |    96 |
+----+-------+-------+
+----+-------+-------+-------+
| id | Names | Marks | class |
+----+-------+-------+-------+
|  1 | ABC   |    96 | NULL  |
|  2 | PQR   |    98 | NULL  |
|  3 | XYZ   |    96 | NULL  |
+----+-------+-------+-------+
```

```
+----+-------+-------+---------+
| id | Names | Marks | section |
+----+-------+-------+---------+
|  1 | ABC   |    96 | A       |
|  2 | PQR   |    98 | B       |
+----+-------+-------+---------+
+----+-------+-------+
| id | Names | Marks |
+----+-------+-------+
|  1 | ABC   |    96 |
|  2 | PQR   |    98 |
+----+-------+-------+
+----------------------------------+
| Tables_in_sandbox_db |
+----------------------------------+
| employee                         |
+----------------------------------+
```