```sql
CREATE TABLE STUDENT (
    Student_ID INT PRIMARY KEY AUTO_INCREMENT,
    Student_Name VARCHAR(100) NOT NULL,
    Class VARCHAR(20),
    Marks DECIMAL(5,2),
    Date_of_Birth DATE
);
INSERT INTO STUDENT (Student_Name, Class, Marks, Date_of_Birth)
VALUES
('Arun Kumar', '10-A', 85, '2010-05-15'),
('Priya Sharma', '10-A', 92, '2010-08-22'),
('Rahul Verma', '10-B', 76, '2010-03-10'),
('Sneha Patel', '10-B', 88, '2010-11-05'),
('Karthik Raj', '10-C', 69, '2010-01-30');
CREATE TABLE STUDENT (
    Student_ID INT PRIMARY KEY AUTO_INCREMENT,
    Student_Name VARCHAR(100) NOT NULL,
    Class VARCHAR(20),
    Marks DECIMAL(5,2),
    Date_of_Birth DATE
);

INSERT INTO STUDENT (Student_Name, Class, Marks, Date_of_Birth)
VALUES
('Arun Kumar', '10-A', 85, '2010-05-15'),
('Priya Sharma', '10-A', 92, '2010-08-22'),
('Rahul Verma', '10-B', 76, '2010-03-10'),
('Sneha Patel', '10-B', 88, '2010-11-05'),
('Karthik Raj', '10-C', 69, '2010-01-30');

SELECT * FROM STUDENT;

SELECT Student_Name,
UPPER(Student_Name) AS Uppercase_Name FROM STUDENT;
SELECT Student_Name,
LOWER(Student_Name) AS Lowercase_Name FROM STUDENT;
SELECT Student_Name,
LENGTH(Student_Name) AS Name_Length
FROM STUDENT;
SELECT CONCAT(Student_Name, &#39; - Class &#39;, Class) AS Student_Details
```

```sql
FROM STUDENT;
SELECT Student_Name,
SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
FROM STUDENT;
SELECT Student_Name,
Marks,
ROUND(Marks * 1.05) AS Bonus_Marks
FROM STUDENT;
SELECT Student_Name,
Marks / 10.0 AS Marks_Value,CEIL(Marks / 10.0) AS Rounded_Up
FROM STUDENT;
SELECT Student_Name,
Marks / 10.0 AS Marks_Value,
FLOOR(Marks / 10.0) AS Rounded_Down FROM STUDENT;
SELECT Student_Name,
Marks,MOD(Marks, 10) AS Remainder FROM STUDENT;
SELECT Student_Name,
Marks,
ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;
SELECT Student_Name,
Date_of_Birth,
YEAR(Date_of_Birth) AS Birth_Year
FROM STUDENT;
SELECT Student_Name,
Date_of_Birth,
MONTH(Date_of_Birth) AS Birth_Month
FROM STUDENT;
SELECT Student_Name,
Date_of_Birth,
DAY(Date_of_Birth) AS Birth_Day
FROM STUDENT;
SELECT Student_Name,
Date_of_Birth,
TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age
FROM STUDENT;
SELECT CURDATE() AS Today;
SELECT COUNT(*) AS Total_Students
FROM STUDENT;
SELECT SUM(Marks) AS Total_Marks
```

```
FROM STUDENT;
SELECT AVG(Marks) AS Average_Marks
FROM STUDENT;
SELECT MAX(Marks) AS Highest_Marks
FROM STUDENT;
SELECT MIN(Marks) AS Lowest_Marks
FROM STUDENT;
```