ASWATHY K B 2022-BIOMED-A A2 ~ REC-PS

Create a student dictionary for n students with the student name as key and their test mark assignment mark and lab mark as values. Do the following

GE19211 / GE23233 / GE23231 - PSPP/PUP Dashboard / My courses / PSPP/PUP / Experiments based on Dictionary and its operations. / Week8_Coding

Question 1

Mark 1.00 out of

P Flag question

Correct

Quiz navigation

Finish review

Show one page at a time

4.Identify the student with the lowest average score Note: If more than one student has the same score display all the student names Sample input: James 67 89 56 Lalith 89 45 45 Ram 89 89 89 Sita 70 70 70 Sample Output:

Question 2

Mark 1.00 out of

Flag question

Correct

1.00

Lalith Lalith For example: Input James 67 89 56 Lalith 89 45 45 Ram 89 89 89 Sita 70 70 70

> 10 11

12 13

15 16

17 18

19

Ram

James Ram

Started on Monday, 27 May 2024, 10:19 PM

Completed on Monday, 27 May 2024, 10:20 PM

Grade 100.00 out of 100.00

computations and display the result.

1.Identify the student with the highest average score

3.Identify the student with the Lowest lab marks

2.Identify the student who as the highest Assignment marks

State Finished

Time taken 1 min 16 secs

Marks 5.00/5.00

James Ram Lalith Lalith Answer: (penalty regime: 0 %) 1 | n = int(input()) 2 | students = {} 3 • for _ in range(n): name, test, assignment, lab = input().split() students[name] = {'test': int(test), 'assignment': int(assignment), 'lab': int(lab)} averages = {name: sum(info.values()) / 3 for name, info in students.items()} a = max(averages.values()) A = sorted([name for name, avg in averages.items() if avg == a]) b = max((info['assignment'] for info in students.values())) B = sorted([name for name, info in students.items() if info['assignment'] == b]) c = min((info['lab'] for info in students.values())) C = sorted([name for name, info in students.items() if info['lab'] == c]) James 67 89 56 Lalith 89 45 45

Result

d = min(averages.values()) D = sorted([name for name, avg in averages.items() if avg == d]) print('\n'.join([" ".join(A), " ".join(B), " ".join(C), " ".join(D)])) Input Expected James Ram Lalith Ram 89 89 89 Lalith Sita 70 70 70 Shadhana Raja 95 67 90 Aarav 89 90 90

Got

James Ram

Lalith

Lalith

Shadhana

Shadhana

Raja

Shadhana Aarav Raja Aarav Raja Shadhana 95 95 91 Raja Passed all tests! < Correct Marks for this submission: 1.00/1.00. Give a dictionary with value lists, sort the keys by summation of values in value list. **Input**: test_dict = {'Gfg' : [6, 7, 4], 'best' : [7, 6, 5]} Output : {'Gfg': 17, 'best': 18} **Explanation**: Sorted by sum, and replaced. **Input**: test_dict = {'Gfg': [8,8], 'best': [5,5]} Output : {'best': 10, 'Gfg': 16} Explanation: Sorted by sum, and replaced. Result Gfg 17

Sample Input: 2 Gfg 674 Best 7 6 5 Sample Output Gfg 17 Best 18 For example: Input Gfg 6 7 4 Best 18 Best 7 6 5 Answer: (penalty regime: 0 %) 1 |n = int(input()) 2 test_dict = {key: sum(map(int, values)) for key, *values in (input().split() for _ in range(n))} 3 sorted_dict = {key: value for key, value in sorted(test_dict.items(), key=lambda x: x[1])} 4 | for key, value in sorted_dict.items(): print(key, value)

Expected Got

Gfg 17 🗸

Best 10 🗸

Best 18

Gfg 12

Gfg 17

Best 10

Gfg 12

Gfg 6 7 4 Best 18

REC is worth 5 points.

8 | word = input().upper()

Input Expected

REC

1 A = {'A': 1, 'E': 1, 'I': 1, 'L': 1, 'N': 1, 'O': 1, 'R': 1, 'S': 1, 'T': 1, 'U': 1,

'D': 2, 'G': 2,

'J': 8, 'X': 8, 'Q': 10, 'Z': 10}

'K': 5,

9 B = sum(A.get(letter, 0) for letter in word)

10 print(f"{word} is worth {B} points.")

Result

1 |s1, s2 = input().split(), input().split()

5 A = [w for w, c in c1.items() if c == 1 and w not in c2] 6 A += [w for w, c in c2.items() if c == 1 and w not in c1]

Expected Got

candidates received Max vote. If there is tie, print a lexicographically smaller name.

banana

~

Given an array of names of candidates in an election. A candidate name in the array represents a vote cast to the candidate. Print the name of

We have four Candidates with name as 'John', 'Johnny', 'jamie', 'jackie'. The candidates John and Johny get maximum votes. Since John is alphabetically

this apple is sweet sweet sour sweet sour 🗸

banana

3 for w in s1: c1[w] = c1.get(w, 0) + 1 4 | for w in s2: c2[w] = c2.get(w, 0) + 1

2 c1, c2 = {}, {}

7 print(*A, end=' ')

Input

this apple is sour

apple apple

Marks for this submission: 1.00/1.00.

Input: votes[] = {"john", "johnny", "jackie",

"john"};

"johnny", "john", "jackie",

"johnny", "jamie", "johnny",

smaller, we print it. Use dictionary to solve the above problem

"jamie", "jamie", "john",

banana

Passed all tests! <

Correct

Examples:

Output : John

Sample Input:

10

John

John

Johny

Jamie

Jamie

Johny

Jack

Johny

Johny

Jackie

Johny

Sample Output:

Answer: (penalty regime: 0 %)

'B': 3, 'C': 3, 'M': 3, 'P': 3,

Got

GOD is worth 5 points. GOD is worth 5 points. 🗸

REC is worth 5 points. REC is worth 5 points. 🗸

'F': 4, 'H': 4, 'V': 4, 'W': 4, 'Y': 4,

Input

Best 7 6 5

Gfg 6 6

Best 5 5

Passed all tests! < Correct Marks for this submission: 1.00/1.00. Question 3 In the game of Scrabble™, each letter has points associated with it. The total score of a word is the sum of the scores of its letters. More common letters Correct are worth fewer points while less common letters are worth more points. The points associated with each letter are shown below: Mark 1.00 out of Points Letters 1 A, E, I, L, N, O, R, S, T and U P Flag question 2 D and G 3 B, C, M and P 4 F, H, V, W and Y 5 K 8 J and X 10 Q and Z Write a program that computes and displays the Scrabble™ score for a word. Create a dictionary that maps from letters to point values. Then use the dictionary to compute the score. A Scrabble™ board includes some squares that multiply the value of a letter or the value of an entire word. We will ignore these squares in this exercise.

Sample Input REC Sample Output REC is worth 5 points. For example: Input Result Answer: (penalty regime: 0 %)

2

3

4 5

Passed all tests! < Correct Marks for this submission: 1.00/1.00. Question 4 A sentence is a string of single-space separated words where each word consists only of lowercase letters. A word is uncommon if it appears exactly Correct once in one of the sentences, and does not appear in the other sentence. Mark 1.00 out of Given two sentences s1 and s2, return a list of all the uncommon words. You may return the answer in any order. Example 1: P Flag question Input: s1 = "this apple is sweet", s2 = "this apple is sour" Output: ["sweet", "sour"] Example 2: Input: s1 = "apple apple", s2 = "banana"

Output: ["banana"] Constraints: 1 <= s1.length, s2.length <= 200 s1 and s2 consist of lowercase English letters and spaces. s1 and s2 do not have leading or trailing spaces. All the words in s1 and s2 are separated by a single space. Note: Use dictionary to solve the problem For example: Input this apple is sweet sweet sour this apple is sour Answer: (penalty regime: 0 %)

Question 5 Correct Mark 1.00 out of 1.00 P Flag question

1 A = [input() for _ in range(int(input()))] 2 B = {name: A.count(name) for name in set(A)}
3 print(min(name for name, count in B.items() if count == max(B.values()))) Input Expected Got Johny 10 John John Johny Jamie Jamie Johny Jack Johny Johny Jackie 6 Ida Ida Ida Ida Kiruba Kiruba Kiruba Passed all tests! < Correct Marks for this submission: 1.00/1.00. → Week8_MCQ

Data retention summary

PSPP/PUP

You are logged in as ASWATHY K B 2022-BIOMED-A (Log out)

Johny 🗸

Ida

Jump to...

\$

Finish review

Functions -