


MODULE SCREEN SHOTS


MENU:




LOGIN MENU:



GOVERNMENT_MENU:





PERSON MENU:

ADD_PERSON:

A screenshot of the "ADD_PERSON" form within the application. The form is set against a background with abstract green and yellow diagonal stripes. The fields are as follows:

- PERSON ID: bal1359
- NAME: BALAJI
- GENDER: ☒ Male ☐ Female ☐ Trangender
- DOB: A date picker is open, showing the month of May and the year 2020. The calendar grid shows the following dates:


Sun	Mon	Tue	Wed	Thu	Fri	Sat
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						
- MARTIAL STATUS: (empty field)
- FATHER: (empty field)
- MOTHER: (empty field)
- QUALIFICATION: (empty field)
- STATE: (empty field)
- STATUS: (empty field)

An "ADD" button is located at the bottom right of the form.

PERSON ID:

NAME:

GENDER: ☒ Male ☐ Female ☐ Trangender

DOB: 

MARTIAL STATUS: ☐ Married ☒ Unmarried

FATHER:


MOTHER:

QUALIFICATION:

STATE:

STATUS:

Message

 new person added

```

SQL> select * from person where id='qwer1';

ID      NAME      GE DOB      MA FATHER  MOTHER
-----
QUALIFICATION      STATE
-----
STATUS
-----
qwer1    balaji    m 10-MAY-90 u      s001
BE
1

```

VIEW_PERSON:

PERSON ID

NAME

GENDER

DOB

MARTIAL STATUS

FATHER

MOTHER

QUALIFICATION

STATE

STATUS

person id

PERSON ID: p001

NAME: WXYZ

GENDER: M

DOB: 1800-01-31

MARTIAL STATUS: m

FATHER:

MOTHER:

QUALIFICATION: BE

STATE: s001

STATUS: 1

person id: p001

search

UPDATE_PERSON:

PERSON ID: p001

NAME: WXYZ

GENDER: M

DOB: 1800-01-31

MARTIAL STATUS: m

FATHER:

MOTHER:

QUALIFICATION: BE

STATE: s001

STATUS: 1

person id: p001

search

UPDATE

DELETE

EXIT

PERSON ID

p001

NAME

WXYZ

GENDER

M

DOB

1800-01-31

MARTIAL STATUS

u

FATHER

MOTHER

QUALIFICATION

ME

STATE

s002

STATUS

1

person id

search

p001

Message

i

updated

OK

UPDATE

DELETE

EXIT

```
SQL> select * from person where id='p001';
```

ID	NAME	GE	DOB	MA	FATHER	MOTHER
QUALIFICATION			STATE			
STATUS						
p001	WXYZ	M	31-JAN-00	u		
ME						s002
	1					

```
SQL>
```

DELETE_PERSON:

PERSON ID

NAME

GENDER

DOB

MARTIAL STATUS

FATHER

MOTHER

QUALIFICATION

STATE

STATUS

p0020

BVCZ

F

1859-09-17

u

BTECH

s0017

1

person id

search

p0020

UPDATE

DELETE

EXIT

Message

p0020 is deleted

OK

```

SQL> select * from person where id='p0020';

ID      NAME      GE DOB      MA FATHER  MOTHER
-----
QUALIFICATION                                STATE
-----
STATUS
-----
p0020    BVCZ          F  17-SEP-59 u          s0017
BTECH
1

SQL> select * from person where id='p0020';
no rows selected

SQL>

```

STATE MENU:

ADD STATE:

ADD NEW STATE

STATE ID

s0025

STATE NAME

AAB

DESCRIPTION

BEST STATE FOR TOURISM


STATE SIZE

3000

POPULATION

60000

ADD



Message

i

new base added

OK

```
SQL> select * from state where state_id='s0025';
```

STATE_ID	STATE_NAME
s0025	AAB

```
SQL>
```

VIEW STATE:

DISPLAY

STATE ID, NAME
s001, abc **SEARCH**

STATE ID s001
STATE NAME abc
DESCRIPTION aasd

STATE SIZE 7700
POPULATION 5000

EXIT

STATE ID **SEARCH**

DISPLAY

STATE ID, NAME
s001, abc **SEARCH**

STATE ID s002
STATE NAME xyz
DESCRIPTION qwer

STATE SIZE 7650
POPULATION 7000

EXIT

STATE ID s002 **SEARCH**

DISPLAY

STATE ID, NAME
s001, abc
s001, abc
s002, xyz
s003, jkl
s004, ab
s005, cde
s006, wez
s007, xcv
s008, mnb **SEARCH**

STATE ID s002
STATE NAME xyz
DESCRIPTION qwer

STATE SIZE 7650
POPULATION 7000

EXIT

STATE ID s002 **SEARCH**

UPDATE_STATE:

STATE ID: s0025

STATE NAME: chennai

DESCRIPTION: BEST STATE FOR TOURISM

STATE SIZE: 6657

POPULATION: 744430

SEARCH

DELETE UPDATE EXIT

```
SQL Plus
SQL> select * from state where state_id='s0025';
STATE_ID      STATE_NAME
-----
DESCRIPTION
-----
STATE_SIZE POPULATION
-----
s0025      AAB
BEST STATE FOR TOURISM
3000      60000

SQL> select * from state where state_id='s0025';
STATE_ID      STATE_NAME
-----
DESCRIPTION
-----
STATE_SIZE POPULATION
-----
s0025      chennai
BEST STATE FOR TOURISM
6657      744432

SQL>
```

DELETE_STATE

STATE ID **STATE ID** **SEARCH**

STATE NAME

DESCRIPTION

STATE SIZE

POPULATION

DELETE **UPDATE** **EXIT**

Message: s0025 is deleted **OK**

```

SQL> select * from state where state_id='s0025';

STATE_ID      STATE_NAME
-----
DESCRIPTION
-----
STATE_SIZE POPULATION
-----
s0025      AAB
BEST STATE FOR TOURISM
3000      60000

SQL> select * from state where state_id='s0025';

STATE_ID      STATE_NAME
-----
DESCRIPTION
-----
STATE_SIZE POPULATION
-----
s0025      chennai
BEST STATE FOR TOURISM
6657      744432

SQL> select * from state where state_id='s0025';
no rows selected
SQL>

```

SUPPLY_MENU:

ADD_SUPPLY:

ADD NEW SUPPLY

SUPPLY ID:

NAME:

DESCRIPTION:

QUANTITY:

Message: new supply added

```
SQL> select * from supply where supply_id='su006';
```

SUPPLY_ID	NAME	DESCRIPTION	QTY
su006	sggaa	gdgc	1000

```
SQL>
```

VIEW_SUPPLY

DISPLAY SUPPLIES

SUPPLY ID:

SUPPLY ID: +

NAME:

DESCRIPTION:

QUANTITY: +

INVENTORY MENU:

ADD INVENTORY

STATE ID

SUPPLY ID

QTY

ADD

s001

su006

135

Message

i

new inventory added

OK

SQL Plus

```
SQL> select * from inventory where supply_id='su006';
```

STATE_ID	SUPPLY_ID	QTY
s001	su006	135

```
SQL>
```

VIEW_INVENTORY

STATE ID

SUPPLY ...

QTY

s001

su006

135

s001

su006

search

state id

supply id

VISITOR MENU:

ADD VISITOR

SQL Plus

SQL> select * from visitor where visitor_id='v006';

VISITOR_ID	HOST_ID	NAME	COUNTRY
v006	p006	ahh	vichi

SQL>

VISITOR ID

HOST ID

NAME

COUNTRY

v006

p006

ahh

vichi

ADD

Message

i

new visitor added

OK

VIEW VISITOR

VISITOR ID

HOST ID

NAME

COUNTRY

v006


p006

ahh

vichi

SEARCH

UPDATE_VISITOR




VISITOR ID v006 **SEARCH**

VISITOR ID v006
HOST ID p006
NAME hhh
COUNTRY INDIA

DELETE **UPDATE** **EXIT**

Message
Updated
OK




```
SQL> select * from visitor where visitor_id='v006';
```

VISITOR_ID	HOST_ID	NAME	COUNTRY
v006	p006	hhh	INDIA

```
SQL>
```

DELETE VISITOR:



```
SQL Plus

SQL> select * from visitor where visitor_id='v006';

VISITOR_ID      HOST_ID
-----
NAME              COUNTRY
-----
v006              p006
lhh                INDIA


SQL> select * from visitor where visitor_id='v006';

no rows selected

SQL>
```

REGISTER MENU

MARRIAGE REGISTER:



```
SQL Plus
SQL> select * from marriage_s;

PERSON_ID PARTNER_ID
-----
p0019      p0020
p0020      p0019
SQL>
```

BIRTH REGISTER

CHILD ID

p0050

NAME

zxcv

GENDER

☒ MALE
☐ FEMALE

DOB

21-may-2020

FATHER ID

MOTHER ID

STATE

s001

DONE

EXIT

Message

REGISTERED!


OK

```

p0050
1
ID          NAME          GE DOB          MA FATHER
-----
MOTHER      QUALIFICATION
-----
STATE       STATUS
-----
p0050      zxcv          M  21-MAY-2020      u
1
22 rows selected.
SQL>

```

DEATH REGISTER



```
SQL Plus


SQL> select * from person_died;

PERSON_ID DOD
-----
REASON
-----
p0021      20-05-00
CORONA

SQL>
```

ANALYSIS:

BASIC ANALYSIS



—

□

×

ANALYTICS

FAA(Frequently Analyzed Analysis)

ANALYSIS

how states are present in this country

how many people are pesent in this country

how states are present in this country

how many males present

how many females present

until now how many presons lived in this country


state with max population

state with min population

people died in this country

how states are present in this country

20



—

□

×

ANALYTICS

FAA(Frequently Analyzed Analysis)


ANALYSIS

how many males present

how many males present

7

ADVANCED ANALYSIS



—

□

×

☒ AGE

☒ Male ☐ Female ☐ Transgender ☐ All

☒ Absolute Age ☐ Range Age

20

enter age

ANALYSIS

total M present in this age group is

2

AGE

Male

Female

Transgender

All

Absolute Age

Range Age

1

40

enter start age

enter end age

ANALYSIS

total persons present in this age group is

25

AGE

Male

Female

Transgender

All

Absolute Age

Range Age

20

enter age

ANALYSIS


total persons present in this age group is

4

CITIZEN MENU:



ANALYSIS




VIEW SUPPLY



A window titled "DISPLAY SUPPLIES" with a black background and vertical red and green lines. It contains a search bar for "SUPPLY ID" with the value "su006" and a "SEARCH" button. Below this, there are four input fields for "SUPPLY ID", "NAME", "DESCRIPTION", and "QUANTITY" with values "su006", "sggaa", "gdgc", and "1000" respectively. There are also two "+" symbols between the input fields.

<i>SUPPLY ID</i>	<i>NAME</i>	<i>DESCRIPTION</i>	<i>QUANTITY</i>
su006	sggaa	gdgc	1000

VIEW INVENTORY




A window titled "VIEW INVENTORY" with a white background and blue abstract lines. It contains a search bar for "state id" with the value "s001" and a "search" button. Below this, there are three input fields for "STATE ID", "SUPPLY ...", and "QTY" with values "s001", "su006", and "135" respectively. There are also two "+" symbols between the input fields.



<i>STATE ID</i>	<i>SUPPLY ...</i>	<i>QTY</i>
s001	su006	135

VIEW STATE






VISITOR MENU:





EMERGENCY MENU:





HELP_MANAGER_MENU

