

Post Hoc - Re

blockwise

Krusker Wallis

LTA *Acc* data: acc by block Kruskal-Wallis chi-squared = 12.972, df = 4, p-value = 0.01141

RT data: rt by block Kruskal-Wallis chi-squared = 24.841, df = 4, p-value = 5.415e-05

HTA *Acc* data: acc by block Kruskal-Wallis chi-squared = 10.846, df = 4, p-value = 0.02835 *RT* data: rt by block Kruskal-Wallis chi-squared = 13.998, df = 4, p-value = 0.007302

Pairwise - wilcox test

LTA *Acc*

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.575	ns
1	3v2	1.000	ns
1	4	0.005	**
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	0.167	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

RT

group1	group2	p.adj	p.adj.signif
1	2	0.149	ns
1	3v1	1.000	ns
1	3v2	0.007	**
1	4	0.000	****
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	0.117	ns
3v1	3v2	0.948	ns
3v1	4	0.190	ns

group1	group2	p.adj	p.adj.signif
3v2	4	1.000	ns

HTA Acc

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.956	ns
1	3v2	0.490	ns
1	4	0.026	*
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	0.599	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

RT

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.455	ns
1	3v2	1.000	ns
1	4	0.002	**
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	0.112	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

Stimulus wise

Krusker Wallis

HTA Acc data: acc by stimulus Kruskal-Wallis chi-squared = 25.813, df = 3, p-value = 1.044e-05 RT data: rt by stimulus Kruskal-Wallis chi-squared = 50.865, df = 3, p-value = 5.227e-11

LTA Acc data: acc by stimulus Kruskal-Wallis chi-squared = 17.318, df = 3, p-value = 0.000608 RT data: rt by stimulus Kruskal-Wallis chi-squared = 59.936, df = 3, p-value = 6.067e-13

Pairwise- wilcox Test

HTA Acc

group1	group2	p.adj	p.adj.signif
1	2	0.003	**
1	3	0.002	**
1	4	0.000	****
2	3	1.000	ns
2	4	0.297	ns
3	4	1.000	ns

RT

group1	group2	p.adj	p.adj.signif	
1	2	0.804	ns	
1	3	0.000	****	
1	4	0.000	****	
2	3	0.000	****	
2	4	0.000	****	
3	4	1.000	ns	

LTA acc

group1	group2	p.adj	p.adj.signif
1	2	0.129	ns
1	3	0.015	*
1	4	0.001	***
2	3	1.000	ns
2	4	0.428	ns
3	4	1.000	ns

rt

group1	group2	p.adj	p.adj.signif
1	2	1	ns
1	3	0	****
1	4	0	****
2	3	0	****

group1	group2	p.adj	p.adj.signif
2	4	0	****
3	4	1	ns

Pav-wise - PI

Krusker Wallis -PI

HTA **Acc** data: acc by block Kruskal-Wallis chi-squared = 10.008, df = 4, p-value = 0.04029 **RT** data: rt by block Kruskal-Wallis chi-squared = 7.6251, df = 4, p-value = 0.1063

LTA **Acc** data: acc by block Kruskal-Wallis chi-squared = 8.2193, df = 4, p-value = 0.08387 **RT** data: rt by block Kruskal-Wallis chi-squared = 13.522, df = 4, p-value = 0.00899

Krusker wallis - PC

LTA **acc** data: acc by block Kruskal-Wallis chi-squared = 12.327, df = 4, p-value = 0.01508

rt data: rt by block Kruskal-Wallis chi-squared = 23.212, df = 4, p-value = 0.0001149

HTA **acc** data: acc by block Kruskal-Wallis chi-squared = 8.1048, df = 4, p-value = 0.08781

rt data: rt by block Kruskal-Wallis chi-squared = 16.957, df = 4, p-value = 0.00197

Pairwise Wilcox Test

HTA - PI **Acc**

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.370	ns
1	3v2	0.150	ns
1	4	0.125	ns
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	1.000	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

RT

group1	group2	p.adj	p.adj.signif
1	2	1.00	ns

group1	group2	p.adj	p.adj.signif
1	3v1	0.67	ns
1	3v2	1.00	ns
1	4	0.05	ns
2	3v1	1.00	ns
2	3v2	1.00	ns
2	4	1.00	ns
3v1	3v2	1.00	ns
3v1	4	1.00	ns
3v2	4	1.00	ns

HTA - PC *acc*

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.182	ns
1	3v2	1.000	ns
1	4	0.154	ns
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	1.000	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

rt

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.554	ns
1	3v2	0.102	ns
1	4	0.002	**
2	3v1	1.000	ns
2	3v2	0.484	ns
2	4	0.204	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

LTA - PI Acc

group1	group2	p.adj	p.adj.signif
1	2	0.906	ns
1	3v1	0.211	ns
1	3v2	0.303	ns
1	4	0.363	ns
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	1.000	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

RT

group1	group2	p.adj	p.adj.signif
1	2	0.250	ns
1	3v1	1.000	ns
1	3v2	0.069	ns
1	4	0.011	*
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	1.000	ns
3v1	3v2	1.000	ns
3v1	4	1.000	ns
3v2	4	1.000	ns

LTA-PC Acc

group1	group2	p.adj	p.adj.signif
1	2	1.000	ns
1	3v1	0.358	ns
1	3v2	1.000	ns
1	4	0.061	ns
2	3v1	0.910	ns
2	3v2	1.000	ns
2	4	0.191	ns

group1	group2	p.adj	p.adj.signif
3v1	3v2	0.716	ns
3v1	4	1.000	ns
3v2	4	0.272	ns

rt

group1	group2	p.adj	p.adj.signif
1	2	0.250	ns
1	3v1	0.755	ns
1	3v2	0.007	**
1	4	0.000	****
2	3v1	1.000	ns
2	3v2	1.000	ns
2	4	0.159	ns
3v1	3v2	1.000	ns
3v1	4	0.280	ns
3v2	4	1.000	ns

Table: Accuracy: HTA vs LTA in PC (by block)

block	p	p.adj	p.adj.signif
1	0.001750	0.0087500	**
2	0.000243	0.0012150	**
3v1	0.163000	0.8150000	ns
3v2	0.000000	0.0000001	****
4	0.180000	0.9000000	ns

Table: Accuracy: HTA vs LTA in PI (by block)

block	p	p.adj	p.adj.signif
1	0.4800	1.000	ns
2	0.9140	1.000	ns
3v1	0.5460	1.000	ns
3v2	0.0016	0.008	**
4	0.1470	0.735	ns