

# Rajalakshmi Engineering College

Name: Aswin Balaji P

Email: 240701062@rajalakshmi.edu.in

Roll no: 240701062

Phone: 6381413039

Branch: REC

Department: CSE - Section 6

Batch: 2028

Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 3\_Q4

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Sesha is developing a weather monitoring system for a region with multiple weather stations. Each weather station collects temperature data hourly and stores it in a 2D array.

Write a program that can add the temperature data from two different weather stations to create a combined temperature record for the region.

##### ***Input Format***

The first line of input consists of two space-separated integers N and M, representing the number of rows and columns of the matrices, respectively.

The next N lines consist of M space-separated integers, representing the values of the first matrix.

The following N lines consist of M space-separated integers, representing the values of the second matrix.

#### ***Output Format***

The output prints the addition of the two matrices in N rows and M columns, representing the combined temperature record.

Refer to the sample output for formatting specifications.

#### ***Sample Test Case***

Input: 3 3

1 2 3

4 5 6

7 8 9

1 1 1

2 2 2

3 3 3

Output: 2 3 4

6 7 8

10 11 12

#### ***Answer***

```
import java.util.Scanner;
class Main{
    public static void main(String args[]){
        int n,m,i,j;
        Scanner s = new Scanner(System.in);
        n = s.nextInt();
        m = s.nextInt();
        int [][] a = new int[n][m];
        int [][] b = new int[n][m];
        int [][] c = new int[n][m];
        for(i=0;i<n;i++){
            for(j=0;j<m;j++){
                a [i][j] = s.nextInt();
            }
        }
        for(i=0;i<n;i++){
            for(j=0;j<m;j++){
                b [i][j] = s.nextInt();
            }
        }
        for(i=0;i<n;i++){
            for(j=0;j<m;j++){
                c [i][j] = a [i][j] + b [i][j];
            }
        }
        for(i=0;i<n;i++){
            for(j=0;j<m;j++){
                System.out.print(c [i][j] + " ");
            }
            System.out.println();
        }
    }
}
```

```
        b[i][j] = s.nextInt();
        c[i][j] = a[i][j]+b[i][j];
        System.out.printf("%d ",c[i][j]);
    } System.out.println();
}
}
```

**Status : Correct**

**Marks : 10/10**