DDRC SRL DIAGNOSTICS PRIVATE LIMITED
Puthenvila Bazalel Building, Near LMS Hospital,
Hospital Junction, Kundara - Kottiyam Road, Kundara,- 691501
Mail: kundara@ddrcsrl.com Phone : 9497715614
CIN:U85190MH2006PTC161480

Name :RAJEEV R | Age/Sex : 35/M | SRD No : AU21185602-O/KU

Doctor :

Hospital: COUNTER CASH | Sample Collected 17/09/2021 11:16 AM | Ref. No :

Report On : 18/09/2021 02:00 AM | IP/OP No:

SRF No: 1006/TVM/20210957294 | Phone No: **9995555473**

Test Description	Value Observed	Reference Range

DEPARTMENT OF GENETICS

COVID-19 RT PCR

Specimen	Nasopharyngeal / oropharyngeal Swab
E Gene	NOT DETECTED
RdRP/N / ORF1ab Gene	NOT DETECTED
Result	SARS CoV-2 RNA NOT DETECTED
Final Report	NEGATIVE

Notes:

ICMR Reg No : DDRCSRLDPTK
Test Performed at : DDRC SRL Diagnostics Pvt Ltd , Building No.82/1730(2), Mridunga Tower, Pattoor Road, Trivandrum, ICMR approved centre

Method: Real-time PCR
This is a real-time RT-PCR test intended for the qualitative detection of nucleic acid from the 2019-nCoV in upper and lower respiratory specimens (such as nasopharyngeal or oropharyngeal swabs, sputum, lower respiratory tract aspirates, bronchoalveolar lavage, and nasopharyngeal wash/aspirate or nasal aspirate) collected from individuals who meet 2019-nCoV clinical and/or epidemiological criteria. The assay uses RNA extracted from clinical samples. Using the RNA extracted, the assay performs the RT-PCR reaction by dividing it into two assays for accurate detection of SARS-CoV-2. Each assay amplifies E gene and the COVID -19 specific target, RdRp/N/ORF1ab gene, if present; thus it is designed for both the screening and specific detection of 2019-nCoV.

Pathogen information:
Coronaviruses are non-segmented positive-stranded RNA viruses with a roughly 30 kb genome surrounded by a protein envelope. Most coronaviruses cause diseases in their particular host species; those that can infect humans through cross-species transmission have become an important threat to public health. Since December, 2019, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) hasbeen recognised as the causal factor in a series of severe cases of pneumonia originating in Wuhan in Hubei province, China. This disease has been named coronavirus disease 2019 (COVID-19) by WHO. Severe acute respiratory syndrome-related coronavirus (SARSr-CoV) is a species of coronavirus that infects humans, bats and certain other mammals. It is a member of the genus Betacoronavirus and subgenus sarbecoronavirus. Two strains of the virus have caused outbreaks of severe respiratory diseases in humans: SARS-CoV , which caused the 2002-2004 outbreak of severe acute respiratory syndrome (SARS), and SARS-CoV-2, which is causing the 2019–20 pandemic of coronavirus disease 2019 (COVID-19). Other strains of Sarbecovirus are only known to infect non-human species: bats are a major reservoir of many strains.

Interpretation:
Positive results are indicative of the presence of SARS-CoV-2 RNA; clinical correlation with patient history and other diagnostic information is necessary to determine patient infection status. Positive results do not rule out bacterial infection or co-infection with other viruses.

Negative results do not preclude SARS-CoV-2 infection and should not be used as the sole basis for patient management decisions. Negative results must be combined with clinical observations, patient history, and epidemiological information. A false negative result may occur, if inadequate number of organisms are present in the specimen due to improper collection, transport or handling. False negative results may also occur if amplification inhibitors are present in the specimen. A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection. Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.

Status : FINAL REPORT

DDRC SRL DIAGNOSTICS PVT LTD TRIVANDRUM MRIDUNGA TOWER

Dr. SAMITHA NAIR
MBBS, MD, DipRCPath, Pg Dip(ID)
Dept.of Micro & Molecular Biology
Bd No:82/1730(2) DDRC SRL,TVM,Ph: 8590600766
Reviewed By

Dr.RATHEESHKUMAR T
Ph.D, (Molecular Biology)
HOD Molecular Biology and Genetics
Bd No:82/1730(2) Ph:8590600766
Approved By

**** End Of Report ****

This Report has been digitally signed by system, hence manual signatory is not necessary