



- **Name:** Aswin menon
- **S3 bucket link:** <http://voidam.s3-website-us-west-1.amazonaws.com>
- **Screenshots:**





Video link:

https://drive.google.com/file/d/1tdnF_VjGhFW5iwPHxSjhDeYmZYPCE_Q-/view?usp=sharing

CODE LINK:

<https://drive.google.com/file/d/1LGukP2qqogm1kRkZ2982tlejha-1eMk1/view?usp=sharing>

S3 BUCKET SCREENSHOT:



Object Lock

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. Object Lock works only in versioned buckets. [Learn more](#)

Object Lock
Disabled

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Requester pays
Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)
<http://voidam.s3-website-us-west-1.amazonaws.com>

Edit

Edit

Edit

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Id": "Policy1722529021393",
  "Statement": [
    {
      "Sid": "Stmt1722529009109",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::voidam/*"
    }
  ]
}
```

Copy

Edit

Delete

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

