

# Tech Saksham

## Case Study Report

### Data Analytics with Power BI

## **“Analysis of Unemployment in Republic of India”**

**“Govt arts and science college”**

NM ID	NAME
asbdu369cb21s206493	G.Aswin

# ABSTRACT

The latest data indicates a glimmer of hope, as India's unemployment rate has recently declined. According to the the unemployment rate for individuals aged 15 years and above in urban areas decreased to 6.8 percent during January-March 2023 from 8.2 percent a year ago. This positive development suggests a potential turnaround in the job market amidst the prevailing economic complexities. However, continued vigilance and effective policy measures remain crucial to foster sustainable job growth and secure the nation's future prosperity.

**The Current Unemployment Rate in India** The unemployment rate witnessed a sharp decrease in January 2024. According to the latest data from the independent think-tank, the unemployment rate in India stood at 6.8 percent in January. The unemployment rate in India saw a decrease of 1.9 percent in a month, as it stood at 8.7 percent in December last year.

---

## INDEX

Sr. No.	Table of Contents	Page No.
1	Chapter 1: Introduction	4
2	Chapter 2: Services and Tools Required	6
3	Chapter 3: Project Architecture	7
4	Chapter 4: Modeling and Result	9
5	Conclusion	18
6	Future Scope	19
7	References	20
8	Links	21

## CHAPTER 1

### INTRODUCTION

#### 1.1 Problem Statement

The unemployment rate in India, amidst lockdown and restrictions on mobility, is 12.81% as of June 8th 2021 based on the data provided by the CMIE. Earlier, the unemployment rate in India shot up from 6.5 per cent in March 2021 to 8 per cent in April 2021, to 14.7% by May end, while the employment rate fell from 37.6 per cent in March to 36.8 per cent in April, says the report of CMIE – Centre For Monitoring Indian Economy.

In 2020, the unemployment rate in India fell to 7% in September 2020 from the record high of 29% since the country went into lockdown from March 2020, However, it later increased to 9.1% in December 2020.

The unemployment rate again declined to 6.5 per cent in January 2021 from 9.1 per cent in December 2020, while the employment rate surged to 37.9 per cent as compared to 36.9 per cent.

The lockdown to contain the coronavirus outbreak has forced many industries to shut down thus increasing unemployment across the country.

#### 1.2 Proposed Solution

Unemployment means a person willing to work but unable to find a qualified job. Our country is facing many problems but one of the serious problem is of unemployment. Many graduates, doctors, engineers, scientist are unemployed or working underemployed. Due to unemployment we are wasting our country's human resource.

The unemployed rate in between age group 15- 29 has been increased since 2009-2010. According to the Global Employment Trends 2014 the unemployment rate has raised to 3.8%, last year.

### 1.3 Feature

- **Real-Time Analysis:** The dashboard will provide real-time analysis of customer data.
- **Customer Segmentation:** It will segment customers based on various parameters like age, income, transaction behavior, etc.
- **Trend Analysis:** The dashboard will identify and display trends in customer behavior.
- **Predictive Analysis:** It will use historical data to predict future customer behavior.

### 1.4 Advantages

To provide unemployment benefits, various countries have policies and programs in place. The US enacted policies qua unemployment insurance as far back as 1935. The basic unemployment insurance program is run by various states which provide most of the funding and pay for the actual benefits given to workers. A person is from the state where the person was last employed at, even if the person now lives in a different state.

### 1.5 Scope

The scope of this project extends to all banking institutions that aim to leverage data for decision-making and customer engagement. The project can be further extended to incorporate more data sources and advanced analytics techniques, such as machine learning and artificial intelligence, to provide more sophisticated insights into customer behavior. The project also has the potential to be adapted for other sectors, such as retail, healthcare, and telecommunications, where understanding customer behavior is crucial. Furthermore, the project contributes to the broader goal of digital transformation in the banking sector, promoting efficiency, innovation, and customer-centricity.

## CHAPTER 2

### SERVICES AND TOOLS REQUIRED

#### 2.1 Services Used

- **Data Collection and Storage Services:** Banks need to collect and store customer data in real-time. This could be achieved through services like Azure Data Factory, Azure Event Hubs, or AWS Kinesis for real-time data collection, and Azure SQL Database or AWS RDS for data storage.
- **Data Processing Services:** Services like Azure Stream Analytics or AWS Kinesis Data Analytics can be used to process the real-time data.
- **Machine Learning Services:** Azure Machine Learning or AWS SageMaker can be used to build predictive models based on historical data.

#### 2.2 Tools and Software used

##### Tools:

- **Power BI:** The main tool for this project is PowerBI, which will be used to create interactive dashboards for real-time data visualization.
- **Power Query:** This is a data connection technology that enables you to discover, connect, combine, and refine data across a wide variety of sources.


#### 2.3 Software Requirements:

- **Power BI Desktop:** This is a Windows application that you can use to create reports and publish them to Power BI.
- **Power BI Service:** This is an online SaaS (Software as a Service) service that you use to publish reports, create new dashboards, and share insights.
- **Power BI Mobile:** This is a mobile application that you can use to access your reports and dashboards on the go.

## CHAPTER 3

### PROJECT ARCHITECTURE

#### 3.1 Architecture



Here's a high-level architecture for the project:

1. **Data Collection:** Real-time customer data is collected from various sources like bank transactions, customer interactions, etc. This could be achieved using services like Azure Event Hubs or AWS Kinesis.
2. **Data Storage:** The collected data is stored in a database for processing. Azure SQL Database or AWS RDS can be used for this purpose.
3. **Data Processing:** The stored data is processed in real-time using services like Azure Stream Analytics or AWS Kinesis Data Analytics.

4. **Machine Learning:** Predictive models are built based on processed data using Azure Machine Learning or AWS Sage Maker. These models can help in predicting customer behavior, detecting fraud, etc.
5. **Data Visualization:** The processed data and the results from the predictive models are visualized in real-time using Power BI. Power BI allows you to create interactive dashboards that can provide valuable insights into the data.
6. **Data Access:** The dashboards created in Power BI can be accessed through Power BI Desktop, Power BI Service (online), and Power BI Mobile.

This architecture provides a comprehensive solution for real-time analysis of bank customers. However, it's important to note that the specific architecture may vary depending on the bank's existing infrastructure, specific requirements, and budget. It's also important to ensure that all tools and services comply with relevant data privacy and security regulations.





## CHAPTER 4

### MODELING AND RESULT

#### 4.1 Manage relationship

The “unemployment” file will be used as the main connector as it contains most key identifier (account id, client id and unemployment id) which can be to relate the 8 data files together. The “district” file is use to link the client profile geographically with “district id”





## Manage relationships

Active	From: Table (Column)	To: Table (Column)
<input checked="" type="checkbox"/>	card (disp_id)	disp (disp_id)
<input checked="" type="checkbox"/>	client (district_id)	district (district_id)
<input checked="" type="checkbox"/>	disp (account_id)	account (account_id)
<input checked="" type="checkbox"/>	disp (account_id)	loan (account_id)
<input checked="" type="checkbox"/>	disp (client_id)	client (client_id)
<input checked="" type="checkbox"/>	order (account_id)	account (account_id)
<input checked="" type="checkbox"/>	transaction (account_id)	disp (account_id)
<input type="checkbox"/>	account (district_id)	district (district_id)
<input type="checkbox"/>	transaction (account_id)	loan (account_id)

✕
✓

```

1 Gender =
2 VAR stringDate = FORMAT(client[birth_number],"General Number")
3 VAR month = VALUE(MID(stringDate,3,2))
4 RETURN IF(month > 50,"F","M")
5

```

client_id	birth_number	district_id	Gender	Birthday	age
3428	875927	42	F	27/09/1987	13
4354	860813	28	M	13/08/1986	14
3417	855318	35	F	18/03/1985	15
10201	851019	13	M	19/10/1985	15
724	855114	46	F	14/01/1985	15

2013	8.5%	8.1%	7.6%	7.1%	7.5%	7.8%	7.7%	7.5%	7.0%	7.0%	6.6%	6.5%
2012	8.8%	8.7%	8.4%	7.7%	7.9%	8.4%	8.6%	8.2%	7.6%	7.5%	7.4%	7.6%
2011	9.8%	9.5%	9.2%	8.7%	8.7%	9.3%	9.3%	9.1%	8.8%	8.5%	8.2%	8.3%
2010	10.6%	10.4%	10.2%	9.5%	9.3%	9.6%	9.7%	9.5%	9.2%	9.0%	9.3%	9.1%

the date format to 20/05/2004 adding 365 to the year.

✕
✓

```

1 Birthday =
2 VAR stringDate = FORMAT(client[birth_number],"General Number")
3 VAR stringMonth = VALUE(MID(stringDate,3,2))
4 VAR mth = IF(stringMonth > 50, stringMonth - 50,stringMonth)
5 VAR year = VALUE(MID(stringDate,1,2))
6 VAR day = VALUE(MID(stringDate,5,2))
7 RETURN FORMAT( DATE(year+1900,mth,day), "DD/MM/YYYY" )

```

client_id	birth_number	district_id	Gender	Birthday	age
3428	875927	42	F	27/09/1987	13
4354	860813	28	M	13/08/1986	14
3417	855318	35	F	18/03/1985	15
10201	851019	13	M	19/10/1985	15

For Age, we shall assume it is year 1999 as explain previously and use it to minus from the birth year.

1	age = 1999 -RIGHT(client[Birthday],4)
---	---------------------------------------

client_id	birth_number	district_id	Gender	Birthday	age	age (groups)
2	450204	1	M	04/02/1945	54	36 -54 Baby Boomers

## 4.2 Replacing values

Set some fields to English for easy understanding, we replace values to English with the Power Query Editor.

type	+/- transaction	"PRIJEM" stands for credit "VYDAJ" stands for withdrawal
------	-----------------	---

k_symbol	characterization of the transaction	"POJISTNE" stands for insurance payment "SLUZBY" stands for payment for statement "UROK" stands for interest credited "SANKC. UROK" sanction interest if negative balance "SIPO" stands for household "DUCHOD" stands for old-age pension "UVER" stands for loan payment
----------	-------------------------------------	--

Changing the order of Region name at Power Query

Duplicate the "district /region" then split column using space as delimiter.

Data source settings	Manage Parameters	Refresh Preview	Manage	Choose Columns	Remove Columns	Keep Rows	Remove Rows	Split Column	Group By	Replace Values	Com
Data Sources	Parameters	Query	Manage Columns	Reduce Rows	Sort	Transform					
	A <sup>B</sup> C region	1 <sup>2</sup> 3 no_of_inhabitants	1 <sup>2</sup> 3 avg_salary	A <sup>B</sup> C region - Copy.2	A <sup>B</sup> C region - Copy.1						
3	central Bohemia	75232	8980	Bohemia	central						
4	central Bohemia	149893	9753	Bohemia	central						

Then merge column by Region and direction. Refer to applied steps for details.

A <sup>B</sup> C region - Copy.2	A <sup>B</sup> C region - Copy.1	A <sup>B</sup> C REGION dir
1	Prague	Prague
2	Bohemia	Bohemia central
3	Bohemia	Bohemia central
4	Bohemia	Bohemia central
5	Bohemia	Bohemia central
6	Bohemia	Bohemia central
7	Bohemia	Bohemia central
8	Bohemia	Bohemia central
9	Bohemia	Bohemia central
10	Bohemia	Bohemia central
11	Bohemia	Bohemia central
12	Bohemia	Bohemia central
13	Bohemia	Bohemia central
14	Bohemia	Bohemia central
15	Bohemia	Bohemia central
16	Bohemia	Bohemia central
17	Bohemia	Bohemia central
18	Bohemia	Bohemia central
19	Bohemia	Bohemia central
20	Bohemia	Bohemia central
21	Bohemia	Bohemia central
22	Bohemia	Bohemia central
23	Bohemia	Bohemia central
24	Bohemia	Bohemia central
25	Bohemia	Bohemia central
26	Bohemia	Bohemia central
27	Bohemia	Bohemia central
28	Bohemia	Bohemia central
29	Bohemia	Bohemia central
30	Bohemia	Bohemia central
31	Bohemia	Bohemia central
32	Bohemia	Bohemia central
33	Bohemia	Bohemia central
34	Bohemia	Bohemia central
35	Bohemia	Bohemia central
36	Bohemia	Bohemia central
37	Bohemia	Bohemia central
38	Bohemia	Bohemia central
39	Bohemia	Bohemia central
40	Bohemia	Bohemia central
41	Bohemia	Bohemia central
42	Bohemia	Bohemia central
43	Bohemia	Bohemia central
44	Bohemia	Bohemia central
45	Bohemia	Bohemia central
46	Bohemia	Bohemia central
47	Bohemia	Bohemia central
48	Bohemia	Bohemia central
49	Bohemia	Bohemia central
50	Bohemia	Bohemia central
51	Bohemia	Bohemia central
52	Bohemia	Bohemia central
53	Bohemia	Bohemia central
54	Bohemia	Bohemia central
55	Bohemia	Bohemia central
56	Bohemia	Bohemia central
57	Bohemia	Bohemia central
58	Bohemia	Bohemia central
59	Bohemia	Bohemia central
60	Bohemia	Bohemia central
61	Bohemia	Bohemia central
62	Bohemia	Bohemia central
63	Bohemia	Bohemia central
64	Bohemia	Bohemia central
65	Bohemia	Bohemia central
66	Bohemia	Bohemia central
67	Bohemia	Bohemia central
68	Bohemia	Bohemia central
69	Bohemia	Bohemia central
70	Bohemia	Bohemia central
71	Bohemia	Bohemia central
72	Bohemia	Bohemia central
73	Bohemia	Bohemia central
74	Bohemia	Bohemia central
75	Bohemia	Bohemia central
76	Bohemia	Bohemia central
77	Bohemia	Bohemia central
78	Bohemia	Bohemia central
79	Bohemia	Bohemia central
80	Bohemia	Bohemia central
81	Bohemia	Bohemia central
82	Bohemia	Bohemia central
83	Bohemia	Bohemia central
84	Bohemia	Bohemia central
85	Bohemia	Bohemia central
86	Bohemia	Bohemia central
87	Bohemia	Bohemia central
88	Bohemia	Bohemia central
89	Bohemia	Bohemia central
90	Bohemia	Bohemia central
91	Bohemia	Bohemia central
92	Bohemia	Bohemia central
93	Bohemia	Bohemia central
94	Bohemia	Bohemia central
95	Bohemia	Bohemia central
96	Bohemia	Bohemia central
97	Bohemia	Bohemia central
98	Bohemia	Bohemia central
99	Bohemia	Bohemia central
100	Bohemia	Bohemia central

#### Query Settings

#### PROPERTIES

#### APPLIED STEPS

- Source
- Navigation
- Promoted Headers
- Changed Type
- Duplicated Column
- Split Column by Delimiter
- Changed Type1
- Reordered Columns
- Inserted Merged Column
- Inserted Merged Column1
- Renamed Columns
- Removed Columns

### 4.3 Grouping of age by ranges

As the customers' age ranges from 12 to 88, we shall group them into different generation age range for easier profiling we will group the ages into 5 groups.

The Gen youths,

Gen are young working adults, some starting their families

Baby Boomer working adults with are families.

The silent Generations some are working and retired, living on pensions.

The greatest Generation, retired elderly living on pensions.

## Groups

Name  Field

Group type

### Ungrouped values

### Groups and members

- ▶ 0 - 20 Gen Y
- ▶ 20 - 35 Gen X
- ▶ 36 -54 Baby Boomers
- ▶ 55- 73 THE SILENT GENERATION
- ▶ 74 and above - THE GREATEST GENERATION

## 4.4 Credit Rating and Loan Status

As the Loan status uses A, B, C, D which are not reader friendly. We can add a column to represent what it stands for, we also simplify the classification of those with late or default on payment as bad credit, refer to the table below for details on the new columns added.

Status in "loan" data	New column "loan status"	New column "credit rating"
'A' stands for contract finished no problems	Fully Repaid	Good
'B' stands for contract finished loan not payed	Default	Bad
'C' stands for running contract OK so far	Timely Payment	Good
'D' stands for running contract client in debt	Late payment	Bad

✕

✓

```

1 Loan Status =
2 IF(loan[status]="A","Repaid Full",
3 IF(loan[status]="B","Default",IF (loan[status]="c","Timely payment","Late payment" )))

```

loan_id	account_id	date	Loan Amt	duration	payments	status	Credit Rating	Loan Status
6059	5196	971228	79,824 Kč	12	6652	A	GOOD	Repaid Full
6727	8505	971210	42,840 Kč	12	3570	A	GOOD	Repaid Full

✕

✓

```

1 Credit Rating =
2 IF(loan[status]="A","GOOD",
3 IF(loan[status]="B","BAD",IF (loan[status]="c","GOOD","BAD" )))

```


loan_id	account_id	date	Loan Amt	duration	payments	status	Credit Rating	Loan Status
5221	1284	981205	52,512 Kč	12	4376	C	GOOD	Timely payment
5841	4268	981104	41,988 Kč	12	3499	C	GOOD	Timely payment





Values of such as “account Id” have also been set as Text.

And District name have been categorized as place to be use for the map to show the sum of the inhabitants in each region.

## 4.5 Dashboard







## CONCLUSION

The project real time analysis of “unemployment” using Power Bi has successfully demonstrated the potential of data analysis in the unemployment sector. The real time analysis of unemployment data has provided valuable insights into unemployment preference and trends thereby foliating informed decision making the interactive dashboards and reports have offered a comprehensive view of unemployment data enabling the identification of patterns correlations this has not only improved the efficiency of data analysis but also enhanced unemployment ability to provided unemployed.

## **FUTURE SCOPE**

The future scope of this project is vast. With the advent of advanced analytics and machine learning, Power BI can be leveraged to predict future trends based on historical data. Integrating these predictive analytics into the project could enable the bank to anticipate customer needs and proactively offer solutions. Furthermore, Power BI's capability to integrate with various data sources opens up the possibility of incorporating more diverse datasets for a more holistic view of customers. As data privacy and security become increasingly important, future iterations of this project should focus on implementing robust data governance strategies. This would ensure the secure handling of sensitive customer data while complying with data protection regulations. Additionally, the project could explore the integration of real-time data streams to provide even more timely and relevant insights. This could potentially transform the way banks interact with their customers, leading to improved customer satisfaction and loyalty.

## REFERENCES

<https://github.com/Aswinganesan/Aswin>

## LINK

<https://github.com/githubtraining/hellogitworld.git>