

# Cucumber Report

01-Apr-2024, 2:53:07 pm

Start : Apr 01, 2:53:07.015 pm

End : Apr 01, 2:53:07.072 pm

Duration : 0.057 s

Features

Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 5  
FAILED - 0  
SKIPPED - 0

PASSED - 22  
FAILED - 0  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search for bus routes</u>	0.057 s	5	5	0	0	22	22	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Citynames	1	1	0	0	1	1	0	0
@filters	1	1	0	0	1	1	0	0
@Tsrtc	1	1	0	0	1	1	0	0
@Apsrtc	1	1	0	0	1	1	0	0
@ApplyingFilter	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search for bus routes</u>	5	5	0	0	0.057 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search for bus routes</u>	<u>Search for a route between two cities</u>	3	3	0	0	0.019 s
2		<u>list of different types of filters</u>	4	4	0	0	0.002 s
3		<u>checking the TSRTC Buses</u>	5	5	0	0	0.002 s
4		<u>cheeking the APSRTC buses</u>	5	5	0	0	0.002 s
5		<u>giving of filter</u>	5	5	0	0	0.001 s

## Search for bus routes



<b>PASSED</b>	DURATION - 0.057 s	Scenarios		Steps	
/ 2:53:07.015 pm // 2:53:07.072 pm /		Total - 5		Total - 22	
		Pass - 5		Pass - 22	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Search for a route between two cities

<div>PASSED</div>	<div>DURATION - 0.019 s</div>		Steps	
<div>/ 2:53:07.020 pm // 2:53:07.039 pm /</div>			Total - 3	
<div>Search for bus routes</div>			Pass - 3	
<div>@Citynames</div>			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I am on the Red Bus application	PASSED	0.003 s
2	When I want to give two cities names	PASSED	0.000 s
3	Then I want to give the date	PASSED	0.000 s

## list of different types of filters

<div>PASSED</div> <div>DURATION - 0.002 s</div>			Steps	
/ 2:53:07.049 pm // 2:53:07.051 pm /			Total - 4	
Search for bus routes			Pass - 4	
@filters			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I am on the Red Bus application	PASSED	0.000 s
2	When I want to give two cities names	PASSED	0.000 s
3	And I want to give the date	PASSED	0.000 s
4	Then I want to get the different filters names	PASSED	0.001 s

### checking the TSRTC Buses

PASSED	DURATION - 0.002 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:53:07.057 pm // 2:53:07.059 pm /				
Search for bus routes				
@Tstrtc				

#	Step / Hook Details	Status	Duration
1	Given I am on the Red Bus application	PASSED	0.000 s
2	When I want to give two cities names	PASSED	0.000 s
3	And I want to give the date	PASSED	0.000 s
4	And I click on tsrtc buses	PASSED	0.000 s
5	Then I am able to see the list of buses	PASSED	0.000 s



### checking the APSRTC buses

PASSED	DURATION - 0.002 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:53:07.064 pm // 2:53:07.066 pm /				
Search for bus routes				
@Apsrtc				

#	Step / Hook Details	Status	Duration
1	Given I am on the Red Bus application	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When I want to give two cities names	PASSED	0.000 s
3	And I want to give the date	PASSED	0.000 s
4	And I want to click on apsrctc buses	PASSED	0.001 s
5	Then I am able to see the list of buses	PASSED	0.000 s

### giving of filter

PASSED	DURATION - 0.001 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:53:07.071 pm // 2:53:07.072 pm /				
Search for bus routes				
@ApplyingFilter				

#	Step / Hook Details	Status	Duration
1	Given I am on the Red Bus application	PASSED	0.000 s
2	When I want to give two cities names	PASSED	0.000 s
3	And I want to give the date	PASSED	0.000 s
4	And I want click on filter	PASSED	0.000 s
5	Then It gives available buses	PASSED	0.000 s