API и интерфейс

API → состояние страницы → сравнение → сценарии → демо

Что нужно знать

- Почему FastAPI читает подготовленные таблицы вместо выдачи миллионов исходных строк в браузер.
- Состояние league/season/teams в URL; проверка параметров, read-only pool и ограничение времени SQL-запроса.
- Как считается очное сравнение с позиции каждого клуба: дома/в гостях меняются goals_for и goals_against.
- При отсутствии матчевого CSV показывается отсутствие покрытия; это не доказательство отсутствия встреч и не 0–0.
- Как Lab получает точные пять входов для клуба/сезона/соревнования, ограничивает attacking_spend общим бюджетом и отбрасывает устаревшие ответы.
- Что проверяют unittest, live API checks и реальный браузер; как читать /api/health и почему наличие одной таблицы недостаточно.
- Serie A 24/25 comparison: Inter 79 GF, 35 GA, +44 GD, attack rank 1 and defense rank 2; Milan 61, 43, +18, attack rank 3 and defense rank 7. Ranks are by per-match scored/conceded goals in the league-season.
- xG is absent from the actual loaded match schema. Do not infer it from goals or player aggregates.
- The optional player source has goalkeeper conceded totals. They exactly match the actual scoreboard GA in 366 of 388 complete top-five club-seasons; clean-sheet totals agree in 269. The UI uses actual scorelines for league ranks.

Что показать

1. Выбрать Serie A 24/25, открыть Inter/Milan и показать 1–2, 1–1, суммарные голы 2–3.
2. Показать, что без обогащения интерфейс даёт понятное сообщение, а не выдуманные значения.
3. Открыть Lab, изменить один вход, дождаться ответа и выполнить Reset. Не тратить время демо на все слайдеры.

Короткая речь на английском

> *The browser reads a bounded API over prepared results. League and season filters are explicit, and the URL preserves the selected scope. In the comparison, season totals and actual head-to-head meetings are separate. Serie A 24/25 shows Inter at 79 for and 35 against (+44), ranked first in goals scored per match and second in goals conceded per match. Milan has 61 for and 43 against (+18), ranked third and seventh. The source has no xG field. For Inter and Milan in 24/25, the recorded league scores are 1–2 and 1–1, giving head-to-head goals of two to three. Missing match enrichment is reported explicitly. The Lab loads the five real club-season inputs, calls a saved model and rejects invalid budgets or non-finite numbers. We verify behavior at three levels: regression tests, live data contracts and desktop/mobile browser checks.*

Переход: “The final question is whether this system runs reproducibly and what resources it uses.”

Твой тайминг на защите

Слайд	Блок	Время	Длительность
6. See the evidence	06 / Live demo	06:30–09:15	165 с
10. Boundaries and ownership	10 / Close	14:00–15:00	60 с

Как закрывать экзамен

1. Твои слайды 6 (демо, 06:30–09:15) и 10 (закрытие, 14:00–15:00). Демо — самая длинная часть выступления и самая уязвимая.
2. Пять шагов демо держи по порядку из таблицы ниже и вслух называй, что ожидаешь увидеть, до того как это появится на экране.
3. Если что-то не поднялось — не чини Docker при экзаменаторе. Одна фраза «переходим на записанные доказательства» и скриншоты из `defense/site/assets/`.
4. Покажи состояние «нет данных» специально: это доказывает, что интерфейс не выдумывает 0–0.
5. В Lab меняй ровно один ввод, потом Reset. Один фактор за раз — это же правило, что в измерениях.
6. На вопрос «зачем API, а не графики из таблиц» отвечай про размер: миллионы строк не уходят в браузер, SQL и валидация остаются на сервере.
7. Закрывая, назови границы проекта и незакрытые пункты сам — это последнее, что услышит экзаменатор, и честность здесь работает в плюс.

Где смотреть в проекте

Файл в проекте	Что в нём смотреть
`app/api.py`	Контракты эндпоинтов, 422 / 404 / 503, bound-параметры, read-only транзакции и guard на существование таблиц.
`app/static/app.js`	Состояния страницы: отсутствие покрытия, отсутствие встреч и реальный 0–0 — три разных состояния.
`app/static/api-docs.html`	Готовая документация API: открывается на `/api/docs` во время демо.
`scripts/check_live.py`	Проверка живых контрактов и подготовленных выходов — запускается после подъёма стека.
`scripts/browser_check.mjs`	Браузерные проверки реальных сценариев и мобильной раскладки, скриншоты в `artifacts/`.
`scripts/site_check.mjs`	Проверка офлайн-сайта пособия, результат в `defense/site-check.json`.
`tests/test_head_to_head.py`	Перспектива выбранного клуба: голы за и против меняются местами при развороте сравнения.
`tests/test_health.py`	Почему 503 означает «данные или модель не готовы», а не ошибку запроса.
`docs/FRONTEND_HANDOFF.md`	Контракт данных для внешнего фронтенда — доказательство, что presentation отделён от обработки.

Практические задания

1. Поменяй клубы местами в URL и объясни, какие метрики должны поменять столбцы, а какие остаться равными.
2. Объясни различия HTTP 422, 404 и 503 на примерах этого API.
3. Проведи трёхминутное демо без чтения README: обзор → сравнение → Lab → Project.

Вопросы по направлению

Why have an API instead of plotting raw tables directly?

Зачем API?

The API exposes small prepared outputs under an explicit league and season. This avoids moving millions of raw rows to the browser, keeps SQL and validation on the server and separates presentation from processing.

How are head-to-head goals calculated?

Как считаются голы друг другу?

For each completed meeting, the selected club’s perspective determines whether the home or away score is goals for. Reversing the compared clubs swaps their totals. Wins, draws, losses and points are derived from those actual scores.

Does no recorded match mean a 0–0 draw?

Нет данных — это 0–0?

No. No coverage, no recorded meetings and a completed 0–0 draw are different states. The API reports enrichment availability and the interface shows an explicit message instead of inventing a score.

What prevents invalid scenario inputs?

Как защищены входы Lab?

The API rejects non-finite numbers, checks bounds and requires attacking spend not to exceed total spend. The browser also clamps the sliders. Server-side validation remains necessary even when the UI enforces the same rule.

What do HTTP 422, 404 and 503 mean here?

Что означают ошибки API?

422 indicates invalid input, such as selecting the same club twice. 404 means the requested club-season scope is unavailable. 503 indicates temporary data/model unavailability or an incomplete application output state.

What do your tests prove?

Что доказывают тесты?

Regression tests cover known failure cases, live checks validate the prepared outputs and API contracts, and browser checks exercise actual flows and mobile layout. They provide scoped evidence, not a guarantee that every possible bug is absent.

What is the main result in one sentence?

Главный результат одним предложением?

The system is reproducible on the measured setup, while historical transfer spending alone has almost no linear relationship with next-season index change and the richer model adds only modest predictive value.

What is the most important limitation?

Главное ограничение?

The data are retrospective and unevenly covered, the index is a proxy, and associations are not causal effects. Source licence and independent team/laptop validation also remain explicit unresolved requirements.

How do goals for, goals against and goal difference work in the comparison?

Как в сравнении рассчитываются забитые, пропущенные голы и разница?

GF and GA are season totals rebuilt from completed home/away match scores. GD is GF − GA. They come from the optional football-data.co.uk match enrichment, not from the Champagne Index player totals.

How are attacking and defensive ranks calculated?

Как рассчитываются атакующий и защитный рейтинги?

Within one league and season, attack rank orders goals scored per match from highest to lowest; defense rank orders goals conceded per match from lowest to highest. SQL RANK gives tied rates the same rank and leaves a gap after ties. They describe scores, not tactics or chance quality.

Do we have xG or can we estimate it?

Есть ли в данных xG или можем ли мы его оценить?

The source has no provider xG field. The comparison instead shows observed shots and shots on target. A separate estimate multiplies shots on target by the league-season average goals-per-shot-on-target rate; it is an experimental volume proxy with no shot-location or chance-quality input, not xG.

What is the difference between the Champagne Index and attack rank?

Чем атакующий рейтинг отличается от Champagne Index?

The Champagne Index is recorded player goals plus assists divided by a Transfermarkt matches proxy for a club-season. Attack rank uses actual completed league scorelines, sums team goals and ranks goals per match within the league-season. Their sources, coverage and units differ.

How did you check the goalkeeper defensive totals?

Как вы проверили вратарские показатели по пропущенным?

We compared Transfermarkt goalkeeper goals-conceded totals with the independent match-result totals on 388 adequately covered top-five club-seasons. They match exactly in 366 (94.3%). Clean sheets match only 269 (69.3%), so the scoreline source remains the basis of league ranks.

What does the defensive-spend analysis show?

Что показывает анализ расходов на защитников?

The Pearson correlation between defender transfer fees and next-season change in the goalkeeper-source conceded-goal rate is r=0.004047, p=0.426997, n=38,531. The sample does not support a useful linear association. It is descriptive, not causal. A separate match-level check finds teams with a red card concede 0.341 more goals on average in the same match, but match context confounds that association.

Why keep the player-source defensive values separate from scoreboard goals?

Почему defensive-показатели по игрокам отделены от итогов матчей?

The sources use different records and denominators. Goalkeeper conceded totals agree with scorelines in 94.3% of adequately covered seasons, while clean sheets agree in 69.3%. The UI therefore uses match scores for GF, GA, GD and ranks; player-source totals remain a quality cross-check. Shots and corners are also observed match statistics, not chance-quality measures.

Is the shot-based estimate the same as xG?

Оценка по ударам — это xG?

No. It multiplies a team’s shots on target by the league-season average goals per shot on target. It has no shot-location, distance, body-part, pressure or goalkeeper-position input. It is a rough volume benchmark and must be called an SOT-based proxy, not provider xG.

What does the Poisson attack/defense rank tell us?

Что показывают Poisson-ранги атаки и обороны?

The model fits attack, defense and a shared home-advantage term to the selected league-season scores. Larger fitted attack and defense parameters mean stronger estimated attack and defense. Its ranks are descriptive and in-sample; the separate chronological RandomForest evaluation is the project's held-out prediction check.

Did the added defensive features improve the model?

Улучшили ли защитные признаки модель?

On the same chronological split, R^2 moves from 0.1271 with the five-feature baseline to 0.1502 after adding goalkeeper conceded rate, discipline and net spend; MAE moves from 0.4856 to 0.4788 on 5,585 held-out rows. The gain is modest, and it does not isolate a causal effect of defense.

Do red cards cause more goals to be conceded?

Красные карточки приводят к большему числу пропущенных?

The local sample shows a same-match difference of +0.341 conceded goals per team-match (1,619 sent-off vs 16,195 others; Welch $p < 0.0001$). This is observational: stronger opponents, match state and timing can affect both red cards and goals. It is not a causal estimate.

Какие фразы не использовать

- Очные ассисты или xG доступны в матчевом источнике.
- Модель обучается заново при каждом движении слайдера.
- Успешный HTTP 200 одной страницы доказывает корректность всех данных.

Экзаменационный день

Дата	Формат	Что требуется
12 ноября 2026 CIDS Lecture 15, стр. 37–39	Чекпоинт · 5 минут	Сквозное демо, один видимый результат и первое измеренное время полного прогона. Красивый интерфейс не требуется.
20 / 26 ноября 2026 CIDS Lecture 15, стр. 37–39	Финальная защита · 15 минут + 5 минут вопросов	Говорят все реальные участники. Рекомендованный хронометраж: вопрос и данные 3 мин, архитектура 2, живое демо 3, измерения 3, проблемы 2, вклад 2.

Подготовка машины и материалов

1. За 30 минут: `docker compose up -d --build`, затем открыть `/api/health` и дождаться `ready=true` вместе с завершёнными loader и pipeline.
2. Открыть заранее четыре вкладки: Overview (Serie A 24/25), сравнение Inter / Milan, Lab и страницу Project с числами.
3. Открыть офлайн-копию пособия `defense/site/index.html` и `defense/site/downloads/Presentation.pdf` — они работают без сети и без базы.
4. Проверить, что скриншоты `defense/site/assets/*-desktop.png` на месте: это резерв, если Docker не поднимется.
5. Отключить уведомления, подключить питание, проверить зеркалирование экрана и масштаб шрифта в браузере.
6. Решить заранее, кто ведёт демо и кто держит таймер; таймер есть в `defense/site/presentation.html` (клавиша N — заметки, F — полный экран).

Как отвечать на вопросы

- Отвечай тремя шагами: короткий ответ одним предложением → основание (файл или число) → ограничение.
- Каждое число называй с выборкой и единицей: «r = −0.79 на 388 клуб-сезонах в одном сезоне», а не «корреляция высокая».
- Не знаешь ответа — скажи, где он лежит, и не придумывай: «это в docs/MEASUREMENTS.md, метод измерения памяти описан там».
- Вопрос не по твоей части — передай одной фразой владельцу направления, не пересказывай чужую зону приблизительно.
- Никогда не превращай связь в причину: говори accompanies, is associated with, а не causes или improves.
- Если спросили про слабое место — отвечай прямо и первым. Признанное ограничение выглядит сильнее, чем защищаемая неточность.

Неудобные вопросы: отвечай прямо и первым

Тема	Вопрос	Ответ и где подтверждение
Лицензия первичного источника	Is your data openly licensed?	We pinned the source revision and verified headers and checksums, but we did not establish an explicit reuse licence. We document it as unresolved and we do not redistribute the raw data. Public downloadability is not a licence. `docs/SOURCES.md, docs/COURSE_REQUIREMENTS.md`
Четыре контрибьютора	Who did what in this project?	Describe only the work you can open and explain on screen. Git identities and role cards are not proof of independent contribution, and the repository says so. `docs/WORK_PACKAGES.md, README.md`
Проверка на другом ноутбуке	Did someone else reproduce it?	The run is reproducible on the measured machine. An independent fresh checkout on another laptop has not been recorded yet, so we do not claim it. `docs/MEASUREMENTS.md, docs/WORK_PACKAGES.md`
xG и прокси-метрики	Is this xG?	No. The source has no provider xG field. We show observed shots and shots on target, and a shots-on-target conversion proxy that we label experimental. Poisson attack and defense ratings are in-sample descriptions. `docs/GLOSSARY.md, pipeline/proxy_xg.py, pipeline/power_ratings.py`

> Роль — учебная ответственность. Не заявляй личное авторство или самостоятельную проверку, если этого не было. Покажи ровно те изменения и команды, которые выполнял(а) лично.