

Team 20 Sprint 2 Manual Tests

Story 16: As a user, I would like to upload my notes or slideshows in PDF form so that the application generates flashcards for me, using AI if enabled. Otherwise, formatted text can also be used to create flashcards.

1. Upload button
 - a. Two toggles:
 - i. Upload file:
 1. Input and Expected Output: Input should be either a CSV or a TXT file and the output should be a filled out and completed flashcard
 2. Actual Output: Is a completed and saved flashcard set with the title of the imputed file and the flashcards in accordance to the contents of the imputed file
 - ii. Use AI:
 1. Input and Expected Output: Input is a PDF file and the output is a saved filled-out flashcard set
 2. Actual Output: It is a completed flashcard set with relevant terms and definitions pulled from pdf given by Gemini
2. Negative testing:
 - a. Input and Expected output: PDF file is given to the Upload file section and the output should be an error message
 - b. Actual Output: An error message saying that for pdf files the user should use the "Use AI" tab
 - c. Input and Expected output: A non CSV, TXT and PDF file is given to the Upload file section, the output is an error message asking for these file types
 - d. Actual Output: An pop-up error message asking the user for a file with type CSV, TXT or PDF
 - e. Input and Expected Output: A CSV/TXT file is given to the "Use AI" section and the output should be an error message
 - f. Actual Output: Pop-up error message asking the user for a file with type PDF for this tab.

Story 40: As a user, I would like to set an exam date and have a countdown as a reminder.

1. Add countdown button:
 - a. Input and expected output: User clicks on that button and sees the field to enter their information. Once they enter the information and hit create, the midterm should show up and be actively counting down.
 - b. Actual output: The exam shows up with its title, date + time and the timer actively counts down.
2. X-button:
 - a. Input and Expected output: The user clicks on the “X”-button. The Output is that the exam should disappear from the page and no notifications should show up.
 - b. Actual Output: The exam disappears and at the reminder time, no email or desktop reminder shows up.
3. Reminder toggles:
 - a. Desktop notifications toggle:
 - i. Input and Expected Output: The user toggles it on. Output, when the time they’ve entered hits, the user gets a desktop styled reminder for their exam.
 - ii. Actual output: At their reminder time, there’s a notification that pops up with a message reminding the user for their exam.
 - iii. Input and Expected Output: The user toggles it off. Output, when the time they’ve entered hits, the user does not get a desktop styled reminder.
 - iv. Actual output: At their reminder time, there isn’t a notification that pops up with a message reminding the user about their exam.
 - b. Email notifications toggle:
 - i. Input and Expected Output: The user toggles it on. Output, when the time they’ve entered hits, the user gets an email reminding them about their exam.
 - ii. Actual output: At their reminder time, there’s an email in their inbox with a message reminding the user to study for their exam.
 - iii. Input and Expected Output: The user toggles it off. Output, when the time they’ve entered hits, the user does not get an email.
 - iv. Actual output: At their reminder time, there is no email with a message reminding the user about their exam.

Story 38: As a user, I would like to receive desktop notifications that tell me when to start studying based on the study schedule from the preceding user story.

1. Edit button:
 - a. Input and Expected Output: The user inputs their reminder time and toggles on/off the email and desktop reminders. Output should be that information saved.
 - b. Actual Output: When the user refreshes/logs in and out the information they've entered saves.
2. Desktop notifications toggle:
 - a. Input and Expected Output: The user toggles it on. Output, when the time they've entered hits, the user gets a desktop styled reminder.
 - b. Actual output: At their reminder time, there's a notification that pops up with a message reminding the user to study.
 - c. Input and Expected Output: The user toggles it off. Output, when the time they've entered hits, the user does not get a desktop styled reminder.
 - d. Actual output: At their reminder time, there isn't a notification that pops up with a message reminding the user to study.
3. Email notifications toggle:
 - a. Input and Expected Output: The user toggles it on. Output, when the time they've entered hits, the user gets an email reminding them.
 - b. Actual output: At their reminder time, there's an email in their inbox with a message reminding the user to study.
 - c. Input and Expected Output: The user toggles it off. Output, when the time they've entered hits, the user does not get an email.
 - d. Actual output: At their reminder time, there is no email with a message reminding the user to study.

Story 42: As a user, I would like a built-in timer to utilize study time management methods, such as Pomodoro

1. Click Study Timer Button
 - a. Input and Expected Output: Clicking the button should open the timer
 - b. Actual Output: Timer popup appears (acceptable)
2. Close Study Timer
 - a. Input and Expected Output: Clicking the x should close the timer
 - b. Actual Output: Timer popup disappears (acceptable)

3. Study and Break Durations
 - a. Input and Expected Output: Editing the duration of the study time or break time changes the countdown time.
 - b. Actual Output: The countdown time for the study and break duration persists.
4. Start/Pause/Resume Timer
 - a. Input and Expected Output: Clicking the start button begins the clock countdown, clicking pause stops the countdown, clicking resume begins the countdown without restarting it.
 - b. Actual Output: Clicking the start button begins the clock countdown, clicking pause stops the countdown, clicking resume begins the countdown without restarting it.
5. Persistence across pages
 - a. Input and Expected Output: Opening a different page keeps the timer in the state it was on the previous page.
 - b. Actual Output: The timer retains the state of the previous page.
6. Drag and Move Timer
 - a. Input and Expected Output: Clicking and moving the timer keeps the timer in the position it was left in.
 - b. Actual Output: The timer remains in the position it was left in.

User story #8: As a user, I would like to stay signed into the application after authentication.

1. Login Persistence
 - a. Input and Expected Output: Once logged into the application, the user remains logged in across pages.
 - b. Actual Output: Opening another page as a logged in user keeps you logged in.
2. Library Access
 - a. Input and Expected Output: Opening your library displays the library items that are owned by you and saved by you and not others.
 - b. Actual Output: Only library items owned or saved by the user are displayed.
3. Flashcard Set Editing
 - a. Input and Expected Output: Sets can only be edited by the user who owns the set, and changes are saved.
 - b. Actual Output: The edit button only appears on sets owned by the logged in user and changes persist.

User story #12: As a user, I would like to access and use other users' flashcard sets to study.

1. Logged in/out homepage

- a. Input and Expected Output: When logged out, homepage directs to login and create account pages, and logged in users see a page to navigate the application.
 - b. Actual Output: Homepage displays “Study with Atama” and buttons to login, and then displays the user’s navigation page with their username.
2. Search (exists)
 - a. Input and Expected Output: Searching for a flashcard set or folder or pdf by name pulls up all matching library items, and clicking on it redirects to that page.
 - b. Actual Output: Matching flashcard set and folders and pdfs appear and clicking leads to viewing page.
3. Search (does not exist)
 - a. Input and Expected Output: Searching for a library item that does not exist leads to a page that says the search was not successful.
 - b. Actual Output: Page returns no items found.
4. Add to Library
 - a. Input and Expected Output: When a user who does not own the set clicks “Add to Library” it then appears in their library under the section “Saved Sets”.
 - b. Actual Output: Added sets appear in a user’s library under the section “Saved Sets”.
5. Make Private (set)
 - a. Input and Expected Output: Clicking “Make Private” on a set you own will remove it from searches and will not be allowed to be added as a saved set in other user’s libraries.
 - b. Actual Output: A private set does not appear in searches if not owned by the user and cannot be viewed (and therefore cannot be saved) by other users.
6. Make Public (set)
 - a. Input and Expected Output: Clicking “Make Public” on a set you own will allow it to appear in searches and be added as a saved set in other user’s libraries.
 - b. Actual Output: A public set appears in searches for all users and can be saved if not owned by a user.
7. Private Visibility
 - a. Input and Expected Output: When searching, if a set is private, it does not appear in a search.
 - b. Actual Output: Searching for a private set does not appear unless the user is the owner.

User story #27: As a user, I would like to manually join (Purdue) specific classes in my school for the semester.

1. Click University button

- a. Input and Expected Output: Clicking the button should navigate to University page with the user's university name at the top and courses under "All Courses" tab
 - b. Actual Output: University name is at the top and courses appear under "All Courses" tab (acceptable)
2. Click on a Course not enrolled in
 - a. Input and Expected Output: If not enrolled, a modal pops up asking if user wants to enroll in the course
 - b. Actual Output: Modal pops up asking if the user wants to enroll in the course. If "Yes, enroll" is clicked, the user becomes enrolled in that course with a visual indication. If "Cancel" is clicked, nothing changes (acceptable)
3. Click on a Course already enrolled in
 - a. Input and Expected Output: If already enrolled, clicking the button should navigate to the Course page with course materials
 - b. Actual Output: Course page appears with correct course name at the top and course materials (acceptable)
4. Click on "Leave Course" button on a Course page
 - a. Input and Expected Output: Clicking the button brings up a modal that asks if the user wants to leave the course. Clicking "Yes, leave" results in the user leaving the course with a visual indication. If "Cancel" is clicked, nothing changes
 - b. Actual Output: User is navigated back to the University page and there is visual indication the course has been left. Clicking on the course tile again will result in the modal asking for enrollment (acceptable)
5. Click on "Leave All Your Courses" on the University page (only appears when at least one course has been enrolled in)
 - a. Input and Expected Output: Clicking the button brings up a modal that asks if the user wants to leave the course. Clicking "Yes, leave" results in the user leaving the course with a visual indication. If "Cancel" is clicked, nothing changes
 - b. Actual Output: All courses are unenrolled from, which is visually indicated. The "Leave All Your Courses" button disappears (acceptable)

User story #31: As a user, I would like to search for content for specific classes at my school.

1. Click on the search bar on the University page, or use Ctrl+K/Cmd+K
 - a. Input and Expected Output: Clicking on the search bar or using the key commands brings up a search bar that the user can type into.

- b. Actual Output: The search bar searches both the course code and course name for a query match, filtering out results as necessary (acceptable)
- 2. Click outside the search modal or press “Esc”
 - a. Input and Expected Output: Clicking outside the search modal or pressing “Esc” should exit the search modal.
 - b. Actual Output: Clicking outside the search modal or pressing “Esc” exits the search modal (acceptable)

User story #32: As a user, I would like to upload, access, and download study materials in the shared drive for my specific class.

- 1. Click on “Upload PDF” on a Course page
 - a. Input and Expected Output: Clicking on the “Upload PDF” button results in File Explorer prompting the user for a PDF file. After selecting a PDF, a modal appears prompting the user for the name, semester, year, and additional description for the file. After clicking “Save to Course”, the file should appear on the Course page. If “Cancel” is clicked, the file is not uploaded.
 - b. Actual Output: Functions as expected.
- 2. Click on “Add From Library” on a Course page
 - a. Input and Expected Output: Clicking on the “Add From library” button results in a modal that contains all items in the user’s personal library. Only an item not already in the course page can be added. After selecting an item, a modal appears prompting the user for the name, semester, year, and additional description for the file. After clicking “Save to Course”, the file should appear on the Course page. If “Cancel” is clicked, the file is not added.
 - b. Actual Output: Functions as expected.
- 3. Click on download icon on a PDF item tile
 - a. Input and Expected Output: Clicking on the download icon on a PDF item tile results in the PDF downloading to the user’s device.
 - b. Actual Output: Functions as expected.

User Story #41

- 1. Navigate to a flashcard set home page.
 - a. Expected behaviour: A progress bar should appear at the top as well as a Statistics button.
- 2. Click on the statistics button.
 - a. Expected behaviour: A modal should pop up that displays statistics of the flashcard set, including time spent studying it.

3. Click the Learn button. Mark a few or all cards as “Know Well” and exit the learn session. Navigate back to the flashcard set home page.
 - a. Expected behaviour: The progress bar should be visually updated relative to the cards that were marked as “Know Well”.

User Story #44

1. Navigate to creating a new flashcard set.
 - a. Expected behaviour: A button which says ‘Upload’ should appear near the top.
2. Click ‘Upload’.
 - a. Expected behaviour: A modal should appear where a User can type or paste in text.
3. Paste or type in incorrectly delimited text. Then try to parse the text and create cards.
 - a. Expected behaviour: An error should be returned to the user and they should be prompted to try again.
4. Paste or type in correctly delimited text. Select the correct delimiter and click Parse.
 - a. Expected behaviour: Flashcard fields should be auto filled and cards should be auto created based off of the text.

User Story #13 and #14

1. Navigate to a flashcard set that you have not yet reviewed.
 - a. Expected behaviour: A ‘Review’ button appears.
2. Click the ‘review’ button.
 - a. Expected behaviour: A modal pops up where you can input a star review and up to three tags.
3. Input a star review and choose three tags.
 - a. Expected behaviour: The stars should visually reflect your choice. The tags should not be able to be selected past a total of 3 tags.
4. Submit the review.
 - a. Expected behaviour: Your review should now be added to the overall average star rating, and, if applicable, change the top 3 tags displayed on the flashcard set homepage. The review button should be changed to an edit review button.
5. Edit your review using the edit review button.
 - a. Expected behaviour: The average star rating should update, as well as the top 3 tags, if applicable.