Name: Atchaya Vharsne S

Reg. no.: 192524185

Course Code : CSA1515

Course Name: Cloud computing and Big Data Analytics

CO2 AT3 Application Based Questions

1. Cloud Auto-Scaling and Load Balancing

Introduction: Cloud auto-scaling and load balancing help applications handle sudden increases in user traffic without slowing down or crashing.

Auto-scaling: Auto-scaling automatically increases or decreases the number of servers according to demand. During peak traffic, additional servers are added, and during low traffic, unnecessary servers are removed.

Load balancing: Load balancing distributes incoming user requests across multiple servers so that no single server becomes overloaded.

How they reduce downtime and improve user experience:

1. Auto-scaling adds resources during sudden traffic spikes.
2. Load balancing distributes requests evenly among available servers.
3. If one server fails, traffic can be redirected to healthy servers.
4. Monitoring tools track CPU usage, memory, response time, and traffic.
5. Alerts help administrators identify problems before they affect many users.

Role of monitoring tools: Tools such as Amazon CloudWatch and Azure Monitor collect performance data, identify unusual traffic, trigger scaling policies, and notify administrators.

Real-world example: During an Amazon Great Indian Festival sale, millions of customers may visit the website simultaneously. Auto-scaling adds servers to handle the increased traffic, while load balancers distribute requests across them. This reduces page loading delays and prevents server overload.

Conclusion: Auto-scaling, load balancing, and monitoring improve availability, reduce downtime, and provide a smooth user experience.

2. Cloud Storage, Durability, Security, and Cost Advantages

Introduction: Cloud storage allows organizations to store large amounts of data on remote servers managed by cloud providers.

Durability and data redundancy:

- Durability means protecting data against accidental loss or hardware failure.
- Data redundancy means maintaining multiple copies of data across disks, servers, or locations.
- Replication and erasure coding help recover data if some storage components fail.
- Backup and versioning features help restore deleted or corrupted files.
- Cross-region replication can protect data against regional disasters.

Security of backup data:

1. Encryption: Data is encrypted during transmission using TLS and at rest using encryption algorithms such as AES.
2. Access control: IAM policies and role-based permissions restrict access to authorized users.
3. Multi-factor authentication: MFA adds an additional layer of account protection.
4. Audit logs: Logs record who accessed or modified the data.
5. Immutable backups: Retention locks can prevent backups from being deleted or altered during a defined period.

Cost advantages compared with traditional storage:

- No need to purchase large amounts of storage hardware initially.
- Pay-as-you-go pricing reduces upfront investment.
- Storage capacity can be increased when required.
- Archive storage classes offer lower costs for infrequently accessed data.
- The provider handles much of the hardware maintenance.

Disaster recovery example: Suppose a hospital stores patient records and backup files in the cloud. If a fire damages its main data center, replicated backups in another region can help restore important records and resume operations.

Conclusion: Cloud storage provides scalable capacity, redundancy, security, and cost-effective disaster recovery when configured correctly.

3. Content Delivery Networks (CDNs) and Global Availability

Introduction: A Content Delivery Network (CDN) is a distributed network of servers that delivers website content and media from locations closer to users.

How CDNs improve performance:

- CDNs cache images, videos, scripts, and other content at edge locations.
- Users receive cached content from a nearby server instead of a distant origin server.
- This reduces latency and improves loading speed.
- Caching reduces repeated requests to the main server.
- Reduced origin traffic can lower bandwidth usage and server costs.

Role of edge servers: Edge servers are positioned in different cities and regions. They deliver content closer to users, reducing the distance data must travel. Some edge platforms can also execute lightweight code close to users.

How cloud providers support global availability:

1. They operate data centers and regions across multiple geographical areas.
2. CDNs distribute cached content globally.
3. Traffic management services route users to suitable endpoints.
4. Multi-region deployments help maintain service if one region fails.
5. Health checks and failover mechanisms redirect traffic away from unhealthy endpoints.

Real-world example: Consider Netflix streaming a movie to users in India, the United States, and Japan. A CDN stores popular video segments at edge servers near these users.

Instead of downloading every segment from one central server, users receive content from nearby locations, reducing buffering and improving playback quality.

Online multiplayer games also use regional servers to reduce network delay and provide smoother gameplay.

Conclusion: CDNs, edge servers, and multi-region cloud infrastructure improve speed, reduce latency, and support global availability.

4. Cloud Compliance, Auditing, and Data Security in Financial Institutions

Introduction: Financial institutions handle sensitive information such as bank account details, transaction records, and customer identities. Therefore, cloud systems must provide strong security and comply with applicable regulations.

How cloud providers support compliance:

- Providers offer security controls and certifications relevant to standards such as ISO 27001 and SOC 2.
- Compliance reports help organizations evaluate the provider's controls.
- Identity management restricts access to sensitive information.
- Audit trails help demonstrate who accessed data and when.
- Data retention and deletion policies support regulatory requirements.

However, using a certified cloud provider does not automatically make the customer's application compliant. The institution must configure and operate its own systems correctly.

Role of logging, monitoring, and encryption:

1. Logging: Records login attempts, account changes, administrative actions, and data access.
2. Monitoring: Detects unusual transactions, suspicious logins, and potential attacks.
3. Encryption: Protects data in transit and at rest from unauthorized disclosure.
4. Key management: Securely controls encryption keys and limits who can use them.
5. Access control: Applies least-privilege permissions so employees access only the data required for their jobs.

Data sovereignty: Data sovereignty means that data is subject to the laws and regulations of the country where it is stored or otherwise legally governed.

A company can address data sovereignty by:

- Selecting appropriate cloud regions.
- Checking applicable local laws and regulatory requirements.
- Restricting data replication to unauthorized locations.
- Reviewing provider contracts and data-processing agreements.
- Maintaining audit logs and monitoring data movement.

Real-world example: A bank processes online money transfers using a cloud-hosted application. It encrypts transaction data, restricts database access to authorized services, logs administrative activities, and monitors unusual payment patterns. It also configures storage locations and retention policies according to applicable financial regulations.

Conclusion: Strong encryption, access control, auditing, monitoring, and correct regional configuration help financial institutions protect sensitive information and meet compliance obligations.

5. Containers, Virtual Machines, and Kubernetes

Introduction: Containers package an application and its dependencies so that it can run consistently across different computing environments. They are widely used to deploy modern applications.

Difference between containers and virtual machines:

Feature	Containers	Virtual Machines (VMs)
Architecture	Share the host OS kernel	Run a guest OS on virtual hardware
Size	Generally smaller	Generally larger
Startup	Usually seconds or less	Often takes longer
Resource usage	Usually lower overhead	Usually higher overhead

Isolation	Process-level isolation	Separate guest OS provides a stronger boundary
Portability	Portable with a compatible container runtime	Portable with a compatible hypervisor and VM format

How Kubernetes simplifies deployment and scaling:

1. Automated deployment: Deploys containerized applications across a cluster.
2. Scaling: Increases or decreases the number of application replicas based on configured policies.
3. Load balancing: Distributes network traffic among healthy application instances.
4. Self-healing: Restarts failed containers and replaces unhealthy instances.
5. Service discovery: Allows application components to communicate through stable service names.
6. Rolling updates: Deploys new application versions gradually, reducing disruption.

Portability across cloud environments: Containers package application dependencies consistently. The same container image can run on supported platforms in AWS, Microsoft Azure, Google Cloud, or on-premises infrastructure. Kubernetes provides a common orchestration model, although cloud-specific networking, storage, identity, and other services may require configuration changes.

Real-world example: Consider an online shopping application with separate services for user accounts, product catalogues, payments, and orders. Each service runs in its own container. Kubernetes manages the containers and scales the product catalogue service during a major sale. If one container fails, Kubernetes can restart or replace it.

Conclusion: Containers provide efficient and portable application packaging, while Kubernetes automates deployment, scaling, recovery, and management of containerized applications.