DTDC API version 2.2

Introduction

Representational state transfer (**REST**) or **RESTful** web service are one way of providing interoperability between computer systems on the Internet. REST-compliant web services allow requesting systems to access and manipulate textual representations of web services using a uniform and predefined set of stateless operations. Other forms of web service exist, which expose their own arbitrary sets of operations such as WSDL and SOAP.

To make a web API call from a client application, you must supply an *authentication token* on the call. The token acts like an electronic key that lets you access the API.

DTDC Tracking services allow third party provider to integrate DTDC tracking services into a platform or website. Once integrated your application will access DTDC servers over REST style architecture using XML/JSON.

Authentication token request

To request an authentication token for a user for the REST web API:

Staging :
http://dtdcstagingapi.dtdc.com/dtdc-tracking-api/dtdc-api/api/dtdc/authenticate?username=<username>&password=<password>

Production : https://blktracksvc.dtdc.com/dtdc-api/api/dtdc/authenticate?username=<username>&password=<password>

Query request parameters

Http Method : GET

Parameter Name	Parameter Value	Remarks
username*	username	
password*	password	

Response Status

Status: 200 - Will send `Token Access key` if authentication is successful,
Status: 201 – `Partial content` (validation failed for request parameters)
Status: 400 - `Bad Request ` (wrong data passed as request parameter)
Status: 401 - `Unauthorized`
Status: 500 - `Error Occurred `

XML Format Response

Staging :
http://dtdcstagingapi.dtdc.com/dtdc-tracking-api/dtdc-api/rest/XMLCnTrk/getDetails?strcnno=<AWB No>&TrkType=cnno&addtnlDtl=Y&apikey=<Token Key>

Production : https://blktracksvc.dtdc.com/dtdc-api/rest/XMLCnTrk/getDetails?strcnno=<AWB No>&TrkType=cnno&addtnlDtl=Y&apikey=<Token Key>

Query request parameters

Http Method : GET

Parameter Name	Parameter Value	Remarks
TrkType*	cnno (or) reference	Consignment number tracking (cnno) or Reference number tracking (reference).
strcnno*	Consignment number (9 chars with first char as alphabet and the remaining 8 chars in digits) or reference number	
addtnlDtl*	Y (or) N	Y – the additional details will be sent in the XML. N – No additional details will be sent.
apikey*	Application key to be passed in each request to make the authenticate the API request	

Response XML Consignment Data

Node Name	Attribute "NAME" for the FIELD node	Remarks	Sample Data (Node value or the value of the attribute 'VALUE' for FIELD node)
DTDCREPLY		Root Header	
CONSIGNMENT		Consignment Node	
CNHEADER		Consignment details header	
CNTRACK		True / False. Availability of the consignment details.	'True' / 'False'
FIELD	strShipmentNo	The consignment number	V01197967
	strRefNo	The reference Number	N/A
	strCNType	Booked by Direct Party, Walk-in, etc	DP, WI
	strCNTypeCode	Direct Party Code	LL676
	strCNTypeName	Direct Party Name	BMP E-GROUP SOLUTION PVT. LTD
	strCNProduct	Consignment Product	LITE, PTP, etc.

	strModeCode	The billing mode of the consignment Code	AR1/SF1/AC1
	strMode	The billing mode of the consignment	AIR / SURFACE / AIR CARGO
	strCNProdCODFOD	The product code	COD/FOD/CUD
	strOrigin	Consignment booked by or at the office	AHMEDABAD (VEJALPUR), AHMEDABAD
	strOriginRemarks	This field tells about the strOrigin node. The values will be 'Booked By' 'Received From' 'Scanned At' 'Booked At'	Booked At
	strBookedOn	Consignment booked on date (DDMMYYYY)	15062009
	strPieces	The number of pieces in the consignment	1
	strWeightUnit	Unit of the Weight	Kg
	strWeight	Weight of the consignment in Kg	0.020 Kg
	strDestination	The destination place of the consignment	Bangalore
	strStatus	The status of the consignment. DELIVERED	DELIVERED

		DELIVERY PROCESS IN PROGRESS ATTEMPTED HELDUP RTO	
	strStatusTransOn	Delivered / Attempted / Heldup / Out for Delivery / Consignment Returned On / FDM Prepared On date (DDMMYYYY)	16062009
	strStatusTransTime	Delivered / Attempted / Heldup / Out for Delivery / Consignment Returned On / FDM Prepared time (HHMM)	1234
	strStatusRelCode	Relationship Code	BRO/DAU/EMP
	strStatusRelName	Relationship Name	Brother, Daughter, Employee
	strRemarks	The receiver details / Heldup due to reason / not delivered due to reason	Shakthi PARTY NOT AVAILABLE
	strNoOfAttempts	The number of attempts for the consignment delivery	1
	strRtoNumber	RTO consignment number will be	000000339085

		available if shipment is RTO'ed	
	strActualServiceType	Consignment Product	LITE, PTP, etc.
	strExpectedAgent	Expected connection Agent	TNT
	strActualAgent	Actual Connection Agent	FEDEX
	strConnectionDateTime	Connection Date and Time	2019/08/04 14:38:10
	strAltReferenceNumber	Alt Ref number	564000857151
	strAgentConnectionLocation	Agent Connection location	DELHI APEX
	strBookingType	Shipment Identification:Domestic "DOM" or International "INT"	DOM
	strError	Error Description (if consignment is not found)	NO DATA FOUND FOR THIS CNNO NUMBER
CNBODY		Body Node	
CNACTION		Node for each Action	
CNACTIONTRACK		True / False. Availability of the consignment additional details.	True / False
	strCode	Action Code	BKD
	strAction	Action Details. Ex: DISPATCHED	BOOKED

		RECEIVED	
		OUT FOR DELIVERY	
		DELIVERED	
		NOT DELIVERED	
		HELDUP	
		CONSIGNMENT RELEASED	
		CONSIGNMENT HAS RETURNED	
		POD DISPATCHED	
		ARRIVAL AT AIRPORT	
		CUSTOMS CLEARED	
		HELDUP AT CUSTOMS	
		https://docs.google.com/spreadsheets/d/10KolSYlWhN4eFZsVSPUxk3YEBsxJvELNpWt-CWxGcFM/edit?usp=drive_web&ouid=113448660306017136829	
	strManifestNo	Manifest Number	O0154799
	strOrigin	Manifest is dispatched from / Consignment is not delivered at / Out for delivery from / Consignment is released from / Consignment is	SALEM BRANCH, SALEM

		returned from /Heldup at	
	strDestination	Manifest is dispatched to / Consignment is released to / Consignment is returned to / Out for delivery by	TRICHY BRANCH, TRICHY
	strActionDate	Manifest dispatch date / manifest received date / Out for delivery on / not delivered on / Heldup on / Consignment has returned on / Consignment released on (DDMMYYYY)	16062009
	strRemarks	Non–delivery reason / Heldup reason	ADDRESS NOT FOUND
	strError	Error Description (if additional details are not found)	NO DATA FOUND FOR THIS CNNO NUMBER.

Sample Data for XML output

```
<DTDCREPLY xmlns="http://dtdc.com">

  <CONSIGNMENT xmlns="">

    <CNHEADER>

      <CNTRACK>true</CNTRACK>

      <FIELD name="strShipmentNo" value="V34070628"/>
```

```xml
<FIELD name="strRefNo"/>
<FIELD name="strCNType" value="CC"/>
<FIELD name="strCNTypeCode" value="OC014"/>
<FIELD name="strCNTypeName" value="COCHIN APEX - CO. OWNED CCC"/>
<FIELD name="strCNProduct" value="PREMIUM EXPRESS PRODUCT"/>
<FIELD name="strModeCode"/>
<FIELD name="strMode" value=""/>
<FIELD name="strCNProdCODFOD"/>
<FIELD name="strOrigin" value="COCHIN"/>
<FIELD name="strOriginRemarks" value="Booked By"/>
<FIELD name="strBookedDate" value="08022017"/>
<FIELD name="strBookedTime" value="19:26:21"/>
<FIELD name="strPieces" value="1"/>
<FIELD name="strWeightUnit" value="KG"/>
<FIELD name="strWeight" value="0.1000"/>
<FIELD name="strDestination" value="DELHI"/>
<FIELD name="strStatus" value="Delivered"/>
<FIELD name="strStatusTransOn" value="09022017"/>
<FIELD name="strStatusTransTime" value="1845"/>
<FIELD name="strStatusRelCode" value="RNM"/>
<FIELD name="strStatusRelName" value=""/>
<FIELD name="strRemarks" value="Documents"/>
<FIELD name="strNoOfAttempts" value="1"/>
<FIELD name="strRtoNumber"/>
<FIELD name="strActualServiceType" value="STANDARD"/>
<FIELD name="strExpectedAgent" value=""/>
```

```xml
      <FIELD name="strActualAgent" value=""/>
      <FIELD name="strConnectionDateTime" value=""/>
      <FIELD name="strAltReferenceNumber" value=""/>
      <FIELD name="strAgentConnectionLocation" value=""/>
      <FIELD name="strBookingType" value="DOM"/>
    </CNHEADER>
  <CNBODY>
      <CNACTIONTRACK>true</CNACTIONTRACK>
      <CNACTION>
        <FIELD name="strCode" value="BKD"/>
        <FIELD name="strAction" value="Booked"/>
        <FIELD name="strManifestNo" value=""/>
        <FIELD name="strOrigin" value="COCHIN APEX"/>
        <FIELD name="strDestination" value=""/>
        <FIELD name="strActionDate" value="08022017"/>
        <FIELD name="strActionTime" value="1926"/>
        <FIELD name="sTrRemarks" value=""/>
      </CNACTION>
      <CNACTION>
        <FIELD name="strCode" value="CDOUT"/>
        <FIELD name="strAction" value="In Transit"/>
        <FIELD name="strManifestNo" value=""/>
        <FIELD name="strOrigin" value="PUNE APEX"/>
        <FIELD name="strDestination" value="COCHIN APEX"/>
        <FIELD name="strActionDate" value="26042016"/>
        <FIELD name="strActionTime" value="0002"/>
```

```xml
        <FIELD name="sTrRemarks" value=""/>
    </CNACTION>
    <CNACTION>
        <FIELD name="strCode" value="OBMD"/>
        <FIELD name="strAction" value="In Transit"/>
        <FIELD name="strManifestNo" value="P7660991"/>
        <FIELD name="strOrigin" value="PUNE APEX"/>
        <FIELD name="strDestination" value="COCHIN APEX"/>
        <FIELD name="strActionDate" value="26042016"/>
        <FIELD name="strActionTime" value="1409"/>
        <FIELD name="sTrRemarks"/>
    </CNACTION>
    <CNACTION>
        <FIELD name="strCode" value="CDIN"/>
        <FIELD name="strAction" value="In Transit"/>
        <FIELD name="strManifestNo" value="1236"/>
        <FIELD name="strOrigin" value="DELHI APEX"/>
        <FIELD name="strDestination"/>
        <FIELD name="strActionDate" value="26012017"/>
        <FIELD name="strActionTime" value="1325"/>
        <FIELD name="sTrRemarks" value=""/>
    </CNACTION>
    <CNACTION>
        <FIELD name="strCode" value="OPMF"/>
        <FIELD name="strAction" value="In Transit"/>
        <FIELD name="strManifestNo" value="V8191377"/>
```

```
        <FIELD name="strOrigin" value="COCHIN APEX"/>

        <FIELD name="strDestination" value="DELHI AIRPORT APEX"/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="0050"/>

        <FIELD name="sTrRemarks"/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="OBMD"/>

        <FIELD name="strAction" value="In Transit"/>

        <FIELD name="strManifestNo" value="V4492715"/>

        <FIELD name="strOrigin" value="COCHIN APEX"/>

        <FIELD name="strDestination" value="DELHI AIRPORT APEX"/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="0050"/>

        <FIELD name="sTrRemarks"/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="OMBM"/>

        <FIELD name="strAction" value="In Transit"/>

        <FIELD name="strManifestNo" value="O8726956"/>

        <FIELD name="strOrigin" value="COCHIN APEX"/>

        <FIELD name="strDestination" value="DELHI AIRPORT APEX"/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="0435"/>

        <FIELD name="sTrRemarks"/>

    </CNACTION>
```

```xml
<CNACTION>
    <FIELD name="strCode" value="CDOUT"/>
    <FIELD name="strAction" value="In Transit"/>
    <FIELD name="strManifestNo" value="08762261"/>
    <FIELD name="strOrigin" value="COCHIN APEX"/>
    <FIELD name="strDestination" value="DELHI AIRPORT APEX"/>
    <FIELD name="strActionDate" value="09022017"/>
    <FIELD name="strActionTime" value="1001"/>
    <FIELD name="sTrRemarks" value=""/>
</CNACTION>
<CNACTION>
    <FIELD name="strCode" value="IPMF"/>
    <FIELD name="strAction" value="In Transit"/>
    <FIELD name="strManifestNo" value="V6016486"/>
    <FIELD name="strOrigin" value="COCHIN APEX"/>
    <FIELD name="strDestination" value="DELHI AIRPORT APEX"/>
    <FIELD name="strActionDate" value="09022017"/>
    <FIELD name="strActionTime" value="1409"/>
    <FIELD name="sTrRemarks" value="0.00"/>
</CNACTION>
<CNACTION>
    <FIELD name="strCode" value="OBMD"/>
    <FIELD name="strAction" value="In Transit"/>
    <FIELD name="strManifestNo" value="N9642591"/>
    <FIELD name="strOrigin" value="DELHI AIRPORT APEX"/>
    <FIELD name="strDestination" value="VIJAYANAGAR BRANCH"/>
```

```xml
        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="1435"/>

        <FIELD name="sTrRemarks"/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="CDOUT"/>

        <FIELD name="strAction" value="In Transit"/>

        <FIELD name="strManifestNo"/>

        <FIELD name="strOrigin" value="DELHI AIRPORT APEX"/>

        <FIELD name="strDestination" value="VIJAYANAGAR BRANCH"/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="1436"/>

        <FIELD name="sTrRemarks" value=""/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="inscan"/>

        <FIELD name="strAction" value="Recieved At Destination"/>

        <FIELD name="strManifestNo" value="V6933762"/>

        <FIELD name="strOrigin" value="VIJAYANAGAR BRANCH"/>

        <FIELD name="strDestination" value="VIJAYANAGAR BRANCH"/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="1503"/>

        <FIELD name="sTrRemarks" value="0.00"/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="IPMF"/>
```

```xml
        <FIELD name="strAction" value="In Transit"/>

        <FIELD name="strManifestNo" value="V6933762"/>

        <FIELD name="strOrigin" value="DELHI APEX"/>

        <FIELD name="strDestination" value="VIJAYANAGAR BRANCH"/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="1503"/>

        <FIELD name="sTrRemarks" value="0.00"/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="OUTDLV"/>

        <FIELD name="strAction" value="Out For Delivery"/>

        <FIELD name="strManifestNo" value=""/>

        <FIELD name="strOrigin" value="VIJAYANAGAR BRANCH"/>

        <FIELD name="strDestination" value=""/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="1514"/>

        <FIELD name="sTrRemarks" value=""/>

    </CNACTION>

    <CNACTION>

        <FIELD name="strCode" value="DLV"/>

        <FIELD name="strAction" value="Delivered"/>

        <FIELD name="strManifestNo" value=""/>

        <FIELD name="strOrigin" value="VIJAYANAGAR BRANCH"/>

        <FIELD name="strDestination" value=""/>

        <FIELD name="strActionDate" value="09022017"/>

        <FIELD name="strActionTime" value="1845"/>
```

```
            <FIELD name="sTrRemarks" value="SIGNTURE"/>

        </CNACTION>

      </CNBODY>

   </CONSIGNMENT>

</DTDCREPLY>
```

JSON Format Response:

Staging : http://dtdcstagingapi.dtdc.com/dtdc-tracking-api/dtdc-api/rest/JSONCnTrk/getTrackDetails

Production : https://blktracksvc.dtdc.com/dtdc-api/rest/JSONCnTrk/getTrackDetails

Query request parameters

Http Method : POST

Parameter Name	Parameter Value	Remarks
trkType*	cnno (or) reference	Consignment number tracking (cnno) or Reference number tracking (reference).
strcnno*	Consignment number (9 chars with first char as alphabet and the remaining 8 chars in digits) or reference number	
addtnlDtl*	Y (or) N	Y – the additional details will be sent in the XML. N – No additional details will be sent.
X-Access-Token*	Token key to be passed in **header** request to make the authenticate the API request	

Response JSON Consignment Data

Node Name	Sub Node Name	Remarks	Sample Data (Node value or the value of the attribute 'VALUE' for FIELD node)

statusCode		Standard Http request code	Status: 200 - Will send Success and tracking details Status: 206 – `Partial content` (validation failed for request parameters) Status: 400 - `Bad Request` (wrong data passed as request parameter) Status: 401 - `Unauthorized` Status: 500 - `Error Occurred `
statusFlag		True / False. Availability of the consignment details.	True / False
status		Tracking status type SUCCESS/FAILED Availability of the consignment details.	SUCCESS

errorDetails		Will contain error details with error field Name and the error message	[
			    {
			        "name": "strShipmentNo",
			
			        "value": "11111"
			    },
			    {
			        "name": "strError",
			        "value": "NO DATA FOUND FOR THIS CNNO NUMBER"
			    }
			  ]

trackHeader	strShipmentNo	The consignment number	V01197967
	strRefNo	The reference Number	N/A
	strCNType	Booked by Direct Party, Walk-in, etc	DP, WI

	strCNTypeCode	Direct Party Code	LL676
	strCNTypeName	Direct Party Name	BMP E-GROUP SOLUTION PVT. LTD
	strCNProduct	Consignment Product	LITE, PTP, etc.
	strModeCode	The billing mode of the consignment Code	AR1/SF1/AC1
	strMode	The billing mode of the consignment	AIR / SURFACE / AIR CARGO
	strCNProdCODFOD	The product code	COD/FOD/CUD
	strOrigin	Consignment booked by or at the office	AHMEDABAD (VEJALPUR), AHMEDABAD
	strOriginRemarks	This field tells about the strOrigin node. The values will be 'Booked By' 'Received From' 'Scanned At' 'Booked At'	Booked At
	strBookedOn	Consignment booked on date (DDMMYYYY)	15062009
	strPieces	The number of pieces in the consignment	1
	strWeightUnit	Unit of the Weight	Kg
	strWeight	Weight of the consignment in Kg	0.020 Kg
	strDestination	The destination place of the consignment	Bangalore
	strStatus	The status of the consignment. 1. DELIVERED	DELIVERED

		2. DELIVERY PROCESS IN PROGRESS 3. ATTEMPTED 4. HELDUP 5. RTO	
	strStatusTransOn	Delivered / Attempted / Heldup / Out for Delivery / Consignment Returned On / FDM Prepared On date (DDMMYYYY)	16062009
	strStatusTransTime	Delivered / Attempted / Heldup / Out for Delivery / Consignment Returned On / FDM Prepared time (HHMM)	1234
	strStatusRelCode	Relationship Code	BRO/DAU/EMP
	strStatusRelName	Relationship Name	Brother, Daughter, Employee
	strRemarks	The receiver details / Heldup due to reason / not delivered due to reason	Shakthi PARTY NOT AVAILABLE
	strNoOfAttempts	The number of attempts for the consignment delivery	1
	strRtoNumber	RTO consignment number will be available if shipment is RTO'ed	000000339085
	strError	Error Description (if consignment is not found)	NO DATA FOUND FOR THIS CNNO NUMBER
trackDetails		True / False. Availability of the consignment additional details.	True / False
	strCode	Action Code	BKD
	strAction	Action Details. Ex: 6. DISPATCHED 7. RECEIVED 8. OUT FOR DELIVERY 9. DELIVERED 10. NOT DELIVERED	BOOKED

		11. HELDUP 12. CONSIGNMENT RELEASED 13. CONSIGNMENT HAS RETURNED 14. POD DISPATCHED 15. ARRIVAL AT AIRPORT 16. CUSTOMS CLEARED 17. HELDUP AT CUSTOMS	
	strManifestNo	Manifest Number	O0154799
	strOrigin	Manifest is dispatched from / Consignment is not delivered at / Out for delivery from / Consignment is released from / Consignment is returned from /Heldup at	SALEM BRANCH, SALEM
	strDestination	Manifest is dispatched to / Consignment is released to / Consignment is returned to / Out for delivery by	TRICHY BRANCH, TRICHY
	strActionDate	Manifest dispatch date / manifest received date / Out for delivery on / not delivered on / Heldup on / Consignment has returned on / Consignment released on (DDMMYYYY)	16062009
	strRemarks	Non–delivery reason / Heldup reason	ADDRESS NOT FOUND

Sample Data For JSON Output

```
{
    "statusCode": 200,

    "statusFlag": true,

    "status": "SUCCESS",

    "errorDetails": null,
```

```
"trackHeader": {

    "strShipmentNo": "B32242001",

    "strRefNo": "",

    "strCNType": "CP",

    "strCNTypeCode": "BF014",

    "strCNTypeName": "AVENUE ROAD",

    "strCNProduct": "LITE",

    "strModeCode": "",

    "strMode": "",

    "strCNProdCODFOD": "",

    "strOrigin": "BANGALORE",

    "strOriginRemarks": "Booked By",

    "strBookedDate": "21062017",

    "strBookedTime": "15:30:25",

    "strPieces": "1",

    "strWeightUnit": "KG",

    "strWeight": "0.1000",

    "strDestination": "MUMBAI",

    "strStatus": "Delivered",

    "strStatusTransOn": "21062017",

    "strStatusTransTime": "1614",

    "strStatusRelCode": "",

    "strStatusRelName": "",

    "strRemarks": "SIGN",

    "strNoOfAttempts": "1",

    "strRtoNumber": ""

},

"trackDetails": [

    {

        "strCode": "BKD",

        "strAction": "Booked",

        "strManifestNo": "",
```

```json
      "strOrigin": "BANGALORE SURFACE APEX",

      "strDestination": "",

      "strActionDate": "21062017",

      "strActionTime": "1530",

      "sTrRemarks": ""

  },

  {

      "strCode": "OBMD",

      "strAction": "In Transit",

      "strManifestNo": "B7701202",

      "strOrigin": "BANGALORE SURFACE APEX",

      "strDestination": "MUMBAI APEX",

      "strActionDate": "21062017",

      "strActionTime": "1533",

      "sTrRemarks": ""

  },

  {

      "strCode": "OPMF",

      "strAction": "In Transit",

      "strManifestNo": "B7701203",

      "strOrigin": "BANGALORE SURFACE APEX",

      "strDestination": "MUMBAI APEX",

      "strActionDate": "21062017",

      "strActionTime": "1533",

      "sTrRemarks": ""

  },

  {

      "strCode": "IBMD",

      "strAction": "In Transit",

      "strManifestNo": "B7701202",

      "strOrigin": "BANGALORE SURFACE APEX",

      "strDestination": "MUMBAI APEX",
```

```
    "strActionDate": "21062017",

    "strActionTime": "1533",

    "sTrRemarks": ""

  },

  {

    "strCode": "CDOUT",

    "strAction": "In Transit",

    "strManifestNo": "",

    "strOrigin": "BANGALORE SURFACE APEX",

    "strDestination": "MUMBAI APEX",

    "strActionDate": "21062017",

    "strActionTime": "1546",

    "sTrRemarks": ""

  },

  {

    "strCode": "CDIN",

    "strAction": "In Transit",

    "strManifestNo": "",

    "strOrigin": "BANGALORE SURFACE APEX",

    "strDestination": "MUMBAI APEX",

    "strActionDate": "21062017",

    "strActionTime": "1555",

    "sTrRemarks": ""

  },

  {

    "strCode": "IPMF",

    "strAction": "In Transit",

    "strManifestNo": "B7701203",

    "strOrigin": "BANGALORE SURFACE APEX",

    "strDestination": "MUMBAI APEX",

    "strActionDate": "21062017",

    "strActionTime": "1603",
```

```
      "sTrRemarks": "0.00"

    },

    {

      "strCode": "IBMD",

      "strAction": "In Transit",

      "strManifestNo": "B7701202",

      "strOrigin": "BANGALORE SURFACE APEX",

      "strDestination": "MUMBAI APEX",

      "strActionDate": "21062017",

      "strActionTime": "1603",

      "sTrRemarks": ""

    },

    {

      "strCode": "OBMD",

      "strAction": "In Transit",

      "strManifestNo": "B7701202",

      "strOrigin": "BANGALORE SURFACE APEX",

      "strDestination": "MUMBAI APEX",

      "strActionDate": "21062017",

      "strActionTime": "1603",

      "sTrRemarks": ""

    },

    {

      "strCode": "OUTDLV",

      "strAction": "Out For Delivery",

      "strManifestNo": "",

      "strOrigin": "MUMBAI APEX",

      "strDestination": "",

      "strActionDate": "21062017",

      "strActionTime": "1611",

      "sTrRemarks": ""

    },
```

```
    {
      "strCode": "DLV",

      "strAction": "Delivered",

      "strManifestNo": "",

      "strOrigin": "MUMBAI APEX",

      "strDestination": "",

      "strActionDate": "21062017",

      "strActionTime": "1614",

      "sTrRemarks": "SIGN"

    }

  ]

}
```