

Nested Dictionary

A dictionary within another dictionary is called as nested dictionary or nesting of a dictionary.

```
nested_dict = { 'dict1': {'key_A': 'value_A'},  
                'dict2': {'key_B': 'value_B'} }
```

Creating Empty Nested Dict

Syntax:-

```
nested_dict = { 'dict1': { },  
                'dict2': { } }
```

Ex:-

```
a = {1: { },  
     2: { } }
```

Creating Nested Dict

Syntax:-

```
nested_dict = { 'key_A': 'value_A', 'dict1': {'key_A': 'value_A'} }
```

Ex:-

```
a = {'course': 'Python', 'fees':15000, 1: {'course': 'JavaScript', 'fees': 10000 } }
```

Accessing Dictionary

```
a = {'course': 'Python', 'fees': 15000, 1: {'course': 'JavaScript', 'fees': 10000 } }
```

```
print(a['course'])
```


```
print(a['fees'])
```

```
print(a[1]['course'])
```

```
print(a[1]['fees'])
```

a

['course']	Python
['fees']	15000
[1]['course']	JavaScript
[1]['fees']	10000



Modifying Nested Dict

```
a = {'course': 'Python', 'fees': 15000, 1: {'course': 'JavaScript', 'fees': 10000 } }
```

```
a['course'] = 'Machine Learning'
```

```
a[1]['fees'] = 200000
```

Creating Nested Dict

Syntax:-

```
nested_dict = { 'dict1': {'key_A': 'value_A'},  
                'dict2': {'key_B': 'value_B'} }
```

Ex:-

```
a = {1: {'course': 'Python', 'fees': 15000},  
     2: {'course': 'JavaScript', 'fees': 10000 } }
```

Accessing Dictionary


```
a = {1: {'course': 'Python', 'fees': 15000},  
     2: {'course': 'JavaScript', 'fees': 10000 } }
```

```
print(a[1]['course'])
```

```
print(a[1]['fees'])
```

```
print(a[2]['course'])
```

```
print(a[2]['fees'])
```



[1]['course']	Python
[1]['fees']	15000
[2]['course']	JavaScript
[2]['fees']	10000

Modifying Nested Dict

```
a = {1: {'course': 'Python', 'fees': 15000},  
     2: {'course': 'JavaScript', 'fees': 10000 } }
```

```
a[1]['course'] = 'Machine Learning'
```

```
a[2]['fees'] = 200000
```