ATHANASIOS GOURDOMICHALIS
Java Programms
App6.java

Write an application **App6** that creates a customer list as an object of the **CustomerList** class and repeatedly executes operations via a menu based on the user's choices.

The operations are inserting a customer into the list, looking up a customer in the list by their code, and displaying the entire customer list:

```
import java.util.Scanner;

class App6 {

    public static void main (String args[]) {

        CustomerList list = /* Fill your code here */

        // Fill your code here

        for (;;) {

            System.out.println ("1. Insert Customer");

            System.out.println ("2. Lookup Customer");

            System.out.println ("3. Display List");

            System.out.println ("0. Exit");

            // Fill your code here

        }

    }

}
```

An example of program execution is given below:
*(User input is shown in **bold**)*

```
1. Insert Customer
2. Lookup Customer
3. Display List
0. Exit
1
```

```
Insert New Customer
Name: Michael Jordan
Code: p100
Day: 10
Month: 10
Year: 2022
1. Insert Customer
2. Lookup Customer
3. Display List
0. Exit
1
Insert New Customer
Name: Mary Jane
Code: p200
Day: 1
Month: 5
Year: 2023

1. Insert Customer
2. Lookup Customer
3. Display List
0. Exit
3

Name: Michael Jordan Code: p100 Date:
10/10/2022
Name: Mary Jane Code: p200 Date: 1/5/2023


1. Insert Customer
2. Lookup Customer
3. Display List
0. Exit
2
Lookup Customer
Code: p110
Customer p110 not found in list

1. Insert Customer
2. Lookup Customer
3. Display List
0. Exit
2
```

```
Lookup Customer
Code: p100
Name: Michael Jordan Code: p100 Date:
10/10/2022

1. Insert Customer
2. Lookup Customer
3. Display List
0. Exit
0
```

Complete the Java code in the file **App6.java**

Every program must compile and run from the command line (not through an IDE).