

RedKross Dridex Unified Threat Intelligence Platform

Scope: Dridex lifecycle analysis, banking trojan intelligence, ransomware intelligence, IOC tracking, infrastructure analysis, campaign monitoring, and malware family documentation

1. Executive Summary

- Dridex, also known as Bugat or Cridex, is a highly sophisticated and resilient Windows banking Trojan that has remained active since at least 2014.
- The malware is widely associated with the cybercriminal groups Evil Corp and TA505 and is considered one of the most dangerous financial malware families currently active.
- Dridex primarily targets financial institutions, enterprise organizations, accounting departments, and retail sectors for credential theft, banking fraud, browser session hijacking, and ransomware deployment operations.
- The malware is distributed mainly through phishing campaigns containing weaponized Microsoft Office documents, VBA/XLM macros, XLL files, exploit-based payloads, and obfuscated scripting frameworks.
- Modern Dridex variants heavily rely on encrypted command-and-control communication, browser API hooking, reflective DLL injection, process hollowing, stealth persistence mechanisms, and advanced anti-analysis techniques.
- Dridex has also evolved into a major initial access malware platform linked to ransomware families such as BitPaymer, DoppelPaymer, WastedLocker, and Entropy.

2. Scope of the Platform

- APT lifetime intelligence: Tracking Dridex evolution from early banking Trojan campaigns to enterprise ransomware staging operations.
- IOC management: SHA256 hashes, malicious domains, C2 IPs, registry keys, scheduled tasks, browser hooks, and injected process indicators.
- Threat actor profiling: Monitoring Evil Corp, TA505, operational infrastructure, campaign overlaps, and financially motivated attack activity.
- Malware family intelligence: Analyzing phishing delivery methods, VBA/XLM macro execution, browser API hooking, process hollowing, reflective DLL injection, and persistence mechanisms.
- Ransomware family pages: Tracking relationships between Dridex and ransomware families including BitPaymer, DoppelPaymer, WastedLocker, and Entropy.
- Timeline analysis: Monitoring campaign evolution, infrastructure rotation, anti-analysis upgrades, and operational behavior changes.
- Impact analysis: Evaluating credential theft, banking fraud, browser session hijacking, enterprise compromise, and ransomware deployment impact.

3. Core Intelligence Modules

Module	Purpose	Key Outputs
Dridex Intelligence Engine	Tracks malware lifecycle, infection chains, and operational history	Threat profiles and campaign timelines
IOC Correlation Engine	Correlates hashes, domains, IPs, URLs, registry keys, and infrastructure overlaps	IOC enrichment and infrastructure analysis
Malware Family Module	Stores malware behavior, payload delivery techniques, persistence methods, and TTPs	Malware family documentation
Campaign Intelligence Module	Tracks phishing campaigns, infection vectors, and operational objectives	Campaign tracking and historical activity
Infrastructure Analysis Module	Monitors command-and-control infrastructure and hosting overlaps	C2 infrastructure mapping
Ransomware Linkage Module	Tracks ransomware deployment relationships and enterprise compromise activity	Ransomware operational analysis
Detection Engineering Workspace	Stores YARA concepts, Sigma logic, IDS/IPS patterns, and hunting references	Detection and hunting opportunities

4. APT Intelligence Data Model

Each Dridex record should support the following fields:

- Actor name and aliases: Evil Corp, TA505, Bugat, Cridex.
- Life-time / active period: 2014 – Present.
- Threat actor type and motivation: Cybercriminal / Financial gain / Ransomware operations.
- TTPs mapped to MITRE ATT&CK: T1566, T1059, T1185, T1056.001, T1547.001.
- IOC list: SHA256 hashes, malicious domains, C2 IPs, registry keys, scheduled tasks.
- Victim sectors: Financial Services, Enterprise Organizations, Retail, Accounting Departments.
- Infrastructure notes: Encrypted HTTPS C2 communication, peer-to-peer routing, rotating domains, and proxy relay infrastructure.

5. Campaign Tracking Fields

Campaign ID	Threat Actor	Activity Period (UTC)	Victim Country	Target Industry	TTPs	IOC Summary	Notes
CAMP-001	Evil Corp / TA505	2019 – Present	United States	Financial Services	T1059, T1566	IPs, domains, hashes	Large-scale phishing campaigns targeting banking users
CAMP-002	Evil Corp	2020 – 2021	United Kingdom	Retail Sector	T1185, T1056.001	Browser hooks, registry keys	Credential theft through Man-in-the-Browser attacks
CAMP-003	TA505	2021 – Present	Germany	Enterprise Networks	T1547.001, T1053.005	Scheduled tasks, DLL payloads	Persistence-focused enterprise compromise activity
CAMP-004	Evil Corp / TA505	2022 – Present	Canada	Corporate Accounting	T1218, T1574.002	Rundll32 activity, injected processes	DLL side-loading and stealth execution operations
CAMP-005	Evil Corp	2023 – Present	Global	Financial & Enterprise	T1003, T1113	Credential dumps, screenshots	Credential theft and ransomware staging activity

6. Malware Family Documentation


Every Dridex malware family page should capture:

- Family name and aliases: Dridex, Bugat, Cridex.
- Discovery history: Active since 2014 with continuous evolution across banking fraud and ransomware campaigns.
- Technical characteristics: Banking Trojan with credential theft, browser injection, process hollowing, and ransomware staging capabilities.
- Delivery methods: Phishing emails, VBA/XLM macros, XLL files, PowerShell scripts, and exploit-based payloads.
- Known hashes and signatures: Dynamic MD5, SHA1, and SHA256 hashes across campaigns.
- Network indicators: Encrypted HTTPS C2 communication, peer-to-peer routing, rotating domains, and malicious IP infrastructure.
- Persistence and privilege escalation: Registry Run Keys, scheduled tasks, DLL side-loading, and credential dumping behavior.
- Unique file system patterns: Reflective DLL injection, browser API hooking, and memory-only execution techniques.

7. Dridex Family Pages

Malware Overview

- Dridex, also known as Bugat or Cridex, is a highly resilient Windows banking Trojan associated with Evil Corp and TA505.
- The malware primarily targets financial institutions, enterprise environments, accounting departments, and retail sectors.
- Primary objectives include credential theft, banking fraud, browser session hijacking, enterprise compromise, and ransomware deployment.



- Dridex uses process hollowing, reflective DLL injection, thread execution hijacking, and AtomBombing techniques for stealth execution.
- Registry Run Keys and scheduled tasks are commonly used to maintain persistence after reboot.
- Browser APIs such as `HttpSendRequest` and `InternetReadFile` are hooked to manipulate banking sessions and steal credentials.
- The malware uses RC4 and RSA encryption to secure command-and-control communication and configuration data.
- Infrastructure relies on peer-to-peer routing, proxy relay systems, and rotating domains and IP addresses.

- BitPaymer, DoppelPaymer, WastedLocker, Entropy

- Incoming malware samples, phishing documents, IOC feeds, sandbox reports, and intelligence reports should be categorized inside the malware intelligence repository.

- Samples should be analyzed for hashes, embedded scripts, persistence mechanisms, injected processes, and network communication behavior.
- Extracted indicators such as domains, IP addresses, URLs, registry keys, mutexes, and scheduled tasks should be added into the IOC correlation database.
- Malware behavior should be mapped against **MITRE ATT&CK** techniques to identify execution, persistence, credential theft, and defense evasion patterns.
- Infrastructure analysis should identify command-and-control overlaps, proxy layers, peer-to-peer routing behavior, and hosting relationships.
- Detection engineering teams should develop **YARA concepts, Sigma detections, IDS/IPS signatures**, and behavioral hunting opportunities based on observed malware activity.
- Ransomware linkage analysis should identify relationships between Dridex infections and associated ransomware deployments.
- Final intelligence records should be reviewed, enriched, and stored inside the centralized threat intelligence repository for operational use.

9. Final Deliverables

- Unified Dridex malware intelligence documentation.
- Campaign tracking and operational timeline records.
- IOC correlation and infrastructure analysis reports.
- Malware family documentation and TTP analysis.
- MITRE ATT&CK mapping references.
- Detection engineering guidance including YARA and Sigma concepts.
- Threat hunting and behavioral monitoring opportunities.
- Infrastructure overlap and ransomware relationship analysis.
- Centralized intelligence records for enterprise threat monitoring and incident response workflows.ssssss