

⇒ **Types of CSS**

- There are three ways of inserting a style sheet in any Html documents, they are given below;
 - Inline style sheet
 - Internal style sheet
 - External style sheet

i). Inline Styles Sheet

- Inline CSS is use with any elements of HTML where it is used on page.

Example :

```
<html>
<head>
<title>CSS Tutorial</title>
</head>
<body>
<h3 style="color:blue"> Heading 1 </h3>
<h3 style="color:blue"> Heading 2 </h3>
<h3 style="color:blue"> Heading 3 </h3>
</body>
</html>
```

ii). Internal Style Sheet

- An internal style sheet should be used when a single document has a unique style.

- Internal styles sheet is defined in the head section of an HTML page.

Example :

```
<html>
<head>
<title>CSS Tutorial</title>
<style type="text/css">
    H3.h3_blue{
        Color:blue;
    }
H3.h3_read{
    Color:red;
}
</style>
</head>
<body>
<h3 class='h3_blue'> Heading 1 </h3>
<h3 class='h3_blue'> Heading 2 </h3>
<h3 class='h3_blue'> Heading 3 </h3>

<h3 class='h3_red'> Heading 4 </h3>
<h3 class='h3_red'> Heading 5 </h3>
<h3 class='h3_red'> Heading 6 </h3>
</body>
</html>
```

iii). External Style Sheet

- An external style sheet is ideal when the style is applied to many pages.
- With an external style sheet, we can change the look of an entire Web site by changing one file.
- Each page must link to the style sheet using the tag.

Example :

The CSS code is saved in the file “csscode.css”

```
h3.h3_blue{  
color: blue;  
}  
h3.h3_red{  
color:red;  
}
```

Next we need to import the css file into the “html” file.

```
<html>  
<head>  
<title>CSS Tutorial</title>  
    <link rel=”stylesheet” type=”text/css” href=”csscode.css”>  
</head>  
<body>  
<h3 class='h3_blue'> Heading 1 </h3>  
<h3 class='h3_blue'> Heading 2 </h3>  
<h3 class='h3_blue'> Heading 3 </h3>
```

```
<h3 class='h3_red'> Heading 4 </h3>
```

```
<h3 class='h3_red'> Heading 5 </h3>
```

```
<h3 class='h3_red'> Heading 6 </h3>
```

```
</body>
```

```
</html>
```