

D.K.T.E. Society's Textile and Engineering Institute, Ichalkaranji.

(An Empowered Autonomous Institute, Affiliated to Shivaji University, Kolhapur)

**Department of Computer Science & Engineering (Artificial Intelligence and
Machine Learning)**

2025-26

A Project SRS

On

“Student Dropout Prediction using AI”

SUBMITTED BY

MR.	Saklen Mustak Manjire	24UAM307
MR.	Atharv Anil Niprul	24UAM310
MISS.	Arya Bharat Patil	24UAM311
MR.	Om Narayan Sutar	24UAM315
MISS.	Shravani Sachin Patil	24UAM317

UNDER THE GUIDANCE OF

Prof. Mrs. V.A.Mali

Prof. Mrs V.A.Mali
[Project Guide]

Prof. Dr. S. K.Shirgave
HOD (CSE(AI & ML))

Prof. Dr.L.S. Admuthe
[I/C Director]

**D.K.T.E. Society's Textile and Engineering Institute,
Ichalkaranji.**

**(An Autonomous Institute, Affiliated to Shivaji University,
Kolhapur)**

**Department of Computer Science & Engineering (Artificial
Intelligence and Machine Learning)**

CERTIFICATE

This is to certify that,

- | | |
|-------------|-----------------------|
| 1. 24UAM307 | Saklen Mustak Manjire |
| 2. 24UAM310 | Atharv Anil Niprul |
| 3. 24UAM311 | Arya Bharat Patil |
| 4. 24UAM315 | Om Narayan Sutar |
| 5. 24UAM317 | Shravani Sachin Patil |

Have successfully completed the SRS of the mega project Entitled,

Student Dropout Prediction System Using AI

In partial fulfillment for Final Year B.Tech. CSE(AI) academics. This is the record of
their work carried out during the Academic year 2025-2026.

Date:

Place: Ichalkaranji

Prof. Mrs. V.A.Mali
(Project Guide)

Prof. Dr. S. K. Shirgave
(HOD CSE-AIML)

Prof. Dr.L.S. Admuthe
(I/C Director)

Table of Contents

Sr. No	Content	Page no
1.	Introduction	1
2.	Overall Description	2
3.	Specific Requirement	5
4.	Software Design Document	10
5.	References	17

1. Introduction

1.1 Problem Description

This Software Requirements Specification (SRS) document provides a complete description of the Student Dropout Prediction System using AI. The document is intended for:

1. Project supervisors and academic evaluators.
2. System administrators (college IT staff).
3. Faculty mentors and department heads.
4. Quality assurance testers.

1.2 Scope

Software Product Name:

Student Dropout Prediction System with AI-Powered WhatsApp Chatbot.

What the system WILL do:

- Shall collect both academic (marks, attendance, credits) and behavioral (sentiment, stress indicators, engagement) data
- Shall utilize LangChain framework with Google Gemini API for natural language conversations via WhatsApp
- Shall predict dropout probability using Random Forest classification (target: $\geq 80\%$ accuracy)
- Shall automatically connect at-risk students with faculty mentors
- Shall provide real-time monitoring dashboards for administrators and mentors
- Shall not replace academic counseling but augment early detection capabilities


Application Benefits:

- For Students: Anonymous, judgment-free emotional support and early academic intervention
- For Faculty: Data-driven insights into student well-being and automated risk alerts
- For Institution: Reduced dropout rates, improved retention metrics, and systematic mentoring workflows

2. Overall description

2.1 Product perspective

2.1.1 Block Diagram:



2.1.2 Hardware Requirements:

Component	Specification
Processor	Intel Core i5 or above
RAM	8 GB (16 GB recommended)
Storage	256 GB SSD
Internet	10 Mbps broadband connection
Mobile Device	Android/iOS smartphone with WhatsApp installed

2.1.3 Software Requirements:

Category	Technology	Version/Purpose
Operating System	Ubuntu Server / Windows Server / Cloud (AWS/Azure)	Deployment environment
Backend Runtime	Python	3.10+
Web Framework	Flask	REST API development
AI/ML Framework	LangChain, Scikit-learn	Chatbot orchestration and prediction
LLM Service	Google Gemini API	Conversational AI (Free tier)
Frontend	React.js	Admin and Mentor portals
Real-time Communication	Socket.io	Mentor-student chat
Databases	MySQL 8.0, MongoDB 6.0	Structured and unstructured data

2.2 Product functions

Major Functional Capabilities:

1. Student Data Collection

- Upload student records via CSV
- Manual data entry through admin panel
- Validate and store student information

2. WhatsApp Chatbot Interaction

- Natural language conversations with students
- Weekly check-ins and wellness queries
- Context-aware responses using conversation memory

3. Behavioral Analysis

- Sentiment analysis of student messages
- Stress level detection
- Engagement score calculation
- Dropout signal identification

4. Machine Learning Prediction

- Combine academic and behavioral features
- Predict dropout probability (0-100%)
- Classify risk levels (LOW/MEDIUM/HIGH)
- Update predictions based on new data

5. Mentor Assignment & Communication

- Automatic mentor assignment for high-risk students
- Real-time chat between students and mentors
- Chat history storage and tracking

6. Admin Dashboard

- Overview of all students with risk scores
- Risk distribution visualization
- Alert management
- Mentor management and workload monitoring

7. Mentor Portal

- View assigned students
- Monitor student risk trends
- Chat with students
- Add notes and track follow-ups

3. SPECIFIC REQUIREMENTS

3.1 External Interfaces

Inputs:

- Student Data: Academic records (marks, attendance, credits) uploaded via CSV or manual entry.
- User Interactions: Natural language student messages received through the WhatsApp chatbot interface.
- Mentor/Admin Input: Mentor notes, follow-up tracking, and administrative manual data entry.

Outputs:

- Predictions: Dropout probability scores (0-100%) and risk level classifications (Low/Medium/High).
- Automated Responses: Context-aware, AI-generated WhatsApp messages to students.
- Alerts & Visualizations: Real-time risk distribution dashboards and automated risk alerts for faculty mentors.
- Communications: Real-time chat messages between students and mentors.

3.2 Functional Requirements

3.2.1 ML Prediction Module

- LOW: 0-30% (Action: Monitor)
 - MEDIUM: 31-70% (Action: Watch)
 - HIGH: 71-100% (Action: Assign Mentor)
- The system shall achieve a minimum prediction accuracy of 80%.

3.2.2 Mentor-Student Chat Module

The system shall provide real-time chat functionality between students and assigned mentors using Socket.io.

The system shall authenticate users (student and mentor) before granting chat access.

The system shall display assigned mentors to students upon login.

The system shall persist chat history in MongoDB for future reference and analysis.

The system shall support text-based messaging with typing indicators.

3.2.3 Admin Panel Module

The system shall provide a dashboard overview showing total students, risk distribution (pie chart), and recent alerts.

The system shall display a sortable student list with risk scores and categories.

The system shall display detailed student profiles including academic info, behavioral summary, prediction details, and assigned mentor.

The system shall allow administrators to add/remove mentors, view mentor workloads, and assign mentors to students.

The system shall generate alerts for high-risk students and crisis situations, with status tracking (resolved/unresolved).

3.2.4 Mentor Portal Module

The system shall display a list of assigned students with risk scores and levels.

The system shall provide quick view of student concerns and behavioral trends.

The system shall allow mentors to view chat summaries and initiate direct chat with students.

The system shall provide functionality for mentors to add notes about students, track follow-ups, and record meeting outcomes.

3.3 Performance Requirements

Accuracy: The ML prediction model shall achieve a minimum accuracy of 80% for dropout risk classification.

Response Time:

- WhatsApp chatbot responses shall be generated within 3 seconds.
- Admin dashboard queries shall load within 2 seconds.
- Mentor-student chat latency shall not exceed 500ms.

Throughput: The system shall support a minimum of 100 concurrent users (students chatting simultaneously).

Availability: The system shall maintain 99% uptime during academic hours (8 AM - 8 PM).

Data Processing: The system shall process and analyze behavioral data from chat logs within 1 hour of conversation completion.

3.4 Design Constraints

- **Cost Constraint:** The system shall utilize free tiers of external APIs (Google Gemini API free tier, Twilio Sandbox for WhatsApp).
- **Privacy Compliance:** The system shall comply with educational data privacy standards.
- **Platform Limitation:** WhatsApp integration limited to Twilio Sandbox.
- **Browser Compatibility:** Chrome, Firefox, Safari, Edge.

3.5 Logical Database Requirements

3.5.1 Data Entities and Relationships

- **Student Entity:** (Roll No, Name, Gender, Age, Academic Marks, Risk Score, Risk Level, Assigned Mentor ID)
- **Mentor Entity:** (Mentor ID, Name, Department, Email, Workload)
- **Conversation Entity:** (Message ID, Student ID, Timestamp, Message Content, Sentiment Score, Stress Count)
- **Behavioral Features Entity:** (Student ID, Date, Avg Sentiment, Message Frequency, Engagement Score, Dropout Signal Flag)
- **Chat History Entity:** (Chat ID, Student ID, Mentor ID, Message, Timestamp, Sender Type)

3.5.2 Data Retention

- Academic records: 4 years
- Chat logs: 1 year
- Behavioral analysis data: Aggregated monthly

3.5.3 Integrity Constraints

- Student Roll No shall be unique and non-null
- Risk scores shall be constrained between 0-100
- Foreign key constraints between Student-Mentor assignments
- Timestamp automatic generation for all chat records

3.6 Software System Attributes

3.6.1 Reliability

The system shall implement automated backup of MySQL databases every 24 hours. In case of ML service failure, the system shall default to rule-based risk assessment using academic thresholds (marks < 40% = HIGH risk).

3.6.2 Availability

The system shall implement health checks for external APIs (Gemini, Twilio). If WhatsApp service is unavailable, the system shall queue messages and retry every 5 minutes for up to 1 hour.

3.6.3 Security

- Authentication: JWT (JSON Web Token) based authentication for Admin and Mentor portals
- Authorization: Role-based access control (RBAC) with three roles: Admin, Mentor, Student
- Data Protection: AES-256 encryption for sensitive student data in database
- API Security: Rate limiting on Flask API (100 requests/minute per IP)
- Input Validation: SQL injection and XSS prevention on all input fields

3.6.4 Maintainability

The system shall follow modular architecture allowing independent updates to:

- ML model (pluggable scikit-learn models)
- LLM provider (swappable between Gemini, OpenAI, or local LLMs)
- Database backend (MySQL/MongoDB abstraction layers)

3.6.5 Portability


The system shall be containerized using Docker to ensure deployment across:

- Local development environments (Windows/Linux/Mac)
- Cloud platforms (AWS, Azure, Google Cloud)
- On-premise college servers


4. SOFTWARE DESIGN DOCUMENT

4.1 Structural Design

4.1.1 Class Diagrams:




4.1.2 Object Diagrams:




4.2 Data Design

DFD0:



DFD1:




4.3 Behavioural Design


4.3.1 Sequence Diagram:



4.3.2 Collaboration diagram




4.3.3 Activity Diagram:



4.3.4 State-chart Diagram:

State Chart Diagram — Student Dropout Prediction System


Lifecycle of a Student Record from Registration to Final Outcome



4.4 Implementation Design

4.4.1 Component Diagram:


Component Diagram — Student Dropout Prediction System



4.4.2 Deployment Diagram:

Deployment Diagram — Student Dropout Prediction System

Physical Deployment Architecture showing Nodes, Artifacts, and Communication Paths



5. REFERENCES

- [1] D. Andrade-Girón et al., "Predicting Student Dropout using ML and DL: A Systematic Review," *EAI Transactions*, 2023.
- [2] F. Del Bonifro, M. Gabrielli, G. Lisanti, and S. P. Zingaro, "Student Dropout Prediction," in *Artificial Intelligence in Education*, Springer, 2020, pp. 129-140.
- [3] C. J. Hutto and E. Gilbert, "VADER: A Parsimonious Rule-Based Model for Sentiment Analysis," *ICWSM*, 2014.
- [4] LangChain Documentation, <https://python.langchain.com/docs/>
- [5] Google Gemini API Documentation, <https://ai.google.dev/docs>
- [6] Twilio WhatsApp API Documentation, <https://www.twilio.com/docs/whatsapp>
- [7] F. Pedregosa et al., "Scikit-learn: Machine Learning in Python," *JMLR*, vol. 12, 2011.
- [8] IEEE Standard 830-1998, *IEEE Recommended Practice for Software Requirements Specifications*, IEEE, 1998.