PE29 Vasu Kalariya

IMLA Lab Assi 2 Data Preprocessing

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
ds = pd.read_csv('FireData.csv')
ds
```

	_id	Area_of_Origin	Building_Status	Business_Impact	Civilian_Casualties	Count_of_Persons_Rescued	Estimated_Dollar_Loss	Estimated_Number_Of_Persons_Displaced	Exposures	Ext_agen
0	190306	81 - Engine Area	NaN	NaN	0	0	1000.0	NaN	NaN	

```
ds.isnull().sum()
```

```
_id                                                    0
Area_of_Origin                                         0
Building_Status                                     3482
Business_Impact                                     3484
Civilian_Casualties                                    0
Count_of_Persons_Rescued                               0
Estimated_Dollar_Loss                                  1
Estimated_Number_Of_Persons_Displaced               3483
Exposures                                          12408
Ext_agent_app_or_defer_time                            0
Extent_Of_Fire                                      3484
Final_Incident_Type                                    0
Fire_Alarm_System_Impact_on_Evacuation              3484
Fire_Alarm_System_Operation                         3484
Fire_Alarm_System_Presence                          3484
Fire_Under_Control_Time                                1
Ignition_Source                                        0
Incident_Number                                        0
Incident_Station_Area                                  0
Incident_Ward                                         74
Initial_CAD_Event_Type                                 0
Intersection                                           1
Last_TFS_Unit_Clear_Time                               0
Latitude                                               1
Level_Of_Origin                                     3484
Longitude                                              1
Material_First_Ignited                                 0
Method_Of_Fire_Control                                 0
Number_of_responding_apparatus                         0
Number_of_responding_personnel                         0
Possible_Cause                                         0
Property_Use                                           1
Smoke_Alarm_at_Fire_Origin                          3484
Smoke_Alarm_at_Fire_Origin_Alarm_Failure            3484
Smoke_Alarm_at_Fire_Origin_Alarm_Type               3484
Smoke_Alarm_Impact_on_Persons_Evacuating_Impact_on_Evacuation    3484
Smoke_Spread                                        3484
Sprinkler_System_Operation                          3484
Sprinkler_System_Presence                           3484
Status_of_Fire_On_Arrival                              0
TFS_Alarm_Time                                         0
TFS_Arrival_Time                                       0
TFS_Firefighter_Casualties                             0
dtype: int64
```

```
ds.shape
```

```
(12687, 43)
```

```
sns.heatmap(ds.isnull())
```

```
<AxesSubplot:>
```




```
ds.dropna(subset=['Building_Status'], inplace = True)
```

```
ds.isnull().sum()
```

```
_id                                                0
Area_of_Origin                                     0
Building_Status                                    0
Business_Impact                                    2
Civilian_Casualties                                0
Count_of_Persons_Rescued                           0
Estimated_Dollar_Loss                              0
Estimated_Number_Of_Persons_Displaced              1
Exposures                                       8994
Ext_agent_app_or_defer_time                        0
Extent_Of_Fire                                     2
Final_Incident_Type                                0
Fire_Alarm_System_Impact_on_Evacuation             2
Fire_Alarm_System_Operation                        2
Fire_Alarm_System_Presence                         2
Fire_Under_Control_Time                            0
Ignition_Source                                    0
Incident_Number                                    0
Incident_Station_Area                              0
```

```
Incident_Ward                                                    30
Initial_CAD_Event_Type                                            0
Intersection                                                      0
Last_TFS_Unit_Clear_Time                                          0
Latitude                                                          0
Level_Of_Origin                                                   2
Longitude                                                         0
Material_First_Ignited                                            0
Method_Of_Fire_Control                                            0
Number_of_responding_apparatus                                    0
Number_of_responding_personnel                                    0
Possible_Cause                                                    0
Property_Use                                                      0
Smoke_Alarm_at_Fire_Origin                                        2
Smoke_Alarm_at_Fire_Origin_Alarm_Failure                          2
Smoke_Alarm_at_Fire_Origin_Alarm_Type                             2
Smoke_Alarm_Impact_on_Persons_Evacuating_Impact_on_Evacuation     2
Smoke_Spread                                                      2
Sprinkler_System_Operation                                        2
Sprinkler_System_Presence                                         2
Status_of_Fire_On_Arrival                                         0
TFS_Alarm_Time                                                    0
TFS_Arrival_Time                                                  0
TFS_Firefighter_Casualties                                        0
dtype: int64
```

```
ds['Exposures'].unique()
```

```
array([nan,  1.,  3.,  2.,  4.,  6.,  5.,  7.])
```

```
Exposures1 = ds.iloc[:,8:9].values
Exposures2 = ds.iloc[:,8:9].values
Exposures3 = ds.iloc[:,8:9].values
Exposures1
```

```
array([[nan],
       [nan],
       [nan],
       ...,
       [nan],
       [nan],
       [nan]])
```

Imputer for Missing values

```
from sklearn.impute import SimpleImputer
si1 = SimpleImputer(missing_values=np.nan, strategy='mean')
si1.fit(Exposures1)
Exposures1 = si1.transform(Exposures1)
Exposures1 = pd.DataFrame(Exposures1, columns=['Exposures1'])
Exposures1
```

	Exposures1
0	1.649289
1	1.649289
2	1.649289
3	1.649289
4	1.649289
...	...
9200	1.649289
9201	1.649289
9202	1.649289
9203	1.649289
9204	1.649289

9205 rows × 1 columns

```
si2 = SimpleImputer(missing_values=np.nan,strategy='median')
si2.fit(Exposures2)
Exposures2 = si2.transform(Exposures2)
Exposures2 = pd.DataFrame(Exposures2, columns=['Exposures2'])
Exposures2
```

```
ds.isnull().sum()
```

```
_id                                                    0
Area_of_Origin                                         0
Building_Status                                        0
Business_Impact                                        2
Civilian_Casualties                                    0
Count_of_Persons_Rescued                               0
Estimated_Dollar_Loss                                  0
Estimated_Number_Of_Persons_Displaced                  1
Exposures                                           8994
Ext_agent_app_or_defer_time                            0
Extent_Of_Fire                                         2
Final_Incident_Type                                    0
Fire_Alarm_System_Impact_on_Evacuation                 2
Fire_Alarm_System_Operation                            2
Fire_Alarm_System_Presence                             2
Fire_Under_Control_Time                                0
Ignition_Source                                        0
Incident_Number                                        0
Incident_Station_Area                                  0
Incident_Ward                                         30
Initial_CAD_Event_Type                                 0
Intersection                                           0
Last_TFS_Unit_Clear_Time                               0
Latitude                                               0
Level_Of_Origin                                        2
Longitude                                              0
Material_First_Ignited                                 0
Method_Of_Fire_Control                                 0
Number_of_responding_apparatus                         0
Number_of_responding_personnel                         0
Possible_Cause                                         0
Property_Use                                           0
Smoke_Alarm_at_Fire_Origin                             2
Smoke_Alarm_at_Fire_Origin_Alarm_Failure               2
Smoke_Alarm_at_Fire_Origin_Alarm_Type                  2
Smoke_Alarm_Impact_on_Persons_Evacuating_Impact_on_Evacuation    2
Smoke_Spread                                           2
Sprinkler_System_Operation                             2
Sprinkler_System_Presence                              2
Status_of_Fire_On_Arrival                              0
TFS_Alarm_Time                                         0
TFS_Arrival_Time                                       0
TFS_Firefighter_Casualties                             0
dtype: int64
```

```
ds.dropna(axis=0, how="any", thresh=None, subset=None, inplace=True)
```

```
sns.heatmap(ds.isnull())
```

```
<AxesSubplot:>
```




```
ds = ds.reset_index()
```

```
ds['Estimated_Dollar_Loss'] = ds['Estimated_Dollar_Loss'].astype('int64')
ds['Estimated_Dollar_Loss'].unique()
```

```
array([   2000,     200,    5000,   70000,  100000,    7500,   10000,
            400,   90000,    1000,   20000,    2500,   25000,   50000,
          30000,   40000,  350000,     500,   60000,    9000, 1000000,
          80000,  500000,  400000, 5000000,  250000,  200000,  750000,
         800000,  125000,  700000,   34000,  300000,    9999, 2000000,
          75000, 1500000,  150000,    4000,   15000,    7000,     250,
         120000,      20,  175000,   18000,   65000,   12000,   35000,
          49800,  600000,   55000,     100, 1850000,    8000], dtype=int64)
```

Normalisation using Max Min, L1 , L2 , Zscore

```
Estimated_Dollar_Loss = ds.iloc[:, 6:7].values

from sklearn import preprocessing
min_max = preprocessing.MinMaxScaler()
Estimated_Dollar_Loss= min_max.fit_transform(Estimated_Dollar_Loss)
Estimated_Dollar_Loss = pd.DataFrame(Estimated_Dollar_Loss,columns = ['Estimated_Dollar_Loss'])
Estimated_Dollar_Loss
```

	Estimated_Dollar_Loss
0	0.0
1	0.0
2	0.0
3	0.0
4	0.0
...	...
206	0.0
207	0.0
208	0.0
209	0.0
210	0.0

211 rows × 1 columns

```
Estimated_Dollar_Loss2 = ds.iloc[:, 6:7].values

from sklearn.preprocessing import Normalizer
Data_normalizer= Normalizer(norm='l1').fit(Estimated_Dollar_Loss2)
Estimated_Dollar_Loss2 = Data_normalizer.transform(Estimated_Dollar_Loss2)
Estimated_Dollar_Loss2 = pd.DataFrame(Estimated_Dollar_Loss2,columns = ['Estimated_Dollar_Loss2'])
Estimated_Dollar_Loss2
```

	Estimated_Dollar_Loss2
0	0.0
1	0.0
2	0.0
3	0.0
4	0.0
...	...
206	0.0
207	0.0
208	0.0
209	0.0
210	0.0

211 rows × 1 columns

```
Estimated_Dollar_Loss3 = ds.iloc[:, 6:7].values

from sklearn.preprocessing import Normalizer
Data_normalizer= Normalizer(norm='l2').fit(Estimated_Dollar_Loss3)
Estimated_Dollar_Loss3 = Data_normalizer.transform(Estimated_Dollar_Loss3)
Estimated_Dollar_Loss3 = pd.DataFrame(Estimated_Dollar_Loss3,columns = ['Estimated_Dollar_Loss3'])
Estimated_Dollar_Loss3
```

	Estimated_Dollar_Loss3
0	0.0
1	0.0
2	0.0
3	0.0
4	0.0
...	...
206	0.0
207	0.0
208	0.0
209	0.0
210	0.0

211 rows × 1 columns

```
Estimated_Number_Of_Persons_Displaced = ds.iloc[:, 7:8].values

from scipy import stats
Estimated_Number_Of_Persons_Displaced = stats.zscore(Estimated_Number_Of_Persons_Displaced)
Estimated_Number_Of_Persons_Displaced = pd.DataFrame(Estimated_Number_Of_Persons_Displaced,columns = ['Estimated_Number_Of
Estimated_Number_Of_Persons_Displaced
```

	Estimated_Number_Of_Persons_Displaced
0	-0.467214
1	-0.471048
2	-0.460825
3	-0.322387
4	-0.258493

Feature Selection using Correlation Coefficient

```
ds.corr(method ='pearson')
```

	index	_id	Civilian_Casualties	Count_of_Persons_Rescued	Estimated_Dollar_Loss	Estimated_Number_Of_Persons_Displaced	Exposures	Incident_Stat
index	1.000000	1.000000	0.088213	0.034237	0.128786	0.125300	0.025089	
_id	1.000000	1.000000	0.088213	0.034237	0.128786	0.125300	0.025089	
Civilian_Casualties	0.088213	0.088213	1.000000	0.336775	0.050592	0.120813	-0.022841	
Count_of_Persons_Rescued	0.034237	0.034237	0.336775	1.000000	0.066351	0.030255	0.051705	
Estimated_Dollar_Loss	0.128786	0.128786	0.050592	0.066351	1.000000	0.236972	0.135748	
Estimated_Number_Of_Persons_Displaced	0.125300	0.125300	0.120813	0.030255	0.236972	1.000000	0.255827	
Exposures	0.025089	0.025089	-0.022841	0.051705	0.135748	0.255827	1.000000	
Incident_Station_Area	-0.051774	-0.051774	0.087232	0.032444	-0.160756	0.083949	0.037605	
Incident_Ward	-0.043413	-0.043413	0.003947	0.074149	0.109913	-0.005542	-0.046863	
Latitude	0.010110	0.010110	-0.064315	-0.046431	0.013641	-0.066485	-0.130792	
Longitude	-0.017260	-0.017260	-0.014582	0.044854	0.103475	-0.037393	-0.055659	
Number_of_responding_apparatus	0.249495	0.249495	0.152842	0.163182	0.629676	0.391738	0.241793	
Number_of_responding_personnel	0.239354	0.239354	0.134114	0.144415	0.630974	0.396794	0.241166	
TFS_Firefighter_Casualties	0.091333	0.091333	0.147323	0.083274	0.162295	0.176266	0.109110	

```
plt.subplots(figsize=(15,15))
sns.heatmap(ds.corr(), annot = True,annot_kws={'size': 10},linewidths=.5,square=True)
```

```
<AxesSubplot:>
```



Encoding of categorical values

```
Final_Incident_Type = ds.loc[:, ['Final_Incident_Type']].values
```

```
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
Final_Incident_Type = le.fit_transform(Final_Incident_Type)
Final_Incident_Type = pd.DataFrame(Final_Incident_Type,columns = ['Final_Incident_Type(Explosion)'])
Final_Incident_Type
```

```
C:\Users\kalar\anaconda3\lib\site-packages\sklearn\utils\validation.py:72: DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_s
  return f(**kwargs)
```

	Final_Incident_Type(Explosion)
0	0
1	0
2	0
3	0
4	0
...	...
206	0
207	0
208	0
209	0
210	0

211 rows × 1 columns

```
Method_Of_Fire_Control = pd.get_dummies(ds['Method_Of_Fire_Control'])
Method_Of_Fire_Control
```

	1 - Extinguished by fire department	3 - Extinguished by occupant	4 - Fire self extinguished	5 - Action taken unclassified
0	1	0	0	0
1	0	0	1	0
2	1	0	0	0

```
Method_Of_Fire_Control1 = ds.loc[:,['Method_Of_Fire_Control']].values

from sklearn.compose import ColumnTransformer
from sklearn.preprocessing import OneHotEncoder

ct = ColumnTransformer(transformers = [('encoder',OneHotEncoder(), [0])],remainder='passthrough')
Method_Of_Fire_Control1 = np.array(ct.fit_transform(Method_Of_Fire_Control1))
print(Method_Of_Fire_Control1)
```

```
  (0, 0)        1.0
  (1, 2)        1.0
  (2, 0)        1.0
  (3, 0)        1.0
  (4, 0)        1.0
  (5, 0)        1.0
  (6, 0)        1.0
  (7, 0)        1.0
  (8, 0)        1.0
  (9, 0)        1.0
  (10, 1)       1.0
  (11, 0)       1.0
  (12, 1)       1.0
  (13, 0)       1.0
  (14, 1)       1.0
  (15, 0)       1.0
  (16, 0)       1.0
  (17, 0)       1.0
  (18, 0)       1.0
  (19, 0)       1.0
  (20, 0)       1.0
  (21, 0)       1.0
  (22, 0)       1.0
  (23, 0)       1.0
  (24, 0)       1.0
  :     :
  (186, 0)      1.0
  (187, 0)      1.0
  (188, 0)      1.0
  (189, 0)      1.0
  (190, 0)      1.0
  (191, 3)      1.0
  (192, 0)      1.0
  (193, 0)      1.0
  (194, 0)      1.0
  (195, 0)      1.0
  (196, 0)      1.0
  (197, 0)      1.0
  (198, 0)      1.0
```

```
(199, 0)      1.0
(200, 0)      1.0
(201, 0)      1.0
(202, 0)      1.0
(203, 0)      1.0
(204, 0)      1.0
(205, 0)      1.0
(206, 0)      1.0
(207, 0)      1.0
(208, 0)      1.0
(209, 0)      1.0
(210, 0)      1.0
```

```
Method_Of_Fire_Control2 = ds.loc[:,['Method_Of_Fire_Control']].values
Method_Of_Fire_Control2 = Method_Of_Fire_Control2.ravel()

from sklearn.feature_extraction.text import CountVectorizer
from sklearn.feature_extraction.text import TfidfVectorizer
vectorizer = CountVectorizer()
Method_Of_Fire_Control2 = vectorizer.fit_transform(Method_Of_Fire_Control2)
print(Method_Of_Fire_Control2)
```

```
      (0, 3)        1
      (0, 1)        1
      (0, 4)        1
      (0, 2)        1
      (1, 3)        1
      (1, 4)        1
      (1, 6)        1
      (2, 3)        1
      (2, 1)        1
      (2, 4)        1
      (2, 2)        1
      (3, 3)        1
      (3, 1)        1
      (3, 4)        1
      (3, 2)        1
      (4, 3)        1
      (4, 1)        1
      (4, 4)        1
      (4, 2)        1
      (5, 3)        1
      (5, 1)        1
      (5, 4)        1
      (5, 2)        1
      (6, 3)        1
      (6, 1)        1
      :     :
      (204, 2)      1
      (205, 3)      1
      (205, 1)      1
      (205, 4)      1
      (205, 2)      1
      (206, 3)      1
```

```
(206, 1)      1
(206, 4)      1
(206, 2)      1
(207, 3)      1
(207, 1)      1
(207, 4)      1
(207, 2)      1
(208, 3)      1
(208, 1)      1
(208, 4)      1
(208, 2)      1
(209, 3)      1
(209, 1)      1
(209, 4)      1
(209, 2)      1
(210, 3)      1
(210, 1)      1
(210, 4)      1
(210, 2)      1
```

Feature Reduction using Variance Threshold

```
from sklearn import datasets
df = datasets.load_iris(as_frame=True)
X = df.data
y = df.target
print(X)
```

```
     sepal length (cm)  sepal width (cm)  petal length (cm)  petal width (cm)
0                  5.1               3.5                1.4               0.2
1                  4.9               3.0                1.4               0.2
2                  4.7               3.2                1.3               0.2
3                  4.6               3.1                1.5               0.2
4                  5.0               3.6                1.4               0.2
..                 ...               ...                ...               ...
145                6.7               3.0                5.2               2.3
146                6.3               2.5                5.0               1.9
147                6.5               3.0                5.2               2.0
148                6.2               3.4                5.4               2.3
149                5.9               3.0                5.1               1.8

[150 rows x 4 columns]
```

```
from sklearn.feature_selection import VarianceThreshold

selector = VarianceThreshold()
selector.fit_transform(X,y)
```

```
array([[5.1, 3.5, 1.4, 0.2],
       [4.9, 3. , 1.4, 0.2],
       [4.7, 3.2, 1.3, 0.2],
```

```
       [4.6, 3.1, 1.5, 0.2],
       [5. , 3.6, 1.4, 0.2],
       [5.4, 3.9, 1.7, 0.4],
       [4.6, 3.4, 1.4, 0.3],
       [5. , 3.4, 1.5, 0.2],
       [4.4, 2.9, 1.4, 0.2],
       [4.9, 3.1, 1.5, 0.1],
       [5.4, 3.7, 1.5, 0.2],
       [4.8, 3.4, 1.6, 0.2],
       [4.8, 3. , 1.4, 0.1],
       [4.3, 3. , 1.1, 0.1],
       [5.8, 4. , 1.2, 0.2],
       [5.7, 4.4, 1.5, 0.4],
       [5.4, 3.9, 1.3, 0.4],
       [5.1, 3.5, 1.4, 0.3],
       [5.7, 3.8, 1.7, 0.3],
       [5.1, 3.8, 1.5, 0.3],
       [5.4, 3.4, 1.7, 0.2],
       [5.1, 3.7, 1.5, 0.4],
       [4.6, 3.6, 1. , 0.2],
       [5.1, 3.3, 1.7, 0.5],
       [4.8, 3.4, 1.9, 0.2],
       [5. , 3. , 1.6, 0.2],
       [5. , 3.4, 1.6, 0.4],
       [5.2, 3.5, 1.5, 0.2],
       [5.2, 3.4, 1.4, 0.2],
       [4.7, 3.2, 1.6, 0.2],
       [4.8, 3.1, 1.6, 0.2],
       [5.4, 3.4, 1.5, 0.4],
       [5.2, 4.1, 1.5, 0.1],
       [5.5, 4.2, 1.4, 0.2],
       [4.9, 3.1, 1.5, 0.2],
       [5. , 3.2, 1.2, 0.2],
       [5.5, 3.5, 1.3, 0.2],
       [4.9, 3.6, 1.4, 0.1],
       [4.4, 3. , 1.3, 0.2],
       [5.1, 3.4, 1.5, 0.2],
       [5. , 3.5, 1.3, 0.3],
       [4.5, 2.3, 1.3, 0.3],
       [4.4, 3.2, 1.3, 0.2],
       [5. , 3.5, 1.6, 0.6],
       [5.1, 3.8, 1.9, 0.4],
       [4.8, 3. , 1.4, 0.3],
       [5.1, 3.8, 1.6, 0.2],
       [4.6, 3.2, 1.4, 0.2],
       [5.3, 3.7, 1.5, 0.2],
       [5. , 3.3, 1.4, 0.2],
       [7. , 3.2, 4.7, 1.4],
       [6.4, 3.2, 4.5, 1.5],
       [6.9, 3.1, 4.9, 1.5],
       [5.5, 2.3, 4. , 1.3],
       [6.5, 2.8, 4.6, 1.5],
       [5.7, 2.8, 4.5, 1.3],
       [6.3, 3.3, 4.7, 1.6],
       [4.9, 2.4, 3.3, 1. ],
       [6.6, 2.9, 4.6, 1.3],
```