

1 . List of all customers

```
SELECT * FROM Sales.Customer;
```

2.List of all customers where company name ends with 'N':

```
SELECT *  
FROM Sales.Store s  
JOIN Sales.Customer c ON s.BusinessEntityID = c.StoreID WHERE s.Name LIKE  
'%N';
```

3-List of all customers who live in Berlin or London:

```
SELECT c.*  
FROM Sales.Customer c  
JOIN Person.BusinessEntityAddress bea ON c.CustomerID = bea.BusinessEntityID  
JOIN Person.Address a ON bea.AddressID = a.AddressID WHERE a.City IN  
( 'Berlin', 'London');
```

4-List of all customers who live in UK or USA

```
SELECT c.*  
FROM Sales.Customer c  
JOIN Person.BusinessEntityAddress bea ON c.CustomerID = bea.BusinessEntityID  
JOIN Person.Address a ON bea.AddressID = a.AddressID  
JOIN Person.StateProvince sp ON a.StateProvinceID = sp.StateProvinceID  
WHERE sp.CountryRegionCode IN ('UK', 'US');
```

5-List of all products sorted by product name

```
SELECT Name  
FROM Production.Product  
ORDER BY Name;
```

6-List of all products where product name starts with an A

```
SELECT ProductID, Name, ProductNumber, MakeFlag, FinishedGoodsFlag, Color,  
SafetyStockLevel, ReorderPoint, StandardCost, ListPrice, Size, SizeUnitMeasureCode,  
WeightUnitMeasureCode, Weight, DaysToManufacture, ProductLine, Class, Style, ProductSubcategoryID,  
ProductModelID, SellStartDate, SellEndDate, DiscontinuedDate, rowguid, ModifiedDate FROM  
Production.Product  
WHERE Name LIKE 'A%'  
ORDER BY Name;
```

7-List of customers who ever placed an order

```
SELECT DISTINCT c.*
FROM Sales.Customer c
JOIN Sales.SalesOrderHeader soh ON c.CustomerID = soh.CustomerID;
```

8-List of customers who live in london and have bought chai

```
SELECT DISTINCT c.*
FROM Sales.Customer c
JOIN Sales.SalesOrderHeader soh ON c.CustomerID = soh.CustomerID
JOIN Sales.SalesOrderDetail sod ON soh.SalesOrderID = sod.SalesOrderID
JOIN Production.Product p ON sod.ProductID = p.ProductID
JOIN Person.BusinessEntityAddress bea ON soh.ShipToAddressID = bea.BusinessEntityID
JOIN Person.Address a ON bea.AddressID = a.AddressID WHERE a.City =
'London' AND p.Name = 'Chai';
```

9-List of customer who never placed an order

```
SELECT * FROM Sales.Customer c
WHERE NOT EXISTS (
    SELECT 1
    FROM Sales.SalesOrderHeader soh
    WHERE c.CustomerID = soh.CustomerID );
```

10-List of customers who ordered a Tofu

```
SELECT DISTINCT c.*
FROM Sales.Customer c
JOIN Sales.SalesOrderHeader soh ON c.CustomerID = soh.CustomerID
JOIN Sales.SalesOrderDetail sod ON soh.SalesOrderID = sod.SalesOrderID
JOIN Production.Product p ON sod.ProductID = p.ProductID WHERE p.Name =
'Tofu';
```

11-Details of first order of the system

```
SELECT TOP 1 *
FROM Sales.SalesOrderHeader
ORDER BY OrderDate ASC;
```

12-Find the details of most expensive order date

```
WITH OrderTotals AS (
    SELECT
```

```

        SalesOrderID,
        SUM(LineTotal) AS TotalOrderCost
FROM
    Sales.SalesOrderDetail
GROUP BY
    SalesOrderID
) SELECT soh.SalesOrderID,
    soh.OrderDate, soh.DueDate,
    soh.ShipDate, soh.Status,
    soh.OnlineOrderFlag,
    soh.SalesOrderNumber,
    soh.PurchaseOrderNumber,
    soh.AccountNumber,
    soh.CustomerID, soh.SalesPersonID,
    soh.TerritoryID, soh.BillToAddressID,
    soh.ShipToAddressID,
    soh.ShipMethodID, soh.CreditCardID,
    soh.CreditCardApprovalCode,
    soh.CurrencyRateID, soh.SubTotal,
    soh.TaxAmt, soh.Freight,
    soh.TotalDue, soh.Comment,
    soh.rowguid, soh.ModifiedDate,
    ot.TotalOrderCost
FROM
    Sales.SalesOrderHeader soh
JOIN
    OrderTotals ot ON soh.SalesOrderID = ot.SalesOrderID ORDER BY
    ot.TotalOrderCost DESC

```

13- for each order get the orderid and average quantity of items in that order

```

SELECT
    SalesOrderID,
    AVG(OrderQty) AS AverageQuantity
FROM
    Sales.SalesOrderDetail
GROUP BY
    SalesOrderID;

```

14-For each order get the OrderID,minimum quantity and maximum quantity for that order

```

SELECT
    SalesOrderID,
    MIN(OrderQty) AS MinimumQuantity,
    MAX(OrderQty) AS MaximumQuantity

```

```
FROM
    Sales.SalesOrderDetail
GROUP BY
    SalesOrderID;
```

15-Get a list of all managers and total no of employees who report to them.

```
USE AdventureWork;
```

```
SELECT
    E.BusinessEntityID AS ManagerID,
    P.FirstName + ' ' + P.LastName AS ManagerName,
    COUNT(RE.BusinessEntityID) AS TotalEmployees
FROM
    HumanResources.Employee AS E
INNER JOIN
    Person.Person AS P ON E.BusinessEntityID = P.BusinessEntityID
LEFT JOIN
    HumanResources.Employee AS RE ON RE.OrganizationNode.GetAncestor(1) = E.OrganizationNode
GROUP BY
    E.BusinessEntityID, P.FirstName, P.LastName
ORDER BY
    TotalEmployees DESC;
```

16-Get the orderID and total quantity for each order that has a total quantity of greater than 300.

```
SELECT
    SalesOrderID,
    SUM(OrderQty) AS TotalQuantity
FROM
    Sales.SalesOrderDetail
GROUP BY
    SalesOrderID
HAVING
    SUM(OrderQty) > 300;
```

17-List of all the orders placed on after 1996/12/31.

```
SELECT *
FROM Sales.SalesOrderHeader
WHERE OrderDate >= '1996-12-31';
```

18-List of all orders shipped to Canada. SELECT

```
soh.SalesOrderID,
```

```

    soh.OrderDate,    soh.ShipDate,
soh.Status,    soh.TotalDue,
    a.AddressLine1,
    a.AddressLine2,
    a.City,
    sp.Name AS StateProvince,    cr.Name AS
CountryRegion
FROM
    Sales.SalesOrderHeader soh
JOIN
    Person.Address a ON soh.ShipToAddressID = a.AddressID
JOIN
    Person.StateProvince sp ON a.StateProvinceID = sp.StateProvinceID JOIN
    Person.CountryRegion cr ON sp.CountryRegionCode = cr.CountryRegionCode WHERE
    cr.Name = 'Canada';

```

19-List of all orders with order total > 200 .

```

SELECT *
FROM Sales.SalesOrderHeader WHERE
TotalDue > 200;

```

20-List of all countries and sales made in each country .

```

SELECT
    cr.Name AS Country,
    SUM(soh.TotalDue) AS TotalSales
FROM
    Sales.SalesOrderHeader soh
JOIN
    Person.Address a ON soh.ShipToAddressID = a.AddressID
JOIN
    Person.StateProvince sp ON a.StateProvinceID = sp.StateProvinceID JOIN
    Person.CountryRegion cr ON sp.CountryRegionCode = cr.CountryRegionCode GROUP BY
cr.Name
ORDER BY
    TotalSales DESC;

```

21-List of customers Contact name and numbers of orders they placed .

```

SELECT
    p.FirstName + ' ' + p.LastName AS ContactName,
    COUNT(soh.SalesOrderID) AS NumberOfOrders
FROM
    Sales.SalesOrderHeader soh
JOIN

```

```

Sales.Customer c ON soh.CustomerID = c.CustomerID
JOIN
Person.Person p ON c.PersonID = p.BusinessEntityID
GROUP BY
p.FirstName, p.LastName
ORDER BY
NumberOfOrders DESC;

```

22-List of customers contactnames who have placed more than 3 orders.

```
USE AdventureWork;
```

```

SELECT
P.FirstName + ' ' + P.LastName AS ContactName,
COUNT(SOH.SalesOrderID) AS NumberOfOrders
FROM
Sales.Customer AS C
INNER JOIN
Sales.SalesOrderHeader AS SOH ON C.CustomerID = SOH.CustomerID
INNER JOIN
Person.Person AS P ON C.PersonID = P.BusinessEntityID
GROUP BY
P.FirstName, P.LastName HAVING
COUNT(SOH.SalesOrderID) > 3
ORDER BY
NumberOfOrders DESC;

```

23-List of discontinued products which were ordered between 1/1/1997 and 1/1/1998

```
USE AdventureWork;
```

```

SELECT
P.ProductID,
P.Name AS ProductName,
P.DiscontinuedDate
FROM
Sales.SalesOrderDetail AS SOD
INNER JOIN
Sales.SalesOrderHeader AS SOH ON SOD.SalesOrderID = SOH.SalesOrderID
INNER JOIN
Production.Product AS P ON SOD.ProductID = P.ProductID
WHERE
SOH.OrderDate BETWEEN '1997-01-01' AND '1998-01-01'

```

```

AND P.DiscontinuedDate IS NOT NULL
AND P.DiscontinuedDate <= '1998-01-01'
GROUP BY
    P.ProductID, P.Name, P.DiscontinuedDate
ORDER BY
    P.ProductID;

```

24-List of employees firstname,lastname,superviser Firstname,Lastname

```
USE AdventureWork;
```

```

SELECT
    E1.FirstName AS EmployeeFirstName,
    E1.LastName AS EmployeeLastName,
    E2.FirstName AS SupervisorFirstName,
    E2.LastName AS SupervisorLastName
FROM
    HumanResources.Employee AS Emp1
INNER JOIN
    Person.Person AS E1 ON Emp1.BusinessEntityID = E1.BusinessEntityID
LEFT JOIN
    HumanResources.Employee AS Emp2 ON Emp1.OrganizationNode.GetAncestor(1) = Emp2.OrganizationNode
LEFT JOIN
    Person.Person AS E2 ON Emp2.BusinessEntityID = E2.BusinessEntityID
ORDER BY
    EmployeeLastName, EmployeeFirstName;

```

25-List of employees ID and total sale conducted by employee.

```
USE AdventureWork;
```

```

SELECT
    E.BusinessEntityID AS EmployeeID,
    SUM(SOH.TotalDue) AS TotalSales
FROM
    Sales.SalesOrderHeader AS SOH
INNER JOIN
    Sales.SalesPerson AS SP ON SOH.SalesPersonID = SP.BusinessEntityID
INNER JOIN
    HumanResources.Employee AS E ON SP.BusinessEntityID = E.BusinessEntityID
GROUP BY
    E.BusinessEntityID
ORDER BY

```

TotalSales DESC;

26-List of employees whose Firstname contains character a.

```
USE AdventureWork;
SELECT FirstName, LastName
FROM HumanResources.Employee AS e
JOIN Person.Person AS p ON e.BusinessEntityID = p.BusinessEntityID
WHERE p.FirstName LIKE '%a%';
```

27-List of managers who have more than four people reporting to them.

```
USE AdventureWork;

SELECT
    ManagerPerson.FirstName,
    ManagerPerson.LastName,
    COUNT(Employee.BusinessEntityID) AS ReportCount
FROM
    HumanResources.Employee AS Employee
JOIN
    HumanResources.Employee AS Manager ON Employee.OrganizationNode.GetAncestor(1) =
        Manager.OrganizationNode
JOIN
    Person.Person AS ManagerPerson ON Manager.BusinessEntityID = ManagerPerson.BusinessEntityID
GROUP BY
    ManagerPerson.FirstName,
    ManagerPerson.LastName
HAVING
    COUNT(Employee.BusinessEntityID) > 4;
```

28-List of orders and ProductNames.

```
USE AdventureWork; SELECT
soh.SalesOrderID,
soh.OrderDate,
    p.Name AS ProductName
FROM
    Sales.SalesOrderHeader soh
JOIN
    Sales.SalesOrderDetail sod ON soh.SalesOrderID = sod.SalesOrderID JOIN
    Production.Product p ON sod.ProductID = p.ProductID;
```


29-List of orders placed by best customer identify the best customer.

```
USE AdventureWork;
WITH CustomerTotal AS ( SELECT
    soh.CustomerID,
    SUM(soh.TotalDue) AS TotalSpent
FROM
    Sales.SalesOrderHeader soh GROUP
BY
    soh.CustomerID
)
SELECT TOP 1
    CustomerID,
    TotalSpent
FROM
    CustomerTotal
ORDER BY
    TotalSpent DESC;
```

order placed by the best customer.

```
USE AdventureWork; SELECT
soh.SalesOrderID,
soh.OrderDate,
soh.TotalDue
FROM
    Sales.SalesOrderHeader soh WHERE
soh.CustomerID = ( SELECT TOP 1
    CustomerID
FROM
    ( SELECT
soh.CustomerID,
    SUM(soh.TotalDue) AS TotalSpent
FROM
    Sales.SalesOrderHeader soh GROUP BY
soh.CustomerID
) AS CustomerTotal
ORDER BY
    TotalSpent DESC );
```

30-List of orders placed by customer who do not have a fax number.

```
USE AdventureWork;

SELECT soh.SalesOrderID,
soh.OrderDate,
soh.TotalDue, c.CustomerID,
```

```

    p.FirstName,
    p.LastName
FROM
    Sales.SalesOrderHeader soh
JOIN
    Sales.Customer c ON soh.CustomerID = c.CustomerID
JOIN
    Person.Person p ON c.PersonID = p.BusinessEntityID
LEFT JOIN
    Person.PersonPhone pp ON p.BusinessEntityID = pp.BusinessEntityID AND pp.PhoneNumberTypeID =
(SELECT PhoneNumberTypeID FROM Person.PhoneNumberType WHERE Name = 'Fax') WHERE
    pp.PhoneNumber IS NULL;

```

31-List of postal codes where the product tofu was shipped.

```

USE AdventureWork;

SELECT DISTINCT
    a.PostalCode
FROM
    Sales.SalesOrderDetail sod
JOIN
    Sales.SalesOrderHeader soh ON sod.SalesOrderID = soh.SalesOrderID JOIN
    Production.Product p ON sod.ProductID = p.ProductID JOIN
    Person.Address a ON soh.ShipToAddressID = a.AddressID
WHERE
    p.Name = 'Tofu';

```

32-List of product Names that were shipped to France.

```

USE AdventureWork;

SELECT DISTINCT
    p.Name AS ProductName
FROM
    Sales.SalesOrderDetail sod
JOIN
    Sales.SalesOrderHeader soh ON sod.SalesOrderID = soh.SalesOrderID JOIN
    Production.Product p ON sod.ProductID = p.ProductID JOIN
    Person.Address a ON soh.ShipToAddressID = a.AddressID
JOIN

```

```
Person.StateProvince sp ON a.StateProvinceID = sp.StateProvinceID JOIN
Person.CountryRegion cr ON sp.CountryRegionCode = cr.CountryRegionCode WHERE
cr.Name = 'France';
```

33-List of ProductNames and Categories for the supplier 'Speciality Biscuits, Ltd.

USE AdventureWork;

SELECT

p.Name AS ProductName, pc.Name

AS CategoryName

FROM

Production.Product p

JOIN

Production.ProductSubcategory psc ON p.ProductSubcategoryID =
psc.ProductSubcategoryID

JOIN

Production.ProductCategory pc ON psc.ProductCategoryID = pc.ProductCategoryID JOIN

Purchasing.ProductVendor pv ON p.ProductID = pv.ProductID

JOIN

Purchasing.Vendor v ON pv.BusinessEntityID = v.BusinessEntityID

WHERE

v.Name = 'Speciality Biscuits, Ltd.';

34-List of products that were never ordered.

USE AdventureWork;

SELECT

p.ProductID,

p.Name AS ProductName

FROM

Production.Product p

LEFT JOIN

Sales.SalesOrderDetail sod ON p.ProductID = sod.ProductID WHERE
sod.ProductID IS NULL;

35--List of products where units in stock is less than 10 and units on order are 0.

USE AdventureWork;

SELECT

p.ProductID,

```

    p.Name AS ProductName,    pi.Quantity AS
UnitsInStock
FROM
    Production.Product p
JOIN
    Production.ProductInventory pi ON p.ProductID = pi.ProductID
LEFT JOIN
    (SELECT ProductID, SUM(OrderQty) AS TotalOrdered
    FROM Purchasing.PurchaseOrderDetail
    GROUP BY ProductID) pod ON p.ProductID = pod.ProductID WHERE
pi.Quantity < 10
AND (pod.TotalOrdered IS NULL OR pod.TotalOrdered = 0);

```

36-List of top 10 countries by sales.

USE AdventureWork;

```

SELECT TOP 10
    cr.Name AS Country,
    SUM(soh.TotalDue) AS TotalSales
FROM
    Sales.SalesOrderHeader soh
JOIN
    Person.Address a ON soh.ShipToAddressID = a.AddressID
JOIN
    Person.StateProvince sp ON a.StateProvinceID = sp.StateProvinceID JOIN
    Person.CountryRegion cr ON sp.CountryRegionCode = cr.CountryRegionCode GROUP BY
cr.Name
ORDER BY
    TotalSales DESC;

```

37-Number of orders each employee has taken for customers with CustomerIDs between A and AO.

USE AdventureWork;

```

SELECT
    e.BusinessEntityID AS EmployeeID,    COUNT(soh.SalesOrderID) AS
OrderCount
FROM
    Sales.SalesOrderHeader soh
JOIN
    Sales.Customer c ON soh.CustomerID = c.CustomerID
JOIN
    HumanResources.Employee e ON soh.SalesPersonID = e.BusinessEntityID
WHERE

```

```
c.AccountNumber BETWEEN 'A' AND 'AO'  
GROUP BY  
e.BusinessEntityID;
```

38-Orderdate of most expensive order.

USE AdventureWork;

```
SELECT  
    OrderDate  
FROM  
    Sales.SalesOrderHeader  
WHERE  
    TotalDue = (SELECT MAX(TotalDue) FROM Sales.SalesOrderHeader);
```

39-Product name and total revenue from that product.

USE AdventureWork;

```
SELECT  
    p.Name AS ProductName, SUM(sod.LineTotal) AS  
    TotalRevenue  
FROM  
    Sales.SalesOrderDetail sod  
JOIN  
    Sales.SalesOrderHeader soh ON sod.SalesOrderID = soh.SalesOrderID  
JOIN  
    Production.Product p ON sod.ProductID = p.ProductID  
GROUP BY  
    p.Name  
ORDER BY  
    TotalRevenue DESC;
```

40-Supplierid and number of products offered.

USE AdventureWork;

```
SELECT    pv.BusinessEntityID AS SupplierID,  
COUNT(pv.ProductID) AS NumberOfProducts  
FROM  
    Purchasing.ProductVendor pv GROUP BY  
    pv.BusinessEntityID  
ORDER BY
```

NumberOfProducts DESC;

41-Top ten customers based on their business.

USE AdventureWork;

SELECT

c.CustomerID,
p.FirstName,
p.LastName,
SUM(soh.TotalDue) AS TotalBusiness

FROM

Sales.SalesOrderHeader soh

JOIN

Sales.Customer c ON soh.CustomerID = c.CustomerID

JOIN

Person.Person p ON c.PersonID = p.BusinessEntityID

GROUP BY

c.CustomerID,
p.FirstName,
p.LastName ORDER BY
TotalBusiness DESC

OFFSET 0 ROWS

FETCH NEXT 10 ROWS ONLY;

42-what is the total revenue of that company.

USE AdventureWork;

SELECT

SUM(TotalDue) AS TotalRevenue

FROM

Sales.SalesOrderHeader;