NAME: Atharva Chavan
TE-A IT
ROLL NO: T1851010
PRN: 71901316L

Group C: MongoDB

Assignment No. 16

AIM: Implement the aggregation and indexing with suitable example in MongoDB.
Demonstrate the
following:

- Aggregationframework
- Create and drop different types of indexes and explain () to show the advantage of the
  indexes.

Indexing:

Indexes support the efficient resolution of queries. Without indexes, MongoDB must scan
every document of a collection to select those documents that match the query statement.
This scan is highly inefficient and requires the mongod to process a large volume ofdata.

Indexes are special data structures, which store a small portion of the data set in an
easy to traverse form. The index stores the value of a specific field or set of fields, ordered by
the value of the field as specified in index.

Indexing can be achieved on any field in a document using ensureIndex () method.

ensureIndex () Syntax:

>db.COLLECTION_NAME.ensureIndex ({KEY: 1})
Here key is the name of filed on which you want to create index and 1 is for ascending order.
To create index in descending order one need to use -1.

Example:
>db.ensureIndex({eid:1})

This is simple/unique index.

We can define index on multiple fields as well resulting into composite index.

>db.ensureIndex({eid:1,ename:-1})

Aggregation:

Aggregation operations process data records and return computed results.
Aggregation operations group values from multiple documents together, and can perform a
variety of operations on the grouped data to return a singleresult.

In sqlcount(*) and with group by is an equivalent of MongoDB aggregation.

The aggregate () Method

For the aggregation in MongoDB one should use aggregate() method.

Syntax:

>db.COLLECTION_NAME.aggregate(AGGREGATE_OPERATION)

Aggregate operation could be finding sum on particular field/key or taking an average or finding maximum or minimum values associated with particular field from various documents in a singlecollection.

Example:

Assume a sample collection with sample documents inserted as below:

>db.emp1.insert(
..[{eid:101,ename:"sachin",dept:"IT",sal:40000},
..{eid:110,ename:"pranav",dept:"IT",sal:60000},
.. {eid:105,ename:"manoj",dept:"COMP",sal:45000},
.. {eid:102,ename:"yogesh",dept:"FE",sal:20000}])

If we want to display all employees based on their departments along with average salary of particular department we can write following query:

>db.emp1.aggregate([{$group:{_id:"$dept","avgsal":{$avg:"$sal"}}}])

The above query computes average salary per department.

Following query displays number of employees associated along with particular department.

db.emp1.aggregate([{$group:{_id:"$dept","number of emp":{$sum:1}}}])

In the above example we have grouped documents by field dept and on each occurance of dept previous value of sum is incremented.

The various available aggregation expressions are listed below:

Expression	Description
$sum	Sums up the defined value fromall documents in the collection.
$avg	It computes average of defined value from all documents in the collection.
$max	It displays maximum of defined value from all documents in the collection.
$min	It displays minimum of defined value from all documents in the collection.

Conclusion:

Implemented the aggregation and indexing in MongoDB.

```
Atharva@BRAINMETRON:~$ mongo
MongoDB shell version: 2.6.10
connecting to: test
> db.population.insert({"id":1,"city":"pune","state":"maharashtra"})
WriteResult({ "nInserted" : 1 })
> db.population.insert({"id":2,"city":"mumbai","state":"maharashtra"})
WriteResult({ "nInserted" : 1 })
> db.population.insert({"id":3,"city":"nagpur","state":"maharashtra"})
WriteResult({ "nInserted" : 1 })
>db.population.insert({"id":4,"city":"nashik","state":"gujarat"})
WriteResult({ "nInserted" : 1 })
> db.population.insert({"id":5,"city":"ahmedabad","state":"gujarat"})
WriteResult({ "nInserted" : 1 })
>db.population.insert({"id":6,"city":"indore","state":"gujarat"})
WriteResult({ "nInserted" : 1 })
> db.population.insert({"id":7,"city":"satara","state":"tamilnadu"})
WriteResult({ "nInserted" : 1 })
> db.population.insert({"id":8,"city":"dhule","state":"tamilnadu"})
WriteResult({ "nInserted" : 1 })
> db.population.insert({"id":9,"city":"karad","state":"tamilnadu"})
WriteResult({ "nInserted" : 1 })
>db.population.find()
{ "_id" : ObjectId("5da9f907299476502a666eef"), "id" : 1, "city" : "pune", "state" : "maharashtra" }
{ "_id" : ObjectId("5da9f915299476502a666ef0"), "id" : 2, "city" : "mumbai", "state" : "maharashtra" }
{ "_id" : ObjectId("5da9f921299476502a666ef1"), "id" : 3, "city" : "nagpur", "state" : "maharashtra" }
{ "_id" : ObjectId("5da9f947299476502a666ef2"), "id" : 4, "city" : "nashik", "state" : "gujarat" }
{ "_id" : ObjectId("5da9f95d299476502a666ef3"), "id" : 5, "city" : "ahmedabad", "state" : "gujarat" }
{ "_id" : ObjectId("5da9f96f299476502a666ef4"), "id" : 6, "city" : "indore", "state" : "gujarat" }
{ "_id" : ObjectId("5da9f98a299476502a666ef5"), "id" : 7, "city" : "satara", "state" : "tamilnadu" }
{ "_id" : ObjectId("5da9f99b299476502a666ef6"), "id" : 8, "city" : "dhule", "state" : "tamilnadu" }
{ "_id" : ObjectId("5da9f9a9299476502a666ef7"), "id" : 9, "city" : "karad", "state" : "tamilnadu" }
>db.population.find().pretty()
{
    "_id" : ObjectId("5da9f907299476502a666eef"),
    "id" : 1,

    "city" : "pune",
    "state" : "maharashtra"
}
{
    "_id" : ObjectId("5da9f915299476502a666ef0"),
    "id" : 2,
    "city" : "mumbai",
    "state" : "maharashtra"
}
{
    "_id" : ObjectId("5da9f921299476502a666ef1"),
    "id" : 3,
    "city" : "nagpur",
    "state" : "maharashtra"
}
{
```

```
        "_id" : ObjectId("5da9f947299476502a666ef2"),
        "id" : 4,
        "city" : "nashik",
        "state" : "gujarat"
}
{
        "_id" : ObjectId("5da9f95d299476502a666ef3"),
        "id" : 5,
        "city" : "ahmedabad",
        "state" : "gujarat"
}

{
        "_id" : ObjectId("5da9f96f299476502a666ef4"),
        "id" : 6,
        "city" : "indore",
        "state" : "gujarat"
}

{
        "_id" : ObjectId("5da9f98a299476502a666ef5"),
        "id" : 7,
        "city" : "satara",
        "state" : "tamilnadu"
}
{
        "_id" : ObjectId("5da9f99b299476502a666ef6"),
        "id" : 8,
        "city" : "dhule",
        "state" : "tamilnadu"
}
{
        "_id" : ObjectId("5da9f9a9299476502a666ef7"),
        "id" : 9,
        "city" : "karad",
        "state" : "tamilnadu"
}
> db.population.aggregate([{$group:{"id":"$state","totalpopulation":{$sum:"$population"}}}])
assert: command failed: {
        "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
        "code" : 15951,

        "ok" : 0
} : aggregate failed
Error: command failed: {
        "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
        "code" : 15951,
        "ok" : 0
} : aggregate failed
    at Error (<anonymous>)
    at doassert (src/mongo/shell/assert.js:11:14)
    at Function.assert.commandWorked (src/mongo/shell/assert.js:244:5)
    at DBCollection.aggregate (src/mongo/shell/collection.js:1149:12)
    at (shell):1:15
2019-10-18T23:18:42.651+0530 Error: command failed: {
        "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
        "code" : 15951,
        "ok" : 0
```

```
} : aggregate failed at src/mongo/shell/assert.js:13
> db.population.aggregate([{$group:{id:"$state","totalpopulation":{$sum:"$population"}}}])
assert: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
    at Error (<anonymous>)
    at doassert (src/mongo/shell/assert.js:11:14)
    at Function.assert.commandWorked (src/mongo/shell/assert.js:244:5)
    at DBCollection.aggregate (src/mongo/shell/collection.js:1149:12)
    at (shell):1:15
2019-10-18T23:19:30.034+0530 Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed at src/mongo/shell/assert.js:13
>db.population.update({"id":1},{$set:"population":880000})
2019-10-18T23:22:33.592+0530 SyntaxError: Unexpected token :
>db.population.update({"id":1},$set:{"population":880000})
2019-10-18T23:22:52.030+0530 SyntaxError: Unexpected token :
>db.population.update({"id":1},{$set:{"population":880000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.find()
{ "_id" : ObjectId("5da9f907299476502a666eef"), "id" : 1, "city" : "pune", "state" : "maharashtra",
"population" : 880000 }
{ "_id" : ObjectId("5da9f915299476502a666ef0"), "id" : 2, "city" : "mumbai", "state" : "maharashtra" }
{ "_id" : ObjectId("5da9f921299476502a666ef1"), "id" : 3, "city" : "nagpur", "state" : "maharashtra" }
{ "_id" : ObjectId("5da9f947299476502a666ef2"), "id" : 4, "city" : "nashik", "state" : "gujarat" }
{ "_id" : ObjectId("5da9f95d299476502a666ef3"), "id" : 5, "city" : "ahmedabad", "state" : "gujarat" }
{ "_id" : ObjectId("5da9f96f299476502a666ef4"), "id" : 6, "city" : "indore", "state" : "gujarat" }
{ "_id" : ObjectId("5da9f98a299476502a666ef5"), "id" : 7, "city" : "satara", "state" : "tamilnadu" }
{ "_id" : ObjectId("5da9f99b299476502a666ef6"), "id" : 8, "city" : "dhule", "state" : "tamilnadu" }
{ "_id" : ObjectId("5da9f9a9299476502a666ef7"), "id" : 9, "city" : "karad", "state" : "tamilnadu" }

>db.population.update({"id":2},{$set:{"population":770000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":3},{$set:{"population":70000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":4},{$set:{"population":18000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":5},{$set:{"population":90000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":6},{$set:{"population":5000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":7},{$set:{"population":1000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":8},{$set:{"population":15000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>db.population.update({"id":9},{$set:{"population":40000}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
```

```
>db.population.find()
{ "_id" : ObjectId("5da9f907299476502a666eef"), "id" : 1, "city" : "pune", "state" : "maharashtra",
"population" : 880000 }
{ "_id" : ObjectId("5da9f915299476502a666ef0"), "id" : 2, "city" : "mumbai", "state" : "maharashtra",
"population" : 770000 }
{ "_id" : ObjectId("5da9f921299476502a666ef1"), "id" : 3, "city" : "nagpur", "state" : "maharashtra",
"population" : 70000 }
{ "_id" : ObjectId("5da9f947299476502a666ef2"), "id" : 4, "city" : "nashik", "state" : "gujarat", "population" :
18000 }
{ "_id" : ObjectId("5da9f95d299476502a666ef3"), "id" : 5, "city" : "ahmedabad", "state" : "gujarat",
"population" : 90000 }
{ "_id" : ObjectId("5da9f96f299476502a666ef4"), "id" : 6, "city" : "indore", "state" : "gujarat", "population" :
5000 }
{ "_id" : ObjectId("5da9f98a299476502a666ef5"), "id" : 7, "city" : "satara", "state" : "tamilnadu", "population"
: 1000 }
{ "_id" : ObjectId("5da9f99b299476502a666ef6"), "id" : 8, "city" : "dhule", "state" : "tamilnadu", "population"
: 15000 }
{ "_id" : ObjectId("5da9f9a9299476502a666ef7"), "id" : 9, "city" : "karad", "state" : "tamilnadu", "population" :
40000 }
> db.population.aggragate({$group:{"id":"$state","totalpopulation":{$sum:"$population"}}})
2019-10-18T23:27:57.130+0530 TypeError: Property 'aggragate' of object test.population is not a function
> db.population.aggregate({$group:{"id":"$state","totalpopulation":{$sum:"$population"}}})
assert: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
    at Error (<anonymous>)
    at doassert (src/mongo/shell/assert.js:11:14)
    at Function.assert.commandWorked (src/mongo/shell/assert.js:244:5)
    at DBCollection.aggregate (src/mongo/shell/collection.js:1149:12)
    at (shell):1:15
2019-10-18T23:28:08.286+0530 Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",

    "code" : 15951,
    "ok" : 0
} : aggregate failed at src/mongo/shell/assert.js:13
> db.population.aggregate({$group:{id:"$state","totalpopulation":{$sum:"$population"}}})
assert: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
    at Error (<anonymous>)
    at doassert (src/mongo/shell/assert.js:11:14)
```

```
    at Function.assert.commandWorked (src/mongo/shell/assert.js:244:5)
    at DBCollection.aggregate (src/mongo/shell/collection.js:1149:12)
    at (shell):1:15
2019-10-18T23:29:00.743+0530 Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed at src/mongo/shell/assert.js:13
> db.population.aggregate([{$group:{id:"$state","totalpopulation":{$sum:"$population"}}}])
assert: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed
    at Error (<anonymous>)
    at doassert (src/mongo/shell/assert.js:11:14)
    at Function.assert.commandWorked (src/mongo/shell/assert.js:244:5)
    at DBCollection.aggregate (src/mongo/shell/collection.js:1149:12)
    at (shell):1:15
2019-10-18T23:30:58.029+0530 Error: command failed: {
    "errmsg" : "exception: the group aggregate field 'id' must be defined as an expression inside an object",
    "code" : 15951,
    "ok" : 0
} : aggregate failed at src/mongo/shell/assert.js:13
> db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}}])
{ "_id" : "tamilnadu", "totalpopulation" : 56000 }
{ "_id" : "gujarat", "totalpopulation" : 113000 }
{ "_id" : "maharashtra", "totalpopulation" : 1720000 }
> db.population.aggregate([{$group:{_id:"$State","avgpopulation":{$avg:"$population"}}}])
{ "_id" : null, "avgpopulation" : 209888.88888888888 }
> db.population.aggregate([{$group:{_id:"$state","avgpopulation":{$avg:"$population"}}}])
{ "_id" : "tamilnadu", "avgpopulation" : 18666.666666666668 }
{ "_id" : "gujarat", "avgpopulation" : 37666.666666666664 }
{ "_id" : "maharashtra", "avgpopulation" : 573333.3333333334 }

> db.population.aggragate([{$group:{_id:"$state","minpopulation":{$min:"$population"}}}])
2019-10-18T23:36:46.901+0530 TypeError: Property 'aggragate' of object test.population is not a function
> db.population.aggregate([{$group:{_id:"$state","minpopulation":{$min:"$population"}}}])
{ "_id" : "tamilnadu", "minpopulation" : 1000 }
{ "_id" : "gujarat", "minpopulation" : 5000 }
{ "_id" : "maharashtra", "minpopulation" : 70000 }
> db.population.aggregate([{$group:{_id:"$state","maxpopulation":{$max:"$population"}}}])
{ "_id" : "tamilnadu", "maxpopulation" : 40000 }
{ "_id" : "gujarat", "maxpopulation" : 90000 }
{ "_id" : "maharashtra", "maxpopulation" : 880000 }
> db.Population.aggregate([{"$group":{_id:"$state","maxpopulation":{$max:"$population"}}}])
{ "_id" : "tamilnadu", "maxpopulation" : 40000 }
{ "_id" : "gujarat", "maxpopulation" : 90000 }
{ "_id" : "maharashtra", "maxpopulation" : 880000 }
> db.population.aggregate([{"$group":{"_id":"$state","maxpopulation":{$max:"$population"}}}])
{ "_id" : "tamilnadu", "maxpopulation" : 40000 }
```

```
{ "_id" : "gujarat", "maxpopulation" : 90000 }
{ "_id" : "maharashtra", "maxpopulation" : 880000 }
> db.population.aggregate([{"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}}])
{ "_id" : "tamilnadu", "maxpopulation" : 40000 }
{ "_id" : "gujarat", "maxpopulation" : 90000 }
{ "_id" : "maharashtra", "maxpopulation" : 880000 }
> db.population.aggregate({"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}})
{ "_id" : "tamilnadu", "maxpopulation" : 40000 }
{ "_id" : "gujarat", "maxpopulation" : 90000 }
{ "_id" : "maharashtra", "maxpopulation" : 880000 }
>
db.population.aggregate({"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}},{"totalpopulati
on":{$gt:40000}})
assert: command failed: {
    "errmsg" : "exception: Unrecognized pipeline stage name: 'totalpopulation'",
    "code" : 16436,
    "ok" : 0
} : aggregate failed
Error: command failed: {
    "errmsg" : "exception: Unrecognized pipeline stage name: 'totalpopulation'",
    "code" : 16436,
    "ok" : 0
} : aggregate failed
    at Error (<anonymous>)
    at doassert (src/mongo/shell/assert.js:11:14)
    at Function.assert.commandWorked (src/mongo/shell/assert.js:244:5)
    at DBCollection.aggregate (src/mongo/shell/collection.js:1149:12)
    at (shell):1:15
2019-10-18T23:42:07.072+0530 Error: command failed: {
    "errmsg" : "exception: Unrecognized pipeline stage name: 'totalpopulation'",
    "code" : 16436,
    "ok" : 0
} : aggregate failed at src/mongo/shell/assert.js:13
>
db.population.aggregate({"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}},{$match:{"tota
lpopulation":{$gt:40000}}})
>
db.population.aggregate([{"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}},{$match:{"tot
alpopulation":{$gt:40000}}}])

>
db.population.aggregate([{"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}},{$match:{"tot
alpopulation":{$gt:400000}}}])
>
db.population.aggregate([{"$group":{"_id":"$state","maxpopulation":{"$max":"$population"}}},{$match:{"tot
alpopulation":{$lt:400000}}}])
> db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}}])
{ "_id" : "tamilnadu", "totalpopulation" : 56000 }
{ "_id" : "gujarat", "totalpopulation" : 113000 }
{ "_id" : "maharashtra", "totalpopulation" : 1720000 }
>
db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}},{$match:{"totalpop
ulation":{$gt:40000}}}])
{ "_id" : "tamilnadu", "totalpopulation" : 56000 }
{ "_id" : "gujarat", "totalpopulation" : 113000 }
{ "_id" : "maharashtra", "totalpopulation" : 1720000 }
```

```
>
db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}},{$match:{"totalpop
ulation":{$lt:40000}}}])
>
db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}},{$match:{"totalpop
ulation":{$lte:40000}}}])
>
db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}},{$match:{"totalpop
ulation":{$lte:56000}}}])
{ "_id" : "tamilnadu", "totalpopulation" : 56000 }
>
db.population.aggregate([{$group:{_id:"$state","totalpopulation":{$sum:"$population"}}},{$match:{"totalpop
ulation":{$gt:56000}}}])
{ "_id" : "gujarat", "totalpopulation" : 113000 }
{ "_id" : "maharashtra", "totalpopulation" : 1720000 }
>db,population.ensureIndex({"city":1})
2019-10-18T23:49:40.362+0530 ReferenceError: population is not defined
>db.population.ensureIndex({"city":1})
{
    "createdCollectionAutomatically" : false,
    "numIndexesBefore" : 1,
    "numIndexesAfter" : 2,
    "ok" : 1
}
>db.population.getIndex
test.population.getIndex
>db.population.getIndex()
2019-10-18T23:50:15.573+0530 TypeError: Property 'getIndex' of object test.population is not a function
>db.population.getIndexs()
2019-10-18T23:50:19.585+0530 TypeError: Property 'getIndexs' of object test.population is not a function
>db.population.getIndexes()
[
    {
            "v" : 1,
            "key" : {
                    "_id" : 1
            },
            "name" : "_id_",
            "ns" : "test.population"
    },
    {
            "v" : 1,
            "key" : {
                    "city" : 1
            },
            "name" : "city_1",
            "ns" : "test.population"
    }
]
>db.population.ensureIndex({"city":-1})
{
    "createdCollectionAutomatically" : false,
    "numIndexesBefore" : 2,
    "numIndexesAfter" : 3,
    "ok" : 1
}
```

```
>db.population.getIndexes()
[
        {
                "v" : 1,
                "key" : {
                        "_id" : 1
                },
                "name" : "_id_",
                "ns" : "test.population"
        },
        {
                "v" : 1,
                "key" : {
                        "city" : 1
                },
                "name" : "city_1",
                "ns" : "test.population"
        },
        {
                "v" : 1,
                "key" : {
                        "city" : -1
                },
                "name" : "city_-1",
                "ns" : "test.population"
        }
]
```