

Practical 1

index.html (Dashboard + Registration Form)

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">


  <title>Admin Dashboard</title>


  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">


  <style>

    body{

      background:#f4f6f9;

    }


    .sidebar{

      height:100vh;

      background:#212529;

      color:white;

      padding:20px;

    }


    .sidebar h2{

      margin-bottom:30px;

    }


    .sidebar a{

      display:block;
```

```
color:white;
text-decoration:none;
margin:15px 0;
padding:10px;
border-radius:5px;
}
```

```
.sidebar a:hover{
  background:#495057;
}
```

```
.card-box{
  border-radius:10px;
  padding:20px;
  color:white;
}
```

```
.bg1{
  background:#0d6efd;
}
```

```
.bg2{
  background:#198754;
}
```

```
.bg3{
  background:#dc3545;
}
```

```
.bg4{
  background:#ffc107;
```

```
        color:black;
    }
</style>
</head>

<body>

<div class="container-fluid">
    <div class="row">

        <!-- Sidebar -->
        <div class="col-md-2 sidebar">
            <h2>Dashboard</h2>

            <a href="#">Home</a>
            <a href="#">Students</a>
            <a href="#">Exams</a>
            <a href="#">Reports</a>
            <a href="data.html">User Data</a>
        </div>

        <!-- Main Content -->
        <div class="col-md-10 p-4">

            <h1 class="mb-4">College Admin Dashboard</h1>

            <!-- Statistics Cards -->
            <div class="row g-4 mb-5">

                <div class="col-md-3">
                    <div class="card-box bg1">
```

<h3>1200</h3>

<p>Total Students</p>

</div>

</div>

<div class="col-md-3">

<div class="card-box bg2">

<h3>85</h3>

<p>Faculty Members</p>

</div>

</div>

<div class="col-md-3">

<div class="card-box bg3">

<h3>15</h3>

<p>Departments</p>

</div>

</div>

<div class="col-md-3">

<div class="card-box bg4">

<h3>350</h3>

<p>Exams Conducted</p>

</div>

</div>

</div>

<!-- Registration Form -->

<div class="card p-4 shadow">

```
<h3 class="mb-4">User Registration</h3>
```

```
<form id="registerForm">
```

```
<div class="mb-3">
```

```
<label>Name</label>
```

```
<input type="text" class="form-control" id="name" required>
```

```
</div>
```

```
<div class="mb-3">
```

```
<label>Email</label>
```

```
<input type="email" class="form-control" id="email" required>
```

```
</div>
```

```
<div class="mb-3">
```

```
<label>Course</label>
```

```
<input type="text" class="form-control" id="course" required>
```

```
</div>
```

```
<button type="submit" class="btn btn-primary">
```

```
Register
```

```
</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
document.getElementById("registerForm").addEventListener("submit", function(e){
```

```
    e.preventDefault();
```

```
    const name = document.getElementById("name").value;
```

```
    const email = document.getElementById("email").value;
```

```
    const course = document.getElementById("course").value;
```

```
    const user = {
```

```
        name,
```

```
        email,
```

```
        course
```

```
    };
```

```
    // AJAX POST Simulation
```

```
    fetch("https://jsonplaceholder.typicode.com/posts", {
```

```
        method: "POST",
```

```
        headers: {
```

```
            "Content-Type": "application/json"
```

```
        },
```

```
        body: JSON.stringify(user)
```

```
    })
```

```
    .then(response => response.json())
```

```
.then(data => {

    let users = JSON.parse(localStorage.getItem("users")) || [];

    users.push(user);

    localStorage.setItem("users", JSON.stringify(users));

    alert("Registration Successful");

    document.getElementById("registerForm").reset();

})

.catch(error => {
    console.log(error);
});

});

</script>

</body>
</html>
```

Practical 2

//index.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8" />
```

```
  <title>User Registration</title>
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" />
```

```
</head>
```

```
<body class="bg-light">
```

```
<div class="container mt-5">
```

```
  <div class="card p-4" style="max-width:500px; margin:auto;">
```

```
    <h4 class="mb-4 text-center">User Registration</h4>
```

```
    <div class="mb-3">
```

```
      <label>Name</label>
```

```
      <input type="text" id="name" class="form-control" placeholder="Enter name" />
```

```
    </div>
```

```
    <div class="mb-3">
```

```
      <label>Email</label>
```

```
      <input type="email" id="email" class="form-control" placeholder="Enter email" />
```

```
    </div>
```

```
    <div class="mb-3">
```

```
      <label>Mobile</label>
```

```
      <input type="text" id="mobile" class="form-control" placeholder="Enter mobile" />
```



```
</div>
```

```
<div class="mb-3">
```

```
  <label>City</label>
```

```
  <input type="text" id="city" class="form-control" placeholder="Enter city"/>
```

```
</div>
```

```
<button onclick="registerUser()" class="btn btn-primary w-100">Register</button>
```

```
<a href="list.html" class="btn btn-secondary w-100 mt-2">View All Users</a>
```

```
<div id="msg" class="mt-3"></div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
function registerUser() {
```

```
  // 1. Get values from form
```

```
  var name  = document.getElementById("name").value;
```

```
  var email = document.getElementById("email").value;
```

```
  var mobile = document.getElementById("mobile").value;
```

```
  var city  = document.getElementById("city").value;
```

```
  // 2. Simple validation
```

```
  if (name == "" || email == "" || mobile == "" || city == "") {
```

```
    document.getElementById("msg").innerHTML =
```

```
    '<div class="alert alert-danger">All fields are required!</div>';
```

```
    return;
```

```
  }
```

```
  // 3. Create user object
```

```
  var user = { name: name, email: email, mobile: mobile, city: city };
```

```
// 4. Simulate AJAX POST using XMLHttpRequest
var xhr = new XMLHttpRequest();

// Since we have no real server, we simulate POST and save to localStorage
xhr.open("POST", "https://jsonplaceholder.typicode.com/posts", true);
xhr.setRequestHeader("Content-Type", "application/json");

xhr.onreadystatechange = function () {
  if (xhr.readyState == 4 && xhr.status == 201) {

    // 5. Get existing users array from localStorage
    var users = JSON.parse(localStorage.getItem("users")) || [];

    // 6. Push new user into array
    users.push(user);

    // 7. Save updated array back to localStorage
    localStorage.setItem("users", JSON.stringify(users));

    // 8. Show success message
    document.getElementById("msg").innerHTML =
      '<div class="alert alert-success">User registered successfully!</div>';

    // 9. Clear the form
    document.getElementById("name").value = "";
    document.getElementById("email").value = "";
    document.getElementById("mobile").value = "";
    document.getElementById("city").value = "";
  }
};
```

```
// 10. Send user data as JSON
xhr.send(JSON.stringify(user));
}
</script>
```

```
</body>
</html>
```

```
//list.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8"/>
  <title>User List</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet"/>
</head>
<body class="bg-light">

<div class="container mt-5">
  <h4 class="mb-4 text-center">Registered Users</h4>

  <a href="index.html" class="btn btn-primary mb-3">Add New User</a>

  <table class="table table-bordered table-striped">
```

```
<thead class="table-dark">

  <tr>

    <th>#</th>

    <th>Name</th>

    <th>Email</th>

    <th>Mobile</th>

    <th>City</th>

  </tr>

</thead>

<tbody id="userTable">

  <!-- Users will load here -->

</tbody>

</table>
```

```
<div id="noData"></div>

</div>
```

```
<script>

  // 1. Get users array from localStorage
  var users = JSON.parse(localStorage.getItem("users")) || [];

  var tbody = document.getElementById("userTable");

  // 2. Check if any users exist
  if (users.length == 0) {

    document.getElementById("noData").innerHTML =

      '<div class="alert alert-warning">No users registered yet.</div>';

  }

  // 3. Loop through users and display in table
  for (var i = 0; i < users.length; i++) {
```

```
var row = "<tr>" +  
  "<td>" + (i + 1) + "</td>" +  
  "<td>" + users[i].name + "</td>" +  
  "<td>" + users[i].email + "</td>" +  
  "<td>" + users[i].mobile + "</td>" +  
  "<td>" + users[i].city + "</td>" +  
  "</tr>";
```

```
tbody.innerHTML += row;
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Practical JQuery

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Simple jQuery Mobile Website</title>
```

```
  <!-- jQuery Mobile CSS -->
```

```
  <link rel="stylesheet"
```

```
    href="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.css">
```

```
  <!-- jQuery Library -->
```

```
  <script
```

```
    src="https://code.jquery.com/jquery-1.11.1.min.js">
```

```
</script>
```

```
  <!-- jQuery Mobile JS -->
```

```
  <script
```

```
    src="https://code.jquery.com/mobile/1.4.5/jquery.mobile-1.4.5.min.js">
```

```
</script>
```

```
</head>
```

```
<body>
```

```
  <!-- HOME PAGE -->
```

```
<div data-role="page" id="home">
```

```
<!-- HEADER -->
```

```
<div data-role="header" data-theme="b">
```

```
<h1>My Mobile Website</h1>
```

```
</div>
```

```
<!-- MAIN CONTENT -->
```

```
<div role="main" class="ui-content">
```

```
<h2>Welcome Student</h2>
```

```
<p>
```

```
    This is a simple mobile website created  
    using jQuery Mobile Framework.
```

```
</p>
```

```
<!-- LIST VIEW -->
```

```
<ul data-role="listview" data-inset="true">
```

```
    <li><a href="#about">About Us</a></li>
```

```
    <li><a href="#services">Services</a></li>
```

```
    <li><a href="#contact">Contact</a></li>
```

```
</ul>
```

```
</div>
```

<!-- FOOTER -->

<div data-role="footer" data-theme="b">

<h4>WAD Practical</h4>

</div>

</div>

<!-- ABOUT PAGE -->

<div data-role="page" id="about">

<!-- HEADER -->

<div data-role="header" data-theme="b">

<h1>About Us</h1>

</div>

<!-- CONTENT -->

<div role="main" class="ui-content">

<p>

This website is designed using

HTML, CSS, jQuery and jQuery Mobile.

</p>

<a href="#home"

class="ui-btn ui-btn-b">

Go Back

</div>

<!-- FOOTER -->

<div data-role="footer" data-theme="b">

<h4>About Page</h4>

</div>

</div>

<!-- SERVICES PAGE -->

<div data-role="page" id="services">

<!-- HEADER -->

<div data-role="header" data-theme="b">

<h1>Services</h1>

</div>

<!-- CONTENT -->

```
<div role="main" class="ui-content">
```

```
  <ul data-role="listview" data-inset="true">
```

```
    <li>Web Development</li>
```

```
    <li>Mobile Website Design</li>
```

```
    <li>UI/UX Design</li>
```

```
  </ul>
```

```
  <a href="#home"
```

```
    class="ui-btn ui-btn-b">
```

```
    Go Back
```

```
  </a>
```

```
</div>
```

```
<!-- FOOTER -->
```

```
<div data-role="footer" data-theme="b">
```

```
  <h4>Services Page</h4>
```

```
</div>
```

```
</div>
```

```
<!-- CONTACT PAGE -->
```

```
<div data-role="page" id="contact">
```

```
<!-- HEADER -->
```

```
<div data-role="header" data-theme="b">
```

```
<h1>Contact Us</h1>
```

```
</div>
```

```
<!-- CONTENT -->
```

```
<div role="main" class="ui-content">
```

```
<form>
```

```
<label for="name">Name:</label>
```

```
<input type="text" id="name">
```

```
<label for="email">Email:</label>
```

```
<input type="email" id="email">
```

```
<label for="message">Message:</label>
```

```
<textarea id="message"></textarea>
```

```
<button class="ui-btn ui-btn-b">
```

```
  Submit
```

```
</button>
```

```
</form>
```

```
<a href="#home"
```

class="ui-btn ui-btn-a">

Go Back

</div>

<!-- FOOTER -->

<div data-role="footer" data-theme="b">

<h4>Contact Page</h4>

</div>

</div>

</body>

</html>