Pag	e No.	
Date	е	

1

0	The CSS Bose-Model.
	In CSS, the teem "box model" is used when we
	talking about design and layout.
	0 0
	It cosists of content, padding, border and margin.
	Margin
	Border.
	Paololing
	Content
	The second of the second to th
	Plant and the state of the stat
	the transmitted the transmitte
0	CSS Outline
	An outline it a line drawn outside the
	element's border
•	
*	outline propertise.
	The second secon
	outline-style.
	- outline - colore.
	outline - width:
•	outline - offset spare between outline & Bonder ealge
	outline

philosophy to combine the on

al State mait probably and

	Date
0	CSS Teset.
*	Text colon
	The color property is used to set the colour of the text.
tomore agreement order and a miner makes	the text.
	escample: body &
	escample: body & Coloda: blue;
	3
*	Text Alignent and Text Direction.
in	The text-align property is used to set
	The text-align property is used to set horizontal alignment of a text.
	hat g
	test-align: center; / left/right.
*	Text Direction & Unicode-bidi
	example: p?
	direction: rtl;
	unicode: bidi-override;
*	Test Decoration.
-	teset-decoration-line.
	text-decoration-color
	text-decoration-style
	text-decoration-thickeness

Page No.

	Page No.
	example. Date
	(1) teset-decoration-color: any colorname.
	RGB '
	HEX
	The state of the s
	(2) text-decoration-line: overline:
	line-through;
	und eeline.
	Marie Contract of the Contract
	(3) text - decoration - style: solid;
	double;
	dotted;
	alashéd;
	wary;
	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	(4) text-decoration-thickness: alto; 1 defaut */
	Spx i;
	25% 3
*	Text Transformation.
	example.
	P 3
	teset - transform: uppercase;
	lower case's
	Capitalizes
	\
	T 1 0-1
*	Text Spacing:
	and a salar in last is spore:
	exemple: p } text-indent: 80 pe; letter-spacing: 5 px;
	line-height: 0.8p=;
	trusty-Strative; 10 ox;
	white -space: nowap; }

1

-

	Page No.
	Date
*	Text Shadow
	1625) Stractor
	ea. ht ?
	text-shadow: 2px 2px;
	A which are it
	h# 8 1 m.
	text-shadow: 2pge 2px 5px red;
	3 - 1 list - 1 list of the state of the
	h2 }
	Color: white:
apply all 3 at a ti	text-shadow: Ipx Ipx 2px black,
	0 0 espx blue
	0 0 5 - 1 - 1 - 1 - 1
	o spe dorichlue;
	3 pre dearicolde,
	3 pre actricule,
*	\$
*	Generic Fint families:
* 1.	\$
/	Generic Font families:
<u>1</u> .	Generic Fint families: Serif
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1.	Generic fint families: Serif Sans-sorif Monospace
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive
1. 2. 3*. 4.	Generic Fint Families: Serif Sans-sorif Monospare Cursive

4

*/