

Customer Shopping Behavior Analysis

1. Project Overview

This project analyzes customer shopping behavior using transactional data from 3,900 purchases across various product categories. The goal is to uncover insights into spending patterns, customer segments, product preferences, and subscription behavior to guide strategic business decisions.

2. Dataset Summary

- Rows: 3,900
- Columns: 18
- Key Features:
 - Customer demographics (Age, Gender, Location, Subscription Status)
 - Purchase details (Item Purchased, Category, Purchase Amount, Season, Size, Color)
 - Shopping behavior (Discount Applied, Promo Code Used, Previous Purchases, Frequency of Purchases, Review Rating, Shipping Type)
- Missing Data: 37 values in Review Rating column

3. Exploratory Data Analysis using Python

We began with data preparation and cleaning in Python:

- **Data Loading:** Imported the dataset using `pandas`.
- **Initial Exploration:** Used `df.info()` to check structure and `.describe()` for summary statistics.

```
] df.describe(include='all')
```

	Customer ID	Age	Gender	Item Purchased	Category	Purchase Amount (USD)	Location	Size	Color	Season	Review Rating	Subscription Status	Shipping Type	Discount Applied	Promo Code Used
count	3900.000000	3900.000000	3900	3900	3900	3900.000000	3900	3900	3900	3900	3863.000000	3900	3900	3900	3900
unique	NaN	NaN	2	25	4	NaN	50	4	25	4	NaN	2	6	2	2
top	NaN	NaN	Male	Blouse	Clothing	NaN	Montana	M	Olive	Spring	NaN	No	Free Shipping	No	No
freq	NaN	NaN	2652	171	1737	NaN	96	1755	177	999	NaN	2847	675	2223	2223
mean	1950.500000	44.068462	NaN	NaN	NaN	59.764359	NaN	NaN	NaN	NaN	3.750065	NaN	NaN	NaN	NaN
std	1125.977353	15.207589	NaN	NaN	NaN	23.685392	NaN	NaN	NaN	NaN	0.716983	NaN	NaN	NaN	NaN
min	1.000000	18.000000	NaN	NaN	NaN	20.000000	NaN	NaN	NaN	NaN	2.500000	NaN	NaN	NaN	NaN
25%	975.750000	31.000000	NaN	NaN	NaN	39.000000	NaN	NaN	NaN	NaN	3.100000	NaN	NaN	NaN	NaN
50%	1950.500000	44.000000	NaN	NaN	NaN	60.000000	NaN	NaN	NaN	NaN	3.800000	NaN	NaN	NaN	NaN
75%	2925.250000	57.000000	NaN	NaN	NaN	81.000000	NaN	NaN	NaN	NaN	4.400000	NaN	NaN	NaN	NaN
max	3900.000000	70.000000	NaN	NaN	NaN	100.000000	NaN	NaN	NaN	NaN	5.000000	NaN	NaN	NaN	NaN

```
df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 3900 entries, 0 to 3899
Data columns (total 18 columns):
#   Column                      Non-Null Count  Dtype
---  -
0   Customer ID                 3900 non-null   int64
1   Age                         3900 non-null   int64
2   Gender                      3900 non-null   object
3   Item Purchased              3900 non-null   object
4   Category                    3900 non-null   object
5   Purchase Amount (USD)       3900 non-null   int64
6   Location                    3900 non-null   object
7   Size                        3900 non-null   object
8   Color                       3900 non-null   object
9   Season                      3900 non-null   object
10  Review Rating                3863 non-null   float64
11  Subscription Status          3900 non-null   object
12  Shipping Type                3900 non-null   object
13  Discount Applied             3900 non-null   object
14  Promo Code Used              3900 non-null   object
15  Previous Purchases           3900 non-null   int64
16  Payment Method               3900 non-null   object
17  Frequency of Purchases       3900 non-null   object
dtypes: float64(1), int64(4), object(13)
memory usage: 548.6+ KB
```

- **Missing Data Handling:** Checked for null values and imputed missing values in the `Review Rating` column using the median rating of each product category.
- **Column Standardization:** Renamed columns to **snake case** for better readability and documentation.
- **Feature Engineering:**
 - Created **age_group** column by binning customer ages.
 - Created **purchase_frequency_days** column from purchase data.
- **Data Consistency Check:** Verified if `discount_applied` and `promo_code_used` were redundant; dropped `promo_code_used`.
- **Database Integration:** Connected Python script to PostgreSQL and loaded the cleaned DataFrame into the database for SQL analysis.

4. Data Analysis using SQL (Business Transactions)

We performed structured analysis in PostgreSQL to answer key business questions:

1. **Revenue by Gender** – Compared total revenue generated by male vs. female customers.

16

Result Grid		
	gender	revenue
▶	Male	157890
	Female	75191

2. **High-Spending Discount Users** – Identified customers who used discounts but still spent above the average purchase amount.


Result Grid		
	customer_id	purchase_amount
▶	2	64
	3	73
	4	90
	7	85
	9	97
	12	68
	13	72
	16	81
	20	90
	22	62
	24	88
	29	94
	32	79
	33	67
	35	91
	37	69
	40	60
	41	76
	43	100

customer 18 x

3. **Top 5 Products by Rating** – Found products with the highest average review rating

Result Grid		
	item_purchased	Average Product Rating
▶	Gloves	3.86
	Sandals	3.84
	Boots	3.82
	Hat	3.8
	Skirt	3.78


4. **Shipping Type Comparison** – Compared average purchase amounts between Standard and Express shipping.



The screenshot shows a data grid interface with a toolbar at the top containing 'Result Grid', a grid icon, a refresh icon, 'Filter Rows: [input]', and an 'Export' button. The table below has two columns: 'shipping_type' and 'ROUND(AVG(purchase_amount),2)'. The 'Express' row is selected, and the 'Standard' row is highlighted.

	shipping_type	ROUND(AVG(purchase_amount),2)
▶	Express	60.48
	Standard	58.46

5. **Subscribers vs. Non-Subscribers** – Compared average spend and total revenue across subscription status.



The screenshot shows a data grid interface with a toolbar at the top containing 'Result Grid', a grid icon, a refresh icon, 'Filter Rows: [input]', 'Export: [icon]', and 'Wrap Cell Content: [icon]'. The table below has four columns: 'subscription_status', 'total_customers', 'avg_spend', and 'total_revenue'. The 'No' row is selected, and the 'Yes' row is highlighted.

	subscription_status	total_customers	avg_spend	total_revenue
▶	Yes	1053	59.49	62645
	No	2847	59.87	170436

6. **Discount-Dependent Products** – Identified 5 products with the highest percentage of discounted purchases.

51 -- Q7. Segment customers into I

Result Grid   Filter Rows:

	item_purchased	discount_rate
▶	Hat	50.00
	Sneakers	49.66
	Coat	49.07
	Sweater	48.17
	Pants	47.37

7. **Customer Segmentation** – Classified customers into New, Returning, and Loyal segments based on purchase history.

Result Grid  Filter Rows: Exp

	customer_segment	Number of Customers
▶	Loyal	3116
	Returning	701
	New	83

8. **Top 3 Products per Category** – Listed the most purchased products within each category.

Result Grid		Filter Rows:	Export:	
	item_rank	category	item_purchased	total_orders
▶	1	Accessories	Jewelry	171
	2	Accessories	Sunglasses	161
	3	Accessories	Belt	161
	1	Clothing	Blouse	171
	2	Clothing	Pants	171
	3	Clothing	Shirt	169
	1	Footwear	Sandals	160
	2	Footwear	Shoes	150
	3	Footwear	Sneakers	145
	1	Outerwear	Jacket	163
	2	Outerwear	Coat	161

9. **Repeat Buyers & Subscriptions** – Checked whether customers with >5 purchases are more likely to subscribe.


Result Grid	Filter Rows:
subscription_status	repeat_buyers
Yes	958
No	2518

10. **Revenue by Age Group** – Calculated total revenue contribution of each age group.

Result Grid	Filter Rows:
age_group	total_revenue
Young Adult	62143
Middle-Aged	59197
Adult	55978
Senior	55763

5. Dashboard in Power BI

Finally, we built an interactive dashboard in **Power BI** to present insights visually.



6. Business Recommendations

- **Boost Subscriptions** – Promote exclusive benefits for subscribers.

- **Customer Loyalty Programs** – Reward repeat buyers to move them into the “Loyal” segment.
- **Review Discount Policy** – Balance sales boosts with margin control.
- **Product Positioning** – Highlight top-rated and best-selling products in campaigns.
- **Targeted Marketing** – Focus efforts on high-revenue age groups and express-shipping users.