

Standard Operating Procedure Document
For
Imported Parts Material Addition and Mass Calculation in Creo

Submitted to:



Bajaj Electricals Limited

Rustomjee Aspire, 7th Floor,
Bhanu Shankar Yagnik Marg,
Sion East,
Mumbai
Maharashtra – 400022, India

Submitted by:



Softcell Technologies Global Pvt. Ltd.

401, Mayfair Tower-1,
Wakdewadi, Shivajinagar,
Pune
Maharashtra – 411005, India

Document History

Version	Date	Owner	Description
00	07-11-2024	Softcell Technologies Global Pvt. Ltd.	Standard Operating Procedure for Imported Parts Material Addition and Mass Calculation in Creo

Document Author

Mr. Sumit Garade	sagarade@softcell.com
------------------	--

Approved & Reviewed By


Mr. Suresh Vasu	sureshv@softcell.com
Ms. Bhagyashree Kulkarni	bkulkarni@softcell.com

Contents


Imported Parts Material Addition and Mass Calculation in Creo.....	4
--	---

Imported Parts Material Addition and Mass Calculation in Creo


Step 1: Open .stp file.




Step 2: Click on file option on left upper side of window.





Step 3: Click on Prepare >> Model Properties.




Step 4: Click Change in Material bar.




Step 5: Select material by browsing through available option and double clicking on it.




Step 6: Click OK on material selection window.



Step 7: Click Close on Model Properties.



Step 8: Click on “Mass properties” in “Analysis” tab.



Step 9: Select default Coordinate system.

