
Type your text


Name - Atharva Rajendra Pawar


Subject - **Devops**


Department - AIML SY


Assignment – Jenkins




piyushGaikwad18 / Jenkins
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
src
main/java/com/example
test/java/com/example
AppTest.java
Jenkinsfile
LICENSE
pom.xml
Jenkins / Jenkinsfile
piyushGaikwad18 Update Jenkinsfile
Code
Blame
68 lines (60 loc) · 1.63 KB
pipeline {
agent any
tools {
jdk 'JDK-17'
maven 'Maven-3.9'
}
stages {
stage('1. Checkout Code') {
steps {
echo 'Fetching source code from GitHub...'
checkout scm
}
}
stage('2. Build') {
steps {
echo 'Compiling the Java application...'
bat 'mvn clean compile'
}
}
stage('3. Unit Test') {
steps {
echo 'Running unit tests...'
bat 'mvn test'
}
post {
always {
junit '**/target/surefire-reports/*.xml'
}
}
}
stage('4. Package') {
steps {
echo 'Packaging application into JAR/WAR...'
bat 'mvn package -DskipTests'


piyushGaikwad18 / Jenkins
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
src
main/java/com/example
test/java/com/example
AppTest.java
Jenkinsfile
LICENSE
pom.xml
Jenkins / pom.xml
piyushGaikwad18 Add initial Maven POM configuration for Java app
Code
Blame
40 lines (35 loc) · 1.31 KB
<project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>com.example</groupId>
<artifactId>my-java-app</artifactId>
<version>1.0-SNAPSHOT</version>
<properties>
<maven.compiler.release>17</maven.compiler.release>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
<junit.version>5.10.2</junit.version>
</properties>
<dependencies>
<dependency>
<groupId>org.junit.jupiter</groupId>
<artifactId>junit-jupiter</artifactId>
<version>${junit.version}</version>
<scope>test</scope>
</dependency>
</dependencies>
<build>
<plugins>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-compiler-plugin</artifactId>
<version>3.13.0</version>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-surefire-plugin</artifactId>
<version>3.2.5</version>
</plugin>
</plugins>
</build>
</project>


piyushGaikwad18 / Jenkins
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
src
main/java/com/example
test/java/com/example
AppTestjava
Jenkinsfile
LICENSE
pom.xml
Jenkins / src / test / java / com / example / AppTest.java
piyushGaikwad18 Create AppTest.java
Code
Blame
12 lines (9 loc) · 220 Bytes
package com.example;
import org.junit.jupiter.api.Test;
import static org.junit.jupiter.api.Assertions.assertEquals;
class AppTest {
@Test
void testAddition() {
assertEquals(5, App.add(2, 3));
}
}


piyushGaikwad18 / Jenkins
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
src
main/java/com/example
App.java
test/java/com/example
AppTest.java
Jenkinsfile
LICENSE
pom.xml
Jenkins / src / main / java / com / example / App.java
piyushGaikwad18 Add App class with main method and add function
Code
Blame
12 lines (9 loc) · 223 Bytes
1
2 package com.example;
3
4 public class App {
5 public static void main(String[] args) {
6 System.out.println("Hello from Jenkins CI/CD!");
7 }
8
9 public static int add(int a, int b) {
10 return a + b;
11 }
12 }