


Node Red Connection to IBM Cloudant

1. Node-RED Connection setup for data transmission from IBM Watson IOT platform to Node-RED dashboard.




2. Simulate Wokwi connection to transmit data from wokwi account to IBM Watson IOT platform and then to Node Red dashboard.



3. Data transfer to Watson IOT platform.
4. Data transfer from IBM Watson IOT platform and wokwi to Node red.





5. Storing database in IBM cloudant DB.

Databases

Database name

Create Database

{JSON}

Log Out

Your Databases

Name	Size	# of Docs	Partitioned	Actions
login_credentials	13.7 KB	111	No	[+][-][lock][trash]
indomobility20221120	37.4 KB	4	No	[+][-][lock][trash]
sample	59.4 KB	351	No	[+][-][lock][trash]
senior_data	15.7 KB	90	No	[+][-][lock][trash]

Showing 1-4 of 4 databases. Databases per page: 20. 1

sensor_data

Document ID

Options

{JSON}

Log Out

All Documents

Query

Permissions

Changes

Design Documents

Create Document

id	key	value
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-cde2b8e17c519394d1..."}
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-d26c5b40891e13c6c..."}
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-cde2b8e17c519394d1..."}
0198213c192cb2c244cc2433f1...	0198213c192cb2c244cc2433f1...	{"rev": "1-f96e66460bc16cfab0..."}
1a921f21cbe229686f99ac645...	1a921f21cbe229686f99ac645...	{"rev": "1-7226808794c47b7c..."}
1a921f21cbe229686f99ac645...	1a921f21cbe229686f99ac645...	{"rev": "1-5bbdd9a985bd56c9..."}
20a854e5445fa8186c1de049...	20a854e5445fa8186c1de049...	{"rev": "1-7226808794c47b7c..."}
20a854e5445fa8186c1de049...	20a854e5445fa8186c1de049...	{"rev": "1-3ad288ead57b319a..."}
20a854e5445fa8186c1de049...	20a854e5445fa8186c1de049...	{"rev": "1-366dd9a985bd56c9..."}
298a6b6b9b3b815f5ac7c061e...	298a6b6b9b3b815f5ac7c061e...	{"rev": "1-ade224066a503a7b4..."}

Showing document 1 - 20. Documents per page: 20. < >

6. Data is stored in JSON format

