This is a copy of a shared ChatGPT chat. It won't be added to memory.
Report conversation

Thu, Jul 30 at 6:30 AM

can you list all the relevant CS publications by Peter Worth Jr, ORCID https://orcid.org/my-orcid?orcid=0000-0003-4211-3866, since 2022 which includes a link to the journal where each is published and the basic metrics of each journal - this is for my PhD committee

Worked for 12m 31s

Peter J. Worth Jr. — CS-Relevant Publications Since 2022

ORCID: 0000-0003-4211-3866
Coverage: January 1, 2022 through July 30, 2026

I found **seven distinct computer-science-relevant scholarly outputs**:

- **Five journal articles**: four directly in CS, AI, NLP, or cybersecurity, plus one interdisciplinary article with a theoretical-computer-science component.
- **One IEEE workshop proceedings paper**.
- **One arXiv preprint**.

Peter Worth is the sole or first author on all five journal articles. The 2022 and 2023 papers were published under the name **Peter J. Worth**, without "Jr."; the later publications use **Peter J. Worth Jr.** AthenaBench's arXiv and IEEE proceedings versions are counted as a single publication. SCIRP +3

A. Core CS, AI and Cybersecurity Journal Articles

1. Optimization of Zero Trust Principles in Modern Security Operations: A Framework of Minimum Standing Trust

Citation: Worth Jr., P. J., Cunningham, C., & Cardei, I. (2026). "Optimization of Zero Trust Principles in Modern Security Operations: A Framework of Minimum Standing Trust." *Journal of Information Security*, *17*, 322–370.

DOI: 10.4236/jis.2026.173016

CS relevance: Cybersecurity architecture, Zero Trust, security-policy optimization, attack-surface minimization, telemetry fusion, SecOps automation, and bounded agentic-AI response.

Committee classification: Journal article — cybersecurity/security architecture. SCI...

---

2. Layer Cake: On Language Representation and Compute Characteristics in Text Classification

Citation: Worth Jr., P. J., & Cardei, I. (2025). "Layer Cake: On Language Representation and Compute Characteristics in Text Classification." *International Journal of Intelligence Science*, *15*, 184–262.

DOI: 10.4236/ijis.2025.154010

CS relevance: Natural-language processing, text classification, language representation, word embeddings, large language models, computational efficiency, GPU utilization, and empirical ML evaluation.

Committee classification: Journal article — NLP and machine learning. SCI...

---

3. DEBRA: On the Unsupervised Learning of Concept Hierarchies from (Literary) Text

Citation: Worth, P. J., & Doresic, D. (2023). "DEBRA: On the Unsupervised Learning of Concept Hierarchies from (Literary) Text." *International Journal of Intelligence Science*, *13*, 81–130.

DOI: 10.4236/ijis.2023.134006

CS relevance: Unsupervised learning, NLP, ontology learning, knowledge representation and reasoning, dependency parsing, graph-based concept mapping, spaCy, and NLTK.

Committee classification: Journal article — AI, NLP and knowledge representation. DOI.org

---

4. Word Embeddings and Semantic Spaces in Natural Language Processing

Citation: Worth, P. J. (2023). "Word Embeddings and Semantic Spaces in Natural Language Processing." *International Journal of Intelligence Science*, *13*, 1–21.

DOI: 10.4236/ijis.2023.131001

CS relevance: NLP, representation learning, semantic spaces, vector-space models, Word2Vec, GloVe, ELMo, BERT, machine learning, and deep learning.

Committee classification: Journal survey/review article — NLP and machine learning. DOI.org

B. Interdisciplinary Journal Article with Theoretical-CS Relevance

5. Idealogical Reference Architecture (IRA): An Epistemological Interpretation of Quantum Mechanics

Citation: Worth, P. J., & Pande, S. (2022). "Idealogical Reference Architecture (IRA): An Epistemological Interpretation of Quantum Mechanics." *Open Journal of Philosophy*, *12*, 266–305.

DOI: 10.4236/ojpp.2022.123018

CS relevance: Theoretical computing machines, reference architectures, object-oriented systems, information processing, cognitive science, epistemology, and information theory.

Committee classification: Interdisciplinary journal article — theoretical-CS-adjacent rather than a conventional core-CS publication. The publisher itself identifies theoretical computer science, cognitive science, and information processing among the paper's subjects. SCI...

C. Conference and Workshop Proceedings

6. AthenaBench: A Dynamic Benchmark for Evaluating LLMs in Cyber Threat Intelligence

Citation: Alam, M. T., Bhusal, D., Ahmad, S., Rastogi, N., & Worth Jr., P. (2025). "AthenaBench: A Dynamic Benchmark for Evaluating LLMs in Cyber Threat Intelligence." In *ACSAC Workshops 2025*, pp. 443–450.

DOI: 10.1109/ACSACW69556.2025.00072

Venue: Workshop on AI for Cyber Threat Intelligence, held in association with the 2025 Annual Computer Security Applications Conference.

CS relevance: Cyber-threat intelligence, LLM benchmarking, model evaluation, threat-actor attribution, risk-mitigation reasoning, cybersecurity NLP, and evaluation-dataset construction.

Committee classification: IEEE-published conference/workshop proceedings paper, not a journal article. DBLP classifies it as a "Conference or Workshop Paper" and records it in *ACSAC Workshops 2025*, pages 443–450. DBLP +1

D. Preprint

7. Minerva: Reinforcement Learning with Verifiable Rewards for Cyber Threat Intelligence LLMs

Citation: Alam, M. T., Piplai, A., Cardei, I., Rastogi, N., & Worth Jr., P. J. (2026). "Minerva: Reinforcement Learning with Verifiable Rewards for Cyber Threat Intelligence LLMs." *arXiv:2602.00513 [cs.LG]*.

DOI: 10.48550/arXiv.2602.00513

CS relevance: Reinforcement learning with verifiable rewards, self-training, structured CTI generation, LLM post-training, deterministic task verification, machine learning, and cybersecurity.

Committee classification: Computer-science preprint. The current arXiv record is categorized under Machine Learning, was initially submitted January 31, 2026, and was most recently revised May 7, 2026. It should be listed separately from journal and proceedings publications unless or until a subsequent accepted version is identified. arXiv

Journal Metrics

The following are the **latest journal-level figures displayed by the publishers' current indexing pages**.

Journal	Papers above	ISSNs	Publisher-reported metric	Publisher-reported journal citations
International Journal of Intelligence Science	3	Print 2163-0283; Online 2163-0356	**2-year Google-based Journal Impact Factor: 2.00**	**1,486 Google Scholar citations**, as of July 2024
Journal of Information Security	1	Print 2153-1234; Online 2153-1242	**2-year Google-based Journal Impact Factor: 3.25**	**6,735 Google Scholar citations**, as of July 2024
Open Journal of Philosophy	1	Print 2163-9434; Online 2163-9442	**2-year Google-based Journal Impact Factor: 0.38**	**3,745 Google Scholar citations**, as of July 2024

The publishers list services including Google Scholar, Crossref, OpenAlex, WorldCat, and several academic-library discovery systems; the philosophy journal also lists PhilPapers. SCIRP +2

Important Metrics Qualification

The figures **2.00, 3.25 and 0.38 are not verified Clarivate Journal Impact Factors**. They are explicitly labeled by the publisher as a **"2-year Google-based Journal Impact Factor," or 2-GJIF**. Similarly, the citation totals are publisher-reported, journal-wide Google Scholar totals—not citation counts for Peter Worth's individual articles. SCIRP +2

I did not verify a current:

- Clarivate Journal Impact Factor or Web of Science quartile;
- Scopus CiteScore;
- SCImago Journal Rank;
- Scopus subject-area quartile;

for any of the three journal titles. CiteScore, SJR and related quartiles are specifically Scopus-based metrics, so they should not be inferred from the publisher's Google-based figures. www.elsevier.c… +1

For committee materials, the safe wording is therefore:

> **Publisher-reported two-year Google-based Journal Impact Factor (2-GJIF): 2.00**

—not simply:

> **Impact Factor: 2.00**

Non-Journal Venue Metrics

Output	Venue-metric treatment
AthenaBench	Journal Impact Factor is not applicable. Identify it as an IEEE/ACSAC workshop proceedings paper with a DOI and DBLP record.
Minerva	Journal metrics are not applicable. Identify it as an arXiv computer-science preprint. Preprints are preliminary, non-journal records and do not contribute to the main Scopus journal or author metrics. www.elsevier.c…

Recommended Presentation to the PhD Committee

I would organize the record under three headings:

1. **Computer Science and Cybersecurity Journal Articles:** Zero Trust/MST, Layer Cake, DEBRA, and Word Embeddings.
2. **Conference and Workshop Proceedings:** AthenaBench.
3. **Interdisciplinary and Preprint Research:** IRA as an interdisciplinary theoretical-CS article, and Minerva under preprints or works under review.

This preserves the full breadth of the publication record without presenting the philosophy-journal article as conventional core CS or the arXiv manuscript as a completed journal publication.

Completeness note: The public ORCID page is JavaScript-rendered and could not be directly enumerated in this environment. I therefore cross-checked the identity and works through exact-author publisher records, IEEE/DBLP, arXiv, and the Athena Labs publication record. On those publicly verifiable sources, the seven items above constitute the distinct CS-relevant publication record since 2022. ORCID +4

Sources

Yesterday 8:37 AM

Uploaded a file Uploaded a file Uploaded a file Uploaded a file
Uploaded a file

I am looking for a home for this paper (attached), which an abbreviated version of this longer form paper (also attached), the abridged form having just been recently rejected to this conference - 38th International Conference on Tools with Artificial Intelligence (ICTAI 2026), with the following feedback (attached as well). What I would like you to do for me is, given that I need this paper to be published in a peer reviewed journal that is satisfactory for my PhD commitee, where I am pursuing a PhD in Computer Science from the department of Electrical Engineering and Computer Science at Florida Atlantic University, and I do not want to submit it to a conference where I have to go and present, I would like you to recommend Cyber Security journals that are well

Show more

Worked for 34m 48s

Peter, **my first recommendation is IEEE Access when review speed is the overriding constraint; my preferred specialist-security target is Computers & Security when you can tolerate a less predictable timeline.** Journal of Information Security and Applications is also a strong fit for the applied-security contribution.

I have completed a **nine-page v1.4 revision**, a corrected bibliography, and a reviewer-response memorandum. During the revision, I found several issues beyond those identified by the reviewers—particularly an aggregation-label mismatch, limitations in the contamination filter, and cost-accounting semantics. Those are important to address before submitting to any journal.

1. Journal recommendations

What FAU's published requirement actually says

FAU's Computer Science PhD requirements state that a candidate is expected to have at least one paper **"published or accepted for publication in a fully refereed conference or journal"** before graduation. The inspected page does not specify an approved-journal list, minimum impact factor, or quartile. Importantly, its wording includes **acceptance**, not just final publication. Your committee's expectations for this particular dissertation contribution still require confirmation. Florida Atlantic ...

I would therefore obtain written agreement from Dr. Cardei/the committee on the target journal before committing your graduation timeline to it.

Ranked shortlist

These are ordinary journal-submission routes, rather than conference-linked tracks. **The ranking reflects suitability for your combination of paper, credibility, and timing—not a universal journal-prestige ranking.**

Priority	Journal	Verified journal metrics	Review timing: what the publisher actua
1 — best speed/credibility compromise	IEEE Access — IEEE	Displayed JIF **4.2**; **2025 CiteScore 9.3**; indexed in **SCIE and Scopus**. Broad engineering/computing rather than exclusively cybersecurity.	About **4 weeks to an accept/reject decisio weeks from submission to publication fo** These are publisher averages, not guarante
2 — preferred specialist-security home	Computers & Security — Elsevier	Publisher header displays JIF **5.4** and CiteScore **15.4**; reporting years are not specified in that header.	I could not verify a current completed-reviev timeline from the accessible publisher inform **assume a one-month review.**
3 — strong applied-security alternative	Journal of Information Security and Applications — Elsevier	Publisher header displays JIF **3.7** and CiteScore **8.7**; reporting years are not specified.	Current externally reviewed-decision and ac were **not verified**.
4 — established technical-security option, but not speed-first	International Journal of Information Security — Springer Nature	**2025 JIF 5.0**; SCIE and Scopus.	**9-day median first decision**, but the journa approximately **175 days for a typical manu review pipeline**. The nine-day figure should as completed peer review.
5 — focused scope and lower APC	Cybersecurity — Springer Nature / Institute of Information Engineering, CAS	**2025 JIF 4.1**; Scopus and **ESCI**, rather than SCIE on the inspected publisher page.	**15-day median first decision**; no verified a external review or acceptance within that pe
6 — prestige-oriented stretch target	IEEE Transactions on Information Forensics and Security — IEEE	Publisher displays JIF **8.0**, without a clearly identified reporting year on the inspected page.	I did not verify a rapid-review commitment. I as the first submission under a tight deadlin

Metrics and fees were checked September 5, 2026. I have not assigned quartiles where the category and reporting year were not verified.

Why IEEE Access is my practical first choice

Your strongest supported contribution is a **traceable training-data construction system, accompanied by a careful empirical study of specialization and interference**. That is the framing I would submit—not a claim that a new four-stage learning method has been demonstrated superior to conventional fine-tuning.

IEEE Access also removes one particular procedural obstacle from ICTAI: it uses **single-anonymized review**, meaning reviewers know the authors' identities. Its process requires at least two independent reviewers. You therefore would not need to conceal Glaukopis, Athena, or the public repository merely to preserve author anonymity under that review model. The experimental criticisms, however, remain relevant.
IEEE Acce...

The trade-off is that **I would not position IEEE Access as equivalent in specialist prestige to TIFS**. It is the more practical compromise for your stated objective. For a specialist-security audience, my assessment is that **Computers & Security** is the strongest first choice in this shortlist, with **JISA** a sensible alternative.

Also, distinguish **fast screening** from **fast peer review**. The International Journal of Information Security's nine-day first-decision statistic and 175-day review-pipeline statement illustrate why the distinction matters.
Springer

2. Revised manuscript and supporting files

Completed revision

New title:

> **Glaukopis: Auditable Graph-Grounded Instruction Tuning for Cyber Threat Intelligence**

The revision uses the uploaded **abridged v1.3** as its starting point, incorporates relevant details from the **long-form v1.1**, and produces the requested **v1.4**.

Download the complete v1.4 revision package

File	Purpose
Revised manuscript — PDF	Compiled and visually checked nine-page author-review draft.
Revised manuscript — LaTeX	Editable `glaukopis_abridged_v1.4.tex`.
Corrected bibliography	Verified publication versions where available; remaining preprints labeled accordingly.
Reviewer-response and revision memorandum	Point-by-point treatment of all four reviews, additional audit findings, and outstanding evidence requirements.
Journal-selection memorandum	Journal recommendations, metrics, review-time qualifications, fees, and FAU considerations.

The ZIP also includes a build script, source-file hashes, calculation tables, and a dependency-free script reproducing the revised arithmetic.

Access limitation: `/Users/pietro/code/Glaukopis` was not mounted in this session. I inspected the connected public GitHub repository read-only, including its cost summary and relevant evaluation/decontamination code. I did **not** access the local-only prediction artifacts or the results workbook's formulas, modify the repository, or run additional model experiments.

3. How the reviewer comments were incorporated

The contribution is now defined more precisely

Reviewers 1, 2, and 4 recognized value in the Ariadne/Sophia pipeline and retained checkpoints. Their central objection was that the experiments did not isolate the benefit of staging from the benefit of additional task-aligned training data. Reviewer 3 additionally wanted a clearer technical problem formulation. Pasted text

The revision therefore makes the primary claim:

> **Glaukopis provides an auditable method for constructing CTI instruction targets from typed graph queries, together with checkpoint-level evidence of the benefits and costs of specialization.**

It no longer treats the available evidence as demonstrating that four stages are inherently superior to a matched single-stage procedure.

The manuscript now includes an explicit problem formulation, the graph/query/binding-to-target relationship, the standard supervised training objective, and a clear distinction between **training-label provenance**, **label correctness**, and **the correctness of a model's eventual output**.

The training-stage interpretation is no longer cumulatively positive

The revised discussion directly addresses the adverse results:

- Canonical TAA rises to **36.8** after its dedicated stage, then drops to **3.4** after CSE and remains there.
- Stage 4's VSP result of **77.8** does not restore the Stage 3 parent's **78.9**.
- MMLU-Pro declines from **69.0 to 57.4** for the dense 32B model. glaukopis_ieee_abridged-v1.3

These are now part of the central interpretation, not qualifications appended after a predominantly positive conclusion. The possible explanation that the TAA split reflects an output-format or label-space problem is presented as a **hypothesis requiring prediction-level inspection**, not an established mechanism.

The Foundation-Sec-8B result also receives a fuller negative-result discussion, as requested by Reviewer 1. Pasted text

Benchmark alignment and authorship are disclosed prominently

The revision explicitly acknowledges that the training shards target the schemas and formats used by the evaluation suites, and that Peter Worth and Salman Ahmad are co-authors of AthenaBench. It does not equate independently constructed prompts with independently held-out facts or incidents. The original manuscript already documented the deliberate training-to-benchmark mapping; the revision brings its implications forward. glaukopis_ieee_abridged-v1.3

There is also an explicit operational-boundaries section: these results do not validate the checkpoint as an unrestricted SOC decision-maker, an autonomous attribution authority, or a replacement for broader

reasoning and safety controls.

4. Important findings beyond the reviewers' comments

A. The AthenaBench aggregate was mislabeled

This is the most consequential numerical finding.

The original tables describe an AthenaBench composite using a **50/50 Classic/Canonical TAA blend**, but the displayed composites are consistent with **Classic TAA alone**. For example, the final checkpoint's 66.5 is the mean of its five other AthenaBench task scores and Classic TAA. glaukopis_ieee_abridged-v1.3

Using the stated balanced convention:

$$\mathrm{TAA}_{\mathrm{balanced}} = \frac{\mathrm{TAA}_{\mathrm{Classic}} + \mathrm{TAA}_{\mathrm{Canonical}}}{2},$$

and then averaging the six AthenaBench tasks gives the following **recomputation from the existing rounded scores**:

Three-benchmark mean	Original reported value	Recomputed with balanced TAA
Qwen2.5-32B base	59.0	**57.7**
Final Recal-32B checkpoint	66.3	**65.0**
Improvement over base	+7.3	**Approximately +7.3**

The improvement remains approximately 7.3 points; the absolute headline values change. These are derived arithmetic results, not new inference runs. The source task scores are preserved, and the package includes the calculation script.

This correction also changes which intermediate checkpoint leads on the balanced AthenaBench composite. Consequently, I did not simply repeat the reviewers' "Core is best on AthenaBench" interpretation under the newly corrected formula.

A second aggregation problem remains unresolved: the original "Avg Total" figures do not consistently follow the stated rule of adding MMLU-Pro to the ten-test mean. For the base, the reported 49.3 is even below both the reported CTI-test mean of 49.6 and MMLU-Pro's 69.0. I removed those unreconciled secondary aggregates from the principal results rather than silently choosing a replacement weighting. glaukopis_ieee_abridged-v1.3

B. The cross-benchmark gain is concentrated in AthenaBench

The source tables show **CyberSOCEval unchanged at 42.6** between base and final checkpoint, while CyberMetric decreases from **90.2 to 89.8**. Thus, the positive contribution to the three-benchmark improvement comes from AthenaBench, not improvements across all three benchmark families. glaukopis_ieee_abridged-v1.3

That finding strengthens the case for presenting the work as **successful adaptation to particular CTI tasks with explicit generalization limits**, rather than broad cybersecurity capability improvement.

C. The cost figures are not yet established as matched single-pass costs

The repository cost-reporting code explicitly documents accumulation of API expenditure across reruns. The local-cost aggregator also sums available task summaries. Neither behavior, by itself, proves that the table represents one identical completed evaluation pass per model.

This **does not prove every cost figure is wrong**. It means the current evidence does not justify presenting those totals as a controlled single-pass comparison without reconciling the run records.

I nevertheless could calculate CTI-only expenditure from the tracked CSV:

Model	Recorded CTI-only subtotal	Recorded full total, including MMLU-Pro
Glaukopis Recal-32B	**$2.05**	**$2.83**
DeepSeek-V3.2-Exp	$4.14	$11.24

Model	Recorded CTI-only subtotal	Recorded full total, including MMLU-Pro
DeepSeek-V4-Pro	$38.12	$126.40
Gemini-3-Flash-Preview	$148.64	$1,154.13
GPT-5.5	$320.53	$508.13

These are **ledger totals**, not validated per-query costs or deployment savings. The CTI-only subtotals are calculated by adding the AthenaBench, CyberSOCEval, and CyberMetric components in the existing repository CSV.

The revised manuscript separates these quantities, removes the **45–408×** ratio from its central claims, and adds training-amortization and break-even equations. It does **not** invent a measured training bill or numerical break-even point without the missing per-pass training and matched-inference records.

D. The contamination protection is weaker than “all verbatim overlap removed”

The inspected filter distinguishes between:

Flagging: one shared 13-word sequence.

Removal: at least 50 shared sequences with an indexed evaluation record.

Rows below the removal threshold can therefore remain in training. Moreover, the inspected code defaults to JSON/JSONL discovery rather than TSV and extracts selected fields rather than every possible nested answer field.

A simple implication is that a short evaluation record can be duplicated verbatim without reaching 50 distinct 13-grams. This does not establish that such contamination occurred, but it prevents the stronger guarantee from being made.

The revision now states the actual protection, its coverage limits, the unscreened auxiliary-corpus issue, and the distinction between textual overlap and shared facts. The long-form manuscript itself says the general-purpose Tülu/Alpaca mixtures were not routinely checked by this filter. glaukopis_ieee-v1.1

E. The bibliography needed substantive repair

Reviewer 3’s concern could not be resolved merely by changing “arXiv” to a journal name.

I found that the supplied CTIBench and CyberBench references used arXiv identifiers that resolve to unrelated papers. Those records were corrected, and unverified generic knowledge-graph references were removed rather than completed speculatively. glaukopis_ieee_abridged-v1.3 arXiv +1

I also replaced preprint citations with verified published versions where available—for example, **CyberPal.AI in AAAI 2025** and **Scaling Instruction-Finetuned Language Models in JMLR 2024**. Legitimate remaining preprints are still identified as preprints. AAAI Publications +1

The software repository is now clearly identified as software, not a second research publication. However, the authors should still confirm the status of the longer manuscript and the exact bibliography submitted anonymously to ICTAI before making any declaration about overlapping submissions.

5. What remains before journal submission

The attached revision is an author-review draft, not a claim that the missing experiments have been completed. I would divide the remaining work into the following priorities:

Priority	Work needed	Why it matters
First: reconcile existing artifacts	Check the exact workbook formulas, task manifests, prediction exports, evaluation dates, API-counter boundaries, local runtime summaries, training timings, and decontamination reports.	Much of the reporting audit may be resolvable without new GPU training.
Then: establish an independent evaluation	Freeze the training snapshot and test on later or independently constructed incidents with documented entity/fact exclusions.	Directly addresses the concern that the main gain reflects training-aligned catalogue competence.

Priority	Work needed	Why it matters
Add the controls required by the intended claim	A Core→CSE control tests whether the TAA stage is needed. A mixed-data single-stage control should match realized data exposure, tokens, and optimization budget.	Required to make a convincing claim about the benefit of staging, rather than only describing checkpoint transitions.
Quantify uncertainty	Independently seeded Stage-4 runs for each recipe, plus paired item-level uncertainty analysis where prediction artifacts permit it.	Training-seed variability and evaluation-sample uncertainty are different; repeating a scorer does not resolve both.

These priorities address the substantive concerns repeated across Reviews 1, 2, and 4. Pasted text

Finally, the manuscript currently uses **standard IEEE journal formatting**, not the journal-specific IEEE Access class. It will need the selected venue's final template and required author material; IEEE Access specifically requires author biographies and has an AI-assisted-content disclosure policy. The revision includes an assistance acknowledgment for author review. IEEE Acce…

My recommended path is: obtain committee approval for IEEE Access, resolve the existing-data audit, strengthen the independent evaluation, and submit the graph-grounded systems contribution with appropriately bounded claims. Computers & Security is my preferred alternative when specialist-security positioning matters more than a predictable rapid-review process.

Sources

ChatGPT is AI and can make mistakes. Check important info.