

BUILD A GER PIPELINE FOR YOUR CAPSTONE

ASSIGNMENT #6

ASSIGNMENT #6 (MANDATORY) BUILD A GER PIPELINE FOR YOUR CAPSTONE

DUE DATE: 18 August, 11:59 ET

THE BLOCKER THIS SOLVES

You built a content generation pipeline, but some outputs are broken, some are technically valid but wrong for your game, and manually reviewing every one is slower than writing the content yourself.

PRE-BUILD DECLARATION (SUBMIT BEFORE WRITING ANY CODE)

Plain text, under 150 words. Answer all three:

01. What content type does your game currently generate manually, inconsistently, or not at all?
02. What specific rule from your GDD must every piece of that content satisfy?
03. What does a failure look like — concretely, in your game's terms?

If you can't answer all three yet, that's what to work on first — these answers are part of your submission.

DELIVERABLES

- Your pipeline code (Generator, Evaluator, Refiner, Circuit Breaker).
- Your Pre-Build Declaration (the three answers above).

- A short ReadMe: what content type does the pipeline generate, what rule does the evaluator enforce, and did the pipeline catch something you would have missed?

Submissions generating generic content not connected to the student's capstone game receive no credit on Evaluator or Game Connection criteria.

RUBRIC (10 POINTS)

CRITERION	DESCRIPTION	POINTS
Working Pipeline	The GER loop runs: Generator produces content, Evaluator checks it against a rule, Refiner fixes failures, Circuit Breaker escalates when the loop can't self-correct.	/ 3.0
Evaluator Quality	The Evaluator enforces a specific rule from the student's GDD — not a generic validity check. The rule is identifiable in the GDD.	/ 3.0
Game Connection	The pipeline targets the student's capstone game. The ReadMe names the game, the content type, and what the evaluator caught.	/ 2.0
ReadMe	Pre-Build Declaration answers included. Describes what the pipeline generates, what rule it enforces, and whether it caught something useful.	/ 2.0

TOTAL: / 10