

```

import { useState } from "react";

const PRODUCTS = [
  { id: 1, name: "Modey Oversized Blazer", price: 120, category: "Blazers", vibe:
"Minimal", sizes: ["XS","S","M","L","XL"], image: "👔", color: "#C4B5A5",
styleMatch: 95, brand: "Modey", description: "A relaxed oversized blazer with
structured shoulders. Perfect for the effortless Parisian style. AI Confidence
Level: High.", care: "Dry clean only. Do not tumble dry." },
  { id: 2, name: "Wide-leg Trousers", price: 86, category: "Bottoms", vibe:
"Streetwear", sizes: ["XS","S","M","L"], image: "👖", color: "#8B7355",
styleMatch: 88, brand: "Streetur", description: "High-waisted wide-leg trousers
with a fluid drape. Pairs effortlessly with fitted tops or oversized blazers.",
care: "Machine wash cold. Hang dry." },
  { id: 3, name: "Chunky Sneakers", price: 110, category: "Footwear", vibe:
"Streetwear", sizes: ["6","7","8","9","10"], image: "👟", color: "#E8E0D5",
styleMatch: 82, brand: "Streetur", description: "Platform sneakers with a chunky
sole. Street-ready and stylish.", care: "Spot clean with damp cloth." },
  { id: 4, name: "Classic Linen Shirt", price: 58, category: "Tops", vibe:
"Minimal", sizes: ["XS","S","M","L","XL"], image: "👕", color: "#D4C5B0",
styleMatch: 91, brand: "Modey", description: "A breathable linen shirt with a
relaxed cut. A wardrobe essential for every season.", care: "Machine wash cold.
Iron on low." },
  { id: 5, name: "Streetur Hoodie", price: 78, category: "Tops", vibe: "Casual",
sizes: ["S","M","L","XL"], image: "👚", color: "#6B7C93", styleMatch: 79, brand:
"Streetur", description: "A premium cotton hoodie with an urban edge. Cozy meets
cool.", care: "Machine wash warm. Tumble dry low." },
  { id: 6, name: "Korean Cargo Pants", price: 94, category: "Bottoms", vibe:
"Streetwear", sizes: ["XS","S","M","L"], image: "👖", color: "#4A5568",
styleMatch: 85, brand: "Gen Z", description: "Utility-inspired cargo pants with a
modern Korean streetwear silhouette.", care: "Machine wash cold. Hang dry." },
  { id: 7, name: "Vintage Denim Jacket", price: 135, category: "Outerwear", vibe:
"Vintage", sizes: ["XS","S","M","L","XL"], image: "🧥", color: "#7B8FA3",
styleMatch: 77, brand: "Modey", description: "Distressed denim jacket with vintage
washes and a relaxed fit.", care: "Machine wash cold. Air dry." },
  { id: 8, name: "Silk Slip Dress", price: 148, category: "Dresses", vibe:
"Minimal", sizes: ["XS","S","M","L"], image: "👗", color: "#C9A88E", styleMatch:
93, brand: "Curated", description: "A bias-cut silk slip dress that moves
beautifully. Effortless elegance.", care: "Dry clean only." },
];

const VIBES = ["All","Minimal","Streetwear","Casual","Vintage"];
const CATEGORIES =
["All","Tops","Bottoms","Dresses","Blazers","Outerwear","Footwear"];

const palette = {
  purple: "#7C6FF7",
  purpleLight: "#EEF0FF",
  purpleMid: "#A89CF7",
  bg: "#FAFAF8",
  card: "#FFFFFF",

```

```
text: "#1A1A1A",
muted: "#7A7A8C",
border: "#EEEEF0",
accent: "#F0EFF9",
};
```

```
const styleTag = `
  @import
url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@300;400;500;600&family=DM+Sans:wght@300;400;500;600&display=swap');
  * { box-sizing: border-box; margin: 0; padding: 0; -webkit-tap-highlight-color:
transparent; }
  body { background: ${palette.bg}; font-family: 'DM Sans', sans-serif; color:
${palette.text}; }
  .serif { font-family: 'Cormorant Garamond', serif; }
  ::-webkit-scrollbar { width: 4px; } ::-webkit-scrollbar-thumb { background: #ddd;
border-radius: 2px; }
  input, button { font-family: 'DM Sans', sans-serif; }
  .screen { min-height: 100vh; max-width: 430px; margin: 0 auto; background:
${palette.bg}; position: relative; overflow-x: hidden; }
  .btn-primary { background: ${palette.purple}; color: white; border: none;
border-radius: 100px; padding: 14px 28px; font-size: 15px; font-weight: 500;
cursor: pointer; width: 100%; transition: opacity .15s; }
  .btn-primary:hover { opacity: .88; }
  .btn-outline { background: transparent; color: ${palette.purple}; border: 1.5px
solid ${palette.purple}; border-radius: 100px; padding: 12px 24px; font-size: 14px;
font-weight: 500; cursor: pointer; transition: all .15s; }
  .btn-outline:hover { background: ${palette.accent}; }
  .nav-bar { position: fixed; bottom: 0; left: 50%; transform: translateX(-50%);
width: 100%; max-width: 430px; background: white; border-top: 1px solid
${palette.border}; display: flex; justify-content: space-around; padding: 10px 0
20px; z-index: 100; }
  .nav-item { display: flex; flex-direction: column; align-items: center; gap: 4px;
cursor: pointer; font-size: 11px; color: ${palette.muted}; min-width: 56px; }
  .nav-item.active { color: ${palette.purple}; }
  .nav-icon { font-size: 22px; }
  .tag { background: ${palette.accent}; color: ${palette.purple}; border-radius:
100px; padding: 5px 14px; font-size: 12px; font-weight: 500; }
  .tag.active { background: ${palette.purple}; color: white; }
  .badge-match { background: ${palette.purple}; color: white; font-size: 11px;
font-weight: 600; border-radius: 100px; padding: 3px 9px; }
  .ai-chip { display: inline-flex; align-items: center; gap: 6px; background:
#F3F0FF; color: ${palette.purple}; border-radius: 100px; padding: 6px 14px;
font-size: 12px; font-weight: 500; }
  .chip-dot { width: 7px; height: 7px; background: ${palette.purple};
border-radius: 50%; animation: pulse 2s infinite; }
  @keyframes pulse { 0%,100%{opacity:1} 50%{opacity:.4} }
  .product-card { background: white; border-radius: 20px; overflow: hidden; cursor:
pointer; transition: transform .18s; border: 1px solid ${palette.border}; }
  .product-card:hover { transform: translateY(-3px); }
```

```

    .product-img { height: 200px; display: flex; align-items: center;
justify-content: center; font-size: 72px; position: relative; }
    .size-btn { border: 1.5px solid ${palette.border}; border-radius: 100px; padding:
8px 16px; font-size: 13px; cursor: pointer; background: white; transition: all
.15s; }
    .size-btn.selected { border-color: ${palette.purple}; background:
${palette.accent}; color: ${palette.purple}; font-weight: 500; }
    .cart-item { display: flex; align-items: center; gap: 14px; background: white;
border-radius: 16px; padding: 14px; border: 1px solid ${palette.border}; }
    .qty-btn { width: 32px; height: 32px; border-radius: 50%; border: 1.5px solid
${palette.border}; background: white; cursor: pointer; font-size: 18px; display:
flex; align-items: center; justify-content: center; }
    .input-field { width: 100%; border: 1.5px solid ${palette.border}; border-radius:
12px; padding: 14px 16px; font-size: 15px; outline: none; transition: border .15s;
background: white; }
    .input-field:focus { border-color: ${palette.purple}; }
    .step-circle { width: 36px; height: 36px; border-radius: 50%; display: flex;
align-items: center; justify-content: center; font-size: 14px; font-weight: 600;
flex-shrink: 0; }
    .step-circle.done { background: ${palette.purple}; color: white; }
    .step-circle.active { background: ${palette.purpleLight}; color:
${palette.purple}; border: 2px solid ${palette.purple}; }
    .step-circle.pending { background: ${palette.border}; color: ${palette.muted}; }
    .profile-section { background: white; border-radius: 20px; padding: 18px; border:
1px solid ${palette.border}; margin-bottom: 14px; }
`;

```

```

function NavBar({ page, setPage, cartCount }) {
  const items = [
    { key: "home", icon: "🏠", label: "Home" },
    { key: "stylist", icon: "💎", label: "AI Stylist" },
    { key: "shop", icon: "🛒", label: "Shop" },
    { key: "wishlist", icon: "❤️", label: "Wishlist" },
    { key: "profile", icon: "👤", label: "Profile" },
  ];
  return (
    <nav className="nav-bar">
      {items.map(i => (
        <div key={i.key} className={`nav-item${page === i.key ? " active" : ""}`}
onClick={() => setPage(i.key)}>
          <span className="nav-icon" style={{ position: "relative" }}>
            {i.icon}
            {i.key === "shop" && cartCount > 0 && (
              <span style={{ position: "absolute", top: -4, right: -6, background:
palette.purple, color: "white", fontSize: 10, width: 16, height: 16, borderRadius:
"50%", display: "flex", alignItems: "center", justifyContent: "center", fontWeight:
700 }}>{cartCount}</span>
            )}
          </span>
          <span>{i.label}</span>
        )}
    )}
  )}

```

```

        </div>
      )}}
    </nav>
  );
}

function LoginPage({ onLogin }) {
  const [tab, setTab] = useState("login");
  const [email, setEmail] = useState("");
  const [pass, setPass] = useState("");
  return (
    <div className="screen" style={{ display: "flex", flexDirection: "column",
minHeight: "100vh" }}>
      <div style={{ background: `linear-gradient(160deg, #E8E4FF 0%, #F5F3FF 60%,
#FFF8F0 100%)`, padding: "60px 28px 40px", textAlign: "center" }}>
        <p style={{ fontSize: 28, fontWeight: 300, letterSpacing: 6, color:
palette.purple, marginBottom: 6 }}>STYLIO</p>
        <p className="serif" style={{ fontSize: 42, fontWeight: 400, lineHeight:
1.15, color: "#2A1F4E", marginBottom: 12 }}>Confidence in<br />Every Choice</p>
        <p style={{ color: palette.muted, fontSize: 14, lineHeight: 1.6 }}>Welcome
to your personalized fashion journey with Stylio AI.</p>
      </div>

      <div style={{ flex: 1, padding: "28px 24px 40px", background: "white",
borderRadius: "28px 28px 0 0", marginTop: -20 }}>
        <div style={{ display: "flex", background: palette.border, borderRadius:
100, padding: 4, marginBottom: 28 }}>
          {[ "login", "signup" ].map(t => (
            <button key={t} onClick={() => setTab(t)} style={{ flex: 1, padding:
"10px", borderRadius: 100, border: "none", cursor: "pointer", fontWeight: 500,
fontSize: 14, background: tab === t ? "white" : "transparent", color: tab === t ?
palette.purple : palette.muted, transition: "all .2s", boxShadow: tab === t ? "0
1px 6px rgba(0,0,0,.08)" : "none" }}>
              {t === "login" ? "Sign In" : "Sign Up"}
            </button>
          ))}
        </div>

        <div style={{ display: "flex", flexDirection: "column", gap: 14,
marginBottom: 20 }}>
          {tab === "signup" && <input className="input-field" placeholder="Full
Name" />}
          <input className="input-field" placeholder="Email Address" value={email}
onChange={e => setEmail(e.target.value)} type="email" />
          <input className="input-field" placeholder="Password" value={pass}
onChange={e => setPass(e.target.value)} type="password" />
        </div>

        {tab === "login" && <p style={{ textAlign: "right", color: palette.purple,
fontSize: 13, marginBottom: 20, cursor: "pointer" }}>Forgot Password?</p>}
      </div>
    </div>
  );
}

```

```

<button className="btn-primary" onClick={onLogin}>
  {tab === "login" ? "Sign In ↗" : "Create Account ↗"}
</button>

<div style={{ display: "flex", alignItems: "center", gap: 12, margin: "22px
0" }}>
  <div style={{ flex: 1, height: 1, background: palette.border }} />
  <span style={{ fontSize: 13, color: palette.muted }}>Social Login</span>
  <div style={{ flex: 1, height: 1, background: palette.border }} />
</div>

<div style={{ display: "flex", gap: 12 }}>
  {[[["G", "Google", "#4285F4"], [{"🍏", "Apple", "#1A1A1A"}].map(([icon,
label, color]) => (
    <button key={label} onClick={onLogin} style={{ flex: 1, display:
"flex", alignItems: "center", justifyContent: "center", gap: 8, padding: "13px",
border: `1.5px solid ${palette.border}`, borderRadius: 12, background: "white",
cursor: "pointer", fontSize: 14, fontWeight: 500, color: palette.text }}>
      <span style={{ fontWeight: 700, color }}>{icon}</span> {label}
    </button>
  ))}
</div>

<p style={{ textAlign: "center", marginTop: 24, fontSize: 13, color:
palette.muted }}>
  {tab === "login" ? "Don't have an account? " : "Already have an account?
"}
  <span style={{ color: palette.purple, fontWeight: 500, cursor: "pointer"
}} onClick={() => setTab(tab === "login" ? "signup" : "login")}>
    {tab === "login" ? "Sign Up" : "Sign In"}
  </span>
</p>
</div>
</div>
);
}

function HomePage({ setPage, setSelectedProduct, products }) {
  return (
    <div className="screen" style={{ paddingBottom: 90 }}>
      <div style={{ padding: "56px 20px 20px", background: "white", borderBottom:
`1px solid ${palette.border}` }}>
        <div style={{ display: "flex", justifyContent: "space-between", alignItems:
"center", marginBottom: 16 }}>
          <div>
            <p style={{ fontSize: 12, color: palette.muted, letterSpacing: 2
}}>STYLI0</p>
            <p className="serif" style={{ fontSize: 22, fontWeight: 400 }}>Hey,
Style Icon 🍏</p>

```

```

        </div>
        <div style={{ width: 44, height: 44, borderRadius: "50%", background:
palette.accent, display: "flex", alignItems: "center", justifyContent: "center",
fontSize: 20 }}>👤</div>
    </div>
    <div style={{ background: palette.bg, borderRadius: 16, padding: "12px
16px", display: "flex", alignItems: "center", gap: 10, border: `1px solid
${palette.border}` }}>
        <span style={{ fontSize: 18, opacity: .5 }}>🔍</span>
        <span style={{ color: palette.muted, fontSize: 14 }}>Search outfits,
trends, or ask AI...</span>
        <span style={{ marginLeft: "auto", fontSize: 18, opacity: .5 }}>👤
    </span>
    </div>
</div>

<div style={{ padding: "24px 20px 0" }}>
    <div className="ai-chip" style={{ marginBottom: 20 }}>
        <span className="chip-dot" />
        Hey! What are you dressing for today?
    </div>

    <div style={{ display: "flex", justifyContent: "space-between", alignItems:
"center", marginBottom: 14 }}>
        <p className="serif" style={{ fontSize: 20, fontWeight: 500 }}>Curated
for You</p>
        <span style={{ color: palette.purple, fontSize: 13, cursor: "pointer" }}
onClick={() => setPage("shop")}>See all</span>
    </div>

    <div style={{ display: "flex", gap: 8, marginBottom: 8, overflowX: "auto",
paddingBottom: 4 }}>
        [{"For Work","Weekend Vibes","Minimalist","Trending"].map(t => (
            <span key={t} className="tag" style={{ whiteSpace: "nowrap"
}}>{t}</span>
        )))
    </div>

    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 14,
marginTop: 18 }}>
        {products.slice(0, 4).map(p => (
            <div key={p.id} className="product-card" onClick={() => {
setSelectedProduct(p); setPage("product"); }}>
                <div className="product-img" style={{ background: p.color + "33" }}>
                    <span style={{ fontSize: 56 }}>{p.image}</span>
                    <span className="badge-match" style={{ position: "absolute", top:
10, left: 10 }}>
                        {p.styleMatch}% match
                    </span>
                </div>
            </div>
        ))}
    </div>

```

```

        <div style={{ padding: "12px 14px" }}>
          <p style={{ fontSize: 13, fontWeight: 500, marginBottom: 2
}}>{p.name}</p>
          <p style={{ fontSize: 12, color: palette.muted, marginBottom: 6
}}>{p.brand}</p>
          <p style={{ fontSize: 15, fontWeight: 600, color: palette.purple
}}>${p.price}.00</p>
        </div>
      </div>
    )))
  </div>

  <div style={{ marginTop: 28, marginBottom: 14 }}>
    <p className="serif" style={{ fontSize: 20, fontWeight: 500,
marginBottom: 14 }}>Shop by Vibe</p>
    <div style={{ display: "flex", gap: 10, overflowX: "auto", paddingBottom:
4 }}>

    [
      ["Minimal", "♥"],
      ["Korean", "🌸"],
      ["Streetwear", "👟"],
      ["Casual", "😎"],
      ["Vintage", "🕒"]
    ].map(([v, e]) => (
      <div key={v} onClick={() => setPage("shop")} style={{ background:
"white", border: `1px solid ${palette.border}`, borderRadius: 16, padding: "16px
18px", textAlign: "center", cursor: "pointer", minWidth: 80, flexShrink: 0 }}>
        <div style={{ fontSize: 28, marginBottom: 6 }}>{e}</div>
        <p style={{ fontSize: 12, fontWeight: 500 }}>{v}</p>
      </div>
    )))
  </div>

  <div style={{ marginTop: 24, marginBottom: 14 }}>
    <p className="serif" style={{ fontSize: 20, fontWeight: 500,
marginBottom: 14 }}>Trending Now</p>
    <div style={{ display: "flex", gap: 14, overflowX: "auto", paddingBottom:
4 }}>
      {products.slice(4).map(p => (
        <div key={p.id} onClick={() => { setSelectedProduct(p);
setPage("product"); }} style={{ minWidth: 140, background: "white", borderRadius:
16, border: `1px solid ${palette.border}`, overflow: "hidden", cursor: "pointer",
flexShrink: 0 }}>
          <div style={{ height: 130, background: p.color + "33", display:
"flex", alignItems: "center", justifyContent: "center", fontSize: 48
}}>{p.image}</div>
          <div style={{ padding: "10px 12px" }}>
            <p style={{ fontSize: 12, fontWeight: 500, marginBottom: 2
}}>{p.name}</p>
            <p style={{ fontSize: 13, fontWeight: 600, color: palette.purple
}}>${p.price}</p>
          </div>
        </div>
      ))}
    </div>
  </div>

```

```

    ))}
  </div>
</div>
</div>
</div>
);
}

function ShopPage({ setPage, setSelectedProduct, cart, setCart, products }) {
  const [activeVibe, setActiveVibe] = useState("All");
  const [activeCat, setActiveCat] = useState("All");
  const filtered = products.filter(p =>
    (activeVibe === "All" || p.vibe === activeVibe) &&
    (activeCat === "All" || p.category === activeCat)
  );
  const cartCount = cart.reduce((a, b) => a + b.qty, 0);

  return (
    <div className="screen" style={{ paddingBottom: 90 }}>
      <div style={{ padding: "56px 20px 16px", background: "white", borderBottom:
`1px solid ${palette.border}`, position: "sticky", top: 0, zIndex: 50 }}>
        <div style={{ display: "flex", justifyContent: "space-between", alignItems:
"center", marginBottom: 14 }}>
          <p className="serif" style={{ fontSize: 24, fontWeight: 500 }}>Shop</p>
          <div style={{ position: "relative", cursor: "pointer" }} onClick={() =>
setPage("cart")}>
            <span style={{ fontSize: 26 }}>🛒</span>
            {cartCount > 0 && <span style={{ position: "absolute", top: -4, right:
-6, background: palette.purple, color: "white", fontSize: 10, width: 18, height:
18, borderRadius: "50%", display: "flex", alignItems: "center", justifyContent:
"center", fontWeight: 700 }}>{cartCount}</span>}
          </div>
        </div>
        <div style={{ display: "flex", gap: 8, overflowX: "auto", paddingBottom: 8
}}>
          {VIBES.map(v => (
            <span key={v} className={`tag${activeVibe === v ? " active" : ""}`}
style={{ whiteSpace: "nowrap", cursor: "pointer" }} onClick={() =>
setActiveVibe(v)}>{v}</span>
          ))}
        </div>
        <div style={{ display: "flex", gap: 8, overflowX: "auto", paddingBottom: 4,
marginTop: 8 }}>
          {CATEGORIES.map(c => (
            <span key={c} style={{ whiteSpace: "nowrap", cursor: "pointer",
fontSize: 12, padding: "5px 12px", borderRadius: 100, border: `1px solid
${activeCat === c ? palette.purple : palette.border}`, color: activeCat === c ?
palette.purple : palette.muted, background: activeCat === c ? palette.accent :
"white", transition: "all .15s" }} onClick={() => setActiveCat(c)}>{c}</span>
          ))}
        </div>
      </div>
    </div>
  );
}

```



```

    </div>
  </div>

  <div style={{ padding: "20px 16px" }}>
    <p style={{ fontSize: 13, color: palette.muted, marginBottom: 14 }}>Sorting
    by <span style={{ color: palette.purple, fontWeight: 500 }}>Best for Your
    Style</span> · {filtered.length} items</p>
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 14 }}>
      {filtered.map(p => {
        const inCart = cart.some(c => c.id === p.id);
        return (
          <div key={p.id} className="product-card" onClick={() => {
            setSelectedProduct(p); setPage("product"); }}>
            <div className="product-img" style={{ background: p.color + "33",
            height: 180 }}>
              <span style={{ fontSize: 52 }}>{p.image}</span>
              <span className="badge-match" style={{ position: "absolute", top:
            10, left: 10 }}>
                {p.styleMatch}%
              </span>
              {inCart && <span style={{ position: "absolute", top: 10, right:
            10, background: "white", borderRadius: "50%", width: 24, height: 24, display:
            "flex", alignItems: "center", justifyContent: "center", fontSize: 12 }}>✓</span>}
            </div>
            <div style={{ padding: "12px 14px" }}>
              <p style={{ fontSize: 12, fontWeight: 500, marginBottom: 2,
            lineHeight: 1.3 }}>{p.name}</p>
              <p style={{ fontSize: 11, color: palette.muted, marginBottom: 6
            }}>{p.brand}</p>
              <p style={{ fontSize: 15, fontWeight: 600, color: palette.purple
            }}>${p.price}</p>
            </div>
          </div>
        );
      })}
    </div>
  </div>
);
}

```

```

function ProductPage({ product, setPage, cart, setCart }) {
  const [selectedSize, setSelectedSize] = useState(product.sizes[2] ||
product.sizes[0]);
  const [tab, setTab] = useState("Details");

  const addToCart = () => {
    setCart(prev => {
      const existing = prev.find(i => i.id === product.id && i.size ===
selectedSize);

```

```

        if (existing) return prev.map(i => i.id === product.id && i.size ===
selectedSize ? { ...i, qty: i.qty + 1 } : i);
        return [...prev, { ...product, size: selectedSize, qty: 1 }];
    });
    setPage("cart");
};

return (
    <div className="screen" style={{ paddingBottom: 110 }}>
        <div style={{ padding: "56px 20px 16px", display: "flex", alignItems:
"center", gap: 12, background: "white", borderBottom: `1px solid ${palette.border}`
}}>
            <span style={{ cursor: "pointer", fontSize: 22 }} onClick={() =>
setPage("shop")}></span>
            <p style={{ fontSize: 16, fontWeight: 500 }}>{product.name}</p>
        </div>

        <div style={{ height: 300, background: product.color + "22", display: "flex",
alignItems: "center", justifyContent: "center", position: "relative", fontSize: 110
}}>
            {product.image}
            <div style={{ position: "absolute", bottom: 14, left: 14, display: "flex",
gap: 8 }}>
                {[["Photo", "Photo", "Size", "Size"].map((l, i) => (
                    <div key={i} style={{ background: "white", borderRadius: 10, padding:
"6px 12px", fontSize: 12, color: palette.muted, boxShadow: "0 2px 8px
rgba(0,0,0,.08)" }}>{l}</div>
                ))}]
            </div>
            <div style={{ position: "absolute", top: 14, right: 14, fontSize: 12,
background: "white", borderRadius: 10, padding: "6px 12px", boxShadow: "0 2px 8px
rgba(0,0,0,.08)" }}>360°</div>
        </div>

        <div style={{ padding: "20px 20px 0" }}>
            <div style={{ display: "flex", justifyContent: "space-between", alignItems:
"flex-start", marginBottom: 8 }}>
                <div>
                    <p className="serif" style={{ fontSize: 24, fontWeight: 500
}}>{product.name}</p>
                    <p style={{ fontSize: 13, color: palette.muted }}>{product.brand} .
{product.vibe}</p>
                </div>
                <p style={{ fontSize: 24, fontWeight: 600, color: palette.purple
}}>${product.price}</p>
            </div>

            <div style={{ background: palette.accent, borderRadius: 14, padding: "12px
16px", marginBottom: 18, display: "flex", gap: 10 }}>
                <span style={{ fontSize: 20 }}>💎</span>
            </div>

```

```

        <div>
          <p style={{ fontSize: 12, fontWeight: 600, color: palette.purple,
marginBottom: 2 }}>AI Smart Size Recommendation</p>
          <p style={{ fontSize: 12, color: palette.muted, lineHeight: 1.5
}}>Based on your measurements, we recommend size <strong style={{ color:
palette.text }}>{selectedSize}</strong>. For a more tailored fit, try
{product.sizes[1] || "S"}.</p>
        </div>
      </div>

      <p style={{ fontSize: 13, fontWeight: 500, marginBottom: 10 }}>Select
Size</p>
      <div style={{ display: "flex", gap: 8, marginBottom: 18 }}>
        {product.sizes.map(s => (
          <button key={s} className={`size-btn${selectedSize === s ? " selected"
: ""}`} onClick={() => setSelectedSize(s)}>{s}</button>
        ))}
      </div>

      <div style={{ marginBottom: 18 }}>
        <p style={{ fontSize: 13, fontWeight: 500, marginBottom: 12 }}>Complete
the Look</p>
        <div style={{ display: "flex", gap: 10, overflowX: "auto" }}>
          {PRODUCTS.filter(p => p.id !== product.id).slice(0, 3).map(p => (
            <div key={p.id} style={{ minWidth: 100, background: "white", border:
`1px solid ${palette.border}`, borderRadius: 14, overflow: "hidden", flexShrink: 0
}}>
              <div style={{ height: 80, background: p.color + "33", display:
"flex", alignItems: "center", justifyContent: "center", fontSize: 36
}}>{p.image}</div>
              <div style={{ padding: "8px 10px" }}>
                <p style={{ fontSize: 11, fontWeight: 500 }}>{p.name.split("
").slice(0, 2).join(" ")}</p>
                <p style={{ fontSize: 12, color: palette.purple, fontWeight: 600
}}>${p.price}</p>
              </div>
            </div>
          ))}
        </div>

        <div style={{ display: "flex", gap: 10, borderBottom: `1px solid
${palette.border}`, marginBottom: 16 }}>
          [{"Details", "Care", "Reviews"].map(t => (
            <button key={t} onClick={() => setTab(t)} style={{ padding: "10px
16px", border: "none", background: "transparent", cursor: "pointer", fontSize: 14,
fontWeight: tab === t ? 600 : 400, color: tab === t ? palette.purple :
palette.muted, borderBottom: tab === t ? `2px solid ${palette.purple}` : "2px solid
transparent" }}>{t}</button>
          ))}
        </div>

```

```

    </div>
    <p style={{ fontSize: 14, color: palette.muted, lineHeight: 1.7,
marginBottom: 16 }}>
      {tab === "Details" ? product.description : tab === "Care" ? product.care
: "***** 4.8 · 142 reviews – Customers love the fit and quality. 'Exactly as
described and looks amazing in person.'"}
    </p>

    <div style={{ background: palette.accent, borderRadius: 14, padding: "12px
16px", marginBottom: 6, display: "flex", gap: 10 }}>
      <span style={{ fontSize: 18 }}>◆</span>
      <div>
        <p style={{ fontSize: 12, fontWeight: 600, color: palette.purple,
marginBottom: 2 }}>AI Styling Assistant Guidance</p>
        <p style={{ fontSize: 12, color: palette.muted, lineHeight: 1.5
}}>Perfect for layering! Pair with the outfit recommendations above for that
effortless Parisian style. Confidence Level: High.</p>
      </div>
    </div>
  </div>

  <div style={{ position: "fixed", bottom: 80, left: "50%", transform:
"translateX(-50%)", width: "100%", maxWidth: 430, padding: "0 20px", background:
"rgba(250,250,248,.9)", backdropFilter: "blur(10px)", paddingTop: 12,
paddingBottom: 12 }}>
    <button className="btn-primary" onClick={addToCart}>
      Add to Bag – ${product.price}.00
    </button>
  </div>
</div>
);
}

function CartPage({ cart, setCart, setPage }) {
  const total = cart.reduce((a, b) => a + b.price * b.qty, 0);
  const aiDiscount = Math.round(total * 0.1);

  const updateQty = (id, size, delta) => {
    setCart(prev => prev.map(i => i.id === id && i.size === size ? { ...i, qty:
Math.max(0, i.qty + delta) } : i).filter(i => i.qty > 0));
  };

  return (
    <div className="screen" style={{ paddingBottom: 90 }}>
      <div style={{ padding: "56px 20px 16px", background: "white", borderBottom:
`1px solid ${palette.border}`, display: "flex", alignItems: "center", gap: 12 }}>
        <span style={{ cursor: "pointer", fontSize: 22 }} onClick={() =>
setPage("shop")}></span>
        <p className="serif" style={{ fontSize: 22, fontWeight: 500 }}>My Bag</p>
        <span style={{ marginLeft: "auto", color: palette.purple, fontSize: 13

```

```

}}>{cart.reduce((a, b) => a + b.qty, 0)} items</span>
</div>

{cart.length === 0 ? (
  <div style={{ padding: "60px 20px", textAlign: "center" }}>
    <p style={{ fontSize: 56, marginBottom: 16 }}><img alt="Shopping bag icon" data-bbox="675 105 695 125"/></p>
    <p className="serif" style={{ fontSize: 22, marginBottom: 8 }}>Your bag
is empty</p>
    <p style={{ color: palette.muted, marginBottom: 24, fontSize: 14 }}>Add
items to get started</p>
    <button className="btn-primary" style={{ width: "auto", padding: "14px
32px" }} onClick={() => setPage("shop")}>Browse Shop</button>
  </div>
) : (
  <div style={{ padding: "20px 16px" }}>
    <div style={{ display: "flex", gap: 10, marginBottom: 20 }}>
      {[ "Cart", "Delivery", "Payment" ].map((s, i) => (
        <div key={s} style={{ flex: 1, textAlign: "center", fontSize: 12,
fontWeight: i === 0 ? 600 : 400, color: i === 0 ? palette.purple : palette.muted,
borderBottom: `2px solid ${i === 0 ? palette.purple : palette.border}`,
paddingBottom: 8 }}>{s}</div>
      ))}
    </div>

    <div style={{ display: "flex", flexDirection: "column", gap: 12,
marginBottom: 20 }}>
      {cart.map(item => (
        <div key={`${item.id}-${item.size}`} className="cart-item">
          <div style={{ width: 72, height: 72, borderRadius: 14, background:
item.color + "33", display: "flex", alignItems: "center", justifyContent: "center",
fontSize: 36, flexShrink: 0 }}>{item.image}</div>
          <div style={{ flex: 1, minWidth: 0 }}>
            <p style={{ fontSize: 13, fontWeight: 500, marginBottom: 2,
lineHeight: 1.3 }}>{item.name}</p>
            <p style={{ fontSize: 12, color: palette.muted, marginBottom: 6
}}>Size {item.size}</p>
            <p style={{ fontSize: 14, fontWeight: 600, color: palette.purple
}}>${item.price}</p>
          </div>
          <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
            <button className="qty-btn" onClick={() => updateQty(item.id,
item.size, -1)}>-</button>
            <span style={{ fontSize: 14, fontWeight: 500, minWidth: 16,
textAlign: "center" }}>{item.qty}</span>
            <button className="qty-btn" onClick={() => updateQty(item.id,
item.size, 1)}>+</button>
          </div>
        </div>
      ))}
    </div>
  </div>
)}
</div>

```

```

    <div style={{ marginBottom: 20 }}>
      <p style={{ fontSize: 14, fontWeight: 500, marginBottom: 12 }}>Curated
for You</p>
      <div style={{ display: "flex", gap: 10, overflowX: "auto" }}>
        {PRODUCTS.filter(p => !cart.find(c => c.id === p.id)).slice(0,
3).map(p => (
          <div key={p.id} style={{ minWidth: 100, background: "white",
border: `1px solid ${palette.border}`, borderRadius: 14, overflow: "hidden",
flexShrink: 0 }}>
            <div style={{ height: 72, background: p.color + "33", display:
"flex", alignItems: "center", justifyContent: "center", fontSize: 32
}}>{p.image}</div>
            <div style={{ padding: "8px 10px" }}>
              <p style={{ fontSize: 11, fontWeight: 500 }}>{p.brand}</p>
              <p style={{ fontSize: 12, color: palette.purple
}}>${p.price}</p>
            </div>
          </div>
        ))}
      </div>

      <div style={{ background: "white", borderRadius: 20, padding: "20px",
border: `1px solid ${palette.border}`, marginBottom: 16 }}>
        <p className="serif" style={{ fontSize: 17, fontWeight: 500,
marginBottom: 14 }}>Elegant Summary</p>
        {[[["Subtotal", `${total}`], ["AI Discount (10%)", `-${aiDiscount}`],
["Shipping", "$0.00"]].map(([l, v]) => (
          <div key={l} style={{ display: "flex", justifyContent:
"space-between", marginBottom: 10, fontSize: 14 }}>
            <span style={{ color: palette.muted }}>{l}</span>
            <span style={{ color: l.includes("Discount") ? "#22C55E" :
palette.text, fontWeight: l.includes("Discount") ? 500 : 400 }}>{v}</span>
          </div>
        ))}
        <div style={{ borderTop: `1px solid ${palette.border}`, paddingTop: 12,
display: "flex", justifyContent: "space-between", fontSize: 16, fontWeight: 600 }}>
          <span>Total</span>
          <span style={{ color: palette.purple }}>${total - aiDiscount}</span>
        </div>
      </div>

      <button className="btn-primary" onClick={() => setPage("checkout")}>
        Checkout – ${total - aiDiscount}
      </button>
    </div>
  )}
</div>
);

```

```
}
```

```
function CheckoutPage({ cart, setPage, setCart }) {
  const total = cart.reduce((a, b) => a + b.price * b.qty, 0);
  const aiDiscount = Math.round(total * 0.1);

  const placeOrder = () => {
    setCart([]);
    setPage("tracking");
  };

  return (
    <div className="screen" style={{ paddingBottom: 90 }}>
      <div style={{ padding: "56px 20px 16px", background: "white", borderBottom:
`1px solid ${palette.border}`, display: "flex", alignItems: "center", gap: 12 }}>
        <span style={{ cursor: "pointer", fontSize: 22 }} onClick={() =>
setPage("cart")}></span>
        <p className="serif" style={{ fontSize: 22, fontWeight: 500 }}>Checkout</p>
      </div>

      <div style={{ padding: "20px 16px" }}>
        <div style={{ marginBottom: 20 }}>
          <p style={{ fontSize: 14, fontWeight: 600, marginBottom: 12 }}>Delivery
Address</p>
          <div style={{ background: "white", borderRadius: 16, border: `1px solid
${palette.border}`, overflow: "hidden" }}>
            <div style={{ padding: "14px 16px", display: "flex", justifyContent:
"space-between", alignItems: "center", cursor: "pointer" }}>
              <div>
                <p style={{ fontSize: 14, fontWeight: 500 }}>Home</p>
                <p style={{ fontSize: 12, color: palette.muted, marginTop: 2 }}>Add
your delivery address</p>
              </div>
              <span style={{ color: palette.purple, fontSize: 18 }}>></span>
            </div>
          </div>

          <div style={{ display: "flex", flexDirection: "column", gap: 12,
marginBottom: 20 }}>
            [[["Full Name", "text"], ["Email Address", "email"], ["Phone
Number", "tel"], ["Street Address", "text"], ["City", "text"], ["PIN
Code", "text"]].map(([p, t]) => (
              <input key={p} className="input-field" placeholder={p} type={t} />
            ))]
          </div>

          <div style={{ marginBottom: 20 }}>
            <p style={{ fontSize: 14, fontWeight: 600, marginBottom: 12 }}>Payment
Method</p>

```

```

        [[[["🍏", "Apple Pay", true], ["💳", "Credit Card", false]].map(([icon,
label, selected]) => (
            <div key={label} style={{ background: "white", borderRadius: 14,
border: `1.5px solid ${selected ? palette.purple : palette.border}`, padding: "14px
16px", marginBottom: 10, display: "flex", alignItems: "center", gap: 12, cursor:
"pointer" }}>
                <span style={{ fontSize: 22 }}>{icon}</span>
                <span style={{ fontSize: 14, fontWeight: selected ? 500 : 400
}}>{label}</span>
                {selected && <span style={{ marginLeft: "auto", width: 20, height:
20, borderRadius: "50%", background: palette.purple, display: "flex", alignItems:
"center", justifyContent: "center", color: "white", fontSize: 12 }}>✓</span>}
            </div>
        ))}
    </div>

    <div style={{ background: "white", borderRadius: 20, padding: "20px",
border: `1px solid ${palette.border}`, marginBottom: 20 }}>
        <p className="serif" style={{ fontSize: 17, fontWeight: 500,
marginBottom: 14 }}>Order Summary</p>
        {cart.map(item => (
            <div key={`-${item.id}-${item.size}`} style={{ display: "flex", gap: 12,
marginBottom: 12 }}>
                <div style={{ width: 48, height: 48, borderRadius: 10, background:
item.color + "33", display: "flex", alignItems: "center", justifyContent: "center",
fontSize: 24 }}>{item.image}</div>
                <div style={{ flex: 1 }}>
                    <p style={{ fontSize: 13, fontWeight: 500 }}>{item.name} - Size
{item.size}</p>
                    <p style={{ fontSize: 13, color: palette.muted }}>Qty {item.qty} .
${item.price * item.qty}</p>
                </div>
            </div>
        ))}
        <div style={{ borderTop: `1px solid ${palette.border}`, paddingTop: 12,
display: "flex", justifyContent: "space-between", fontSize: 16, fontWeight: 700 }}>
            <span>Total</span>
            <span style={{ color: palette.purple }}>${total - aiDiscount}</span>
        </div>
    </div>

    <button className="btn-primary" onClick={placeOrder}>
        Place Order – ${total - aiDiscount} 💎
    </button>
</div>
</div>
);
}

```

```
function TrackingPage({ setPage }) {
```



```

const steps = [
  { label: "Order Confirmed", sub: "We're preparing your look!", date: "Oct 12, 10:30 AM", status: "done" },
  { label: "Shipped 📦", sub: "Your curated pieces are on their way!", date: "Oct 13, 2:15 PM", status: "done" },
  { label: "Out for Delivery", sub: "Estimated arrival: Today by 6:00 PM", date: "Follow live!", status: "active" },
  { label: "Delivered", sub: "Enjoy your new look!", date: "", status: "pending" }
],

return (
  <div className="screen" style={{ paddingBottom: 90 }}>
    <div style={{ padding: "56px 20px 16px", background: "white", borderBottom: `1px solid ${palette.border}`, display: "flex", alignItems: "center", gap: 12 }}>
      <span style={{ cursor: "pointer", fontSize: 22 }} onClick={() => setPage("home")}></span>
      <p className="serif" style={{ fontSize: 22, fontWeight: 500 }}>Order in Style</p>
    </div>

    <div style={{ padding: "24px 20px" }}>
      <div style={{ background: palette.accent, borderRadius: 20, padding: "20px", marginBottom: 24, textAlign: "center" }}>
        <p style={{ fontSize: 48, marginBottom: 8 }}>📦</p>
        <p className="serif" style={{ fontSize: 20, fontWeight: 500, color: palette.purple, marginBottom: 4 }}>Order Confirmed!</p>
        <p style={{ fontSize: 13, color: palette.muted }}>Your stylish order is on its way</p>
      </div>

      <div style={{ background: "white", borderRadius: 20, border: `1px solid ${palette.border}`, padding: "24px 20px", marginBottom: 20 }}>
        <p style={{ fontSize: 13, fontWeight: 600, marginBottom: 20, color: palette.muted, letterSpacing: 1 }}>TRACKING STATUS</p>
        {steps.map((step, i) => (
          <div key={step.label} style={{ display: "flex", gap: 14, marginBottom: i < steps.length - 1 ? 24 : 0 }}>
            <div style={{ display: "flex", flexDirection: "column", alignItems: "center" }}>
              <div className={`step-circle ${step.status}`}>
                {step.status === "done" ? "✓" : step.status === "active" ? "●" : i + 1}
              </div>
              {i < steps.length - 1 && <div style={{ width: 2, flex: 1, minHeight: 24, background: step.status === "done" ? palette.purple : palette.border, marginTop: 4 }} />}
            </div>
            <div style={{ paddingBottom: 8 }}>
              <p style={{ fontSize: 14, fontWeight: 600, marginBottom: 2, color:

```

```

step.status === "pending" ? palette.muted : palette.text }}>{step.label}</p>
      <p style={{ fontSize: 12, color: palette.muted, marginBottom: 2
    }}>{step.sub}</p>
      {step.date && <p style={{ fontSize: 11, color: palette.purple,
fontWeight: 500 }}>Date: {step.date}</p>}
    </div>
  </div>
  )}}
</div>

  <div style={{ background: "white", borderRadius: 20, border: `1px solid
${palette.border}`, padding: "20px", marginBottom: 20 }}>
    <p className="serif" style={{ fontSize: 17, fontWeight: 500,
marginBottom: 14 }}>Style Your Look While You Wait</p>
    <p style={{ fontSize: 13, color: palette.muted, marginBottom: 14 }}>Need
more tips? Chat with our AI Stylist anytime for more styling inspiration.</p>
    <div style={{ display: "flex", gap: 10 }}>
      {[["Classic Layering", "👔"], ["Effortless
Streetwear", "👟"]].map(([label, icon]) => (
        <div key={label} style={{ flex: 1, background: palette.accent,
borderRadius: 14, padding: "14px", textAlign: "center", cursor: "pointer" }}>
          <p style={{ fontSize: 28, marginBottom: 6 }}>{icon}</p>
          <p style={{ fontSize: 12, fontWeight: 500, color: palette.purple
}}>{label}</p>
          <p style={{ fontSize: 11, color: palette.purple, marginTop: 4,
fontWeight: 500 }}>See Outfit</p>
        </div>
      )}}
    </div>
  </div>

  <div style={{ display: "flex", gap: 12 }}>
    <button className="btn-outline" style={{ flex: 1 }} onClick={() =>
setPage("home")}>Continue Shopping</button>
    <button className="btn-primary" style={{ flex: 1 }} onClick={() =>
setPage("home")}>Need Help?</button>
  </div>
</div>
</div>
);
}

function StylistPage({ setPage }) {
  const [msg, setMsg] = useState("");
  const [chat, setChat] = useState([
    { from: "ai", text: "Hi! I'm your AI Stylist 💎 Tell me what you're dressing
for today – a date, work, weekend? I'll curate the perfect look for you." },
  ]);
  const [loading, setLoading] = useState(false);

```

```

const sendMessage = async () => {
  if (!msg.trim()) return;
  const userMsg = msg;
  setMsg("");
  setChat(prev => [...prev, { from: "user", text: userMsg }]);
  setLoading(true);
  try {
    const res = await fetch("https://api.anthropic.com/v1/messages", {
      method: "POST",
      headers: { "Content-Type": "application/json" },
      body: JSON.stringify({
        model: "claude-sonnet-4-20250514",
        max_tokens: 1000,
        system: "You are Stylio, an AI fashion stylist assistant for a premium fashion e-commerce app. You give personalized outfit recommendations, styling tips, and fashion advice in a warm, encouraging, concise tone. Keep responses under 100 words. Mention specific outfit combinations, color palettes, and styling hacks.",
        messages: [
          ...chat.filter(c => c.from !== "ai" || chat.indexOf(c) > 0).map(c => ({
            role: c.from === "user" ? "user" : "assistant", content: c.text })),
          { role: "user", content: userMsg }
        ]
      })
    });
    const data = await res.json();
    const reply = data.content?.[0]?.text || "Let me think about that styling combination for you!";
    setChat(prev => [...prev, { from: "ai", text: reply }]);
  } catch {
    setChat(prev => [...prev, { from: "ai", text: "I'm here! For a stylish look today, try layering an oversized blazer with wide-leg trousers for that effortless Parisian vibe. Add chunky sneakers for contrast! 🧥👟" }]);
  }
  setLoading(false);
};

return (
  <div className="screen" style={{ display: "flex", flexDirection: "column", height: "100vh" }}>
    <div style={{ padding: "56px 20px 16px", background: "white", borderBottom: `1px solid ${palette.border}` }}>
      <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
        <div style={{ width: 40, height: 40, borderRadius: "50%", background: palette.accent, display: "flex", alignItems: "center", justifyContent: "center", fontSize: 20 }}>👤</div>
        <div>
          <p style={{ fontSize: 15, fontWeight: 600 }}>AI Stylist</p>
          <p style={{ fontSize: 12, color: "#22C55E" }}>● Online · Personalized for you</p>
        </div>
      </div>
    </div>
  </div>

```

```

    </div>
  </div>

  <div style={{ flex: 1, overflowY: "auto", padding: "20px 16px", display:
"flex", flexDirection: "column", gap: 12 }}>
    {chat.map((c, i) => (
      <div key={i} style={{ display: "flex", justifyContent: c.from === "user"
? "flex-end" : "flex-start", gap: 8 }}>
        {c.from === "ai" && <div style={{ width: 32, height: 32, borderRadius:
"50%", background: palette.accent, display: "flex", alignItems: "center",
justifyContent: "center", fontSize: 16, flexShrink: 0 }}>❖</div>}
        <div style={{ maxWidth: "75%", background: c.from === "ai" ? "white" :
palette.purple, color: c.from === "ai" ? palette.text : "white", borderRadius:
c.from === "ai" ? "4px 18px 18px 18px" : "18px 18px 4px 18px", padding: "12px
16px", fontSize: 14, lineHeight: 1.6, border: c.from === "ai" ? `1px solid
${palette.border}` : "none" }}>
          {c.text}
        </div>
      </div>
    ))}
    {loading && (
      <div style={{ display: "flex", gap: 8 }}>
        <div style={{ width: 32, height: 32, borderRadius: "50%", background:
palette.accent, display: "flex", alignItems: "center", justifyContent: "center",
fontSize: 16 }}>❖</div>
        <div style={{ background: "white", border: `1px solid
${palette.border}`, borderRadius: "4px 18px 18px 18px", padding: "12px 16px" }}>
          <span style={{ color: palette.muted, fontSize: 20, letterSpacing: 4
}}>...</span>
        </div>
      </div>
    )}
  </div>

  <div style={{ padding: "12px 16px 20px", background: "white", borderTop: `1px
solid ${palette.border}` }}>
    <div style={{ display: "flex", gap: 8, marginBottom: 10, overflowX: "auto"
}}>
      [{"Style for work 🏢","Weekend outfit 🍷","Date night 🌙","Festival look
🎵"}].map(q => (
        <span key={q} style={{ whiteSpace: "nowrap", padding: "7px 14px",
background: palette.accent, borderRadius: 100, fontSize: 12, color: palette.purple,
cursor: "pointer", flexShrink: 0 }} onClick={() => { setMsg(q); }}>{q}</span>
      ))}
    </div>
    <div style={{ display: "flex", gap: 10 }}>
      <input className="input-field" style={{ flex: 1 }} placeholder="Ask your
AI Stylist..." value={msg} onChange={e => setMsg(e.target.value)} onKeyDown={e =>
e.key === "Enter" && sendMessage()} />
      <button className="btn-primary" style={{ width: "auto", padding: "0 20px"

```

```

}} onClick={sendMessage}>Send</button>
    </div>
  </div>
</div>
);
}

function ProfilePage({ setPage }) {
  const purchases = [
    { name: "Modey Blazer", qty: 2, image: "🧥" },
    { name: "Wide-leg Trousers", qty: 1, image: "👖" },
  ];
  return (
    <div className="screen" style={{ paddingBottom: 90 }}>
      <div style={{ padding: "56px 20px 20px", background: `linear-gradient(160deg, #E8E4FF 0%, #F5F3FF 100%)` }}>
        <div style={{ display: "flex", alignItems: "center", gap: 14, marginBottom: 16 }}>
          <div style={{ width: 60, height: 60, borderRadius: "50%", background: "white", display: "flex", alignItems: "center", justifyContent: "center", fontSize: 30, border: `2px solid ${palette.purple}` }}>👤</div>
          <div>
            <p className="serif" style={{ fontSize: 20, fontWeight: 500 }}>Welcome back,</p>
            <p style={{ fontSize: 13, color: palette.muted }}>Style Icon</p>
          </div>
          <button className="btn-outline" style={{ marginLeft: "auto", padding: "8px 16px", fontSize: 12 }}>Edit Profile</button>
        </div>
        <div style={{ background: "white", borderRadius: 16, padding: "14px 16px" }}>
          <p style={{ fontSize: 12, fontWeight: 600, color: palette.purple, marginBottom: 8 }}>Your AI Fashion Identity</p>
          <p style={{ fontSize: 14, fontWeight: 500, marginBottom: 6 }}>Confident & Curated ✨</p>
          <p style={{ fontSize: 12, color: palette.muted, lineHeight: 1.5, marginBottom: 10 }}>Based on your 11 purchases, including the Modey Blazer and the $110 order.</p>
          <div style={{ display: "flex", gap: 8 }}>
            [[["Style Type", "Gen Z"], ["Primary Colors", "Lavender & Beige"], ["Confidence", "High"]].map(([l, v]) => (
              <div key={l} style={{ flex: 1, background: palette.accent, borderRadius: 10, padding: "8px 10px" }}>
                <p style={{ fontSize: 10, color: palette.muted, marginBottom: 2 }}>{l}</p>
                <p style={{ fontSize: 11, fontWeight: 500, color: palette.purple }}>{v}</p>
              </div>
            ))]
          </div>
        </div>
      </div>
    </div>
  );
}

```

```

    </div>
  </div>

  <div style={{ padding: "20px 16px" }}>
    <div className="profile-section">
      <div style={{ display: "flex", justifyContent: "space-between",
marginBottom: 14 }}>
        <p style={{ fontSize: 14, fontWeight: 600 }}>Virtual Wardrobe</p>
        <span style={{ color: palette.purple, fontSize: 12, cursor: "pointer"
}}>See all</span>
      </div>
      <div style={{ display: "grid", gridTemplateColumns: "repeat(4, 1fr)",
gap: 8 }}>
        {[["👕", "Tops"], ["👖", "Bottoms"], ["🧥", "Jackets"], ["🧥", "Blazer"],
["👕", "Shirts"], ["🧥", "Cooing"], ["👜", "Access."], ["🔍", "More"]].map(([e, l]) => (
          <div key={l} style={{ background: palette.bg, borderRadius: 12,
padding: "10px 6px", textAlign: "center" }}>
            <p style={{ fontSize: 22, marginBottom: 4 }}>{e}</p>
            <p style={{ fontSize: 10, color: palette.muted }}>{l}</p>
          </div>
        ))}
      </div>
    </div>

    <div className="profile-section">
      <p style={{ fontSize: 14, fontWeight: 600, marginBottom: 8
}}>Personalized AI Size Guidance</p>
      <div style={{ background: palette.accent, borderRadius: 12, padding:
"12px 14px", display: "flex", gap: 10 }}>
        <span style={{ fontSize: 20 }}>💎</span>
        <p style={{ fontSize: 12, color: palette.muted, lineHeight: 1.5 }}>I've
analyzed your orders. Size <strong style={{ color: palette.text }}>M</strong>
remains your best fit across major brands!</p>
      </div>
    </div>

    <div className="profile-section">
      <div style={{ display: "flex", justifyContent: "space-between",
marginBottom: 14 }}>
        <p style={{ fontSize: 14, fontWeight: 600 }}>Your Wishlist</p>
        <span style={{ color: palette.purple, fontSize: 12, cursor: "pointer"
}}>See all</span>
      </div>
      <div style={{ display: "flex", gap: 10 }}>
        {PRODUCTS.slice(0, 3).map(p => (
          <div key={p.id} style={{ flex: 1, background: palette.bg,
borderRadius: 12, overflow: "hidden" }}>
            <div style={{ height: 70, background: p.color + "33", display:
"flex", alignItems: "center", justifyContent: "center", fontSize: 32
}}>{p.image}</div>

```

```

        <div style={{ padding: "8px 8px" }}>
          <p style={{ fontSize: 10, fontWeight: 500, marginBottom: 2
}}>{p.brand}</p>
          <p style={{ fontSize: 11, color: palette.purple, fontWeight: 600
}}>${p.price}</p>
        </div>
      </div>
    )}}
  </div>
</div>

```

```

    <div className="profile-section">
      <div style={{ display: "flex", justifyContent: "space-between",
marginBottom: 14 }}>
        <p style={{ fontSize: 14, fontWeight: 600 }}>Recent Purchases</p>
        <span style={{ color: palette.purple, fontSize: 12, cursor: "pointer"
}}>See all</span>
      </div>
      {purchases.map(p => (
        <div key={p.name} style={{ display: "flex", alignItems: "center", gap:
12, marginBottom: 10 }}>
          <div style={{ width: 44, height: 44, borderRadius: 10, background:
palette.accent, display: "flex", alignItems: "center", justifyContent: "center",
fontSize: 22 }}>{p.image}</div>
          <div style={{ flex: 1 }}>
            <p style={{ fontSize: 13, fontWeight: 500 }}>{p.name}</p>
            <p style={{ fontSize: 12, color: palette.muted }}>Qty {p.qty}</p>
          </div>
          <button onClick={() => setPage("tracking")} style={{ fontSize: 12,
color: palette.purple, background: "none", border: "none", cursor: "pointer",
fontWeight: 500 }}>Track →</button>
        </div>
      )}}
    </div>
  </div>
</div>
);
}

```

```

function WishlistPage({ setPage, setSelectedProduct }) {
  return (
    <div className="screen" style={{ paddingBottom: 90 }}>
      <div style={{ padding: "56px 20px 16px", background: "white", borderBottom:
`1px solid ${palette.border}` }}>
        <p className="serif" style={{ fontSize: 24, fontWeight: 500 }}>Wishlist ♡
</p>
      </div>
      <div style={{ padding: "20px 16px" }}>
        <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 14 }}>
          {PRODUCTS.slice(2, 6).map(p => (

```

```

        <div key={p.id} className="product-card" onClick={() => {
setSelectedProduct(p); setPage("product"); }}>
        <div className="product-img" style={{ background: p.color + "33",
height: 170 }}>
            <span style={{ fontSize: 52 }}>{p.image}</span>
            <span style={{ position: "absolute", top: 10, right: 10, fontSize:
18 }}><img alt="heart icon" data-bbox="245 188 265 205"/></span>
        </div>
        <div style={{ padding: "12px 14px" }}>
            <p style={{ fontSize: 12, fontWeight: 500, marginBottom: 2
}}>{p.name}</p>
            <p style={{ fontSize: 11, color: palette.muted, marginBottom: 6
}}>{p.brand}</p>
            <p style={{ fontSize: 15, fontWeight: 600, color: palette.purple
}}>${p.price}</p>
        </div>
    </div>
    )}}
</div>
</div>
);
}

```

```

export default function App() {
    const [page, setPage] = useState("login");
    const [selectedProduct, setSelectedProduct] = useState(null);
    const [cart, setCart] = useState([]);

    const showNav = page !== "login";
    const cartCount = cart.reduce((a, b) => a + b.qty, 0);

    const handleLogin = () => setPage("home");

    return (
        <>
            <style>{styleTag}</style>
            {page === "login" && <LoginPage onLogin={handleLogin} />}
            {page === "home" && <HomePage setPage={setPage}
setSelectedProduct={setSelectedProduct} products={PRODUCTS} />}
            {page === "shop" && <ShopPage setPage={setPage}
setSelectedProduct={setSelectedProduct} cart={cart} setCart={setCart}
products={PRODUCTS} />}
            {page === "product" && selectedProduct && <ProductPage
product={selectedProduct} setPage={setPage} cart={cart} setCart={setCart} />}
            {page === "cart" && <CartPage cart={cart} setCart={setCart} setPage={setPage}
/>}
            {page === "checkout" && <CheckoutPage cart={cart} setPage={setPage}
setCart={setCart} />}
            {page === "tracking" && <TrackingPage setPage={setPage} />}
        </>
    );
}

```



```
        {page === "stylist" && <StylistPage setPage={setPage} />}
        {page === "profile" && <ProfilePage setPage={setPage} />}
        {page === "wishlist" && <WishlistPage setPage={setPage}
setSelectedProduct={setSelectedProduct} />}
        {showNav && <NavBar page={page} setPage={setPage} cartCount={cartCount} />}
    </>
  );
}
```