

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 1: Planned Treatment for Period 01 = Placebo

Product-Limit Survival Estimates					
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left
0.000	1.0000	0	0	0	86
1.000	0.9884	0.0116	0.0116	1	85
2.000	0.9767	0.0233	0.0163	2	84
3.000	.	.	.	3	83
3.000	0.9535	0.0465	0.0227	4	82
7.000	0.9419	0.0581	0.0252	5	81
8.000	*	.	.	5	80
9.000	0.9301	0.0699	0.0275	6	79
12.000	*	.	.	6	78
13.000	*	.	.	6	77
14.000	*	.	.	6	76
16.000	0.9178	0.0822	0.0298	7	75
21.000	0.9056	0.0944	0.0318	8	74
24.000	.	.	.	9	73
24.000	0.8811	0.1189	0.0353	10	72
26.000	0.8689	0.1311	0.0369	11	71
27.000	0.8567	0.1433	0.0383	12	70
28.000	0.8444	0.1556	0.0397	13	69
31.000	*	.	.	13	68
32.000	*	.	.	13	67
33.000	0.8318	0.1682	0.0411	14	66
35.000	0.8192	0.1808	0.0423	15	65
42.000	0.8066	0.1934	0.0435	16	64
43.000	0.7940	0.2060	0.0446	17	63
46.000	*	.	.	17	62
48.000	0.7812	0.2188	0.0457	18	61
56.000	0.7684	0.2316	0.0467	19	60
57.000	*	.	.	19	59
63.000	*	.	.	19	58
64.000	0.7551	0.2449	0.0478	20	57
64.000	*	.	.	20	56
67.000	*	.	.	20	55
70.000	0.7414	0.2586	0.0488	21	54
70.000	*	.	.	21	53
77.000	.	.	.	22	52
77.000	0.7134	0.2866	0.0508	23	51
79.000	0.6994	0.3006	0.0517	24	50
83.000	0.6855	0.3145	0.0525	25	49
90.000	0.6715	0.3285	0.0533	26	48
97.000	0.6575	0.3425	0.0540	27	47
110.000	0.6435	0.3565	0.0546	28	46

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 1: Planned Treatment for Period 01 = Placebo

Product-Limit Survival Estimates						
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left	
116.000	*	.	.	28	45	
135.000	*	.	.	28	44	
139.000	*	.	.	28	43	
139.000	*	.	.	28	42	
142.000	*	.	.	28	41	
148.000	*	.	.	28	40	
162.000	*	.	.	28	39	
175.000	*	.	.	28	38	
175.000	*	.	.	28	37	
177.000	0.6261	0.3739	0.0559	29	36	
177.000	*	.	.	29	35	
181.000	*	.	.	29	34	
181.000	*	.	.	29	33	
181.000	*	.	.	29	32	
181.000	*	.	.	29	31	
182.000	*	.	.	29	30	
182.000	*	.	.	29	29	
182.000	*	.	.	29	28	
182.000	*	.	.	29	27	
183.000	*	.	.	29	26	
183.000	*	.	.	29	25	
183.000	*	.	.	29	24	
183.000	*	.	.	29	23	
183.000	*	.	.	29	22	
183.000	*	.	.	29	21	
183.000	*	.	.	29	20	
183.000	*	.	.	29	19	
183.000	*	.	.	29	18	
183.000	*	.	.	29	17	
183.000	*	.	.	29	16	
183.000	*	.	.	29	15	
183.000	*	.	.	29	14	
184.000	*	.	.	29	13	
184.000	*	.	.	29	12	
184.000	*	.	.	29	11	
185.000	*	.	.	29	10	
188.000	*	.	.	29	9	
189.000	*	.	.	29	8	
189.000	*	.	.	29	7	
191.000	*	.	.	29	6	
191.000	*	.	.	29	5	

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 1: Planned Treatment for Period 01 = Placebo

Product-Limit Survival Estimates						
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left	
195.000	*	.	.	29	4	
196.000	*	.	.	29	3	
196.000	*	.	.	29	2	
197.000	*	.	.	29	1	
198.000	*	.	.	29	0	

Note: The marked survival times are censored observations.

Summary Statistics for Time Variable AVAL

Quartile Estimates				
95% Confidence Interval				
Percent	Point Estimate	Transform	[Lower	Upper)
75	.	LOGLOG	.	.
50	.	LOGLOG	.	.
25	70.000	LOGLOG	28.000	110.000

Mean	Standard Error
129.866	7.534

Note: The mean survival time and its standard error were underestimated because the largest observation was censored and the estimation was restricted to the largest event time.

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 2: Planned Treatment for Period 01 = Xanomeline High Dose

Product-Limit Survival Estimates					
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left
0.000	1.0000	0	0	0	84
1.000	.	.	.	1	83
1.000	.	.	.	2	82
1.000	0.9643	0.0357	0.0202	3	81
1.000 *	.	.	.	3	80
2.000	.	.	.	4	79
2.000	.	.	.	5	78
2.000	.	.	.	6	77
2.000	.	.	.	7	76
2.000	0.9040	0.0960	0.0323	8	75
3.000	.	.	.	9	74
3.000	.	.	.	10	73
3.000	.	.	.	11	72
3.000	0.8558	0.1442	0.0385	12	71
4.000	.	.	.	13	70
4.000	0.8317	0.1683	0.0410	14	69
5.000	.	.	.	15	68
5.000	0.8076	0.1924	0.0432	16	67
6.000 *	.	.	.	16	66
6.000 *	.	.	.	16	65
7.000	0.7952	0.2048	0.0443	17	64
8.000 *	.	.	.	17	63
8.000 *	.	.	.	17	62
8.000 *	.	.	.	17	61
11.000 *	.	.	.	17	60
13.000	.	.	.	18	59
13.000	0.7687	0.2313	0.0466	19	58
14.000	.	.	.	20	57
14.000	0.7422	0.2578	0.0487	21	56
14.000 *	.	.	.	21	55
15.000	0.7287	0.2713	0.0496	22	54
15.000 *	.	.	.	22	53
16.000	.	.	.	23	52
16.000	0.7012	0.2988	0.0514	24	51
18.000	0.6874	0.3126	0.0522	25	50
18.000 *	.	.	.	25	49
19.000	0.6734	0.3266	0.0530	26	48
20.000	.	.	.	27	47
20.000	0.6453	0.3547	0.0544	28	46
22.000	0.6313	0.3687	0.0550	29	45
22.000 *	.	.	.	29	44

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 2: Planned Treatment for Period 01 = Xanomeline High Dose

Product-Limit Survival Estimates					
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left
23.000	0.6170	0.3830	0.0556	30	43
24.000	0.6026	0.3974	0.0561	31	42
25.000	0.5883	0.4117	0.0566	32	41
29.000	.	.	.	33	40
29.000	0.5596	0.4404	0.0573	34	39
29.000 *	.	.	.	34	38
30.000	.	.	.	35	37
30.000	0.5301	0.4699	0.0580	36	36
30.000 *	.	.	.	36	35
31.000	0.5150	0.4850	0.0583	37	34
36.000	0.4998	0.5002	0.0585	38	33
37.000	0.4847	0.5153	0.0586	39	32
39.000	0.4695	0.5305	0.0587	40	31
42.000	0.4544	0.5456	0.0587	41	30
43.000 *	.	.	.	41	29
44.000	.	.	.	42	28
44.000	0.4230	0.5770	0.0587	43	27
44.000 *	.	.	.	43	26
46.000	.	.	.	44	25
46.000	.	.	.	45	24
46.000	0.3742	0.6258	0.0583	46	23
47.000	0.3580	0.6420	0.0580	47	22
50.000	0.3417	0.6583	0.0576	48	21
51.000	.	.	.	49	20
51.000	.	.	.	50	19
51.000	0.2929	0.7071	0.0559	51	18
52.000	0.2766	0.7234	0.0551	52	17
55.000	0.2603	0.7397	0.0542	53	16
55.000 *	.	.	.	53	15
58.000	0.2430	0.7570	0.0533	54	14
61.000	0.2256	0.7744	0.0522	55	13
63.000 *	.	.	.	55	12
64.000	0.2068	0.7932	0.0511	56	11
68.000 *	.	.	.	56	10
69.000 *	.	.	.	56	9
70.000	0.1838	0.8162	0.0504	57	8
71.000	0.1609	0.8391	0.0490	58	7
89.000	0.1379	0.8621	0.0471	59	6
94.000	0.1149	0.8851	0.0445	60	5
96.000	0.0919	0.9081	0.0411	61	4
167.000 *	.	.	.	61	3

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 2: Planned Treatment for Period 01 = Xanomeline High Dose

Product-Limit Survival Estimates						
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left	
180.000	*	.	.	61	2	
188.000	*	.	.	61	1	
189.000	*	.	.	61	0	

Note: The marked survival times are censored observations.

Summary Statistics for Time Variable AVAL

Quartile Estimates					
95% Confidence Interval					
Percent	Point Estimate	Transform	[Lower Upper]		
75	58.000	LOGLOG	47.000	89.000	
50	36.000	LOGLOG	23.000	46.000	
25	14.000	LOGLOG	4.000	20.000	

Mean	Standard Error
40.075	3.689

Note: The mean survival time and its standard error were underestimated because the largest observation was censored and the estimation was restricted to the largest event time.

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 3: Planned Treatment for Period 01 = Xanomeline Low Dose

Product-Limit Survival Estimates					
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left
0.000	1.0000	0	0	0	84
1.000	0.9881	0.0119	0.0118	1	83
2.000	.	.	.	2	82
2.000	.	.	.	3	81
2.000	0.9524	0.0476	0.0232	4	80
3.000	.	.	.	5	79
3.000	0.9286	0.0714	0.0281	6	78
5.000	0.9167	0.0833	0.0302	7	77
5.000 *	.	.	.	7	76
8.000 *	.	.	.	7	75
11.000 *	.	.	.	7	74
12.000	.	.	.	8	73
12.000	.	.	.	9	72
12.000	0.8795	0.1205	0.0358	10	71
14.000 *	.	.	.	10	70
15.000	.	.	.	11	69
15.000	.	.	.	12	68
15.000	.	.	.	13	67
15.000	.	.	.	14	66
15.000	0.8167	0.1833	0.0428	15	65
17.000	.	.	.	16	64
17.000	.	.	.	17	63
17.000	0.7790	0.2210	0.0461	18	62
18.000	.	.	.	19	61
18.000	0.7539	0.2461	0.0479	20	60
19.000	.	.	.	21	59
19.000	0.7287	0.2713	0.0495	22	58
20.000 *	.	.	.	22	57
21.000	.	.	.	23	56
21.000	0.7032	0.2968	0.0509	24	55
22.000	.	.	.	25	54
22.000	0.6776	0.3224	0.0522	26	53
23.000	0.6648	0.3352	0.0528	27	52
24.000	0.6520	0.3480	0.0533	28	51
24.000 *	.	.	.	28	50
25.000	0.6390	0.3610	0.0538	29	49
27.000	.	.	.	30	48
27.000	.	.	.	31	47
27.000	0.5999	0.4001	0.0550	32	46
28.000	.	.	.	33	45
28.000	0.5738	0.4262	0.0556	34	44

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 3: Planned Treatment for Period 01 = Xanomeline Low Dose

Product-Limit Survival Estimates						
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left	
28.000	*	.	.	34	43	
29.000	0.5604	0.4396	0.0559	35	42	
30.000	.	.	.	36	41	
30.000	0.5337	0.4663	0.0563	37	40	
31.000	0.5204	0.4796	0.0565	38	39	
32.000	0.5071	0.4929	0.0566	39	38	
33.000	0.4937	0.5063	0.0567	40	37	
34.000	0.4804	0.5196	0.0567	41	36	
35.000	0.4670	0.5330	0.0567	42	35	
35.000	*	.	.	42	34	
37.000	*	.	.	42	33	
39.000	0.4529	0.5471	0.0567	43	32	
39.000	*	.	.	43	31	
41.000	0.4383	0.5617	0.0567	44	30	
41.000	*	.	.	44	29	
43.000	0.4232	0.5768	0.0567	45	28	
43.000	*	.	.	45	27	
46.000	.	.	.	46	26	
46.000	0.3918	0.6082	0.0567	47	25	
48.000	0.3761	0.6239	0.0565	48	24	
49.000	*	.	.	48	23	
51.000	0.3598	0.6402	0.0564	49	22	
57.000	.	.	.	50	21	
57.000	0.3271	0.6729	0.0558	51	20	
60.000	0.3107	0.6893	0.0554	52	19	
64.000	*	.	.	52	18	
68.000	0.2935	0.7065	0.0549	53	17	
69.000	*	.	.	53	16	
71.000	0.2751	0.7249	0.0545	54	15	
77.000	0.2568	0.7432	0.0538	55	14	
80.000	0.2384	0.7616	0.0530	56	13	
97.000	0.2201	0.7799	0.0520	57	12	
100.000	0.2018	0.7982	0.0508	58	11	
107.000	0.1834	0.8166	0.0494	59	10	
112.000	0.1651	0.8349	0.0477	60	9	
119.000	0.1467	0.8533	0.0458	61	8	
121.000	*	.	.	61	7	
126.000	0.1258	0.8742	0.0438	62	6	
167.000	*	.	.	62	5	
180.000	*	.	.	62	4	
181.000	*	.	.	62	3	

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Stratum 3: Planned Treatment for Period 01 = Xanomeline Low Dose

Product-Limit Survival Estimates						
AVAL	Survival	Failure	Survival Standard Error	Number Failed	Number Left	
184.000	*	.	.	62	2	
187.000	*	.	.	62	1	
190.000	*	.	.	62	0	

Note: The marked survival times are censored observations.

Summary Statistics for Time Variable AVAL

Quartile Estimates					
95% Confidence Interval					
Percent	Point Estimate	Transform	[Lower	Upper)	
75	80.000	LOGLOG	57.000	119.000	
50	33.000	LOGLOG	27.000	48.000	
25	19.000	LOGLOG	15.000	24.000	

Mean	Standard Error
51.706	4.941

Note: The mean survival time and its standard error were underestimated because the largest observation was censored and the estimation was restricted to the largest event time.

Summary of the Number of Censored and Uncensored Values

Stratum	trt01p	Total	Failed	Censored	Percent Censored
1	Placebo	86	29	57	66.28
2	Xanomeline High Dose	84	61	23	27.38
3	Xanomeline Low Dose	84	62	22	26.19
Total		254	152	102	40.16

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

Testing Homogeneity of Survival Curves for AVAL over Strata

Rank Statistics		
trt01p	Log-Rank	Wilcoxon
Placebo	-45.268	-6456.0
Xanomeline High Dose	25.627	3984.0
Xanomeline Low Dose	19.641	2472.0

Covariance Matrix for the Log-Rank Statistics			
trt01p	Placebo	Xanomeline High Dose	Xanomeline Low Dose
Placebo	34.8938	-15.5885	-19.3053
Xanomeline High Dose	-15.5885	25.8988	-10.3102
Xanomeline Low Dose	-19.3053	-10.3102	29.6155

Covariance Matrix for the Wilcoxon Statistics			
trt01p	Placebo	Xanomeline High Dose	Xanomeline Low Dose
Placebo	984202	-458582	-525619
Xanomeline High Dose	-458582	828329	-369746
Xanomeline Low Dose	-525619	-369746	895366

Test of Equality over Strata			
Test	Chi-Square	DF	Pr > Chi-Square
Log-Rank	60.2696	2	<.0001
Wilcoxon	43.8983	2	<.0001
-2Log(LR)	100.9378	2	<.0001

Kaplan-Meier Plot
Time to First Dermatologic Event by Planned Treatment

The LIFETEST Procedure

