Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	0	-1	0	100.0000	100.00000000	0E-8
no_burn_100	No Burn (100% block capacity)	1	262799	0	100.0000	100.00000000	27061250.00000000
no_burn_100	No Burn (100% block capacity)	2	525599	0	100.0000	100.00000000	26280000.00000000
no_burn_100	No Burn (100% block capacity)	3	788399	0	100.0000	100.00000000	26280000.00000000
no_burn_100	No Burn (100% block capacity)	4	1051199	0	100.0000	100.00000000	26280000.00000000
no_burn_100	No Burn (100% block capacity)	5	1313999	0	100.0000	100.00000000	26280000.00000000
no_burn_100	No Burn (100% block capacity)	6	1576799	0	100.0000	100.00000000	26280000.00000000
no_burn_100	No Burn (100% block capacity)	7	1839599	0	100.0000	100.00000000	26280000.00000000
no_burn_100	No Burn (100% block capacity)	8	2102399	0	100.0000	50.00000000	21160000.00000000
no_burn_100	No Burn (100% block capacity)	9	2365199	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	10	2627999	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	11	2890799	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	12	3153599	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	13	3416399	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	14	3679199	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	15	3941999	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	16	4204799	0	100.0000	25.00000000	8020000.00000000
no_burn_100	No Burn (100% block capacity)	17	4467599	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	18	4730399	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	19	4993199	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	20	5255999	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	21	5518799	0	100.0000	25.00000000	6570000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	22	5781599	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	23	6044399	0	100.0000	12.50000000	6015000.00000000
no_burn_100	No Burn (100% block capacity)	24	6307199	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	25	6569999	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	26	6832799	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	27	7095599	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	28	7358399	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	29	7621199	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	30	7883999	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	31	8146799	0	100.0000	6.25000000	2367500.00000000
no_burn_100	No Burn (100% block capacity)	32	8409599	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	33	8672399	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	34	8935199	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	35	9197999	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	36	9460799	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	37	9723599	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	38	9986399	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	39	10249199	0	100.0000	3.12500000	863750.00000000
no_burn_100	No Burn (100% block capacity)	40	10511999	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	41	10774799	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	42	11037599	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	43	11300399	0	100.0000	3.12500000	821250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	44	11563199	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	45	11825999	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	46	12088799	0	100.0000	1.56250000	682500.00000000
no_burn_100	No Burn (100% block capacity)	47	12351599	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	48	12614399	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	49	12877199	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	50	13139999	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	51	13402799	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	52	13665599	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	53	13928399	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	54	14191199	0	100.0000	0.78125000	261250.00000000
no_burn_100	No Burn (100% block capacity)	55	14453999	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	56	14716799	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	57	14979599	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	58	15242399	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	59	15505199	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	60	15767999	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	61	16030799	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	62	16293599	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	63	16556399	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	64	16819199	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	65	17081999	1	100.0000	0.78125000	205312.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	66	17344799	1	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	67	17607599	1	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	68	17870399	1	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	69	18133199	1	100.0000	0.19531250	-458671.87500000
no_burn_100	No Burn (100% block capacity)	70	18395999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	71	18658799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	72	18921599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	73	19184399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	74	19447199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	75	19709999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	76	19972799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	77	20235599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	78	20498399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	79	20761199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	80	21023999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	81	21286799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	82	21549599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	83	21812399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	84	22075199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	85	22337999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	86	22600799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	87	22863599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	88	23126399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	89	23389199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	90	23651999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	91	23914799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	92	24177599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	93	24440399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	94	24703199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	95	24965999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	96	25228799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	97	25491599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	98	25754399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	99	26017199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	100	26279999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	101	26542799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	102	26805599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	103	27068399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	104	27331199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	105	27593999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	106	27856799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	107	28119599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	108	28382399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	109	28645199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	110	28907999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	111	29170799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	112	29433599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	113	29696399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	114	29959199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	115	30221999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	116	30484799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	117	30747599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	118	31010399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	119	31273199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	120	31535999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	121	31798799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	122	32061599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	123	32324399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	124	32587199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	125	32849999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	126	33112799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	127	33375599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	128	33638399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	129	33901199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	130	34163999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	131	34426799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	132	34689599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	133	34952399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	134	35215199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	135	35477999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	136	35740799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	137	36003599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	138	36266399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	139	36529199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	140	36791999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	141	37054799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	142	37317599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	143	37580399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	144	37843199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	145	38105999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	146	38368799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	147	38631599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	148	38894399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	149	39157199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	150	39419999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	151	39682799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	152	39945599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	153	40208399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	154	40471199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	155	40733999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	156	40996799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	157	41259599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	158	41522399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	159	41785199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	160	42047999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	161	42310799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	162	42573599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	163	42836399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	164	43099199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	165	43361999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	166	43624799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	167	43887599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	168	44150399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	169	44413199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	170	44675999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	171	44938799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	172	45201599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	173	45464399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	174	45727199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	175	45989999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	176	46252799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	177	46515599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	178	46778399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	179	47041199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	180	47303999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	181	47566799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	182	47829599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	183	48092399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	184	48355199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	185	48617999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	186	48880799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	187	49143599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	188	49406399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	189	49669199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	190	49931999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	191	50194799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	192	50457599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	193	50720399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	194	50983199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	195	51245999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	196	51508799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	197	51771599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	198	52034399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	199	52297199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	200	52559999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	201	52822799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	202	53085599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	203	53348399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	204	53611199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	205	53873999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	206	54136799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	207	54399599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	208	54662399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	209	54925199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	210	55187999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	211	55450799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	212	55713599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	213	55976399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	214	56239199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	215	56501999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	216	56764799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	217	57027599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	218	57290399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	219	57553199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	220	57815999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	221	58078799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	222	58341599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	223	58604399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	224	58867199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	225	59129999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	226	59392799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	227	59655599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	228	59918399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	229	60181199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	230	60443999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	231	60706799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	232	60969599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	233	61232399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	234	61495199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	235	61757999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	236	62020799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	237	62283599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	238	62546399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	239	62809199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	240	63071999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	241	63334799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	242	63597599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	243	63860399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	244	64123199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	245	64385999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	246	64648799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	247	64911599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	248	65174399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	249	65437199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	250	65699999	1	100.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	0	-1	0	25.0000	100.00000000	0E-8
burn_25	Burn On (25% block capacity)	1	262799	0	25.0000	100.00000000	27061250.00000000
burn_25	Burn On (25% block capacity)	2	525599	0	25.0000	100.00000000	26280000.00000000
burn_25	Burn On (25% block capacity)	3	788399	0	25.0000	100.00000000	26280000.00000000
burn_25	Burn On (25% block capacity)	4	1051199	0	25.0000	100.00000000	26280000.00000000
burn_25	Burn On (25% block capacity)	5	1313999	0	25.0000	100.00000000	26280000.00000000
burn_25	Burn On (25% block capacity)	6	1576799	0	25.0000	100.00000000	26280000.00000000
burn_25	Burn On (25% block capacity)	7	1839599	0	25.0000	100.00000000	26280000.00000000
burn_25	Burn On (25% block capacity)	8	2102399	0	25.0000	50.00000000	21160000.00000000
burn_25	Burn On (25% block capacity)	9	2365199	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	10	2627999	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	11	2890799	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	12	3153599	0	25.0000	50.00000000	13140000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	13	3416399	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	14	3679199	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	15	3941999	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	16	4204799	0	25.0000	25.00000000	8020000.00000000
burn_25	Burn On (25% block capacity)	17	4467599	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	18	4730399	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	19	4993199	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	20	5255999	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	21	5518799	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	22	5781599	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	23	6044399	0	25.0000	12.50000000	6015000.00000000
burn_25	Burn On (25% block capacity)	24	6307199	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	25	6569999	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	26	6832799	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	27	7095599	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	28	7358399	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	29	7621199	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	30	7883999	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	31	8146799	0	25.0000	6.25000000	2367500.00000000
burn_25	Burn On (25% block capacity)	32	8409599	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	33	8672399	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	34	8935199	0	25.0000	6.25000000	1642500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	35	9197999	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	36	9460799	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	37	9723599	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	38	9986399	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	39	10249199	0	25.0000	3.12500000	863750.00000000
burn_25	Burn On (25% block capacity)	40	10511999	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	41	10774799	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	42	11037599	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	43	11300399	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	44	11563199	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	45	11825999	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	46	12088799	0	25.0000	1.56250000	682500.00000000
burn_25	Burn On (25% block capacity)	47	12351599	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	48	12614399	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	49	12877199	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	50	13139999	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	51	13402799	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	52	13665599	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	53	13928399	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	54	14191199	0	25.0000	0.78125000	261250.00000000
burn_25	Burn On (25% block capacity)	55	14453999	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	56	14716799	0	25.0000	0.78125000	205312.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	57	14979599	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	58	15242399	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	59	15505199	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	60	15767999	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	61	16030799	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	62	16293599	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	63	16556399	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	64	16819199	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	65	17081999	1	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	66	17344799	1	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	67	17607599	1	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	68	17870399	1	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	69	18133199	1	25.0000	0.19531250	-458671.87500000
burn_25	Burn On (25% block capacity)	70	18395999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	71	18658799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	72	18921599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	73	19184399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	74	19447199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	75	19709999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	76	19972799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	77	20235599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	78	20498399	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	79	20761199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	80	21023999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	81	21286799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	82	21549599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	83	21812399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	84	22075199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	85	22337999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	86	22600799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	87	22863599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	88	23126399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	89	23389199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	90	23651999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	91	23914799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	92	24177599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	93	24440399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	94	24703199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	95	24965999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	96	25228799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	97	25491599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	98	25754399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	99	26017199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	100	26279999	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	101	26542799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	102	26805599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	103	27068399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	104	27331199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	105	27593999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	106	27856799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	107	28119599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	108	28382399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	109	28645199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	110	28907999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	111	29170799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	112	29433599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	113	29696399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	114	29959199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	115	30221999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	116	30484799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	117	30747599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	118	31010399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	119	31273199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	120	31535999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	121	31798799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	122	32061599	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	123	32324399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	124	32587199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	125	32849999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	126	33112799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	127	33375599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	128	33638399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	129	33901199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	130	34163999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	131	34426799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	132	34689599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	133	34952399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	134	35215199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	135	35477999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	136	35740799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	137	36003599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	138	36266399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	139	36529199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	140	36791999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	141	37054799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	142	37317599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	143	37580399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	144	37843199	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	145	38105999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	146	38368799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	147	38631599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	148	38894399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	149	39157199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	150	39419999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	151	39682799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	152	39945599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	153	40208399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	154	40471199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	155	40733999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	156	40996799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	157	41259599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	158	41522399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	159	41785199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	160	42047999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	161	42310799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	162	42573599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	163	42836399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	164	43099199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	165	43361999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	166	43624799	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	167	43887599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	168	44150399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	169	44413199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	170	44675999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	171	44938799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	172	45201599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	173	45464399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	174	45727199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	175	45989999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	176	46252799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	177	46515599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	178	46778399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	179	47041199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	180	47303999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	181	47566799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	182	47829599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	183	48092399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	184	48355199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	185	48617999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	186	48880799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	187	49143599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	188	49406399	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	189	49669199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	190	49931999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	191	50194799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	192	50457599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	193	50720399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	194	50983199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	195	51245999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	196	51508799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	197	51771599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	198	52034399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	199	52297199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	200	52559999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	201	52822799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	202	53085599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	203	53348399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	204	53611199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	205	53873999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	206	54136799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	207	54399599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	208	54662399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	209	54925199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	210	55187999	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	211	55450799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	212	55713599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	213	55976399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	214	56239199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	215	56501999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	216	56764799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	217	57027599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	218	57290399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	219	57553199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	220	57815999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	221	58078799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	222	58341599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	223	58604399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	224	58867199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	225	59129999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	226	59392799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	227	59655599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	228	59918399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	229	60181199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	230	60443999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	231	60706799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	232	60969599	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	233	61232399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	234	61495199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	235	61757999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	236	62020799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	237	62283599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	238	62546399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	239	62809199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	240	63071999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	241	63334799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	242	63597599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	243	63860399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	244	64123199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	245	64385999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	246	64648799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	247	64911599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	248	65174399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	249	65437199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	250	65699999	1	25.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	0	-1	0	50.0000	100.00000000	0E-8
burn_50	Burn On (50% block capacity)	1	262799	0	50.0000	100.00000000	27061250.00000000
burn_50	Burn On (50% block capacity)	2	525599	0	50.0000	100.00000000	26280000.00000000
burn_50	Burn On (50% block capacity)	3	788399	0	50.0000	100.00000000	26280000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	4	1051199	0	50.0000	100.00000000	26280000.00000000
burn_50	Burn On (50% block capacity)	5	1313999	0	50.0000	100.00000000	26280000.00000000
burn_50	Burn On (50% block capacity)	6	1576799	0	50.0000	100.00000000	26280000.00000000
burn_50	Burn On (50% block capacity)	7	1839599	0	50.0000	100.00000000	26280000.00000000
burn_50	Burn On (50% block capacity)	8	2102399	0	50.0000	50.00000000	21160000.00000000
burn_50	Burn On (50% block capacity)	9	2365199	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	10	2627999	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	11	2890799	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	12	3153599	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	13	3416399	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	14	3679199	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	15	3941999	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	16	4204799	0	50.0000	25.00000000	8020000.00000000
burn_50	Burn On (50% block capacity)	17	4467599	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	18	4730399	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	19	4993199	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	20	5255999	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	21	5518799	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	22	5781599	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	23	6044399	0	50.0000	12.50000000	6015000.00000000
burn_50	Burn On (50% block capacity)	24	6307199	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	25	6569999	0	50.0000	12.50000000	3285000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	26	6832799	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	27	7095599	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	28	7358399	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	29	7621199	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	30	7883999	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	31	8146799	0	50.0000	6.25000000	2367500.00000000
burn_50	Burn On (50% block capacity)	32	8409599	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	33	8672399	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	34	8935199	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	35	9197999	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	36	9460799	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	37	9723599	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	38	9986399	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	39	10249199	0	50.0000	3.12500000	863750.00000000
burn_50	Burn On (50% block capacity)	40	10511999	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	41	10774799	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	42	11037599	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	43	11300399	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	44	11563199	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	45	11825999	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	46	12088799	0	50.0000	1.56250000	682500.00000000
burn_50	Burn On (50% block capacity)	47	12351599	0	50.0000	1.56250000	410625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	48	12614399	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	49	12877199	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	50	13139999	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	51	13402799	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	52	13665599	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	53	13928399	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	54	14191199	0	50.0000	0.78125000	261250.00000000
burn_50	Burn On (50% block capacity)	55	14453999	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	56	14716799	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	57	14979599	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	58	15242399	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	59	15505199	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	60	15767999	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	61	16030799	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	62	16293599	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	63	16556399	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	64	16819199	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	65	17081999	1	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	66	17344799	1	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	67	17607599	1	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	68	17870399	1	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	69	18133199	1	50.0000	0.19531250	-458671.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	70	18395999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	71	18658799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	72	18921599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	73	19184399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	74	19447199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	75	19709999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	76	19972799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	77	20235599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	78	20498399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	79	20761199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	80	21023999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	81	21286799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	82	21549599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	83	21812399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	84	22075199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	85	22337999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	86	22600799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	87	22863599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	88	23126399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	89	23389199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	90	23651999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	91	23914799	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	92	24177599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	93	24440399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	94	24703199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	95	24965999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	96	25228799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	97	25491599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	98	25754399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	99	26017199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	100	26279999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	101	26542799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	102	26805599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	103	27068399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	104	27331199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	105	27593999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	106	27856799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	107	28119599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	108	28382399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	109	28645199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	110	28907999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	111	29170799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	112	29433599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	113	29696399	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	114	29959199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	115	30221999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	116	30484799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	117	30747599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	118	31010399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	119	31273199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	120	31535999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	121	31798799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	122	32061599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	123	32324399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	124	32587199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	125	32849999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	126	33112799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	127	33375599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	128	33638399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	129	33901199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	130	34163999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	131	34426799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	132	34689599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	133	34952399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	134	35215199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	135	35477999	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	136	35740799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	137	36003599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	138	36266399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	139	36529199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	140	36791999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	141	37054799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	142	37317599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	143	37580399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	144	37843199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	145	38105999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	146	38368799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	147	38631599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	148	38894399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	149	39157199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	150	39419999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	151	39682799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	152	39945599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	153	40208399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	154	40471199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	155	40733999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	156	40996799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	157	41259599	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	158	41522399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	159	41785199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	160	42047999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	161	42310799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	162	42573599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	163	42836399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	164	43099199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	165	43361999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	166	43624799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	167	43887599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	168	44150399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	169	44413199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	170	44675999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	171	44938799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	172	45201599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	173	45464399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	174	45727199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	175	45989999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	176	46252799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	177	46515599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	178	46778399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	179	47041199	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	180	47303999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	181	47566799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	182	47829599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	183	48092399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	184	48355199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	185	48617999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	186	48880799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	187	49143599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	188	49406399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	189	49669199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	190	49931999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	191	50194799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	192	50457599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	193	50720399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	194	50983199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	195	51245999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	196	51508799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	197	51771599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	198	52034399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	199	52297199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	200	52559999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	201	52822799	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	202	53085599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	203	53348399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	204	53611199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	205	53873999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	206	54136799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	207	54399599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	208	54662399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	209	54925199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	210	55187999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	211	55450799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	212	55713599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	213	55976399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	214	56239199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	215	56501999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	216	56764799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	217	57027599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	218	57290399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	219	57553199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	220	57815999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	221	58078799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	222	58341599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	223	58604399	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	224	58867199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	225	59129999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	226	59392799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	227	59655599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	228	59918399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	229	60181199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	230	60443999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	231	60706799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	232	60969599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	233	61232399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	234	61495199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	235	61757999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	236	62020799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	237	62283599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	238	62546399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	239	62809199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	240	63071999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	241	63334799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	242	63597599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	243	63860399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	244	64123199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	245	64385999	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	246	64648799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	247	64911599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	248	65174399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	249	65437199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	250	65699999	1	50.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	0	-1	0	75.0000	100.00000000	0E-8
burn_75	Burn On (75% block capacity)	1	262799	0	75.0000	100.00000000	27061250.00000000
burn_75	Burn On (75% block capacity)	2	525599	0	75.0000	100.00000000	26280000.00000000
burn_75	Burn On (75% block capacity)	3	788399	0	75.0000	100.00000000	26280000.00000000
burn_75	Burn On (75% block capacity)	4	1051199	0	75.0000	100.00000000	26280000.00000000
burn_75	Burn On (75% block capacity)	5	1313999	0	75.0000	100.00000000	26280000.00000000
burn_75	Burn On (75% block capacity)	6	1576799	0	75.0000	100.00000000	26280000.00000000
burn_75	Burn On (75% block capacity)	7	1839599	0	75.0000	100.00000000	26280000.00000000
burn_75	Burn On (75% block capacity)	8	2102399	0	75.0000	50.00000000	21160000.00000000
burn_75	Burn On (75% block capacity)	9	2365199	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	10	2627999	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	11	2890799	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	12	3153599	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	13	3416399	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	14	3679199	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	15	3941999	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	16	4204799	0	75.0000	25.00000000	8020000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	17	4467599	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	18	4730399	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	19	4993199	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	20	5255999	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	21	5518799	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	22	5781599	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	23	6044399	0	75.0000	12.50000000	6015000.00000000
burn_75	Burn On (75% block capacity)	24	6307199	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	25	6569999	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	26	6832799	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	27	7095599	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	28	7358399	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	29	7621199	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	30	7883999	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	31	8146799	0	75.0000	6.25000000	2367500.00000000
burn_75	Burn On (75% block capacity)	32	8409599	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	33	8672399	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	34	8935199	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	35	9197999	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	36	9460799	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	37	9723599	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	38	9986399	0	75.0000	6.25000000	1642500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	39	10249199	0	75.0000	3.12500000	863750.00000000
burn_75	Burn On (75% block capacity)	40	10511999	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	41	10774799	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	42	11037599	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	43	11300399	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	44	11563199	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	45	11825999	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	46	12088799	0	75.0000	1.56250000	682500.00000000
burn_75	Burn On (75% block capacity)	47	12351599	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	48	12614399	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	49	12877199	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	50	13139999	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	51	13402799	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	52	13665599	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	53	13928399	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	54	14191199	0	75.0000	0.78125000	261250.00000000
burn_75	Burn On (75% block capacity)	55	14453999	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	56	14716799	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	57	14979599	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	58	15242399	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	59	15505199	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	60	15767999	0	75.0000	0.78125000	205312.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	61	16030799	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	62	16293599	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	63	16556399	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	64	16819199	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	65	17081999	1	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	66	17344799	1	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	67	17607599	1	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	68	17870399	1	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	69	18133199	1	75.0000	0.19531250	-458671.87500000
burn_75	Burn On (75% block capacity)	70	18395999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	71	18658799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	72	18921599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	73	19184399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	74	19447199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	75	19709999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	76	19972799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	77	20235599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	78	20498399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	79	20761199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	80	21023999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	81	21286799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	82	21549599	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	83	21812399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	84	22075199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	85	22337999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	86	22600799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	87	22863599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	88	23126399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	89	23389199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	90	23651999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	91	23914799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	92	24177599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	93	24440399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	94	24703199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	95	24965999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	96	25228799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	97	25491599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	98	25754399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	99	26017199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	100	26279999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	101	26542799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	102	26805599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	103	27068399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	104	27331199	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	105	27593999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	106	27856799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	107	28119599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	108	28382399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	109	28645199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	110	28907999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	111	29170799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	112	29433599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	113	29696399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	114	29959199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	115	30221999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	116	30484799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	117	30747599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	118	31010399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	119	31273199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	120	31535999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	121	31798799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	122	32061599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	123	32324399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	124	32587199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	125	32849999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	126	33112799	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	127	33375599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	128	33638399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	129	33901199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	130	34163999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	131	34426799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	132	34689599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	133	34952399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	134	35215199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	135	35477999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	136	35740799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	137	36003599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	138	36266399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	139	36529199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	140	36791999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	141	37054799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	142	37317599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	143	37580399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	144	37843199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	145	38105999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	146	38368799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	147	38631599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	148	38894399	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	149	39157199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	150	39419999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	151	39682799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	152	39945599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	153	40208399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	154	40471199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	155	40733999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	156	40996799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	157	41259599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	158	41522399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	159	41785199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	160	42047999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	161	42310799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	162	42573599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	163	42836399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	164	43099199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	165	43361999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	166	43624799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	167	43887599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	168	44150399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	169	44413199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	170	44675999	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	171	44938799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	172	45201599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	173	45464399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	174	45727199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	175	45989999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	176	46252799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	177	46515599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	178	46778399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	179	47041199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	180	47303999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	181	47566799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	182	47829599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	183	48092399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	184	48355199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	185	48617999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	186	48880799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	187	49143599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	188	49406399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	189	49669199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	190	49931999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	191	50194799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	192	50457599	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	193	50720399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	194	50983199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	195	51245999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	196	51508799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	197	51771599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	198	52034399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	199	52297199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	200	52559999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	201	52822799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	202	53085599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	203	53348399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	204	53611199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	205	53873999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	206	54136799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	207	54399599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	208	54662399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	209	54925199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	210	55187999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	211	55450799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	212	55713599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	213	55976399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	214	56239199	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	215	56501999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	216	56764799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	217	57027599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	218	57290399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	219	57553199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	220	57815999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	221	58078799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	222	58341599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	223	58604399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	224	58867199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	225	59129999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	226	59392799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	227	59655599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	228	59918399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	229	60181199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	230	60443999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	231	60706799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	232	60969599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	233	61232399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	234	61495199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	235	61757999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	236	62020799	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	237	62283599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	238	62546399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	239	62809199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	240	63071999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	241	63334799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	242	63597599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	243	63860399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	244	64123199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	245	64385999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	246	64648799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	247	64911599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	248	65174399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	249	65437199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	250	65699999	1	75.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	0	-1	0	100.0000	100.00000000	0E-8
burn_100	Burn On (100% block capacity)	1	262799	0	100.0000	100.00000000	27061250.00000000
burn_100	Burn On (100% block capacity)	2	525599	0	100.0000	100.00000000	26280000.00000000
burn_100	Burn On (100% block capacity)	3	788399	0	100.0000	100.00000000	26280000.00000000
burn_100	Burn On (100% block capacity)	4	1051199	0	100.0000	100.00000000	26280000.00000000
burn_100	Burn On (100% block capacity)	5	1313999	0	100.0000	100.00000000	26280000.00000000
burn_100	Burn On (100% block capacity)	6	1576799	0	100.0000	100.00000000	26280000.00000000
burn_100	Burn On (100% block capacity)	7	1839599	0	100.0000	100.00000000	26280000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	8	2102399	0	100.0000	50.00000000	21160000.00000000
burn_100	Burn On (100% block capacity)	9	2365199	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	10	2627999	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	11	2890799	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	12	3153599	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	13	3416399	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	14	3679199	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	15	3941999	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	16	4204799	0	100.0000	25.00000000	8020000.00000000
burn_100	Burn On (100% block capacity)	17	4467599	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	18	4730399	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	19	4993199	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	20	5255999	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	21	5518799	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	22	5781599	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	23	6044399	0	100.0000	12.50000000	6015000.00000000
burn_100	Burn On (100% block capacity)	24	6307199	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	25	6569999	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	26	6832799	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	27	7095599	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	28	7358399	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	29	7621199	0	100.0000	12.50000000	3285000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	30	7883999	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	31	8146799	0	100.0000	6.25000000	2367500.00000000
burn_100	Burn On (100% block capacity)	32	8409599	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	33	8672399	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	34	8935199	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	35	9197999	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	36	9460799	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	37	9723599	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	38	9986399	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	39	10249199	0	100.0000	3.12500000	863750.00000000
burn_100	Burn On (100% block capacity)	40	10511999	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	41	10774799	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	42	11037599	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	43	11300399	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	44	11563199	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	45	11825999	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	46	12088799	0	100.0000	1.56250000	682500.00000000
burn_100	Burn On (100% block capacity)	47	12351599	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	48	12614399	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	49	12877199	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	50	13139999	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	51	13402799	0	100.0000	1.56250000	410625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	52	13665599	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	53	13928399	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	54	14191199	0	100.0000	0.78125000	261250.00000000
burn_100	Burn On (100% block capacity)	55	14453999	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	56	14716799	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	57	14979599	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	58	15242399	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	59	15505199	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	60	15767999	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	61	16030799	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	62	16293599	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	63	16556399	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	64	16819199	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	65	17081999	1	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	66	17344799	1	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	67	17607599	1	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	68	17870399	1	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	69	18133199	1	100.0000	0.19531250	-458671.87500000
burn_100	Burn On (100% block capacity)	70	18395999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	71	18658799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	72	18921599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	73	19184399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	74	19447199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	75	19709999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	76	19972799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	77	20235599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	78	20498399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	79	20761199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	80	21023999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	81	21286799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	82	21549599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	83	21812399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	84	22075199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	85	22337999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	86	22600799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	87	22863599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	88	23126399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	89	23389199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	90	23651999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	91	23914799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	92	24177599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	93	24440399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	94	24703199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	95	24965999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	96	25228799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	97	25491599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	98	25754399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	99	26017199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	100	26279999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	101	26542799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	102	26805599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	103	27068399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	104	27331199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	105	27593999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	106	27856799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	107	28119599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	108	28382399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	109	28645199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	110	28907999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	111	29170799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	112	29433599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	113	29696399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	114	29959199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	115	30221999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	116	30484799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	117	30747599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	118	31010399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	119	31273199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	120	31535999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	121	31798799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	122	32061599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	123	32324399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	124	32587199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	125	32849999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	126	33112799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	127	33375599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	128	33638399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	129	33901199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	130	34163999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	131	34426799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	132	34689599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	133	34952399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	134	35215199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	135	35477999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	136	35740799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	137	36003599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	138	36266399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	139	36529199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	140	36791999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	141	37054799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	142	37317599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	143	37580399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	144	37843199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	145	38105999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	146	38368799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	147	38631599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	148	38894399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	149	39157199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	150	39419999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	151	39682799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	152	39945599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	153	40208399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	154	40471199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	155	40733999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	156	40996799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	157	41259599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	158	41522399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	159	41785199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	160	42047999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	161	42310799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	162	42573599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	163	42836399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	164	43099199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	165	43361999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	166	43624799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	167	43887599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	168	44150399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	169	44413199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	170	44675999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	171	44938799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	172	45201599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	173	45464399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	174	45727199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	175	45989999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	176	46252799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	177	46515599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	178	46778399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	179	47041199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	180	47303999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	181	47566799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	182	47829599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	183	48092399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	184	48355199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	185	48617999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	186	48880799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	187	49143599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	188	49406399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	189	49669199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	190	49931999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	191	50194799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	192	50457599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	193	50720399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	194	50983199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	195	51245999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	196	51508799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	197	51771599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	198	52034399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	199	52297199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	200	52559999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	201	52822799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	202	53085599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	203	53348399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	204	53611199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	205	53873999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	206	54136799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	207	54399599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	208	54662399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	209	54925199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	210	55187999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	211	55450799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	212	55713599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	213	55976399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	214	56239199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	215	56501999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	216	56764799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	217	57027599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	218	57290399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	219	57553199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	220	57815999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	221	58078799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	222	58341599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	223	58604399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	224	58867199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	225	59129999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	226	59392799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	227	59655599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	228	59918399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	229	60181199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	230	60443999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	231	60706799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	232	60969599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	233	61232399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	234	61495199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	235	61757999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	236	62020799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	237	62283599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	238	62546399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	239	62809199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	240	63071999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	241	63334799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	242	63597599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	243	63860399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	244	64123199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	245	64385999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	246	64648799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	247	64911599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	248	65174399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	249	65437199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	250	65699999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
no_burn_1?	459900.00000000	0E-8	459900.00000000	27521150.00000000	27061250.00000000	0E-8	27061250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	26739900.00000000	53341250.00000000	0E-8	53341250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	26739900.00000000	79621250.00000000	0E-8	79621250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	26739900.00000000	105901250.00000000	0E-8	105901250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	26739900.00000000	132181250.00000000	0E-8	132181250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	26739900.00000000	158461250.00000000	0E-8	158461250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	26739900.00000000	184741250.00000000	0E-8	184741250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	21619900.00000000	205901250.00000000	0E-8	205901250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	219041250.00000000	0E-8	219041250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	232181250.00000000	0E-8	232181250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	245321250.00000000	0E-8	245321250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	258461250.00000000	0E-8	258461250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	271601250.00000000	0E-8	271601250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	284741250.00000000	0E-8	284741250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	13599900.00000000	297881250.00000000	0E-8	297881250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	8479900.00000000	305901250.00000000	0E-8	305901250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	7029900.00000000	312471250.00000000	0E-8	312471250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	7029900.00000000	319041250.00000000	0E-8	319041250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	7029900.00000000	325611250.00000000	0E-8	325611250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	7029900.00000000	332181250.00000000	0E-8	332181250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	7029900.00000000	338751250.00000000	0E-8	338751250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	7029900.00000000	345321250.00000000	0E-8	345321250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	6474900.00000000	351336250.00000000	0E-8	351336250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	354621250.00000000	0E-8	354621250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	357906250.00000000	0E-8	357906250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	361191250.00000000	0E-8	361191250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	364476250.00000000	0E-8	364476250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	367761250.00000000	0E-8	367761250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	371046250.00000000	0E-8	371046250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	3744900.00000000	374331250.00000000	0E-8	374331250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2827400.00000000	376698750.00000000	0E-8	376698750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	378341250.00000000	0E-8	378341250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	379983750.00000000	0E-8	379983750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	381626250.00000000	0E-8	381626250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	383268750.00000000	0E-8	383268750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	384911250.00000000	0E-8	384911250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	386553750.00000000	0E-8	386553750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	2102400.00000000	388196250.00000000	0E-8	388196250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1323650.00000000	389060000.00000000	0E-8	389060000.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1281150.00000000	389881250.00000000	0E-8	389881250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1281150.00000000	390702500.00000000	0E-8	390702500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1281150.00000000	391523750.00000000	0E-8	391523750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1281150.00000000	392345000.00000000	0E-8	392345000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	1281150.00000000	393166250.00000000	0E-8	393166250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1281150.00000000	393987500.00000000	0E-8	393987500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1142400.00000000	394670000.00000000	0E-8	394670000.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	395080625.00000000	0E-8	395080625.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	395491250.00000000	0E-8	395491250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	395901875.00000000	0E-8	395901875.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	396312500.00000000	0E-8	396312500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	396723125.00000000	0E-8	396723125.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	397133750.00000000	0E-8	397133750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	870525.00000000	397544375.00000000	0E-8	397544375.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	721150.00000000	397805625.00000000	0E-8	397805625.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	398010937.50000000	0E-8	398010937.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	398216250.00000000	0E-8	398216250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	398421562.50000000	0E-8	398421562.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	398626875.00000000	0E-8	398626875.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	398832187.50000000	0E-8	398832187.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	399037500.00000000	0E-8	399037500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	399242812.50000000	0E-8	399242812.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	399448125.00000000	0E-8	399448125.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	399653437.50000000	0E-8	399653437.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	399858750.00000000	0E-8	399858750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	400064062.50000000	0E-8	400064062.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	400269375.00000000	0E-8	400269375.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	400474687.50000000	0E-8	400474687.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	665212.50000000	400680000.00000000	0E-8	400680000.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	1228.12500000	400221328.12500000	0E-8	400221328.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400272656.25000000	0E-8	400272656.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400323984.37500000	0E-8	400323984.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400375312.50000000	0E-8	400375312.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400426640.62500000	0E-8	400426640.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400477968.75000000	0E-8	400477968.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400529296.87500000	0E-8	400529296.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400580625.00000000	0E-8	400580625.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400631953.12500000	0E-8	400631953.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400683281.25000000	0E-8	400683281.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400734609.37500000	0E-8	400734609.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400785937.50000000	0E-8	400785937.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400837265.62500000	0E-8	400837265.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400888593.75000000	0E-8	400888593.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400939921.87500000	0E-8	400939921.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	400991250.00000000	0E-8	400991250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401042578.12500000	0E-8	401042578.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401093906.25000000	0E-8	401093906.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401145234.37500000	0E-8	401145234.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401196562.50000000	0E-8	401196562.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401247890.62500000	0E-8	401247890.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401299218.75000000	0E-8	401299218.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401350546.87500000	0E-8	401350546.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401401875.00000000	0E-8	401401875.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401453203.12500000	0E-8	401453203.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401504531.25000000	0E-8	401504531.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401555859.37500000	0E-8	401555859.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401607187.50000000	0E-8	401607187.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401658515.62500000	0E-8	401658515.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401709843.75000000	0E-8	401709843.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401761171.87500000	0E-8	401761171.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401812500.00000000	0E-8	401812500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401863828.12500000	0E-8	401863828.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401915156.25000000	0E-8	401915156.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	401966484.37500000	0E-8	401966484.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402017812.50000000	0E-8	402017812.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402069140.62500000	0E-8	402069140.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402120468.75000000	0E-8	402120468.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402171796.87500000	0E-8	402171796.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402223125.00000000	0E-8	402223125.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402274453.12500000	0E-8	402274453.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402325781.25000000	0E-8	402325781.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402377109.37500000	0E-8	402377109.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402428437.50000000	0E-8	402428437.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402479765.62500000	0E-8	402479765.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402531093.75000000	0E-8	402531093.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402582421.87500000	0E-8	402582421.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402633750.00000000	0E-8	402633750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402685078.12500000	0E-8	402685078.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402736406.25000000	0E-8	402736406.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402787734.37500000	0E-8	402787734.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402839062.50000000	0E-8	402839062.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402890390.62500000	0E-8	402890390.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402941718.75000000	0E-8	402941718.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	402993046.87500000	0E-8	402993046.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403044375.00000000	0E-8	403044375.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403095703.12500000	0E-8	403095703.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403147031.25000000	0E-8	403147031.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403198359.37500000	0E-8	403198359.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403249687.50000000	0E-8	403249687.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403301015.62500000	0E-8	403301015.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403352343.75000000	0E-8	403352343.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403403671.87500000	0E-8	403403671.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403455000.00000000	0E-8	403455000.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403506328.12500000	0E-8	403506328.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403557656.25000000	0E-8	403557656.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403608984.37500000	0E-8	403608984.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403660312.50000000	0E-8	403660312.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403711640.62500000	0E-8	403711640.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403762968.75000000	0E-8	403762968.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403814296.87500000	0E-8	403814296.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403865625.00000000	0E-8	403865625.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403916953.12500000	0E-8	403916953.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	403968281.25000000	0E-8	403968281.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404019609.37500000	0E-8	404019609.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404070937.50000000	0E-8	404070937.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404122265.62500000	0E-8	404122265.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404173593.75000000	0E-8	404173593.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404224921.87500000	0E-8	404224921.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404276250.00000000	0E-8	404276250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404327578.12500000	0E-8	404327578.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404378906.25000000	0E-8	404378906.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404430234.37500000	0E-8	404430234.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404481562.50000000	0E-8	404481562.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404532890.62500000	0E-8	404532890.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404584218.75000000	0E-8	404584218.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404635546.87500000	0E-8	404635546.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404686875.00000000	0E-8	404686875.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404738203.12500000	0E-8	404738203.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404789531.25000000	0E-8	404789531.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404840859.37500000	0E-8	404840859.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404892187.50000000	0E-8	404892187.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404943515.62500000	0E-8	404943515.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	404994843.75000000	0E-8	404994843.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405046171.87500000	0E-8	405046171.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405097500.00000000	0E-8	405097500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405148828.12500000	0E-8	405148828.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405200156.25000000	0E-8	405200156.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405251484.37500000	0E-8	405251484.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405302812.50000000	0E-8	405302812.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405354140.62500000	0E-8	405354140.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405405468.75000000	0E-8	405405468.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405456796.87500000	0E-8	405456796.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405508125.00000000	0E-8	405508125.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405559453.12500000	0E-8	405559453.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405610781.25000000	0E-8	405610781.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405662109.37500000	0E-8	405662109.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405713437.50000000	0E-8	405713437.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405764765.62500000	0E-8	405764765.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405816093.75000000	0E-8	405816093.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405867421.87500000	0E-8	405867421.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405918750.00000000	0E-8	405918750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	405970078.12500000	0E-8	405970078.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406021406.25000000	0E-8	406021406.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406072734.37500000	0E-8	406072734.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406124062.50000000	0E-8	406124062.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406175390.62500000	0E-8	406175390.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406226718.75000000	0E-8	406226718.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406278046.87500000	0E-8	406278046.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406329375.00000000	0E-8	406329375.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406380703.12500000	0E-8	406380703.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406432031.25000000	0E-8	406432031.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406483359.37500000	0E-8	406483359.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406534687.50000000	0E-8	406534687.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406586015.62500000	0E-8	406586015.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406637343.75000000	0E-8	406637343.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406688671.87500000	0E-8	406688671.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406740000.00000000	0E-8	406740000.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406791328.12500000	0E-8	406791328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406842656.25000000	0E-8	406842656.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406893984.37500000	0E-8	406893984.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406945312.50000000	0E-8	406945312.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	406996640.62500000	0E-8	406996640.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407047968.75000000	0E-8	407047968.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407099296.87500000	0E-8	407099296.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407150625.00000000	0E-8	407150625.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407201953.12500000	0E-8	407201953.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407253281.25000000	0E-8	407253281.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407304609.37500000	0E-8	407304609.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407355937.50000000	0E-8	407355937.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407407265.62500000	0E-8	407407265.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407458593.75000000	0E-8	407458593.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407509921.87500000	0E-8	407509921.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407561250.00000000	0E-8	407561250.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407612578.12500000	0E-8	407612578.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407663906.25000000	0E-8	407663906.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407715234.37500000	0E-8	407715234.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407766562.50000000	0E-8	407766562.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407817890.62500000	0E-8	407817890.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407869218.75000000	0E-8	407869218.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407920546.87500000	0E-8	407920546.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	407971875.00000000	0E-8	407971875.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408023203.12500000	0E-8	408023203.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408074531.25000000	0E-8	408074531.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408125859.37500000	0E-8	408125859.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408177187.50000000	0E-8	408177187.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408228515.62500000	0E-8	408228515.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408279843.75000000	0E-8	408279843.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408331171.87500000	0E-8	408331171.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408382500.00000000	0E-8	408382500.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408433828.12500000	0E-8	408433828.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408485156.25000000	0E-8	408485156.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408536484.37500000	0E-8	408536484.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408587812.50000000	0E-8	408587812.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408639140.62500000	0E-8	408639140.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408690468.75000000	0E-8	408690468.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408741796.87500000	0E-8	408741796.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408793125.00000000	0E-8	408793125.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408844453.12500000	0E-8	408844453.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408895781.25000000	0E-8	408895781.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408947109.37500000	0E-8	408947109.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	408998437.50000000	0E-8	408998437.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409049765.62500000	0E-8	409049765.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409101093.75000000	0E-8	409101093.75000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409152421.87500000	0E-8	409152421.87500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409203750.00000000	0E-8	409203750.00000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409255078.12500000	0E-8	409255078.12500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409306406.25000000	0E-8	409306406.25000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409357734.37500000	0E-8	409357734.37500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409409062.50000000	0E-8	409409062.50000000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409460390.62500000	0E-8	409460390.62500000
no_burn_1?	459900.00000000	0E-8	459900.00000000	511228.12500000	409511718.75000000	0E-8	409511718.75000000
burn_25	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_25	114975.00000000	0E-8	114975.00000000	27176225.00000000	27061250.00000000	0E-8	27061250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	26394975.00000000	53341250.00000000	0E-8	53341250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	26394975.00000000	79621250.00000000	0E-8	79621250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	26394975.00000000	105901250.00000000	0E-8	105901250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	26394975.00000000	132181250.00000000	0E-8	132181250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	26394975.00000000	158461250.00000000	0E-8	158461250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	26394975.00000000	184741250.00000000	0E-8	184741250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	21274975.00000000	205901250.00000000	0E-8	205901250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	219041250.00000000	0E-8	219041250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	232181250.00000000	0E-8	232181250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	245321250.00000000	0E-8	245321250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	258461250.00000000	0E-8	258461250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	271601250.00000000	0E-8	271601250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	284741250.00000000	0E-8	284741250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	13254975.00000000	297881250.00000000	0E-8	297881250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	8134975.00000000	305901250.00000000	0E-8	305901250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6684975.00000000	312471250.00000000	0E-8	312471250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6684975.00000000	319041250.00000000	0E-8	319041250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6684975.00000000	325611250.00000000	0E-8	325611250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6684975.00000000	332181250.00000000	0E-8	332181250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6684975.00000000	338751250.00000000	0E-8	338751250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6684975.00000000	345321250.00000000	0E-8	345321250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	6129975.00000000	351336250.00000000	0E-8	351336250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	354621250.00000000	0E-8	354621250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	357906250.00000000	0E-8	357906250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	361191250.00000000	0E-8	361191250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	364476250.00000000	0E-8	364476250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	367761250.00000000	0E-8	367761250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	371046250.00000000	0E-8	371046250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	3399975.00000000	374331250.00000000	0E-8	374331250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	2482475.00000000	376698750.00000000	0E-8	376698750.00000000
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	378341250.00000000	0E-8	378341250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	379983750.00000000	0E-8	379983750.00000000
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	381626250.00000000	0E-8	381626250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	383268750.00000000	0E-8	383268750.00000000
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	384911250.00000000	0E-8	384911250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	386553750.00000000	0E-8	386553750.00000000
burn_25	114975.00000000	0E-8	114975.00000000	1757475.00000000	388196250.00000000	0E-8	388196250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	978725.00000000	389060000.00000000	0E-8	389060000.00000000
burn_25	114975.00000000	0E-8	114975.00000000	936225.00000000	389881250.00000000	0E-8	389881250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	936225.00000000	390702500.00000000	0E-8	390702500.00000000
burn_25	114975.00000000	0E-8	114975.00000000	936225.00000000	391523750.00000000	0E-8	391523750.00000000
burn_25	114975.00000000	0E-8	114975.00000000	936225.00000000	392345000.00000000	0E-8	392345000.00000000
burn_25	114975.00000000	0E-8	114975.00000000	936225.00000000	393166250.00000000	0E-8	393166250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	936225.00000000	393987500.00000000	0E-8	393987500.00000000
burn_25	114975.00000000	0E-8	114975.00000000	797475.00000000	394670000.00000000	0E-8	394670000.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	395080625.00000000	0E-8	395080625.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	395491250.00000000	0E-8	395491250.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	395901875.00000000	0E-8	395901875.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	396312500.00000000	0E-8	396312500.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	396723125.00000000	0E-8	396723125.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	397133750.00000000	0E-8	397133750.00000000
burn_25	114975.00000000	0E-8	114975.00000000	525600.00000000	397544375.00000000	0E-8	397544375.00000000
burn_25	114975.00000000	0E-8	114975.00000000	376225.00000000	397805625.00000000	0E-8	397805625.00000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	398010937.50000000	0E-8	398010937.50000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	398216250.00000000	0E-8	398216250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	398421562.50000000	0E-8	398421562.50000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	398626875.00000000	0E-8	398626875.00000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	398832187.50000000	0E-8	398832187.50000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	399037500.00000000	0E-8	399037500.00000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	399242812.50000000	0E-8	399242812.50000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	399448125.00000000	0E-8	399448125.00000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	399653437.50000000	0E-8	399653437.50000000
burn_25	114975.00000000	0E-8	114975.00000000	320287.50000000	399858750.00000000	0E-8	399858750.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	268548.75000000	400064062.50000000	51738.75000000	400012323.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	268548.75000000	400269375.00000000	103477.50000000	400165897.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	268548.75000000	400474687.50000000	155216.25000000	400319471.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	268548.75000000	400680000.00000000	206955.00000000	400473045.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	-395435.62500000	400221328.12500000	258693.75000000	399962634.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400272656.25000000	310432.50000000	399962223.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400323984.37500000	362171.25000000	399961813.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400375312.50000000	413910.00000000	399961402.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400426640.62500000	465648.75000000	399960991.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400477968.75000000	517387.50000000	399960581.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400529296.87500000	569126.25000000	399960170.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400580625.00000000	620865.00000000	399959760.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400631953.12500000	672603.75000000	399959349.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400683281.25000000	724342.50000000	399958938.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400734609.37500000	776081.25000000	399958528.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400785937.50000000	827820.00000000	399958117.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400837265.62500000	879558.75000000	399957706.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400888593.75000000	931297.50000000	399957296.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400939921.87500000	983036.25000000	399956885.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	400991250.00000000	1034775.00000000	399956475.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401042578.12500000	1086513.75000000	399956064.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401093906.25000000	1138252.50000000	399955653.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401145234.37500000	1189991.25000000	399955243.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401196562.50000000	1241730.00000000	399954832.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401247890.62500000	1293468.75000000	399954421.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401299218.75000000	1345207.50000000	399954011.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401350546.87500000	1396946.25000000	399953600.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401401875.00000000	1448685.00000000	399953190.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401453203.12500000	1500423.75000000	399952779.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401504531.25000000	1552162.50000000	399952368.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401555859.37500000	1603901.25000000	399951958.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401607187.50000000	1655640.00000000	399951547.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401658515.62500000	1707378.75000000	399951136.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401709843.75000000	1759117.50000000	399950726.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401761171.87500000	1810856.25000000	399950315.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401812500.00000000	1862595.00000000	399949905.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401863828.12500000	1914333.75000000	399949494.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401915156.25000000	1966072.50000000	399949083.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	401966484.37500000	2017811.25000000	399948673.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402017812.50000000	2069550.00000000	399948262.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402069140.62500000	2121288.75000000	399947851.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402120468.75000000	2173027.50000000	399947441.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402171796.87500000	2224766.25000000	399947030.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402223125.00000000	2276505.00000000	399946620.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402274453.12500000	2328243.75000000	399946209.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402325781.25000000	2379982.50000000	399945798.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402377109.37500000	2431721.25000000	399945388.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402428437.50000000	2483460.00000000	399944977.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402479765.62500000	2535198.75000000	399944566.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402531093.75000000	2586937.50000000	399944156.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402582421.87500000	2638676.25000000	399943745.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402633750.00000000	2690415.00000000	399943335.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402685078.12500000	2742153.75000000	399942924.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402736406.25000000	2793892.50000000	399942513.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402787734.37500000	2845631.25000000	399942103.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402839062.50000000	2897370.00000000	399941692.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402890390.62500000	2949108.75000000	399941281.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402941718.75000000	3000847.50000000	399940871.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	402993046.87500000	3052586.25000000	399940460.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403044375.00000000	3104325.00000000	399940050.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403095703.12500000	3156063.75000000	399939639.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403147031.25000000	3207802.50000000	399939228.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403198359.37500000	3259541.25000000	399938818.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403249687.50000000	3311280.00000000	399938407.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403301015.62500000	3363018.75000000	399937996.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403352343.75000000	3414757.50000000	399937586.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403403671.87500000	3466496.25000000	399937175.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403455000.00000000	3518235.00000000	399936765.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403506328.12500000	3569973.75000000	399936354.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403557656.25000000	3621712.50000000	399935943.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403608984.37500000	3673451.25000000	399935533.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403660312.50000000	3725190.00000000	399935122.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403711640.62500000	3776928.75000000	399934711.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403762968.75000000	3828667.50000000	399934301.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403814296.87500000	3880406.25000000	399933890.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403865625.00000000	3932145.00000000	399933480.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403916953.12500000	3983883.75000000	399933069.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	403968281.25000000	4035622.50000000	399932658.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404019609.37500000	4087361.25000000	399932248.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404070937.50000000	4139100.00000000	399931837.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404122265.62500000	4190838.75000000	399931426.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404173593.75000000	4242577.50000000	399931016.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404224921.87500000	4294316.25000000	399930605.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404276250.00000000	4346055.00000000	399930195.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404327578.12500000	4397793.75000000	399929784.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404378906.25000000	4449532.50000000	399929373.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404430234.37500000	4501271.25000000	399928963.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404481562.50000000	4553010.00000000	399928552.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404532890.62500000	4604748.75000000	399928141.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404584218.75000000	4656487.50000000	399927731.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404635546.87500000	4708226.25000000	399927320.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404686875.00000000	4759965.00000000	399926910.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404738203.12500000	4811703.75000000	399926499.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404789531.25000000	4863442.50000000	399926088.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404840859.37500000	4915181.25000000	399925678.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404892187.50000000	4966920.00000000	399925267.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404943515.62500000	5018658.75000000	399924856.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	404994843.75000000	5070397.50000000	399924446.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405046171.87500000	5122136.25000000	399924035.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405097500.00000000	5173875.00000000	399923625.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405148828.12500000	5225613.75000000	399923214.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405200156.25000000	5277352.50000000	399922803.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405251484.37500000	5329091.25000000	399922393.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405302812.50000000	5380830.00000000	399921982.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405354140.62500000	5432568.75000000	399921571.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405405468.75000000	5484307.50000000	399921161.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405456796.87500000	5536046.25000000	399920750.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405508125.00000000	5587785.00000000	399920340.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405559453.12500000	5639523.75000000	399919929.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405610781.25000000	5691262.50000000	399919518.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405662109.37500000	5743001.25000000	399919108.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405713437.50000000	5794740.00000000	399918697.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405764765.62500000	5846478.75000000	399918286.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405816093.75000000	5898217.50000000	399917876.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405867421.87500000	5949956.25000000	399917465.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405918750.00000000	6001695.00000000	399917055.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	405970078.12500000	6053433.75000000	399916644.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406021406.25000000	6105172.50000000	399916233.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406072734.37500000	6156911.25000000	399915823.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406124062.50000000	6208650.00000000	399915412.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406175390.62500000	6260388.75000000	399915001.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406226718.75000000	6312127.50000000	399914591.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406278046.87500000	6363866.25000000	399914180.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406329375.00000000	6415605.00000000	399913770.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406380703.12500000	6467343.75000000	399913359.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406432031.25000000	6519082.50000000	399912948.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406483359.37500000	6570821.25000000	399912538.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406534687.50000000	6622560.00000000	399912127.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406586015.62500000	6674298.75000000	399911716.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406637343.75000000	6726037.50000000	399911306.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406688671.87500000	6777776.25000000	399910895.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406740000.00000000	6829515.00000000	399910485.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406791328.12500000	6881253.75000000	399910074.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406842656.25000000	6932992.50000000	399909663.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406893984.37500000	6984731.25000000	399909253.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406945312.50000000	7036470.00000000	399908842.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	406996640.62500000	7088208.75000000	399908431.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407047968.75000000	7139947.50000000	399908021.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407099296.87500000	7191686.25000000	399907610.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407150625.00000000	7243425.00000000	399907200.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407201953.12500000	7295163.75000000	399906789.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407253281.25000000	7346902.50000000	399906378.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407304609.37500000	7398641.25000000	399905968.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407355937.50000000	7450380.00000000	399905557.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407407265.62500000	7502118.75000000	399905146.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407458593.75000000	7553857.50000000	399904736.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407509921.87500000	7605596.25000000	399904325.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407561250.00000000	7657335.00000000	399903915.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407612578.12500000	7709073.75000000	399903504.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407663906.25000000	7760812.50000000	399903093.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407715234.37500000	7812551.25000000	399902683.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407766562.50000000	7864290.00000000	399902272.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407817890.62500000	7916028.75000000	399901861.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407869218.75000000	7967767.50000000	399901451.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407920546.87500000	8019506.25000000	399901040.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	407971875.00000000	8071245.00000000	399900630.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408023203.12500000	8122983.75000000	399900219.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408074531.25000000	8174722.50000000	399899808.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408125859.37500000	8226461.25000000	399899398.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408177187.50000000	8278200.00000000	399898987.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408228515.62500000	8329938.75000000	399898576.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408279843.75000000	8381677.50000000	399898166.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408331171.87500000	8433416.25000000	399897755.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408382500.00000000	8485155.00000000	399897345.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408433828.12500000	8536893.75000000	399896934.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408485156.25000000	8588632.50000000	399896523.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408536484.37500000	8640371.25000000	399896113.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408587812.50000000	8692110.00000000	399895702.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408639140.62500000	8743848.75000000	399895291.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408690468.75000000	8795587.50000000	399894881.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408741796.87500000	8847326.25000000	399894470.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408793125.00000000	8899065.00000000	399894060.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408844453.12500000	8950803.75000000	399893649.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408895781.25000000	9002542.50000000	399893238.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408947109.37500000	9054281.25000000	399892828.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	408998437.50000000	9106020.00000000	399892417.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409049765.62500000	9157758.75000000	399892006.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409101093.75000000	9209497.50000000	399891596.25000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409152421.87500000	9261236.25000000	399891185.62500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409203750.00000000	9312975.00000000	399890775.00000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409255078.12500000	9364713.75000000	399890364.37500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409306406.25000000	9416452.50000000	399889953.75000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409357734.37500000	9468191.25000000	399889543.12500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409409062.50000000	9519930.00000000	399889132.50000000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409460390.62500000	9571668.75000000	399888721.87500000
burn_25	114975.00000000	51738.75000000	63236.25000000	114564.37500000	409511718.75000000	9623407.50000000	399888311.25000000
burn_50	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_50	229950.00000000	0E-8	229950.00000000	27291200.00000000	27061250.00000000	0E-8	27061250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	26509950.00000000	53341250.00000000	0E-8	53341250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	26509950.00000000	79621250.00000000	0E-8	79621250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	0E-8	229950.00000000	26509950.00000000	105901250.00000000	0E-8	105901250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	26509950.00000000	132181250.00000000	0E-8	132181250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	26509950.00000000	158461250.00000000	0E-8	158461250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	26509950.00000000	184741250.00000000	0E-8	184741250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	21389950.00000000	205901250.00000000	0E-8	205901250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	219041250.00000000	0E-8	219041250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	232181250.00000000	0E-8	232181250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	245321250.00000000	0E-8	245321250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	258461250.00000000	0E-8	258461250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	271601250.00000000	0E-8	271601250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	284741250.00000000	0E-8	284741250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	13369950.00000000	297881250.00000000	0E-8	297881250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	8249950.00000000	305901250.00000000	0E-8	305901250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6799950.00000000	312471250.00000000	0E-8	312471250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6799950.00000000	319041250.00000000	0E-8	319041250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6799950.00000000	325611250.00000000	0E-8	325611250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6799950.00000000	332181250.00000000	0E-8	332181250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6799950.00000000	338751250.00000000	0E-8	338751250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6799950.00000000	345321250.00000000	0E-8	345321250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	6244950.00000000	351336250.00000000	0E-8	351336250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	354621250.00000000	0E-8	354621250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	357906250.00000000	0E-8	357906250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	361191250.00000000	0E-8	361191250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	364476250.00000000	0E-8	364476250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	367761250.00000000	0E-8	367761250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	371046250.00000000	0E-8	371046250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	3514950.00000000	374331250.00000000	0E-8	374331250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	2597450.00000000	376698750.00000000	0E-8	376698750.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	378341250.00000000	0E-8	378341250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	379983750.00000000	0E-8	379983750.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	381626250.00000000	0E-8	381626250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	383268750.00000000	0E-8	383268750.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	384911250.00000000	0E-8	384911250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	386553750.00000000	0E-8	386553750.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1872450.00000000	388196250.00000000	0E-8	388196250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1093700.00000000	389060000.00000000	0E-8	389060000.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1051200.00000000	389881250.00000000	0E-8	389881250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1051200.00000000	390702500.00000000	0E-8	390702500.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1051200.00000000	391523750.00000000	0E-8	391523750.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1051200.00000000	392345000.00000000	0E-8	392345000.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1051200.00000000	393166250.00000000	0E-8	393166250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	1051200.00000000	393987500.00000000	0E-8	393987500.00000000
burn_50	229950.00000000	0E-8	229950.00000000	912450.00000000	394670000.00000000	0E-8	394670000.00000000
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	395080625.00000000	0E-8	395080625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	395491250.00000000	0E-8	395491250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	395901875.00000000	0E-8	395901875.00000000
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	396312500.00000000	0E-8	396312500.00000000
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	396723125.00000000	0E-8	396723125.00000000
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	397133750.00000000	0E-8	397133750.00000000
burn_50	229950.00000000	0E-8	229950.00000000	640575.00000000	397544375.00000000	0E-8	397544375.00000000
burn_50	229950.00000000	0E-8	229950.00000000	491200.00000000	397805625.00000000	0E-8	397805625.00000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	398010937.50000000	0E-8	398010937.50000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	398216250.00000000	0E-8	398216250.00000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	398421562.50000000	0E-8	398421562.50000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	398626875.00000000	0E-8	398626875.00000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	398832187.50000000	0E-8	398832187.50000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	399037500.00000000	0E-8	399037500.00000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	399242812.50000000	0E-8	399242812.50000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	399448125.00000000	0E-8	399448125.00000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	399653437.50000000	0E-8	399653437.50000000
burn_50	229950.00000000	0E-8	229950.00000000	435262.50000000	399858750.00000000	0E-8	399858750.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	331785.00000000	400064062.50000000	103477.50000000	399960585.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	331785.00000000	400269375.00000000	206955.00000000	400062420.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	331785.00000000	400474687.50000000	310432.50000000	400164255.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	331785.00000000	400680000.00000000	413910.00000000	400266090.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	-332199.37500000	400221328.12500000	517387.50000000	399703940.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400272656.25000000	620865.00000000	399651791.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400323984.37500000	724342.50000000	399599641.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400375312.50000000	827820.00000000	399547492.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400426640.62500000	931297.50000000	399495343.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400477968.75000000	1034775.00000000	399443193.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400529296.87500000	1138252.50000000	399391044.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400580625.00000000	1241730.00000000	399338895.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400631953.12500000	1345207.50000000	399286745.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400683281.25000000	1448685.00000000	399234596.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400734609.37500000	1552162.50000000	399182446.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400785937.50000000	1655640.00000000	399130297.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400837265.62500000	1759117.50000000	399078148.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400888593.75000000	1862595.00000000	399025998.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400939921.87500000	1966072.50000000	398973849.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	400991250.00000000	2069550.00000000	398921700.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401042578.12500000	2173027.50000000	398869550.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401093906.25000000	2276505.00000000	398817401.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401145234.37500000	2379982.50000000	398765251.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401196562.50000000	2483460.00000000	398713102.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401247890.62500000	2586937.50000000	398660953.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401299218.75000000	2690415.00000000	398608803.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401350546.87500000	2793892.50000000	398556654.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401401875.00000000	2897370.00000000	398504505.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401453203.12500000	3000847.50000000	398452355.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401504531.25000000	3104325.00000000	398400206.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401555859.37500000	3207802.50000000	398348056.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401607187.50000000	3311280.00000000	398295907.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401658515.62500000	3414757.50000000	398243758.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401709843.75000000	3518235.00000000	398191608.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401761171.87500000	3621712.50000000	398139459.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401812500.00000000	3725190.00000000	398087310.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401863828.12500000	3828667.50000000	398035160.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401915156.25000000	3932145.00000000	397983011.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	401966484.37500000	4035622.50000000	397930861.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402017812.50000000	4139100.00000000	397878712.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402069140.62500000	4242577.50000000	397826563.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402120468.75000000	4346055.00000000	397774413.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402171796.87500000	4449532.50000000	397722264.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402223125.00000000	4553010.00000000	397670115.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402274453.12500000	4656487.50000000	397617965.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402325781.25000000	4759965.00000000	397565816.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402377109.37500000	4863442.50000000	397513666.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402428437.50000000	4966920.00000000	397461517.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402479765.62500000	5070397.50000000	397409368.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402531093.75000000	5173875.00000000	397357218.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402582421.87500000	5277352.50000000	397305069.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402633750.00000000	5380830.00000000	397252920.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402685078.12500000	5484307.50000000	397200770.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402736406.25000000	5587785.00000000	397148621.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402787734.37500000	5691262.50000000	397096471.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402839062.50000000	5794740.00000000	397044322.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402890390.62500000	5898217.50000000	396992173.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402941718.75000000	6001695.00000000	396940023.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	402993046.87500000	6105172.50000000	396887874.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403044375.00000000	6208650.00000000	396835725.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403095703.12500000	6312127.50000000	396783575.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403147031.25000000	6415605.00000000	396731426.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403198359.37500000	6519082.50000000	396679276.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403249687.50000000	6622560.00000000	396627127.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403301015.62500000	6726037.50000000	396574978.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403352343.75000000	6829515.00000000	396522828.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403403671.87500000	6932992.50000000	396470679.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403455000.00000000	7036470.00000000	396418530.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403506328.12500000	7139947.50000000	396366380.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403557656.25000000	7243425.00000000	396314231.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403608984.37500000	7346902.50000000	396262081.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403660312.50000000	7450380.00000000	396209932.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403711640.62500000	7553857.50000000	396157783.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403762968.75000000	7657335.00000000	396105633.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403814296.87500000	7760812.50000000	396053484.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403865625.00000000	7864290.00000000	396001335.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403916953.12500000	7967767.50000000	395949185.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	403968281.25000000	8071245.00000000	395897036.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404019609.37500000	8174722.50000000	395844886.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404070937.50000000	8278200.00000000	395792737.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404122265.62500000	8381677.50000000	395740588.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404173593.75000000	8485155.00000000	395688438.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404224921.87500000	8588632.50000000	395636289.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404276250.00000000	8692110.00000000	395584140.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404327578.12500000	8795587.50000000	395531990.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404378906.25000000	8899065.00000000	395479841.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404430234.37500000	9002542.50000000	395427691.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404481562.50000000	9106020.00000000	395375542.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404532890.62500000	9209497.50000000	395323393.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404584218.75000000	9312975.00000000	395271243.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404635546.87500000	9416452.50000000	395219094.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404686875.00000000	9519930.00000000	395166945.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404738203.12500000	9623407.50000000	395114795.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404789531.25000000	9726885.00000000	395062646.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404840859.37500000	9830362.50000000	395010496.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404892187.50000000	9933840.00000000	394958347.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404943515.62500000	10037317.50000000	394906198.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	404994843.75000000	10140795.00000000	394854048.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405046171.87500000	10244272.50000000	394801899.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405097500.00000000	10347750.00000000	394749750.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405148828.12500000	10451227.50000000	394697600.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405200156.25000000	10554705.00000000	394645451.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405251484.37500000	10658182.50000000	394593301.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405302812.50000000	10761660.00000000	394541152.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405354140.62500000	10865137.50000000	394489003.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405405468.75000000	10968615.00000000	394436853.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405456796.87500000	11072092.50000000	394384704.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405508125.00000000	11175570.00000000	394332555.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405559453.12500000	11279047.50000000	394280405.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405610781.25000000	11382525.00000000	394228256.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405662109.37500000	11486002.50000000	394176106.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405713437.50000000	11589480.00000000	394123957.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405764765.62500000	11692957.50000000	394071808.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405816093.75000000	11796435.00000000	394019658.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405867421.87500000	11899912.50000000	393967509.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405918750.00000000	12003390.00000000	393915360.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	405970078.12500000	12106867.50000000	393863210.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406021406.25000000	12210345.00000000	393811061.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406072734.37500000	12313822.50000000	393758911.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406124062.50000000	12417300.00000000	393706762.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406175390.62500000	12520777.50000000	393654613.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406226718.75000000	12624255.00000000	393602463.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406278046.87500000	12727732.50000000	393550314.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406329375.00000000	12831210.00000000	393498165.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406380703.12500000	12934687.50000000	393446015.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406432031.25000000	13038165.00000000	393393866.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406483359.37500000	13141642.50000000	393341716.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406534687.50000000	13245120.00000000	393289567.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406586015.62500000	13348597.50000000	393237418.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406637343.75000000	13452075.00000000	393185268.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406688671.87500000	13555552.50000000	393133119.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406740000.00000000	13659030.00000000	393080970.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406791328.12500000	13762507.50000000	393028820.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406842656.25000000	13865985.00000000	392976671.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406893984.37500000	13969462.50000000	392924521.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406945312.50000000	14072940.00000000	392872372.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	406996640.62500000	14176417.50000000	392820223.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407047968.75000000	14279895.00000000	392768073.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407099296.87500000	14383372.50000000	392715924.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407150625.00000000	14486850.00000000	392663775.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407201953.12500000	14590327.50000000	392611625.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407253281.25000000	14693805.00000000	392559476.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407304609.37500000	14797282.50000000	392507326.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407355937.50000000	14900760.00000000	392455177.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407407265.62500000	15004237.50000000	392403028.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407458593.75000000	15107715.00000000	392350878.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407509921.87500000	15211192.50000000	392298729.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407561250.00000000	15314670.00000000	392246580.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407612578.12500000	15418147.50000000	392194430.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407663906.25000000	15521625.00000000	392142281.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407715234.37500000	15625102.50000000	392090131.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407766562.50000000	15728580.00000000	392037982.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407817890.62500000	15832057.50000000	391985833.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407869218.75000000	15935535.00000000	391933683.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407920546.87500000	16039012.50000000	391881534.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	407971875.00000000	16142490.00000000	391829385.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408023203.12500000	16245967.50000000	391777235.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408074531.25000000	16349445.00000000	391725086.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408125859.37500000	16452922.50000000	391672936.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408177187.50000000	16556400.00000000	391620787.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408228515.62500000	16659877.50000000	391568638.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408279843.75000000	16763355.00000000	391516488.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408331171.87500000	16866832.50000000	391464339.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408382500.00000000	16970310.00000000	391412190.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408433828.12500000	17073787.50000000	391360040.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408485156.25000000	17177265.00000000	391307891.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408536484.37500000	17280742.50000000	391255741.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408587812.50000000	17384220.00000000	391203592.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408639140.62500000	17487697.50000000	391151443.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408690468.75000000	17591175.00000000	391099293.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408741796.87500000	17694652.50000000	391047144.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408793125.00000000	17798130.00000000	390994995.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408844453.12500000	17901607.50000000	390942845.62500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408895781.25000000	18005085.00000000	390890696.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408947109.37500000	18108562.50000000	390838546.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	408998437.50000000	18212040.00000000	390786397.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409049765.62500000	18315517.50000000	390734248.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409101093.75000000	18418995.00000000	390682098.75000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409152421.87500000	18522472.50000000	390629949.37500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409203750.00000000	18625950.00000000	390577800.00000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409255078.12500000	18729427.50000000	390525650.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409306406.25000000	18832905.00000000	390473501.25000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409357734.37500000	18936382.50000000	390421351.87500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409409062.50000000	19039860.00000000	390369202.50000000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409460390.62500000	19143337.50000000	390317053.12500000
burn_50	229950.00000000	103477.500000?	126472.50000000	177800.62500000	409511718.75000000	19246815.00000000	390264903.75000000
burn_75	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_75	344925.00000000	0E-8	344925.00000000	27406175.00000000	27061250.00000000	0E-8	27061250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	26624925.00000000	53341250.00000000	0E-8	53341250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	26624925.00000000	79621250.00000000	0E-8	79621250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	26624925.00000000	105901250.00000000	0E-8	105901250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	26624925.00000000	132181250.00000000	0E-8	132181250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	26624925.00000000	158461250.00000000	0E-8	158461250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	26624925.00000000	184741250.00000000	0E-8	184741250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	21504925.00000000	205901250.00000000	0E-8	205901250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	219041250.00000000	0E-8	219041250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	232181250.00000000	0E-8	232181250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	245321250.00000000	0E-8	245321250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	258461250.00000000	0E-8	258461250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	271601250.00000000	0E-8	271601250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	284741250.00000000	0E-8	284741250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	13484925.00000000	297881250.00000000	0E-8	297881250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	8364925.00000000	305901250.00000000	0E-8	305901250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	0E-8	344925.00000000	6914925.00000000	312471250.00000000	0E-8	312471250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	6914925.00000000	319041250.00000000	0E-8	319041250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	6914925.00000000	325611250.00000000	0E-8	325611250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	6914925.00000000	332181250.00000000	0E-8	332181250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	6914925.00000000	338751250.00000000	0E-8	338751250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	6914925.00000000	345321250.00000000	0E-8	345321250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	6359925.00000000	351336250.00000000	0E-8	351336250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	354621250.00000000	0E-8	354621250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	357906250.00000000	0E-8	357906250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	361191250.00000000	0E-8	361191250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	364476250.00000000	0E-8	364476250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	367761250.00000000	0E-8	367761250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	371046250.00000000	0E-8	371046250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	3629925.00000000	374331250.00000000	0E-8	374331250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	2712425.00000000	376698750.00000000	0E-8	376698750.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	378341250.00000000	0E-8	378341250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	379983750.00000000	0E-8	379983750.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	381626250.00000000	0E-8	381626250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	383268750.00000000	0E-8	383268750.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	384911250.00000000	0E-8	384911250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	386553750.00000000	0E-8	386553750.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1987425.00000000	388196250.00000000	0E-8	388196250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	0E-8	344925.00000000	1208675.00000000	389060000.00000000	0E-8	389060000.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1166175.00000000	389881250.00000000	0E-8	389881250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1166175.00000000	390702500.00000000	0E-8	390702500.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1166175.00000000	391523750.00000000	0E-8	391523750.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1166175.00000000	392345000.00000000	0E-8	392345000.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1166175.00000000	393166250.00000000	0E-8	393166250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1166175.00000000	393987500.00000000	0E-8	393987500.00000000
burn_75	344925.00000000	0E-8	344925.00000000	1027425.00000000	394670000.00000000	0E-8	394670000.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	395080625.00000000	0E-8	395080625.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	395491250.00000000	0E-8	395491250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	395901875.00000000	0E-8	395901875.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	396312500.00000000	0E-8	396312500.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	396723125.00000000	0E-8	396723125.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	397133750.00000000	0E-8	397133750.00000000
burn_75	344925.00000000	0E-8	344925.00000000	755550.00000000	397544375.00000000	0E-8	397544375.00000000
burn_75	344925.00000000	0E-8	344925.00000000	606175.00000000	397805625.00000000	0E-8	397805625.00000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	398010937.50000000	0E-8	398010937.50000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	398216250.00000000	0E-8	398216250.00000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	398421562.50000000	0E-8	398421562.50000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	398626875.00000000	0E-8	398626875.00000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	398832187.50000000	0E-8	398832187.50000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	399037500.00000000	0E-8	399037500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	399242812.50000000	0E-8	399242812.50000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	399448125.00000000	0E-8	399448125.00000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	399653437.50000000	0E-8	399653437.50000000
burn_75	344925.00000000	0E-8	344925.00000000	550237.50000000	399858750.00000000	0E-8	399858750.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	395021.25000000	400064062.50000000	155216.25000000	399908846.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	395021.25000000	400269375.00000000	310432.50000000	399958942.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	395021.25000000	400474687.50000000	465648.75000000	400009038.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	395021.25000000	400680000.00000000	620865.00000000	400059135.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	-268963.12500000	400221328.12500000	776081.25000000	399445246.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400272656.25000000	931297.50000000	399341358.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400323984.37500000	1086513.75000000	399237470.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400375312.50000000	1241730.00000000	399133582.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400426640.62500000	1396946.25000000	399029694.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400477968.75000000	1552162.50000000	398925806.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400529296.87500000	1707378.75000000	398821918.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400580625.00000000	1862595.00000000	398718030.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400631953.12500000	2017811.25000000	398614141.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400683281.25000000	2173027.50000000	398510253.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400734609.37500000	2328243.75000000	398406365.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400785937.50000000	2483460.00000000	398302477.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400837265.62500000	2638676.25000000	398198589.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400888593.75000000	2793892.50000000	398094701.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400939921.87500000	2949108.75000000	397990813.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	400991250.00000000	3104325.00000000	397886925.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401042578.12500000	3259541.25000000	397783036.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401093906.25000000	3414757.50000000	397679148.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401145234.37500000	3569973.75000000	397575260.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401196562.50000000	3725190.00000000	397471372.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401247890.62500000	3880406.25000000	397367484.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401299218.75000000	4035622.50000000	397263596.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401350546.87500000	4190838.75000000	397159708.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401401875.00000000	4346055.00000000	397055820.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401453203.12500000	4501271.25000000	396951931.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401504531.25000000	4656487.50000000	396848043.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401555859.37500000	4811703.75000000	396744155.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401607187.50000000	4966920.00000000	396640267.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401658515.62500000	5122136.25000000	396536379.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401709843.75000000	5277352.50000000	396432491.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401761171.87500000	5432568.75000000	396328603.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401812500.00000000	5587785.00000000	396224715.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401863828.12500000	5743001.25000000	396120826.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401915156.25000000	5898217.50000000	396016938.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	401966484.37500000	6053433.75000000	395913050.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402017812.50000000	6208650.00000000	395809162.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402069140.62500000	6363866.25000000	395705274.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402120468.75000000	6519082.50000000	395601386.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402171796.87500000	6674298.75000000	395497498.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402223125.00000000	6829515.00000000	395393610.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402274453.12500000	6984731.25000000	395289721.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402325781.25000000	7139947.50000000	395185833.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402377109.37500000	7295163.75000000	395081945.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402428437.50000000	7450380.00000000	394978057.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402479765.62500000	7605596.25000000	394874169.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402531093.75000000	7760812.50000000	394770281.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402582421.87500000	7916028.75000000	394666393.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402633750.00000000	8071245.00000000	394562505.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402685078.12500000	8226461.25000000	394458616.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402736406.25000000	8381677.50000000	394354728.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402787734.37500000	8536893.75000000	394250840.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402839062.50000000	8692110.00000000	394146952.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402890390.62500000	8847326.25000000	394043064.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402941718.75000000	9002542.50000000	393939176.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	402993046.87500000	9157758.75000000	393835288.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403044375.00000000	9312975.00000000	393731400.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403095703.12500000	9468191.25000000	393627511.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403147031.25000000	9623407.50000000	393523623.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403198359.37500000	9778623.75000000	393419735.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403249687.50000000	9933840.00000000	393315847.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403301015.62500000	10089056.25000000	393211959.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403352343.75000000	10244272.50000000	393108071.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403403671.87500000	10399488.75000000	393004183.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403455000.00000000	10554705.00000000	392900295.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403506328.12500000	10709921.25000000	392796406.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403557656.25000000	10865137.50000000	392692518.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403608984.37500000	11020353.75000000	392588630.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403660312.50000000	11175570.00000000	392484742.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403711640.62500000	11330786.25000000	392380854.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403762968.75000000	11486002.50000000	392276966.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403814296.87500000	11641218.75000000	392173078.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403865625.00000000	11796435.00000000	392069190.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403916953.12500000	11951651.25000000	391965301.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	403968281.25000000	12106867.50000000	391861413.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404019609.37500000	12262083.75000000	391757525.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404070937.50000000	12417300.00000000	391653637.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404122265.62500000	12572516.25000000	391549749.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404173593.75000000	12727732.50000000	391445861.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404224921.87500000	12882948.75000000	391341973.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404276250.00000000	13038165.00000000	391238085.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404327578.12500000	13193381.25000000	391134196.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404378906.25000000	13348597.50000000	391030308.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404430234.37500000	13503813.75000000	390926420.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404481562.50000000	13659030.00000000	390822532.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404532890.62500000	13814246.25000000	390718644.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404584218.75000000	13969462.50000000	390614756.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404635546.87500000	14124678.75000000	390510868.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404686875.00000000	14279895.00000000	390406980.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404738203.12500000	14435111.25000000	390303091.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404789531.25000000	14590327.50000000	390199203.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404840859.37500000	14745543.75000000	390095315.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404892187.50000000	14900760.00000000	389991427.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404943515.62500000	15055976.25000000	389887539.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	404994843.75000000	15211192.50000000	389783651.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405046171.87500000	15366408.75000000	389679763.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405097500.00000000	15521625.00000000	389575875.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405148828.12500000	15676841.25000000	389471986.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405200156.25000000	15832057.50000000	389368098.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405251484.37500000	15987273.75000000	389264210.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405302812.50000000	16142490.00000000	389160322.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405354140.62500000	16297706.25000000	389056434.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405405468.75000000	16452922.50000000	388952546.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405456796.87500000	16608138.75000000	388848658.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405508125.00000000	16763355.00000000	388744770.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405559453.12500000	16918571.25000000	388640881.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405610781.25000000	17073787.50000000	388536993.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405662109.37500000	17229003.75000000	388433105.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405713437.50000000	17384220.00000000	388329217.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405764765.62500000	17539436.25000000	388225329.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405816093.75000000	17694652.50000000	388121441.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405867421.87500000	17849868.75000000	388017553.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405918750.00000000	18005085.00000000	387913665.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	405970078.12500000	18160301.25000000	387809776.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406021406.25000000	18315517.50000000	387705888.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406072734.37500000	18470733.75000000	387602000.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406124062.50000000	18625950.00000000	387498112.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406175390.62500000	18781166.25000000	387394224.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406226718.75000000	18936382.50000000	387290336.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406278046.87500000	19091598.75000000	387186448.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406329375.00000000	19246815.00000000	387082560.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406380703.12500000	19402031.25000000	386978671.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406432031.25000000	19557247.50000000	386874783.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406483359.37500000	19712463.75000000	386770895.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406534687.50000000	19867680.00000000	386667007.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406586015.62500000	20022896.25000000	386563119.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406637343.75000000	20178112.50000000	386459231.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406688671.87500000	20333328.75000000	386355343.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406740000.00000000	20488545.00000000	386251455.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406791328.12500000	20643761.25000000	386147566.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406842656.25000000	20798977.50000000	386043678.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406893984.37500000	20954193.75000000	385939790.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406945312.50000000	21109410.00000000	385835902.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	406996640.62500000	21264626.25000000	385732014.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407047968.75000000	21419842.50000000	385628126.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407099296.87500000	21575058.75000000	385524238.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407150625.00000000	21730275.00000000	385420350.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407201953.12500000	21885491.25000000	385316461.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407253281.25000000	22040707.50000000	385212573.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407304609.37500000	22195923.75000000	385108685.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407355937.50000000	22351140.00000000	385004797.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407407265.62500000	22506356.25000000	384900909.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407458593.75000000	22661572.50000000	384797021.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407509921.87500000	22816788.75000000	384693133.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407561250.00000000	22972005.00000000	384589245.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407612578.12500000	23127221.25000000	384485356.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407663906.25000000	23282437.50000000	384381468.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407715234.37500000	23437653.75000000	384277580.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407766562.50000000	23592870.00000000	384173692.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407817890.62500000	23748086.25000000	384069804.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407869218.75000000	23903302.50000000	383965916.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407920546.87500000	24058518.75000000	383862028.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	407971875.00000000	24213735.00000000	383758140.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408023203.12500000	24368951.25000000	383654251.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408074531.25000000	24524167.50000000	383550363.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408125859.37500000	24679383.75000000	383446475.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408177187.50000000	24834600.00000000	383342587.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408228515.62500000	24989816.25000000	383238699.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408279843.75000000	25145032.50000000	383134811.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408331171.87500000	25300248.75000000	383030923.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408382500.00000000	25455465.00000000	382927035.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408433828.12500000	25610681.25000000	382823146.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408485156.25000000	25765897.50000000	382719258.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408536484.37500000	25921113.75000000	382615370.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408587812.50000000	26076330.00000000	382511482.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408639140.62500000	26231546.25000000	382407594.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408690468.75000000	26386762.50000000	382303706.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408741796.87500000	26541978.75000000	382199818.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408793125.00000000	26697195.00000000	382095930.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408844453.12500000	26852411.25000000	381992041.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408895781.25000000	27007627.50000000	381888153.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408947109.37500000	27162843.75000000	381784265.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	408998437.50000000	27318060.00000000	381680377.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409049765.62500000	27473276.25000000	381576489.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409101093.75000000	27628492.50000000	381472601.25000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409152421.87500000	27783708.75000000	381368713.12500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409203750.00000000	27938925.00000000	381264825.00000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409255078.12500000	28094141.25000000	381160936.87500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409306406.25000000	28249357.50000000	381057048.75000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409357734.37500000	28404573.75000000	380953160.62500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409409062.50000000	28559790.00000000	380849272.50000000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409460390.62500000	28715006.25000000	380745384.37500000
burn_75	344925.00000000	155216.250000?	189708.75000000	241036.87500000	409511718.75000000	28870222.50000000	380641496.25000000
burn_100	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_100	459900.00000000	0E-8	459900.00000000	27521150.00000000	27061250.00000000	0E-8	27061250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	26739900.00000000	53341250.00000000	0E-8	53341250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	26739900.00000000	79621250.00000000	0E-8	79621250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	26739900.00000000	105901250.00000000	0E-8	105901250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	26739900.00000000	132181250.00000000	0E-8	132181250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	26739900.00000000	158461250.00000000	0E-8	158461250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	26739900.00000000	184741250.00000000	0E-8	184741250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	0E-8	459900.00000000	21619900.00000000	205901250.00000000	0E-8	205901250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	219041250.00000000	0E-8	219041250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	232181250.00000000	0E-8	232181250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	245321250.00000000	0E-8	245321250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	258461250.00000000	0E-8	258461250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	271601250.00000000	0E-8	271601250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	284741250.00000000	0E-8	284741250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	13599900.00000000	297881250.00000000	0E-8	297881250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	8479900.00000000	305901250.00000000	0E-8	305901250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	7029900.00000000	312471250.00000000	0E-8	312471250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	7029900.00000000	319041250.00000000	0E-8	319041250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	7029900.00000000	325611250.00000000	0E-8	325611250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	7029900.00000000	332181250.00000000	0E-8	332181250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	7029900.00000000	338751250.00000000	0E-8	338751250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	7029900.00000000	345321250.00000000	0E-8	345321250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	6474900.00000000	351336250.00000000	0E-8	351336250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	354621250.00000000	0E-8	354621250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	357906250.00000000	0E-8	357906250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	361191250.00000000	0E-8	361191250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	364476250.00000000	0E-8	364476250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	367761250.00000000	0E-8	367761250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	371046250.00000000	0E-8	371046250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	0E-8	459900.00000000	3744900.00000000	374331250.00000000	0E-8	374331250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2827400.00000000	376698750.00000000	0E-8	376698750.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	378341250.00000000	0E-8	378341250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	379983750.00000000	0E-8	379983750.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	381626250.00000000	0E-8	381626250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	383268750.00000000	0E-8	383268750.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	384911250.00000000	0E-8	384911250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	386553750.00000000	0E-8	386553750.00000000
burn_100	459900.00000000	0E-8	459900.00000000	2102400.00000000	388196250.00000000	0E-8	388196250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1323650.00000000	389060000.00000000	0E-8	389060000.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1281150.00000000	389881250.00000000	0E-8	389881250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1281150.00000000	390702500.00000000	0E-8	390702500.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1281150.00000000	391523750.00000000	0E-8	391523750.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1281150.00000000	392345000.00000000	0E-8	392345000.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1281150.00000000	393166250.00000000	0E-8	393166250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1281150.00000000	393987500.00000000	0E-8	393987500.00000000
burn_100	459900.00000000	0E-8	459900.00000000	1142400.00000000	394670000.00000000	0E-8	394670000.00000000
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	395080625.00000000	0E-8	395080625.00000000
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	395491250.00000000	0E-8	395491250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	395901875.00000000	0E-8	395901875.00000000
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	396312500.00000000	0E-8	396312500.00000000
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	396723125.00000000	0E-8	396723125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	397133750.00000000	0E-8	397133750.00000000
burn_100	459900.00000000	0E-8	459900.00000000	870525.00000000	397544375.00000000	0E-8	397544375.00000000
burn_100	459900.00000000	0E-8	459900.00000000	721150.00000000	397805625.00000000	0E-8	397805625.00000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	398010937.50000000	0E-8	398010937.50000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	398216250.00000000	0E-8	398216250.00000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	398421562.50000000	0E-8	398421562.50000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	398626875.00000000	0E-8	398626875.00000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	398832187.50000000	0E-8	398832187.50000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	399037500.00000000	0E-8	399037500.00000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	399242812.50000000	0E-8	399242812.50000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	399448125.00000000	0E-8	399448125.00000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	399653437.50000000	0E-8	399653437.50000000
burn_100	459900.00000000	0E-8	459900.00000000	665212.50000000	399858750.00000000	0E-8	399858750.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	458257.50000000	400064062.50000000	206955.00000000	399857107.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	458257.50000000	400269375.00000000	413910.00000000	399855465.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	458257.50000000	400474687.50000000	620865.00000000	399853822.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	458257.50000000	400680000.00000000	827820.00000000	399852180.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	-205726.87500000	400221328.12500000	1034775.00000000	399186553.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400272656.25000000	1241730.00000000	399030926.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400323984.37500000	1448685.00000000	398875299.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400375312.50000000	1655640.00000000	398719672.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400426640.62500000	1862595.00000000	398564045.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400477968.75000000	2069550.00000000	398408418.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400529296.87500000	2276505.00000000	398252791.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400580625.00000000	2483460.00000000	398097165.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400631953.12500000	2690415.00000000	397941538.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400683281.25000000	2897370.00000000	397785911.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400734609.37500000	3104325.00000000	397630284.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400785937.50000000	3311280.00000000	397474657.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400837265.62500000	3518235.00000000	397319030.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400888593.75000000	3725190.00000000	397163403.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400939921.87500000	3932145.00000000	397007776.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	400991250.00000000	4139100.00000000	396852150.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401042578.12500000	4346055.00000000	396696523.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401093906.25000000	4553010.00000000	396540896.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401145234.37500000	4759965.00000000	396385269.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401196562.50000000	4966920.00000000	396229642.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401247890.62500000	5173875.00000000	396074015.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401299218.75000000	5380830.00000000	395918388.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401350546.87500000	5587785.00000000	395762761.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401401875.00000000	5794740.00000000	395607135.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401453203.12500000	6001695.00000000	395451508.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401504531.25000000	6208650.00000000	395295881.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401555859.37500000	6415605.00000000	395140254.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401607187.50000000	6622560.00000000	394984627.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401658515.62500000	6829515.00000000	394829000.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401709843.75000000	7036470.00000000	394673373.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401761171.87500000	7243425.00000000	394517746.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401812500.00000000	7450380.00000000	394362120.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401863828.12500000	7657335.00000000	394206493.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401915156.25000000	7864290.00000000	394050866.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	401966484.37500000	8071245.00000000	393895239.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402017812.50000000	8278200.00000000	393739612.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402069140.62500000	8485155.00000000	393583985.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402120468.75000000	8692110.00000000	393428358.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402171796.87500000	8899065.00000000	393272731.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402223125.00000000	9106020.00000000	393117105.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402274453.12500000	9312975.00000000	392961478.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402325781.25000000	9519930.00000000	392805851.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402377109.37500000	9726885.00000000	392650224.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402428437.50000000	9933840.00000000	392494597.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402479765.62500000	10140795.00000000	392338970.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402531093.75000000	10347750.00000000	392183343.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402582421.87500000	10554705.00000000	392027716.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402633750.00000000	10761660.00000000	391872090.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402685078.12500000	10968615.00000000	391716463.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402736406.25000000	11175570.00000000	391560836.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402787734.37500000	11382525.00000000	391405209.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402839062.50000000	11589480.00000000	391249582.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402890390.62500000	11796435.00000000	391093955.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402941718.75000000	12003390.00000000	390938328.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	402993046.87500000	12210345.00000000	390782701.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403044375.00000000	12417300.00000000	390627075.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403095703.12500000	12624255.00000000	390471448.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403147031.25000000	12831210.00000000	390315821.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403198359.37500000	13038165.00000000	390160194.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403249687.50000000	13245120.00000000	390004567.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403301015.62500000	13452075.00000000	389848940.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403352343.75000000	13659030.00000000	389693313.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403403671.87500000	13865985.00000000	389537686.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403455000.00000000	14072940.00000000	389382060.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403506328.12500000	14279895.00000000	389226433.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403557656.25000000	14486850.00000000	389070806.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403608984.37500000	14693805.00000000	388915179.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403660312.50000000	14900760.00000000	388759552.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403711640.62500000	15107715.00000000	388603925.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403762968.75000000	15314670.00000000	388448298.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403814296.87500000	15521625.00000000	388292671.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403865625.00000000	15728580.00000000	388137045.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403916953.12500000	15935535.00000000	387981418.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	403968281.25000000	16142490.00000000	387825791.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404019609.37500000	16349445.00000000	387670164.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404070937.50000000	16556400.00000000	387514537.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404122265.62500000	16763355.00000000	387358910.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404173593.75000000	16970310.00000000	387203283.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404224921.87500000	17177265.00000000	387047656.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404276250.00000000	17384220.00000000	386892030.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404327578.12500000	17591175.00000000	386736403.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404378906.25000000	17798130.00000000	386580776.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404430234.37500000	18005085.00000000	386425149.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404481562.50000000	18212040.00000000	386269522.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404532890.62500000	18418995.00000000	386113895.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404584218.75000000	18625950.00000000	385958268.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404635546.87500000	18832905.00000000	385802641.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404686875.00000000	19039860.00000000	385647015.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404738203.12500000	19246815.00000000	385491388.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404789531.25000000	19453770.00000000	385335761.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404840859.37500000	19660725.00000000	385180134.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404892187.50000000	19867680.00000000	385024507.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404943515.62500000	20074635.00000000	384868880.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	404994843.75000000	20281590.00000000	384713253.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405046171.87500000	20488545.00000000	384557626.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405097500.00000000	20695500.00000000	384402000.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405148828.12500000	20902455.00000000	384246373.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405200156.25000000	21109410.00000000	384090746.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405251484.37500000	21316365.00000000	383935119.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405302812.50000000	21523320.00000000	383779492.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405354140.62500000	21730275.00000000	383623865.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405405468.75000000	21937230.00000000	383468238.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405456796.87500000	22144185.00000000	383312611.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405508125.00000000	22351140.00000000	383156985.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405559453.12500000	22558095.00000000	383001358.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405610781.25000000	22765050.00000000	382845731.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405662109.37500000	22972005.00000000	382690104.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405713437.50000000	23178960.00000000	382534477.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405764765.62500000	23385915.00000000	382378850.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405816093.75000000	23592870.00000000	382223223.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405867421.87500000	23799825.00000000	382067596.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405918750.00000000	24006780.00000000	381911970.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	405970078.12500000	24213735.00000000	381756343.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406021406.25000000	24420690.00000000	381600716.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406072734.37500000	24627645.00000000	381445089.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406124062.50000000	24834600.00000000	381289462.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406175390.62500000	25041555.00000000	381133835.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406226718.75000000	25248510.00000000	380978208.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406278046.87500000	25455465.00000000	380822581.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406329375.00000000	25662420.00000000	380666955.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406380703.12500000	25869375.00000000	380511328.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406432031.25000000	26076330.00000000	380355701.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406483359.37500000	26283285.00000000	380200074.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406534687.50000000	26490240.00000000	380044447.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406586015.62500000	26697195.00000000	379888820.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406637343.75000000	26904150.00000000	379733193.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406688671.87500000	27111105.00000000	379577566.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406740000.00000000	27318060.00000000	379421940.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406791328.12500000	27525015.00000000	379266313.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406842656.25000000	27731970.00000000	379110686.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406893984.37500000	27938925.00000000	378955059.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406945312.50000000	28145880.00000000	378799432.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	406996640.62500000	28352835.00000000	378643805.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407047968.75000000	28559790.00000000	378488178.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407099296.87500000	28766745.00000000	378332551.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407150625.00000000	28973700.00000000	378176925.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407201953.12500000	29180655.00000000	378021298.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407253281.25000000	29387610.00000000	377865671.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407304609.37500000	29594565.00000000	377710044.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407355937.50000000	29801520.00000000	377554417.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407407265.62500000	30008475.00000000	377398790.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407458593.75000000	30215430.00000000	377243163.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407509921.87500000	30422385.00000000	377087536.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407561250.00000000	30629340.00000000	376931910.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407612578.12500000	30836295.00000000	376776283.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407663906.25000000	31043250.00000000	376620656.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407715234.37500000	31250205.00000000	376465029.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407766562.50000000	31457160.00000000	376309402.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407817890.62500000	31664115.00000000	376153775.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407869218.75000000	31871070.00000000	375998148.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407920546.87500000	32078025.00000000	375842521.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	407971875.00000000	32284980.00000000	375686895.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408023203.12500000	32491935.00000000	375531268.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408074531.25000000	32698890.00000000	375375641.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408125859.37500000	32905845.00000000	375220014.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408177187.50000000	33112800.00000000	375064387.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408228515.62500000	33319755.00000000	374908760.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408279843.75000000	33526710.00000000	374753133.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408331171.87500000	33733665.00000000	374597506.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408382500.00000000	33940620.00000000	374441880.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408433828.12500000	34147575.00000000	374286253.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408485156.25000000	34354530.00000000	374130626.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408536484.37500000	34561485.00000000	373974999.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408587812.50000000	34768440.00000000	373819372.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408639140.62500000	34975395.00000000	373663745.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408690468.75000000	35182350.00000000	373508118.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408741796.87500000	35389305.00000000	373352491.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408793125.00000000	35596260.00000000	373196865.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408844453.12500000	35803215.00000000	373041238.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408895781.25000000	36010170.00000000	372885611.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408947109.37500000	36217125.00000000	372729984.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	408998437.50000000	36424080.00000000	372574357.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409049765.62500000	36631035.00000000	372418730.62500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409101093.75000000	36837990.00000000	372263103.75000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409152421.87500000	37044945.00000000	372107476.87500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409203750.00000000	37251900.00000000	371951850.00000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409255078.12500000	37458855.00000000	371796223.12500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409306406.25000000	37665810.00000000	371640596.25000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409357734.37500000	37872765.00000000	371484969.37500000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409409062.50000000	38079720.00000000	371329342.50000000
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409460390.62500000	38286675.00000000	371173715.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	459900.00000000	206955.000000?	252945.00000000	304273.12500000	409511718.75000000	38493630.00000000	371018088.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	0E-8	0E-8	6183	51.52500000
no_burn_100	27061250.00000000	0E-8	6183	51.52500000
no_burn_100	26280000.00000000	97.11303062	6183	51.52500000
no_burn_100	26280000.00000000	49.26768683	6183	51.52500000
no_burn_100	26280000.00000000	33.00626403	6183	51.52500000
no_burn_100	26280000.00000000	24.81557111	6183	51.52500000
no_burn_100	26280000.00000000	19.88179110	6183	51.52500000
no_burn_100	26280000.00000000	16.58449621	6183	51.52500000
no_burn_100	21160000.00000000	11.45385776	6183	51.52500000
no_burn_100	13140000.00000000	6.38169997	6183	51.52500000
no_burn_100	13140000.00000000	5.99887008	6183	51.52500000
no_burn_100	13140000.00000000	5.65937172	6183	51.52500000
no_burn_100	13140000.00000000	5.35624207	6183	51.52500000
no_burn_100	13140000.00000000	5.08393425	6183	51.52500000
no_burn_100	13140000.00000000	4.83797479	6183	51.52500000
no_burn_100	13140000.00000000	4.61471599	6183	51.52500000
no_burn_100	8020000.00000000	2.69234804	6183	51.52500000
no_burn_100	6570000.00000000	2.14775193	6183	51.52500000
no_burn_100	6570000.00000000	2.10259344	6183	51.52500000
no_burn_100	6570000.00000000	2.05929484	6183	51.52500000
no_burn_100	6570000.00000000	2.01774355	6183	51.52500000
no_burn_100	6570000.00000000	1.97783590	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	6570000.00000000	1.93947624	6183	51.52500000
no_burn_100	6015000.00000000	1.74185631	6183	51.52500000
no_burn_100	3285000.00000000	0.93500173	6183	51.52500000
no_burn_100	3285000.00000000	0.92634043	6183	51.52500000
no_burn_100	3285000.00000000	0.91783812	6183	51.52500000
no_burn_100	3285000.00000000	0.90949047	6183	51.52500000
no_burn_100	3285000.00000000	0.90129329	6183	51.52500000
no_burn_100	3285000.00000000	0.89324256	6183	51.52500000
no_burn_100	3285000.00000000	0.88533438	6183	51.52500000
no_burn_100	2367500.00000000	0.63246122	6183	51.52500000
no_burn_100	1642500.00000000	0.43602481	6183	51.52500000
no_burn_100	1642500.00000000	0.43413188	6183	51.52500000
no_burn_100	1642500.00000000	0.43225533	6183	51.52500000
no_burn_100	1642500.00000000	0.43039492	6183	51.52500000
no_burn_100	1642500.00000000	0.42855046	6183	51.52500000
no_burn_100	1642500.00000000	0.42672174	6183	51.52500000
no_burn_100	1642500.00000000	0.42490857	6183	51.52500000
no_burn_100	863750.00000000	0.22250344	6183	51.52500000
no_burn_100	821250.00000000	0.21108569	6183	51.52500000
no_burn_100	821250.00000000	0.21064106	6183	51.52500000
no_burn_100	821250.00000000	0.21019830	6183	51.52500000
no_burn_100	821250.00000000	0.20975739	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	821250.00000000	0.20931833	6183	51.52500000
no_burn_100	821250.00000000	0.20888110	6183	51.52500000
no_burn_100	682500.00000000	0.17322885	6183	51.52500000
no_burn_100	410625.00000000	0.10404262	6183	51.52500000
no_burn_100	410625.00000000	0.10393448	6183	51.52500000
no_burn_100	410625.00000000	0.10382657	6183	51.52500000
no_burn_100	410625.00000000	0.10371888	6183	51.52500000
no_burn_100	410625.00000000	0.10361142	6183	51.52500000
no_burn_100	410625.00000000	0.10350418	6183	51.52500000
no_burn_100	410625.00000000	0.10339716	6183	51.52500000
no_burn_100	261250.00000000	0.06571593	6183	51.52500000
no_burn_100	205312.50000000	0.05161126	6183	51.52500000
no_burn_100	205312.50000000	0.05158464	6183	51.52500000
no_burn_100	205312.50000000	0.05155804	6183	51.52500000
no_burn_100	205312.50000000	0.05153147	6183	51.52500000
no_burn_100	205312.50000000	0.05150493	6183	51.52500000
no_burn_100	205312.50000000	0.05147842	6183	51.52500000
no_burn_100	205312.50000000	0.05145193	6183	51.52500000
no_burn_100	205312.50000000	0.05142547	6183	51.52500000
no_burn_100	205312.50000000	0.05139904	6183	51.52500000
no_burn_100	205312.50000000	0.05137263	6183	51.52500000
no_burn_100	205312.50000000	0.05134626	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	205312.50000000	0.05131991	6183	51.52500000
no_burn_100	205312.50000000	0.05129358	6183	51.52500000
no_burn_100	205312.50000000	0.05126729	6183	51.52500000
no_burn_100	-458671.87500000	-0.11447336	6183	51.52500000
no_burn_100	51328.12500000	0.01282493	6183	51.52500000
no_burn_100	51328.12500000	0.01282329	6183	51.52500000
no_burn_100	51328.12500000	0.01282165	6183	51.52500000
no_burn_100	51328.12500000	0.01282000	6183	51.52500000
no_burn_100	51328.12500000	0.01281836	6183	51.52500000
no_burn_100	51328.12500000	0.01281672	6183	51.52500000
no_burn_100	51328.12500000	0.01281507	6183	51.52500000
no_burn_100	51328.12500000	0.01281343	6183	51.52500000
no_burn_100	51328.12500000	0.01281179	6183	51.52500000
no_burn_100	51328.12500000	0.01281015	6183	51.52500000
no_burn_100	51328.12500000	0.01280851	6183	51.52500000
no_burn_100	51328.12500000	0.01280687	6183	51.52500000
no_burn_100	51328.12500000	0.01280523	6183	51.52500000
no_burn_100	51328.12500000	0.01280359	6183	51.52500000
no_burn_100	51328.12500000	0.01280195	6183	51.52500000
no_burn_100	51328.12500000	0.01280031	6183	51.52500000
no_burn_100	51328.12500000	0.01279867	6183	51.52500000
no_burn_100	51328.12500000	0.01279703	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01279540	6183	51.52500000
no_burn_100	51328.12500000	0.01279376	6183	51.52500000
no_burn_100	51328.12500000	0.01279212	6183	51.52500000
no_burn_100	51328.12500000	0.01279049	6183	51.52500000
no_burn_100	51328.12500000	0.01278885	6183	51.52500000
no_burn_100	51328.12500000	0.01278722	6183	51.52500000
no_burn_100	51328.12500000	0.01278558	6183	51.52500000
no_burn_100	51328.12500000	0.01278395	6183	51.52500000
no_burn_100	51328.12500000	0.01278231	6183	51.52500000
no_burn_100	51328.12500000	0.01278068	6183	51.52500000
no_burn_100	51328.12500000	0.01277905	6183	51.52500000
no_burn_100	51328.12500000	0.01277741	6183	51.52500000
no_burn_100	51328.12500000	0.01277578	6183	51.52500000
no_burn_100	51328.12500000	0.01277415	6183	51.52500000
no_burn_100	51328.12500000	0.01277252	6183	51.52500000
no_burn_100	51328.12500000	0.01277089	6183	51.52500000
no_burn_100	51328.12500000	0.01276925	6183	51.52500000
no_burn_100	51328.12500000	0.01276762	6183	51.52500000
no_burn_100	51328.12500000	0.01276599	6183	51.52500000
no_burn_100	51328.12500000	0.01276437	6183	51.52500000
no_burn_100	51328.12500000	0.01276274	6183	51.52500000
no_burn_100	51328.12500000	0.01276111	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01275948	6183	51.52500000
no_burn_100	51328.12500000	0.01275785	6183	51.52500000
no_burn_100	51328.12500000	0.01275622	6183	51.52500000
no_burn_100	51328.12500000	0.01275460	6183	51.52500000
no_burn_100	51328.12500000	0.01275297	6183	51.52500000
no_burn_100	51328.12500000	0.01275134	6183	51.52500000
no_burn_100	51328.12500000	0.01274972	6183	51.52500000
no_burn_100	51328.12500000	0.01274809	6183	51.52500000
no_burn_100	51328.12500000	0.01274647	6183	51.52500000
no_burn_100	51328.12500000	0.01274484	6183	51.52500000
no_burn_100	51328.12500000	0.01274322	6183	51.52500000
no_burn_100	51328.12500000	0.01274160	6183	51.52500000
no_burn_100	51328.12500000	0.01273997	6183	51.52500000
no_burn_100	51328.12500000	0.01273835	6183	51.52500000
no_burn_100	51328.12500000	0.01273673	6183	51.52500000
no_burn_100	51328.12500000	0.01273511	6183	51.52500000
no_burn_100	51328.12500000	0.01273348	6183	51.52500000
no_burn_100	51328.12500000	0.01273186	6183	51.52500000
no_burn_100	51328.12500000	0.01273024	6183	51.52500000
no_burn_100	51328.12500000	0.01272862	6183	51.52500000
no_burn_100	51328.12500000	0.01272700	6183	51.52500000
no_burn_100	51328.12500000	0.01272538	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01272376	6183	51.52500000
no_burn_100	51328.12500000	0.01272214	6183	51.52500000
no_burn_100	51328.12500000	0.01272053	6183	51.52500000
no_burn_100	51328.12500000	0.01271891	6183	51.52500000
no_burn_100	51328.12500000	0.01271729	6183	51.52500000
no_burn_100	51328.12500000	0.01271567	6183	51.52500000
no_burn_100	51328.12500000	0.01271406	6183	51.52500000
no_burn_100	51328.12500000	0.01271244	6183	51.52500000
no_burn_100	51328.12500000	0.01271082	6183	51.52500000
no_burn_100	51328.12500000	0.01270921	6183	51.52500000
no_burn_100	51328.12500000	0.01270759	6183	51.52500000
no_burn_100	51328.12500000	0.01270598	6183	51.52500000
no_burn_100	51328.12500000	0.01270436	6183	51.52500000
no_burn_100	51328.12500000	0.01270275	6183	51.52500000
no_burn_100	51328.12500000	0.01270114	6183	51.52500000
no_burn_100	51328.12500000	0.01269952	6183	51.52500000
no_burn_100	51328.12500000	0.01269791	6183	51.52500000
no_burn_100	51328.12500000	0.01269630	6183	51.52500000
no_burn_100	51328.12500000	0.01269469	6183	51.52500000
no_burn_100	51328.12500000	0.01269308	6183	51.52500000
no_burn_100	51328.12500000	0.01269147	6183	51.52500000
no_burn_100	51328.12500000	0.01268986	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01268825	6183	51.52500000
no_burn_100	51328.12500000	0.01268664	6183	51.52500000
no_burn_100	51328.12500000	0.01268503	6183	51.52500000
no_burn_100	51328.12500000	0.01268342	6183	51.52500000
no_burn_100	51328.12500000	0.01268181	6183	51.52500000
no_burn_100	51328.12500000	0.01268020	6183	51.52500000
no_burn_100	51328.12500000	0.01267859	6183	51.52500000
no_burn_100	51328.12500000	0.01267699	6183	51.52500000
no_burn_100	51328.12500000	0.01267538	6183	51.52500000
no_burn_100	51328.12500000	0.01267377	6183	51.52500000
no_burn_100	51328.12500000	0.01267217	6183	51.52500000
no_burn_100	51328.12500000	0.01267056	6183	51.52500000
no_burn_100	51328.12500000	0.01266896	6183	51.52500000
no_burn_100	51328.12500000	0.01266735	6183	51.52500000
no_burn_100	51328.12500000	0.01266575	6183	51.52500000
no_burn_100	51328.12500000	0.01266414	6183	51.52500000
no_burn_100	51328.12500000	0.01266254	6183	51.52500000
no_burn_100	51328.12500000	0.01266094	6183	51.52500000
no_burn_100	51328.12500000	0.01265933	6183	51.52500000
no_burn_100	51328.12500000	0.01265773	6183	51.52500000
no_burn_100	51328.12500000	0.01265613	6183	51.52500000
no_burn_100	51328.12500000	0.01265453	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01265293	6183	51.52500000
no_burn_100	51328.12500000	0.01265132	6183	51.52500000
no_burn_100	51328.12500000	0.01264972	6183	51.52500000
no_burn_100	51328.12500000	0.01264812	6183	51.52500000
no_burn_100	51328.12500000	0.01264653	6183	51.52500000
no_burn_100	51328.12500000	0.01264493	6183	51.52500000
no_burn_100	51328.12500000	0.01264333	6183	51.52500000
no_burn_100	51328.12500000	0.01264173	6183	51.52500000
no_burn_100	51328.12500000	0.01264013	6183	51.52500000
no_burn_100	51328.12500000	0.01263853	6183	51.52500000
no_burn_100	51328.12500000	0.01263694	6183	51.52500000
no_burn_100	51328.12500000	0.01263534	6183	51.52500000
no_burn_100	51328.12500000	0.01263374	6183	51.52500000
no_burn_100	51328.12500000	0.01263215	6183	51.52500000
no_burn_100	51328.12500000	0.01263055	6183	51.52500000
no_burn_100	51328.12500000	0.01262896	6183	51.52500000
no_burn_100	51328.12500000	0.01262736	6183	51.52500000
no_burn_100	51328.12500000	0.01262577	6183	51.52500000
no_burn_100	51328.12500000	0.01262417	6183	51.52500000
no_burn_100	51328.12500000	0.01262258	6183	51.52500000
no_burn_100	51328.12500000	0.01262099	6183	51.52500000
no_burn_100	51328.12500000	0.01261939	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01261780	6183	51.52500000
no_burn_100	51328.12500000	0.01261621	6183	51.52500000
no_burn_100	51328.12500000	0.01261462	6183	51.52500000
no_burn_100	51328.12500000	0.01261303	6183	51.52500000
no_burn_100	51328.12500000	0.01261144	6183	51.52500000
no_burn_100	51328.12500000	0.01260985	6183	51.52500000
no_burn_100	51328.12500000	0.01260826	6183	51.52500000
no_burn_100	51328.12500000	0.01260667	6183	51.52500000
no_burn_100	51328.12500000	0.01260508	6183	51.52500000
no_burn_100	51328.12500000	0.01260349	6183	51.52500000
no_burn_100	51328.12500000	0.01260190	6183	51.52500000
no_burn_100	51328.12500000	0.01260031	6183	51.52500000
no_burn_100	51328.12500000	0.01259873	6183	51.52500000
no_burn_100	51328.12500000	0.01259714	6183	51.52500000
no_burn_100	51328.12500000	0.01259555	6183	51.52500000
no_burn_100	51328.12500000	0.01259397	6183	51.52500000
no_burn_100	51328.12500000	0.01259238	6183	51.52500000
no_burn_100	51328.12500000	0.01259079	6183	51.52500000
no_burn_100	51328.12500000	0.01258921	6183	51.52500000
no_burn_100	51328.12500000	0.01258762	6183	51.52500000
no_burn_100	51328.12500000	0.01258604	6183	51.52500000
no_burn_100	51328.12500000	0.01258446	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01258287	6183	51.52500000
no_burn_100	51328.12500000	0.01258129	6183	51.52500000
no_burn_100	51328.12500000	0.01257971	6183	51.52500000
no_burn_100	51328.12500000	0.01257813	6183	51.52500000
no_burn_100	51328.12500000	0.01257654	6183	51.52500000
no_burn_100	51328.12500000	0.01257496	6183	51.52500000
no_burn_100	51328.12500000	0.01257338	6183	51.52500000
no_burn_100	51328.12500000	0.01257180	6183	51.52500000
no_burn_100	51328.12500000	0.01257022	6183	51.52500000
no_burn_100	51328.12500000	0.01256864	6183	51.52500000
no_burn_100	51328.12500000	0.01256706	6183	51.52500000
no_burn_100	51328.12500000	0.01256548	6183	51.52500000
no_burn_100	51328.12500000	0.01256390	6183	51.52500000
no_burn_100	51328.12500000	0.01256232	6183	51.52500000
no_burn_100	51328.12500000	0.01256075	6183	51.52500000
no_burn_100	51328.12500000	0.01255917	6183	51.52500000
no_burn_100	51328.12500000	0.01255759	6183	51.52500000
no_burn_100	51328.12500000	0.01255601	6183	51.52500000
no_burn_100	51328.12500000	0.01255444	6183	51.52500000
no_burn_100	51328.12500000	0.01255286	6183	51.52500000
no_burn_100	51328.12500000	0.01255129	6183	51.52500000
no_burn_100	51328.12500000	0.01254971	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.01254814	6183	51.52500000
no_burn_100	51328.12500000	0.01254656	6183	51.52500000
no_burn_100	51328.12500000	0.01254499	6183	51.52500000
no_burn_100	51328.12500000	0.01254342	6183	51.52500000
no_burn_100	51328.12500000	0.01254184	6183	51.52500000
no_burn_100	51328.12500000	0.01254027	6183	51.52500000
no_burn_100	51328.12500000	0.01253870	6183	51.52500000
no_burn_100	51328.12500000	0.01253712	6183	51.52500000
no_burn_100	51328.12500000	0.01253555	6183	51.52500000
burn_25	0E-8	0E-8	1545	12.87500000
burn_25	27061250.00000000	0E-8	1545	12.87500000
burn_25	26280000.00000000	97.11303062	1545	12.87500000
burn_25	26280000.00000000	49.26768683	1545	12.87500000
burn_25	26280000.00000000	33.00626403	1545	12.87500000
burn_25	26280000.00000000	24.81557111	1545	12.87500000
burn_25	26280000.00000000	19.88179110	1545	12.87500000
burn_25	26280000.00000000	16.58449621	1545	12.87500000
burn_25	21160000.00000000	11.45385776	1545	12.87500000
burn_25	13140000.00000000	6.38169997	1545	12.87500000
burn_25	13140000.00000000	5.99887008	1545	12.87500000
burn_25	13140000.00000000	5.65937172	1545	12.87500000
burn_25	13140000.00000000	5.35624207	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	13140000.00000000	5.08393425	1545	12.87500000
burn_25	13140000.00000000	4.83797479	1545	12.87500000
burn_25	13140000.00000000	4.61471599	1545	12.87500000
burn_25	8020000.00000000	2.69234804	1545	12.87500000
burn_25	6570000.00000000	2.14775193	1545	12.87500000
burn_25	6570000.00000000	2.10259344	1545	12.87500000
burn_25	6570000.00000000	2.05929484	1545	12.87500000
burn_25	6570000.00000000	2.01774355	1545	12.87500000
burn_25	6570000.00000000	1.97783590	1545	12.87500000
burn_25	6570000.00000000	1.93947624	1545	12.87500000
burn_25	6015000.00000000	1.74185631	1545	12.87500000
burn_25	3285000.00000000	0.93500173	1545	12.87500000
burn_25	3285000.00000000	0.92634043	1545	12.87500000
burn_25	3285000.00000000	0.91783812	1545	12.87500000
burn_25	3285000.00000000	0.90949047	1545	12.87500000
burn_25	3285000.00000000	0.90129329	1545	12.87500000
burn_25	3285000.00000000	0.89324256	1545	12.87500000
burn_25	3285000.00000000	0.88533438	1545	12.87500000
burn_25	2367500.00000000	0.63246122	1545	12.87500000
burn_25	1642500.00000000	0.43602481	1545	12.87500000
burn_25	1642500.00000000	0.43413188	1545	12.87500000
burn_25	1642500.00000000	0.43225533	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	1642500.00000000	0.43039492	1545	12.87500000
burn_25	1642500.00000000	0.42855046	1545	12.87500000
burn_25	1642500.00000000	0.42672174	1545	12.87500000
burn_25	1642500.00000000	0.42490857	1545	12.87500000
burn_25	863750.00000000	0.22250344	1545	12.87500000
burn_25	821250.00000000	0.21108569	1545	12.87500000
burn_25	821250.00000000	0.21064106	1545	12.87500000
burn_25	821250.00000000	0.21019830	1545	12.87500000
burn_25	821250.00000000	0.20975739	1545	12.87500000
burn_25	821250.00000000	0.20931833	1545	12.87500000
burn_25	821250.00000000	0.20888110	1545	12.87500000
burn_25	682500.00000000	0.17322885	1545	12.87500000
burn_25	410625.00000000	0.10404262	1545	12.87500000
burn_25	410625.00000000	0.10393448	1545	12.87500000
burn_25	410625.00000000	0.10382657	1545	12.87500000
burn_25	410625.00000000	0.10371888	1545	12.87500000
burn_25	410625.00000000	0.10361142	1545	12.87500000
burn_25	410625.00000000	0.10350418	1545	12.87500000
burn_25	410625.00000000	0.10339716	1545	12.87500000
burn_25	261250.00000000	0.06571593	1545	12.87500000
burn_25	205312.50000000	0.05161126	1545	12.87500000
burn_25	205312.50000000	0.05158464	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	205312.50000000	0.05155804	1545	12.87500000
burn_25	205312.50000000	0.05153147	1545	12.87500000
burn_25	205312.50000000	0.05150493	1545	12.87500000
burn_25	205312.50000000	0.05147842	1545	12.87500000
burn_25	205312.50000000	0.05145193	1545	12.87500000
burn_25	205312.50000000	0.05142547	1545	12.87500000
burn_25	205312.50000000	0.05139904	1545	12.87500000
burn_25	205312.50000000	0.05137263	1545	12.87500000
burn_25	153573.75000000	0.03840700	1545	12.87500000
burn_25	153573.75000000	0.03839225	1545	12.87500000
burn_25	153573.75000000	0.03837752	1545	12.87500000
burn_25	153573.75000000	0.03836280	1545	12.87500000
burn_25	-510410.62500000	-0.12745193	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010267	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_25	-410.62500000	-0.00010268	1545	12.87500000
burn_50	0E-8	0E-8	3091	25.75833333
burn_50	27061250.00000000	0E-8	3091	25.75833333
burn_50	26280000.00000000	97.11303062	3091	25.75833333
burn_50	26280000.00000000	49.26768683	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	26280000.00000000	33.00626403	3091	25.75833333
burn_50	26280000.00000000	24.81557111	3091	25.75833333
burn_50	26280000.00000000	19.88179110	3091	25.75833333
burn_50	26280000.00000000	16.58449621	3091	25.75833333
burn_50	21160000.00000000	11.45385776	3091	25.75833333
burn_50	13140000.00000000	6.38169997	3091	25.75833333
burn_50	13140000.00000000	5.99887008	3091	25.75833333
burn_50	13140000.00000000	5.65937172	3091	25.75833333
burn_50	13140000.00000000	5.35624207	3091	25.75833333
burn_50	13140000.00000000	5.08393425	3091	25.75833333
burn_50	13140000.00000000	4.83797479	3091	25.75833333
burn_50	13140000.00000000	4.61471599	3091	25.75833333
burn_50	8020000.00000000	2.69234804	3091	25.75833333
burn_50	6570000.00000000	2.14775193	3091	25.75833333
burn_50	6570000.00000000	2.10259344	3091	25.75833333
burn_50	6570000.00000000	2.05929484	3091	25.75833333
burn_50	6570000.00000000	2.01774355	3091	25.75833333
burn_50	6570000.00000000	1.97783590	3091	25.75833333
burn_50	6570000.00000000	1.93947624	3091	25.75833333
burn_50	6015000.00000000	1.74185631	3091	25.75833333
burn_50	3285000.00000000	0.93500173	3091	25.75833333
burn_50	3285000.00000000	0.92634043	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	3285000.00000000	0.91783812	3091	25.75833333
burn_50	3285000.00000000	0.90949047	3091	25.75833333
burn_50	3285000.00000000	0.90129329	3091	25.75833333
burn_50	3285000.00000000	0.89324256	3091	25.75833333
burn_50	3285000.00000000	0.88533438	3091	25.75833333
burn_50	2367500.00000000	0.63246122	3091	25.75833333
burn_50	1642500.00000000	0.43602481	3091	25.75833333
burn_50	1642500.00000000	0.43413188	3091	25.75833333
burn_50	1642500.00000000	0.43225533	3091	25.75833333
burn_50	1642500.00000000	0.43039492	3091	25.75833333
burn_50	1642500.00000000	0.42855046	3091	25.75833333
burn_50	1642500.00000000	0.42672174	3091	25.75833333
burn_50	1642500.00000000	0.42490857	3091	25.75833333
burn_50	863750.00000000	0.22250344	3091	25.75833333
burn_50	821250.00000000	0.21108569	3091	25.75833333
burn_50	821250.00000000	0.21064106	3091	25.75833333
burn_50	821250.00000000	0.21019830	3091	25.75833333
burn_50	821250.00000000	0.20975739	3091	25.75833333
burn_50	821250.00000000	0.20931833	3091	25.75833333
burn_50	821250.00000000	0.20888110	3091	25.75833333
burn_50	682500.00000000	0.17322885	3091	25.75833333
burn_50	410625.00000000	0.10404262	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	410625.00000000	0.10393448	3091	25.75833333
burn_50	410625.00000000	0.10382657	3091	25.75833333
burn_50	410625.00000000	0.10371888	3091	25.75833333
burn_50	410625.00000000	0.10361142	3091	25.75833333
burn_50	410625.00000000	0.10350418	3091	25.75833333
burn_50	410625.00000000	0.10339716	3091	25.75833333
burn_50	261250.00000000	0.06571593	3091	25.75833333
burn_50	205312.50000000	0.05161126	3091	25.75833333
burn_50	205312.50000000	0.05158464	3091	25.75833333
burn_50	205312.50000000	0.05155804	3091	25.75833333
burn_50	205312.50000000	0.05153147	3091	25.75833333
burn_50	205312.50000000	0.05150493	3091	25.75833333
burn_50	205312.50000000	0.05147842	3091	25.75833333
burn_50	205312.50000000	0.05145193	3091	25.75833333
burn_50	205312.50000000	0.05142547	3091	25.75833333
burn_50	205312.50000000	0.05139904	3091	25.75833333
burn_50	205312.50000000	0.05137263	3091	25.75833333
burn_50	101835.00000000	0.02546774	3091	25.75833333
burn_50	101835.00000000	0.02546126	3091	25.75833333
burn_50	101835.00000000	0.02545478	3091	25.75833333
burn_50	101835.00000000	0.02544830	3091	25.75833333
burn_50	-562149.37500000	-0.14044392	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01304700	3091	25.75833333
burn_50	-52149.37500000	-0.01304870	3091	25.75833333
burn_50	-52149.37500000	-0.01305041	3091	25.75833333
burn_50	-52149.37500000	-0.01305211	3091	25.75833333
burn_50	-52149.37500000	-0.01305381	3091	25.75833333
burn_50	-52149.37500000	-0.01305552	3091	25.75833333
burn_50	-52149.37500000	-0.01305722	3091	25.75833333
burn_50	-52149.37500000	-0.01305893	3091	25.75833333
burn_50	-52149.37500000	-0.01306063	3091	25.75833333
burn_50	-52149.37500000	-0.01306234	3091	25.75833333
burn_50	-52149.37500000	-0.01306405	3091	25.75833333
burn_50	-52149.37500000	-0.01306575	3091	25.75833333
burn_50	-52149.37500000	-0.01306746	3091	25.75833333
burn_50	-52149.37500000	-0.01306917	3091	25.75833333
burn_50	-52149.37500000	-0.01307088	3091	25.75833333
burn_50	-52149.37500000	-0.01307258	3091	25.75833333
burn_50	-52149.37500000	-0.01307429	3091	25.75833333
burn_50	-52149.37500000	-0.01307600	3091	25.75833333
burn_50	-52149.37500000	-0.01307771	3091	25.75833333
burn_50	-52149.37500000	-0.01307942	3091	25.75833333
burn_50	-52149.37500000	-0.01308113	3091	25.75833333
burn_50	-52149.37500000	-0.01308285	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01308456	3091	25.75833333
burn_50	-52149.37500000	-0.01308627	3091	25.75833333
burn_50	-52149.37500000	-0.01308798	3091	25.75833333
burn_50	-52149.37500000	-0.01308970	3091	25.75833333
burn_50	-52149.37500000	-0.01309141	3091	25.75833333
burn_50	-52149.37500000	-0.01309312	3091	25.75833333
burn_50	-52149.37500000	-0.01309484	3091	25.75833333
burn_50	-52149.37500000	-0.01309655	3091	25.75833333
burn_50	-52149.37500000	-0.01309827	3091	25.75833333
burn_50	-52149.37500000	-0.01309998	3091	25.75833333
burn_50	-52149.37500000	-0.01310170	3091	25.75833333
burn_50	-52149.37500000	-0.01310342	3091	25.75833333
burn_50	-52149.37500000	-0.01310513	3091	25.75833333
burn_50	-52149.37500000	-0.01310685	3091	25.75833333
burn_50	-52149.37500000	-0.01310857	3091	25.75833333
burn_50	-52149.37500000	-0.01311029	3091	25.75833333
burn_50	-52149.37500000	-0.01311201	3091	25.75833333
burn_50	-52149.37500000	-0.01311373	3091	25.75833333
burn_50	-52149.37500000	-0.01311545	3091	25.75833333
burn_50	-52149.37500000	-0.01311717	3091	25.75833333
burn_50	-52149.37500000	-0.01311889	3091	25.75833333
burn_50	-52149.37500000	-0.01312061	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01312233	3091	25.75833333
burn_50	-52149.37500000	-0.01312405	3091	25.75833333
burn_50	-52149.37500000	-0.01312578	3091	25.75833333
burn_50	-52149.37500000	-0.01312750	3091	25.75833333
burn_50	-52149.37500000	-0.01312922	3091	25.75833333
burn_50	-52149.37500000	-0.01313095	3091	25.75833333
burn_50	-52149.37500000	-0.01313267	3091	25.75833333
burn_50	-52149.37500000	-0.01313440	3091	25.75833333
burn_50	-52149.37500000	-0.01313612	3091	25.75833333
burn_50	-52149.37500000	-0.01313785	3091	25.75833333
burn_50	-52149.37500000	-0.01313957	3091	25.75833333
burn_50	-52149.37500000	-0.01314130	3091	25.75833333
burn_50	-52149.37500000	-0.01314303	3091	25.75833333
burn_50	-52149.37500000	-0.01314476	3091	25.75833333
burn_50	-52149.37500000	-0.01314648	3091	25.75833333
burn_50	-52149.37500000	-0.01314821	3091	25.75833333
burn_50	-52149.37500000	-0.01314994	3091	25.75833333
burn_50	-52149.37500000	-0.01315167	3091	25.75833333
burn_50	-52149.37500000	-0.01315340	3091	25.75833333
burn_50	-52149.37500000	-0.01315513	3091	25.75833333
burn_50	-52149.37500000	-0.01315686	3091	25.75833333
burn_50	-52149.37500000	-0.01315859	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01316032	3091	25.75833333
burn_50	-52149.37500000	-0.01316206	3091	25.75833333
burn_50	-52149.37500000	-0.01316379	3091	25.75833333
burn_50	-52149.37500000	-0.01316552	3091	25.75833333
burn_50	-52149.37500000	-0.01316726	3091	25.75833333
burn_50	-52149.37500000	-0.01316899	3091	25.75833333
burn_50	-52149.37500000	-0.01317072	3091	25.75833333
burn_50	-52149.37500000	-0.01317246	3091	25.75833333
burn_50	-52149.37500000	-0.01317419	3091	25.75833333
burn_50	-52149.37500000	-0.01317593	3091	25.75833333
burn_50	-52149.37500000	-0.01317767	3091	25.75833333
burn_50	-52149.37500000	-0.01317940	3091	25.75833333
burn_50	-52149.37500000	-0.01318114	3091	25.75833333
burn_50	-52149.37500000	-0.01318288	3091	25.75833333
burn_50	-52149.37500000	-0.01318462	3091	25.75833333
burn_50	-52149.37500000	-0.01318635	3091	25.75833333
burn_50	-52149.37500000	-0.01318809	3091	25.75833333
burn_50	-52149.37500000	-0.01318983	3091	25.75833333
burn_50	-52149.37500000	-0.01319157	3091	25.75833333
burn_50	-52149.37500000	-0.01319331	3091	25.75833333
burn_50	-52149.37500000	-0.01319505	3091	25.75833333
burn_50	-52149.37500000	-0.01319680	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01319854	3091	25.75833333
burn_50	-52149.37500000	-0.01320028	3091	25.75833333
burn_50	-52149.37500000	-0.01320202	3091	25.75833333
burn_50	-52149.37500000	-0.01320377	3091	25.75833333
burn_50	-52149.37500000	-0.01320551	3091	25.75833333
burn_50	-52149.37500000	-0.01320725	3091	25.75833333
burn_50	-52149.37500000	-0.01320900	3091	25.75833333
burn_50	-52149.37500000	-0.01321074	3091	25.75833333
burn_50	-52149.37500000	-0.01321249	3091	25.75833333
burn_50	-52149.37500000	-0.01321423	3091	25.75833333
burn_50	-52149.37500000	-0.01321598	3091	25.75833333
burn_50	-52149.37500000	-0.01321773	3091	25.75833333
burn_50	-52149.37500000	-0.01321947	3091	25.75833333
burn_50	-52149.37500000	-0.01322122	3091	25.75833333
burn_50	-52149.37500000	-0.01322297	3091	25.75833333
burn_50	-52149.37500000	-0.01322472	3091	25.75833333
burn_50	-52149.37500000	-0.01322647	3091	25.75833333
burn_50	-52149.37500000	-0.01322822	3091	25.75833333
burn_50	-52149.37500000	-0.01322997	3091	25.75833333
burn_50	-52149.37500000	-0.01323172	3091	25.75833333
burn_50	-52149.37500000	-0.01323347	3091	25.75833333
burn_50	-52149.37500000	-0.01323522	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01323697	3091	25.75833333
burn_50	-52149.37500000	-0.01323873	3091	25.75833333
burn_50	-52149.37500000	-0.01324048	3091	25.75833333
burn_50	-52149.37500000	-0.01324223	3091	25.75833333
burn_50	-52149.37500000	-0.01324399	3091	25.75833333
burn_50	-52149.37500000	-0.01324574	3091	25.75833333
burn_50	-52149.37500000	-0.01324749	3091	25.75833333
burn_50	-52149.37500000	-0.01324925	3091	25.75833333
burn_50	-52149.37500000	-0.01325101	3091	25.75833333
burn_50	-52149.37500000	-0.01325276	3091	25.75833333
burn_50	-52149.37500000	-0.01325452	3091	25.75833333
burn_50	-52149.37500000	-0.01325628	3091	25.75833333
burn_50	-52149.37500000	-0.01325803	3091	25.75833333
burn_50	-52149.37500000	-0.01325979	3091	25.75833333
burn_50	-52149.37500000	-0.01326155	3091	25.75833333
burn_50	-52149.37500000	-0.01326331	3091	25.75833333
burn_50	-52149.37500000	-0.01326507	3091	25.75833333
burn_50	-52149.37500000	-0.01326683	3091	25.75833333
burn_50	-52149.37500000	-0.01326859	3091	25.75833333
burn_50	-52149.37500000	-0.01327035	3091	25.75833333
burn_50	-52149.37500000	-0.01327211	3091	25.75833333
burn_50	-52149.37500000	-0.01327387	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01327563	3091	25.75833333
burn_50	-52149.37500000	-0.01327740	3091	25.75833333
burn_50	-52149.37500000	-0.01327916	3091	25.75833333
burn_50	-52149.37500000	-0.01328092	3091	25.75833333
burn_50	-52149.37500000	-0.01328269	3091	25.75833333
burn_50	-52149.37500000	-0.01328445	3091	25.75833333
burn_50	-52149.37500000	-0.01328622	3091	25.75833333
burn_50	-52149.37500000	-0.01328798	3091	25.75833333
burn_50	-52149.37500000	-0.01328975	3091	25.75833333
burn_50	-52149.37500000	-0.01329151	3091	25.75833333
burn_50	-52149.37500000	-0.01329328	3091	25.75833333
burn_50	-52149.37500000	-0.01329505	3091	25.75833333
burn_50	-52149.37500000	-0.01329682	3091	25.75833333
burn_50	-52149.37500000	-0.01329859	3091	25.75833333
burn_50	-52149.37500000	-0.01330035	3091	25.75833333
burn_50	-52149.37500000	-0.01330212	3091	25.75833333
burn_50	-52149.37500000	-0.01330389	3091	25.75833333
burn_50	-52149.37500000	-0.01330566	3091	25.75833333
burn_50	-52149.37500000	-0.01330743	3091	25.75833333
burn_50	-52149.37500000	-0.01330920	3091	25.75833333
burn_50	-52149.37500000	-0.01331098	3091	25.75833333
burn_50	-52149.37500000	-0.01331275	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01331452	3091	25.75833333
burn_50	-52149.37500000	-0.01331629	3091	25.75833333
burn_50	-52149.37500000	-0.01331807	3091	25.75833333
burn_50	-52149.37500000	-0.01331984	3091	25.75833333
burn_50	-52149.37500000	-0.01332162	3091	25.75833333
burn_50	-52149.37500000	-0.01332339	3091	25.75833333
burn_50	-52149.37500000	-0.01332517	3091	25.75833333
burn_50	-52149.37500000	-0.01332694	3091	25.75833333
burn_50	-52149.37500000	-0.01332872	3091	25.75833333
burn_50	-52149.37500000	-0.01333049	3091	25.75833333
burn_50	-52149.37500000	-0.01333227	3091	25.75833333
burn_50	-52149.37500000	-0.01333405	3091	25.75833333
burn_50	-52149.37500000	-0.01333583	3091	25.75833333
burn_50	-52149.37500000	-0.01333761	3091	25.75833333
burn_50	-52149.37500000	-0.01333939	3091	25.75833333
burn_50	-52149.37500000	-0.01334117	3091	25.75833333
burn_50	-52149.37500000	-0.01334295	3091	25.75833333
burn_50	-52149.37500000	-0.01334473	3091	25.75833333
burn_50	-52149.37500000	-0.01334651	3091	25.75833333
burn_50	-52149.37500000	-0.01334829	3091	25.75833333
burn_50	-52149.37500000	-0.01335007	3091	25.75833333
burn_50	-52149.37500000	-0.01335185	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-52149.37500000	-0.01335364	3091	25.75833333
burn_50	-52149.37500000	-0.01335542	3091	25.75833333
burn_50	-52149.37500000	-0.01335720	3091	25.75833333
burn_50	-52149.37500000	-0.01335899	3091	25.75833333
burn_50	-52149.37500000	-0.01336077	3091	25.75833333
burn_75	0E-8	0E-8	4637	38.64166667
burn_75	27061250.00000000	0E-8	4637	38.64166667
burn_75	26280000.00000000	97.11303062	4637	38.64166667
burn_75	26280000.00000000	49.26768683	4637	38.64166667
burn_75	26280000.00000000	33.00626403	4637	38.64166667
burn_75	26280000.00000000	24.81557111	4637	38.64166667
burn_75	26280000.00000000	19.88179110	4637	38.64166667
burn_75	26280000.00000000	16.58449621	4637	38.64166667
burn_75	21160000.00000000	11.45385776	4637	38.64166667
burn_75	13140000.00000000	6.38169997	4637	38.64166667
burn_75	13140000.00000000	5.99887008	4637	38.64166667
burn_75	13140000.00000000	5.65937172	4637	38.64166667
burn_75	13140000.00000000	5.35624207	4637	38.64166667
burn_75	13140000.00000000	5.08393425	4637	38.64166667
burn_75	13140000.00000000	4.83797479	4637	38.64166667
burn_75	13140000.00000000	4.61471599	4637	38.64166667
burn_75	8020000.00000000	2.69234804	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	6570000.00000000	2.14775193	4637	38.64166667
burn_75	6570000.00000000	2.10259344	4637	38.64166667
burn_75	6570000.00000000	2.05929484	4637	38.64166667
burn_75	6570000.00000000	2.01774355	4637	38.64166667
burn_75	6570000.00000000	1.97783590	4637	38.64166667
burn_75	6570000.00000000	1.93947624	4637	38.64166667
burn_75	6015000.00000000	1.74185631	4637	38.64166667
burn_75	3285000.00000000	0.93500173	4637	38.64166667
burn_75	3285000.00000000	0.92634043	4637	38.64166667
burn_75	3285000.00000000	0.91783812	4637	38.64166667
burn_75	3285000.00000000	0.90949047	4637	38.64166667
burn_75	3285000.00000000	0.90129329	4637	38.64166667
burn_75	3285000.00000000	0.89324256	4637	38.64166667
burn_75	3285000.00000000	0.88533438	4637	38.64166667
burn_75	2367500.00000000	0.63246122	4637	38.64166667
burn_75	1642500.00000000	0.43602481	4637	38.64166667
burn_75	1642500.00000000	0.43413188	4637	38.64166667
burn_75	1642500.00000000	0.43225533	4637	38.64166667
burn_75	1642500.00000000	0.43039492	4637	38.64166667
burn_75	1642500.00000000	0.42855046	4637	38.64166667
burn_75	1642500.00000000	0.42672174	4637	38.64166667
burn_75	1642500.00000000	0.42490857	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	863750.00000000	0.22250344	4637	38.64166667
burn_75	821250.00000000	0.21108569	4637	38.64166667
burn_75	821250.00000000	0.21064106	4637	38.64166667
burn_75	821250.00000000	0.21019830	4637	38.64166667
burn_75	821250.00000000	0.20975739	4637	38.64166667
burn_75	821250.00000000	0.20931833	4637	38.64166667
burn_75	821250.00000000	0.20888110	4637	38.64166667
burn_75	682500.00000000	0.17322885	4637	38.64166667
burn_75	410625.00000000	0.10404262	4637	38.64166667
burn_75	410625.00000000	0.10393448	4637	38.64166667
burn_75	410625.00000000	0.10382657	4637	38.64166667
burn_75	410625.00000000	0.10371888	4637	38.64166667
burn_75	410625.00000000	0.10361142	4637	38.64166667
burn_75	410625.00000000	0.10350418	4637	38.64166667
burn_75	410625.00000000	0.10339716	4637	38.64166667
burn_75	261250.00000000	0.06571593	4637	38.64166667
burn_75	205312.50000000	0.05161126	4637	38.64166667
burn_75	205312.50000000	0.05158464	4637	38.64166667
burn_75	205312.50000000	0.05155804	4637	38.64166667
burn_75	205312.50000000	0.05153147	4637	38.64166667
burn_75	205312.50000000	0.05150493	4637	38.64166667
burn_75	205312.50000000	0.05147842	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	205312.50000000	0.05145193	4637	38.64166667
burn_75	205312.50000000	0.05142547	4637	38.64166667
burn_75	205312.50000000	0.05139904	4637	38.64166667
burn_75	205312.50000000	0.05137263	4637	38.64166667
burn_75	50096.25000000	0.01252849	4637	38.64166667
burn_75	50096.25000000	0.01252692	4637	38.64166667
burn_75	50096.25000000	0.01252535	4637	38.64166667
burn_75	50096.25000000	0.01252378	4637	38.64166667
burn_75	-613888.12500000	-0.15344935	4637	38.64166667
burn_75	-103888.12500000	-0.02600810	4637	38.64166667
burn_75	-103888.12500000	-0.02601487	4637	38.64166667
burn_75	-103888.12500000	-0.02602164	4637	38.64166667
burn_75	-103888.12500000	-0.02602841	4637	38.64166667
burn_75	-103888.12500000	-0.02603519	4637	38.64166667
burn_75	-103888.12500000	-0.02604197	4637	38.64166667
burn_75	-103888.12500000	-0.02604875	4637	38.64166667
burn_75	-103888.12500000	-0.02605554	4637	38.64166667
burn_75	-103888.12500000	-0.02606233	4637	38.64166667
burn_75	-103888.12500000	-0.02606912	4637	38.64166667
burn_75	-103888.12500000	-0.02607592	4637	38.64166667
burn_75	-103888.12500000	-0.02608272	4637	38.64166667
burn_75	-103888.12500000	-0.02608953	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02609633	4637	38.64166667
burn_75	-103888.12500000	-0.02610315	4637	38.64166667
burn_75	-103888.12500000	-0.02610996	4637	38.64166667
burn_75	-103888.12500000	-0.02611678	4637	38.64166667
burn_75	-103888.12500000	-0.02612360	4637	38.64166667
burn_75	-103888.12500000	-0.02613043	4637	38.64166667
burn_75	-103888.12500000	-0.02613726	4637	38.64166667
burn_75	-103888.12500000	-0.02614409	4637	38.64166667
burn_75	-103888.12500000	-0.02615093	4637	38.64166667
burn_75	-103888.12500000	-0.02615777	4637	38.64166667
burn_75	-103888.12500000	-0.02616461	4637	38.64166667
burn_75	-103888.12500000	-0.02617146	4637	38.64166667
burn_75	-103888.12500000	-0.02617831	4637	38.64166667
burn_75	-103888.12500000	-0.02618517	4637	38.64166667
burn_75	-103888.12500000	-0.02619203	4637	38.64166667
burn_75	-103888.12500000	-0.02619889	4637	38.64166667
burn_75	-103888.12500000	-0.02620575	4637	38.64166667
burn_75	-103888.12500000	-0.02621262	4637	38.64166667
burn_75	-103888.12500000	-0.02621950	4637	38.64166667
burn_75	-103888.12500000	-0.02622637	4637	38.64166667
burn_75	-103888.12500000	-0.02623325	4637	38.64166667
burn_75	-103888.12500000	-0.02624014	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02624702	4637	38.64166667
burn_75	-103888.12500000	-0.02625391	4637	38.64166667
burn_75	-103888.12500000	-0.02626081	4637	38.64166667
burn_75	-103888.12500000	-0.02626771	4637	38.64166667
burn_75	-103888.12500000	-0.02627461	4637	38.64166667
burn_75	-103888.12500000	-0.02628151	4637	38.64166667
burn_75	-103888.12500000	-0.02628842	4637	38.64166667
burn_75	-103888.12500000	-0.02629534	4637	38.64166667
burn_75	-103888.12500000	-0.02630225	4637	38.64166667
burn_75	-103888.12500000	-0.02630917	4637	38.64166667
burn_75	-103888.12500000	-0.02631610	4637	38.64166667
burn_75	-103888.12500000	-0.02632302	4637	38.64166667
burn_75	-103888.12500000	-0.02632995	4637	38.64166667
burn_75	-103888.12500000	-0.02633689	4637	38.64166667
burn_75	-103888.12500000	-0.02634383	4637	38.64166667
burn_75	-103888.12500000	-0.02635077	4637	38.64166667
burn_75	-103888.12500000	-0.02635771	4637	38.64166667
burn_75	-103888.12500000	-0.02636466	4637	38.64166667
burn_75	-103888.12500000	-0.02637162	4637	38.64166667
burn_75	-103888.12500000	-0.02637857	4637	38.64166667
burn_75	-103888.12500000	-0.02638553	4637	38.64166667
burn_75	-103888.12500000	-0.02639250	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02639946	4637	38.64166667
burn_75	-103888.12500000	-0.02640643	4637	38.64166667
burn_75	-103888.12500000	-0.02641341	4637	38.64166667
burn_75	-103888.12500000	-0.02642039	4637	38.64166667
burn_75	-103888.12500000	-0.02642737	4637	38.64166667
burn_75	-103888.12500000	-0.02643436	4637	38.64166667
burn_75	-103888.12500000	-0.02644135	4637	38.64166667
burn_75	-103888.12500000	-0.02644834	4637	38.64166667
burn_75	-103888.12500000	-0.02645534	4637	38.64166667
burn_75	-103888.12500000	-0.02646234	4637	38.64166667
burn_75	-103888.12500000	-0.02646934	4637	38.64166667
burn_75	-103888.12500000	-0.02647635	4637	38.64166667
burn_75	-103888.12500000	-0.02648336	4637	38.64166667
burn_75	-103888.12500000	-0.02649038	4637	38.64166667
burn_75	-103888.12500000	-0.02649740	4637	38.64166667
burn_75	-103888.12500000	-0.02650442	4637	38.64166667
burn_75	-103888.12500000	-0.02651145	4637	38.64166667
burn_75	-103888.12500000	-0.02651848	4637	38.64166667
burn_75	-103888.12500000	-0.02652551	4637	38.64166667
burn_75	-103888.12500000	-0.02653255	4637	38.64166667
burn_75	-103888.12500000	-0.02653959	4637	38.64166667
burn_75	-103888.12500000	-0.02654663	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02655368	4637	38.64166667
burn_75	-103888.12500000	-0.02656074	4637	38.64166667
burn_75	-103888.12500000	-0.02656779	4637	38.64166667
burn_75	-103888.12500000	-0.02657485	4637	38.64166667
burn_75	-103888.12500000	-0.02658192	4637	38.64166667
burn_75	-103888.12500000	-0.02658899	4637	38.64166667
burn_75	-103888.12500000	-0.02659606	4637	38.64166667
burn_75	-103888.12500000	-0.02660313	4637	38.64166667
burn_75	-103888.12500000	-0.02661021	4637	38.64166667
burn_75	-103888.12500000	-0.02661729	4637	38.64166667
burn_75	-103888.12500000	-0.02662438	4637	38.64166667
burn_75	-103888.12500000	-0.02663147	4637	38.64166667
burn_75	-103888.12500000	-0.02663857	4637	38.64166667
burn_75	-103888.12500000	-0.02664566	4637	38.64166667
burn_75	-103888.12500000	-0.02665277	4637	38.64166667
burn_75	-103888.12500000	-0.02665987	4637	38.64166667
burn_75	-103888.12500000	-0.02666698	4637	38.64166667
burn_75	-103888.12500000	-0.02667409	4637	38.64166667
burn_75	-103888.12500000	-0.02668121	4637	38.64166667
burn_75	-103888.12500000	-0.02668833	4637	38.64166667
burn_75	-103888.12500000	-0.02669546	4637	38.64166667
burn_75	-103888.12500000	-0.02670258	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02670972	4637	38.64166667
burn_75	-103888.12500000	-0.02671685	4637	38.64166667
burn_75	-103888.12500000	-0.02672399	4637	38.64166667
burn_75	-103888.12500000	-0.02673114	4637	38.64166667
burn_75	-103888.12500000	-0.02673828	4637	38.64166667
burn_75	-103888.12500000	-0.02674544	4637	38.64166667
burn_75	-103888.12500000	-0.02675259	4637	38.64166667
burn_75	-103888.12500000	-0.02675975	4637	38.64166667
burn_75	-103888.12500000	-0.02676691	4637	38.64166667
burn_75	-103888.12500000	-0.02677408	4637	38.64166667
burn_75	-103888.12500000	-0.02678125	4637	38.64166667
burn_75	-103888.12500000	-0.02678842	4637	38.64166667
burn_75	-103888.12500000	-0.02679560	4637	38.64166667
burn_75	-103888.12500000	-0.02680278	4637	38.64166667
burn_75	-103888.12500000	-0.02680997	4637	38.64166667
burn_75	-103888.12500000	-0.02681716	4637	38.64166667
burn_75	-103888.12500000	-0.02682435	4637	38.64166667
burn_75	-103888.12500000	-0.02683155	4637	38.64166667
burn_75	-103888.12500000	-0.02683875	4637	38.64166667
burn_75	-103888.12500000	-0.02684596	4637	38.64166667
burn_75	-103888.12500000	-0.02685317	4637	38.64166667
burn_75	-103888.12500000	-0.02686038	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02686759	4637	38.64166667
burn_75	-103888.12500000	-0.02687482	4637	38.64166667
burn_75	-103888.12500000	-0.02688204	4637	38.64166667
burn_75	-103888.12500000	-0.02688927	4637	38.64166667
burn_75	-103888.12500000	-0.02689650	4637	38.64166667
burn_75	-103888.12500000	-0.02690374	4637	38.64166667
burn_75	-103888.12500000	-0.02691098	4637	38.64166667
burn_75	-103888.12500000	-0.02691822	4637	38.64166667
burn_75	-103888.12500000	-0.02692547	4637	38.64166667
burn_75	-103888.12500000	-0.02693272	4637	38.64166667
burn_75	-103888.12500000	-0.02693998	4637	38.64166667
burn_75	-103888.12500000	-0.02694724	4637	38.64166667
burn_75	-103888.12500000	-0.02695450	4637	38.64166667
burn_75	-103888.12500000	-0.02696177	4637	38.64166667
burn_75	-103888.12500000	-0.02696904	4637	38.64166667
burn_75	-103888.12500000	-0.02697631	4637	38.64166667
burn_75	-103888.12500000	-0.02698359	4637	38.64166667
burn_75	-103888.12500000	-0.02699088	4637	38.64166667
burn_75	-103888.12500000	-0.02699816	4637	38.64166667
burn_75	-103888.12500000	-0.02700545	4637	38.64166667
burn_75	-103888.12500000	-0.02701275	4637	38.64166667
burn_75	-103888.12500000	-0.02702005	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02702735	4637	38.64166667
burn_75	-103888.12500000	-0.02703466	4637	38.64166667
burn_75	-103888.12500000	-0.02704197	4637	38.64166667
burn_75	-103888.12500000	-0.02704928	4637	38.64166667
burn_75	-103888.12500000	-0.02705660	4637	38.64166667
burn_75	-103888.12500000	-0.02706392	4637	38.64166667
burn_75	-103888.12500000	-0.02707125	4637	38.64166667
burn_75	-103888.12500000	-0.02707858	4637	38.64166667
burn_75	-103888.12500000	-0.02708591	4637	38.64166667
burn_75	-103888.12500000	-0.02709325	4637	38.64166667
burn_75	-103888.12500000	-0.02710060	4637	38.64166667
burn_75	-103888.12500000	-0.02710794	4637	38.64166667
burn_75	-103888.12500000	-0.02711529	4637	38.64166667
burn_75	-103888.12500000	-0.02712265	4637	38.64166667
burn_75	-103888.12500000	-0.02713001	4637	38.64166667
burn_75	-103888.12500000	-0.02713737	4637	38.64166667
burn_75	-103888.12500000	-0.02714473	4637	38.64166667
burn_75	-103888.12500000	-0.02715210	4637	38.64166667
burn_75	-103888.12500000	-0.02715948	4637	38.64166667
burn_75	-103888.12500000	-0.02716686	4637	38.64166667
burn_75	-103888.12500000	-0.02717424	4637	38.64166667
burn_75	-103888.12500000	-0.02718163	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-103888.12500000	-0.02718902	4637	38.64166667
burn_75	-103888.12500000	-0.02719641	4637	38.64166667
burn_75	-103888.12500000	-0.02720381	4637	38.64166667
burn_75	-103888.12500000	-0.02721121	4637	38.64166667
burn_75	-103888.12500000	-0.02721862	4637	38.64166667
burn_75	-103888.12500000	-0.02722603	4637	38.64166667
burn_75	-103888.12500000	-0.02723344	4637	38.64166667
burn_75	-103888.12500000	-0.02724086	4637	38.64166667
burn_75	-103888.12500000	-0.02724828	4637	38.64166667
burn_75	-103888.12500000	-0.02725571	4637	38.64166667
burn_75	-103888.12500000	-0.02726314	4637	38.64166667
burn_75	-103888.12500000	-0.02727058	4637	38.64166667
burn_75	-103888.12500000	-0.02727802	4637	38.64166667
burn_75	-103888.12500000	-0.02728546	4637	38.64166667
burn_100	0E-8	0E-8	6183	51.52500000
burn_100	27061250.00000000	0E-8	6183	51.52500000
burn_100	26280000.00000000	97.11303062	6183	51.52500000
burn_100	26280000.00000000	49.26768683	6183	51.52500000
burn_100	26280000.00000000	33.00626403	6183	51.52500000
burn_100	26280000.00000000	24.81557111	6183	51.52500000
burn_100	26280000.00000000	19.88179110	6183	51.52500000
burn_100	26280000.00000000	16.58449621	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	21160000.00000000	11.45385776	6183	51.52500000
burn_100	13140000.00000000	6.38169997	6183	51.52500000
burn_100	13140000.00000000	5.99887008	6183	51.52500000
burn_100	13140000.00000000	5.65937172	6183	51.52500000
burn_100	13140000.00000000	5.35624207	6183	51.52500000
burn_100	13140000.00000000	5.08393425	6183	51.52500000
burn_100	13140000.00000000	4.83797479	6183	51.52500000
burn_100	13140000.00000000	4.61471599	6183	51.52500000
burn_100	8020000.00000000	2.69234804	6183	51.52500000
burn_100	6570000.00000000	2.14775193	6183	51.52500000
burn_100	6570000.00000000	2.10259344	6183	51.52500000
burn_100	6570000.00000000	2.05929484	6183	51.52500000
burn_100	6570000.00000000	2.01774355	6183	51.52500000
burn_100	6570000.00000000	1.97783590	6183	51.52500000
burn_100	6570000.00000000	1.93947624	6183	51.52500000
burn_100	6015000.00000000	1.74185631	6183	51.52500000
burn_100	3285000.00000000	0.93500173	6183	51.52500000
burn_100	3285000.00000000	0.92634043	6183	51.52500000
burn_100	3285000.00000000	0.91783812	6183	51.52500000
burn_100	3285000.00000000	0.90949047	6183	51.52500000
burn_100	3285000.00000000	0.90129329	6183	51.52500000
burn_100	3285000.00000000	0.89324256	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	3285000.00000000	0.88533438	6183	51.52500000
burn_100	2367500.00000000	0.63246122	6183	51.52500000
burn_100	1642500.00000000	0.43602481	6183	51.52500000
burn_100	1642500.00000000	0.43413188	6183	51.52500000
burn_100	1642500.00000000	0.43225533	6183	51.52500000
burn_100	1642500.00000000	0.43039492	6183	51.52500000
burn_100	1642500.00000000	0.42855046	6183	51.52500000
burn_100	1642500.00000000	0.42672174	6183	51.52500000
burn_100	1642500.00000000	0.42490857	6183	51.52500000
burn_100	863750.00000000	0.22250344	6183	51.52500000
burn_100	821250.00000000	0.21108569	6183	51.52500000
burn_100	821250.00000000	0.21064106	6183	51.52500000
burn_100	821250.00000000	0.21019830	6183	51.52500000
burn_100	821250.00000000	0.20975739	6183	51.52500000
burn_100	821250.00000000	0.20931833	6183	51.52500000
burn_100	821250.00000000	0.20888110	6183	51.52500000
burn_100	682500.00000000	0.17322885	6183	51.52500000
burn_100	410625.00000000	0.10404262	6183	51.52500000
burn_100	410625.00000000	0.10393448	6183	51.52500000
burn_100	410625.00000000	0.10382657	6183	51.52500000
burn_100	410625.00000000	0.10371888	6183	51.52500000
burn_100	410625.00000000	0.10361142	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	410625.00000000	0.10350418	6183	51.52500000
burn_100	410625.00000000	0.10339716	6183	51.52500000
burn_100	261250.00000000	0.06571593	6183	51.52500000
burn_100	205312.50000000	0.05161126	6183	51.52500000
burn_100	205312.50000000	0.05158464	6183	51.52500000
burn_100	205312.50000000	0.05155804	6183	51.52500000
burn_100	205312.50000000	0.05153147	6183	51.52500000
burn_100	205312.50000000	0.05150493	6183	51.52500000
burn_100	205312.50000000	0.05147842	6183	51.52500000
burn_100	205312.50000000	0.05145193	6183	51.52500000
burn_100	205312.50000000	0.05142547	6183	51.52500000
burn_100	205312.50000000	0.05139904	6183	51.52500000
burn_100	205312.50000000	0.05137263	6183	51.52500000
burn_100	-1642.50000000	-0.00041077	6183	51.52500000
burn_100	-1642.50000000	-0.00041077	6183	51.52500000
burn_100	-1642.50000000	-0.00041077	6183	51.52500000
burn_100	-1642.50000000	-0.00041078	6183	51.52500000
burn_100	-665626.87500000	-0.16646824	6183	51.52500000
burn_100	-155626.87500000	-0.03898600	6183	51.52500000
burn_100	-155626.87500000	-0.03900121	6183	51.52500000
burn_100	-155626.87500000	-0.03901642	6183	51.52500000
burn_100	-155626.87500000	-0.03903165	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.03904689	6183	51.52500000
burn_100	-155626.87500000	-0.03906215	6183	51.52500000
burn_100	-155626.87500000	-0.03907741	6183	51.52500000
burn_100	-155626.87500000	-0.03909269	6183	51.52500000
burn_100	-155626.87500000	-0.03910797	6183	51.52500000
burn_100	-155626.87500000	-0.03912327	6183	51.52500000
burn_100	-155626.87500000	-0.03913859	6183	51.52500000
burn_100	-155626.87500000	-0.03915391	6183	51.52500000
burn_100	-155626.87500000	-0.03916925	6183	51.52500000
burn_100	-155626.87500000	-0.03918460	6183	51.52500000
burn_100	-155626.87500000	-0.03919996	6183	51.52500000
burn_100	-155626.87500000	-0.03921533	6183	51.52500000
burn_100	-155626.87500000	-0.03923071	6183	51.52500000
burn_100	-155626.87500000	-0.03924611	6183	51.52500000
burn_100	-155626.87500000	-0.03926152	6183	51.52500000
burn_100	-155626.87500000	-0.03927694	6183	51.52500000
burn_100	-155626.87500000	-0.03929237	6183	51.52500000
burn_100	-155626.87500000	-0.03930782	6183	51.52500000
burn_100	-155626.87500000	-0.03932327	6183	51.52500000
burn_100	-155626.87500000	-0.03933874	6183	51.52500000
burn_100	-155626.87500000	-0.03935422	6183	51.52500000
burn_100	-155626.87500000	-0.03936972	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.03938522	6183	51.52500000
burn_100	-155626.87500000	-0.03940074	6183	51.52500000
burn_100	-155626.87500000	-0.03941627	6183	51.52500000
burn_100	-155626.87500000	-0.03943182	6183	51.52500000
burn_100	-155626.87500000	-0.03944737	6183	51.52500000
burn_100	-155626.87500000	-0.03946294	6183	51.52500000
burn_100	-155626.87500000	-0.03947852	6183	51.52500000
burn_100	-155626.87500000	-0.03949411	6183	51.52500000
burn_100	-155626.87500000	-0.03950971	6183	51.52500000
burn_100	-155626.87500000	-0.03952533	6183	51.52500000
burn_100	-155626.87500000	-0.03954096	6183	51.52500000
burn_100	-155626.87500000	-0.03955660	6183	51.52500000
burn_100	-155626.87500000	-0.03957225	6183	51.52500000
burn_100	-155626.87500000	-0.03958792	6183	51.52500000
burn_100	-155626.87500000	-0.03960360	6183	51.52500000
burn_100	-155626.87500000	-0.03961929	6183	51.52500000
burn_100	-155626.87500000	-0.03963499	6183	51.52500000
burn_100	-155626.87500000	-0.03965071	6183	51.52500000
burn_100	-155626.87500000	-0.03966643	6183	51.52500000
burn_100	-155626.87500000	-0.03968217	6183	51.52500000
burn_100	-155626.87500000	-0.03969793	6183	51.52500000
burn_100	-155626.87500000	-0.03971369	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.03972947	6183	51.52500000
burn_100	-155626.87500000	-0.03974526	6183	51.52500000
burn_100	-155626.87500000	-0.03976106	6183	51.52500000
burn_100	-155626.87500000	-0.03977688	6183	51.52500000
burn_100	-155626.87500000	-0.03979271	6183	51.52500000
burn_100	-155626.87500000	-0.03980855	6183	51.52500000
burn_100	-155626.87500000	-0.03982440	6183	51.52500000
burn_100	-155626.87500000	-0.03984027	6183	51.52500000
burn_100	-155626.87500000	-0.03985615	6183	51.52500000
burn_100	-155626.87500000	-0.03987204	6183	51.52500000
burn_100	-155626.87500000	-0.03988794	6183	51.52500000
burn_100	-155626.87500000	-0.03990386	6183	51.52500000
burn_100	-155626.87500000	-0.03991979	6183	51.52500000
burn_100	-155626.87500000	-0.03993573	6183	51.52500000
burn_100	-155626.87500000	-0.03995169	6183	51.52500000
burn_100	-155626.87500000	-0.03996765	6183	51.52500000
burn_100	-155626.87500000	-0.03998363	6183	51.52500000
burn_100	-155626.87500000	-0.03999963	6183	51.52500000
burn_100	-155626.87500000	-0.04001563	6183	51.52500000
burn_100	-155626.87500000	-0.04003165	6183	51.52500000
burn_100	-155626.87500000	-0.04004768	6183	51.52500000
burn_100	-155626.87500000	-0.04006373	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.04007979	6183	51.52500000
burn_100	-155626.87500000	-0.04009586	6183	51.52500000
burn_100	-155626.87500000	-0.04011194	6183	51.52500000
burn_100	-155626.87500000	-0.04012804	6183	51.52500000
burn_100	-155626.87500000	-0.04014415	6183	51.52500000
burn_100	-155626.87500000	-0.04016027	6183	51.52500000
burn_100	-155626.87500000	-0.04017640	6183	51.52500000
burn_100	-155626.87500000	-0.04019255	6183	51.52500000
burn_100	-155626.87500000	-0.04020871	6183	51.52500000
burn_100	-155626.87500000	-0.04022489	6183	51.52500000
burn_100	-155626.87500000	-0.04024107	6183	51.52500000
burn_100	-155626.87500000	-0.04025727	6183	51.52500000
burn_100	-155626.87500000	-0.04027349	6183	51.52500000
burn_100	-155626.87500000	-0.04028971	6183	51.52500000
burn_100	-155626.87500000	-0.04030595	6183	51.52500000
burn_100	-155626.87500000	-0.04032220	6183	51.52500000
burn_100	-155626.87500000	-0.04033847	6183	51.52500000
burn_100	-155626.87500000	-0.04035475	6183	51.52500000
burn_100	-155626.87500000	-0.04037104	6183	51.52500000
burn_100	-155626.87500000	-0.04038734	6183	51.52500000
burn_100	-155626.87500000	-0.04040366	6183	51.52500000
burn_100	-155626.87500000	-0.04041999	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.04043634	6183	51.52500000
burn_100	-155626.87500000	-0.04045269	6183	51.52500000
burn_100	-155626.87500000	-0.04046906	6183	51.52500000
burn_100	-155626.87500000	-0.04048545	6183	51.52500000
burn_100	-155626.87500000	-0.04050185	6183	51.52500000
burn_100	-155626.87500000	-0.04051826	6183	51.52500000
burn_100	-155626.87500000	-0.04053468	6183	51.52500000
burn_100	-155626.87500000	-0.04055112	6183	51.52500000
burn_100	-155626.87500000	-0.04056757	6183	51.52500000
burn_100	-155626.87500000	-0.04058403	6183	51.52500000
burn_100	-155626.87500000	-0.04060051	6183	51.52500000
burn_100	-155626.87500000	-0.04061700	6183	51.52500000
burn_100	-155626.87500000	-0.04063350	6183	51.52500000
burn_100	-155626.87500000	-0.04065002	6183	51.52500000
burn_100	-155626.87500000	-0.04066655	6183	51.52500000
burn_100	-155626.87500000	-0.04068310	6183	51.52500000
burn_100	-155626.87500000	-0.04069966	6183	51.52500000
burn_100	-155626.87500000	-0.04071623	6183	51.52500000
burn_100	-155626.87500000	-0.04073281	6183	51.52500000
burn_100	-155626.87500000	-0.04074941	6183	51.52500000
burn_100	-155626.87500000	-0.04076602	6183	51.52500000
burn_100	-155626.87500000	-0.04078265	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.04079929	6183	51.52500000
burn_100	-155626.87500000	-0.04081594	6183	51.52500000
burn_100	-155626.87500000	-0.04083261	6183	51.52500000
burn_100	-155626.87500000	-0.04084929	6183	51.52500000
burn_100	-155626.87500000	-0.04086598	6183	51.52500000
burn_100	-155626.87500000	-0.04088269	6183	51.52500000
burn_100	-155626.87500000	-0.04089941	6183	51.52500000
burn_100	-155626.87500000	-0.04091614	6183	51.52500000
burn_100	-155626.87500000	-0.04093289	6183	51.52500000
burn_100	-155626.87500000	-0.04094965	6183	51.52500000
burn_100	-155626.87500000	-0.04096643	6183	51.52500000
burn_100	-155626.87500000	-0.04098322	6183	51.52500000
burn_100	-155626.87500000	-0.04100002	6183	51.52500000
burn_100	-155626.87500000	-0.04101684	6183	51.52500000
burn_100	-155626.87500000	-0.04103367	6183	51.52500000
burn_100	-155626.87500000	-0.04105051	6183	51.52500000
burn_100	-155626.87500000	-0.04106737	6183	51.52500000
burn_100	-155626.87500000	-0.04108424	6183	51.52500000
burn_100	-155626.87500000	-0.04110113	6183	51.52500000
burn_100	-155626.87500000	-0.04111803	6183	51.52500000
burn_100	-155626.87500000	-0.04113494	6183	51.52500000
burn_100	-155626.87500000	-0.04115187	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.04116881	6183	51.52500000
burn_100	-155626.87500000	-0.04118577	6183	51.52500000
burn_100	-155626.87500000	-0.04120274	6183	51.52500000
burn_100	-155626.87500000	-0.04121972	6183	51.52500000
burn_100	-155626.87500000	-0.04123672	6183	51.52500000
burn_100	-155626.87500000	-0.04125373	6183	51.52500000
burn_100	-155626.87500000	-0.04127076	6183	51.52500000
burn_100	-155626.87500000	-0.04128780	6183	51.52500000
burn_100	-155626.87500000	-0.04130485	6183	51.52500000
burn_100	-155626.87500000	-0.04132192	6183	51.52500000
burn_100	-155626.87500000	-0.04133900	6183	51.52500000
burn_100	-155626.87500000	-0.04135610	6183	51.52500000
burn_100	-155626.87500000	-0.04137321	6183	51.52500000
burn_100	-155626.87500000	-0.04139033	6183	51.52500000
burn_100	-155626.87500000	-0.04140747	6183	51.52500000
burn_100	-155626.87500000	-0.04142462	6183	51.52500000
burn_100	-155626.87500000	-0.04144179	6183	51.52500000
burn_100	-155626.87500000	-0.04145897	6183	51.52500000
burn_100	-155626.87500000	-0.04147617	6183	51.52500000
burn_100	-155626.87500000	-0.04149338	6183	51.52500000
burn_100	-155626.87500000	-0.04151060	6183	51.52500000
burn_100	-155626.87500000	-0.04152784	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.04154509	6183	51.52500000
burn_100	-155626.87500000	-0.04156236	6183	51.52500000
burn_100	-155626.87500000	-0.04157964	6183	51.52500000
burn_100	-155626.87500000	-0.04159694	6183	51.52500000
burn_100	-155626.87500000	-0.04161425	6183	51.52500000
burn_100	-155626.87500000	-0.04163157	6183	51.52500000
burn_100	-155626.87500000	-0.04164891	6183	51.52500000
burn_100	-155626.87500000	-0.04166626	6183	51.52500000
burn_100	-155626.87500000	-0.04168363	6183	51.52500000
burn_100	-155626.87500000	-0.04170101	6183	51.52500000
burn_100	-155626.87500000	-0.04171841	6183	51.52500000
burn_100	-155626.87500000	-0.04173582	6183	51.52500000
burn_100	-155626.87500000	-0.04175325	6183	51.52500000
burn_100	-155626.87500000	-0.04177069	6183	51.52500000
burn_100	-155626.87500000	-0.04178814	6183	51.52500000
burn_100	-155626.87500000	-0.04180561	6183	51.52500000
burn_100	-155626.87500000	-0.04182310	6183	51.52500000
burn_100	-155626.87500000	-0.04184060	6183	51.52500000
burn_100	-155626.87500000	-0.04185811	6183	51.52500000
burn_100	-155626.87500000	-0.04187564	6183	51.52500000
burn_100	-155626.87500000	-0.04189318	6183	51.52500000
burn_100	-155626.87500000	-0.04191074	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-155626.87500000	-0.04192831	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.