Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	0	-1	0	100.0000	50.00000000	0E-8
no_burn_100	No Burn (100% block capacity)	1	262799	0	100.0000	50.00000000	13530625.00000000
no_burn_100	No Burn (100% block capacity)	2	525599	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	3	788399	0	100.0000	50.00000000	13140000.00000000
no_burn_100	No Burn (100% block capacity)	4	1051199	0	100.0000	25.00000000	11860000.00000000
no_burn_100	No Burn (100% block capacity)	5	1313999	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	6	1576799	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	7	1839599	0	100.0000	25.00000000	6570000.00000000
no_burn_100	No Burn (100% block capacity)	8	2102399	0	100.0000	12.50000000	5290000.00000000
no_burn_100	No Burn (100% block capacity)	9	2365199	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	10	2627999	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	11	2890799	0	100.0000	12.50000000	3285000.00000000
no_burn_100	No Burn (100% block capacity)	12	3153599	0	100.0000	6.25000000	2325000.00000000
no_burn_100	No Burn (100% block capacity)	13	3416399	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	14	3679199	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	15	3941999	0	100.0000	6.25000000	1642500.00000000
no_burn_100	No Burn (100% block capacity)	16	4204799	0	100.0000	3.12500000	1002500.00000000
no_burn_100	No Burn (100% block capacity)	17	4467599	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	18	4730399	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	19	4993199	0	100.0000	3.12500000	821250.00000000
no_burn_100	No Burn (100% block capacity)	20	5255999	0	100.0000	1.56250000	421250.00000000
no_burn_100	No Burn (100% block capacity)	21	5518799	0	100.0000	1.56250000	410625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	22	5781599	0	100.0000	1.56250000	410625.00000000
no_burn_100	No Burn (100% block capacity)	23	6044399	0	100.0000	0.78125000	375937.50000000
no_burn_100	No Burn (100% block capacity)	24	6307199	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	25	6569999	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	26	6832799	0	100.0000	0.78125000	205312.50000000
no_burn_100	No Burn (100% block capacity)	27	7095599	0	100.0000	0.39062500	167968.75000000
no_burn_100	No Burn (100% block capacity)	28	7358399	0	100.0000	0.39062500	102656.25000000
no_burn_100	No Burn (100% block capacity)	29	7621199	0	100.0000	0.39062500	102656.25000000
no_burn_100	No Burn (100% block capacity)	30	7883999	0	100.0000	0.39062500	102656.25000000
no_burn_100	No Burn (100% block capacity)	31	8146799	1	100.0000	0.19531250	73984.37500000
no_burn_100	No Burn (100% block capacity)	32	8409599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	33	8672399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	34	8935199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	35	9197999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	36	9460799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	37	9723599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	38	9986399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	39	10249199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	40	10511999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	41	10774799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	42	11037599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	43	11300399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	44	11563199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	45	11825999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	46	12088799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	47	12351599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	48	12614399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	49	12877199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	50	13139999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	51	13402799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	52	13665599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	53	13928399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	54	14191199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	55	14453999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	56	14716799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	57	14979599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	58	15242399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	59	15505199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	60	15767999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	61	16030799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	62	16293599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	63	16556399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	64	16819199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	65	17081999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	66	17344799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	67	17607599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	68	17870399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	69	18133199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	70	18395999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	71	18658799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	72	18921599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	73	19184399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	74	19447199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	75	19709999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	76	19972799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	77	20235599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	78	20498399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	79	20761199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	80	21023999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	81	21286799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	82	21549599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	83	21812399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	84	22075199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	85	22337999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	86	22600799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	87	22863599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	88	23126399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	89	23389199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	90	23651999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	91	23914799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	92	24177599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	93	24440399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	94	24703199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	95	24965999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	96	25228799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	97	25491599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	98	25754399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	99	26017199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	100	26279999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	101	26542799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	102	26805599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	103	27068399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	104	27331199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	105	27593999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	106	27856799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	107	28119599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	108	28382399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	109	28645199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	110	28907999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	111	29170799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	112	29433599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	113	29696399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	114	29959199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	115	30221999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	116	30484799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	117	30747599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	118	31010399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	119	31273199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	120	31535999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	121	31798799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	122	32061599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	123	32324399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	124	32587199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	125	32849999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	126	33112799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	127	33375599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	128	33638399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	129	33901199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	130	34163999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	131	34426799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	132	34689599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	133	34952399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	134	35215199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	135	35477999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	136	35740799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	137	36003599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	138	36266399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	139	36529199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	140	36791999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	141	37054799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	142	37317599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	143	37580399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	144	37843199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	145	38105999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	146	38368799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	147	38631599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	148	38894399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	149	39157199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	150	39419999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	151	39682799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	152	39945599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	153	40208399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	154	40471199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	155	40733999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	156	40996799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	157	41259599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	158	41522399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	159	41785199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	160	42047999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	161	42310799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	162	42573599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	163	42836399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	164	43099199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	165	43361999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	166	43624799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	167	43887599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	168	44150399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	169	44413199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	170	44675999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	171	44938799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	172	45201599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	173	45464399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	174	45727199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	175	45989999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	176	46252799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	177	46515599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	178	46778399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	179	47041199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	180	47303999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	181	47566799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	182	47829599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	183	48092399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	184	48355199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	185	48617999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	186	48880799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	187	49143599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	188	49406399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	189	49669199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	190	49931999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	191	50194799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	192	50457599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	193	50720399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	194	50983199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	195	51245999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	196	51508799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	197	51771599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	198	52034399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	199	52297199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	200	52559999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	201	52822799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	202	53085599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	203	53348399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	204	53611199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	205	53873999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	206	54136799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	207	54399599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	208	54662399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	209	54925199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	210	55187999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	211	55450799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	212	55713599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	213	55976399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	214	56239199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	215	56501999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	216	56764799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	217	57027599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	218	57290399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	219	57553199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	220	57815999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	221	58078799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	222	58341599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	223	58604399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	224	58867199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	225	59129999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	226	59392799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	227	59655599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	228	59918399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	229	60181199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	230	60443999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	231	60706799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	232	60969599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	233	61232399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	234	61495199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	235	61757999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	236	62020799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	237	62283599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	238	62546399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	239	62809199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	240	63071999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	241	63334799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	242	63597599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	243	63860399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	244	64123199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	245	64385999	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	246	64648799	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	247	64911599	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	248	65174399	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	249	65437199	1	100.0000	0.19531250	51328.12500000
no_burn_100	No Burn (100% block capacity)	250	65699999	1	100.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	0	-1	0	25.0000	50.00000000	0E-8
burn_25	Burn On (25% block capacity)	1	262799	0	25.0000	50.00000000	13530625.00000000
burn_25	Burn On (25% block capacity)	2	525599	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	3	788399	0	25.0000	50.00000000	13140000.00000000
burn_25	Burn On (25% block capacity)	4	1051199	0	25.0000	25.00000000	11860000.00000000
burn_25	Burn On (25% block capacity)	5	1313999	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	6	1576799	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	7	1839599	0	25.0000	25.00000000	6570000.00000000
burn_25	Burn On (25% block capacity)	8	2102399	0	25.0000	12.50000000	5290000.00000000
burn_25	Burn On (25% block capacity)	9	2365199	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	10	2627999	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	11	2890799	0	25.0000	12.50000000	3285000.00000000
burn_25	Burn On (25% block capacity)	12	3153599	0	25.0000	6.25000000	2325000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	13	3416399	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	14	3679199	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	15	3941999	0	25.0000	6.25000000	1642500.00000000
burn_25	Burn On (25% block capacity)	16	4204799	0	25.0000	3.12500000	1002500.00000000
burn_25	Burn On (25% block capacity)	17	4467599	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	18	4730399	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	19	4993199	0	25.0000	3.12500000	821250.00000000
burn_25	Burn On (25% block capacity)	20	5255999	0	25.0000	1.56250000	421250.00000000
burn_25	Burn On (25% block capacity)	21	5518799	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	22	5781599	0	25.0000	1.56250000	410625.00000000
burn_25	Burn On (25% block capacity)	23	6044399	0	25.0000	0.78125000	375937.50000000
burn_25	Burn On (25% block capacity)	24	6307199	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	25	6569999	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	26	6832799	0	25.0000	0.78125000	205312.50000000
burn_25	Burn On (25% block capacity)	27	7095599	0	25.0000	0.39062500	167968.75000000
burn_25	Burn On (25% block capacity)	28	7358399	0	25.0000	0.39062500	102656.25000000
burn_25	Burn On (25% block capacity)	29	7621199	0	25.0000	0.39062500	102656.25000000
burn_25	Burn On (25% block capacity)	30	7883999	0	25.0000	0.39062500	102656.25000000
burn_25	Burn On (25% block capacity)	31	8146799	1	25.0000	0.19531250	73984.37500000
burn_25	Burn On (25% block capacity)	32	8409599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	33	8672399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	34	8935199	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	35	9197999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	36	9460799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	37	9723599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	38	9986399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	39	10249199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	40	10511999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	41	10774799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	42	11037599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	43	11300399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	44	11563199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	45	11825999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	46	12088799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	47	12351599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	48	12614399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	49	12877199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	50	13139999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	51	13402799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	52	13665599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	53	13928399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	54	14191199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	55	14453999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	56	14716799	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	57	14979599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	58	15242399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	59	15505199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	60	15767999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	61	16030799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	62	16293599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	63	16556399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	64	16819199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	65	17081999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	66	17344799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	67	17607599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	68	17870399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	69	18133199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	70	18395999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	71	18658799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	72	18921599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	73	19184399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	74	19447199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	75	19709999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	76	19972799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	77	20235599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	78	20498399	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	79	20761199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	80	21023999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	81	21286799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	82	21549599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	83	21812399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	84	22075199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	85	22337999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	86	22600799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	87	22863599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	88	23126399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	89	23389199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	90	23651999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	91	23914799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	92	24177599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	93	24440399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	94	24703199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	95	24965999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	96	25228799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	97	25491599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	98	25754399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	99	26017199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	100	26279999	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	101	26542799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	102	26805599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	103	27068399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	104	27331199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	105	27593999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	106	27856799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	107	28119599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	108	28382399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	109	28645199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	110	28907999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	111	29170799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	112	29433599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	113	29696399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	114	29959199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	115	30221999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	116	30484799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	117	30747599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	118	31010399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	119	31273199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	120	31535999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	121	31798799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	122	32061599	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	123	32324399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	124	32587199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	125	32849999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	126	33112799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	127	33375599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	128	33638399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	129	33901199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	130	34163999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	131	34426799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	132	34689599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	133	34952399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	134	35215199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	135	35477999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	136	35740799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	137	36003599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	138	36266399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	139	36529199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	140	36791999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	141	37054799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	142	37317599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	143	37580399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	144	37843199	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	145	38105999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	146	38368799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	147	38631599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	148	38894399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	149	39157199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	150	39419999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	151	39682799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	152	39945599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	153	40208399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	154	40471199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	155	40733999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	156	40996799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	157	41259599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	158	41522399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	159	41785199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	160	42047999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	161	42310799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	162	42573599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	163	42836399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	164	43099199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	165	43361999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	166	43624799	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	167	43887599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	168	44150399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	169	44413199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	170	44675999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	171	44938799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	172	45201599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	173	45464399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	174	45727199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	175	45989999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	176	46252799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	177	46515599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	178	46778399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	179	47041199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	180	47303999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	181	47566799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	182	47829599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	183	48092399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	184	48355199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	185	48617999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	186	48880799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	187	49143599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	188	49406399	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	189	49669199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	190	49931999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	191	50194799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	192	50457599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	193	50720399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	194	50983199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	195	51245999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	196	51508799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	197	51771599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	198	52034399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	199	52297199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	200	52559999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	201	52822799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	202	53085599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	203	53348399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	204	53611199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	205	53873999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	206	54136799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	207	54399599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	208	54662399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	209	54925199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	210	55187999	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	211	55450799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	212	55713599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	213	55976399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	214	56239199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	215	56501999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	216	56764799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	217	57027599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	218	57290399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	219	57553199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	220	57815999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	221	58078799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	222	58341599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	223	58604399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	224	58867199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	225	59129999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	226	59392799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	227	59655599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	228	59918399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	229	60181199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	230	60443999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	231	60706799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	232	60969599	1	25.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	233	61232399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	234	61495199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	235	61757999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	236	62020799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	237	62283599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	238	62546399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	239	62809199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	240	63071999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	241	63334799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	242	63597599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	243	63860399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	244	64123199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	245	64385999	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	246	64648799	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	247	64911599	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	248	65174399	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	249	65437199	1	25.0000	0.19531250	51328.12500000
burn_25	Burn On (25% block capacity)	250	65699999	1	25.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	0	-1	0	50.0000	50.00000000	0E-8
burn_50	Burn On (50% block capacity)	1	262799	0	50.0000	50.00000000	13530625.00000000
burn_50	Burn On (50% block capacity)	2	525599	0	50.0000	50.00000000	13140000.00000000
burn_50	Burn On (50% block capacity)	3	788399	0	50.0000	50.00000000	13140000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	4	1051199	0	50.0000	25.00000000	11860000.00000000
burn_50	Burn On (50% block capacity)	5	1313999	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	6	1576799	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	7	1839599	0	50.0000	25.00000000	6570000.00000000
burn_50	Burn On (50% block capacity)	8	2102399	0	50.0000	12.50000000	5290000.00000000
burn_50	Burn On (50% block capacity)	9	2365199	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	10	2627999	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	11	2890799	0	50.0000	12.50000000	3285000.00000000
burn_50	Burn On (50% block capacity)	12	3153599	0	50.0000	6.25000000	2325000.00000000
burn_50	Burn On (50% block capacity)	13	3416399	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	14	3679199	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	15	3941999	0	50.0000	6.25000000	1642500.00000000
burn_50	Burn On (50% block capacity)	16	4204799	0	50.0000	3.12500000	1002500.00000000
burn_50	Burn On (50% block capacity)	17	4467599	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	18	4730399	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	19	4993199	0	50.0000	3.12500000	821250.00000000
burn_50	Burn On (50% block capacity)	20	5255999	0	50.0000	1.56250000	421250.00000000
burn_50	Burn On (50% block capacity)	21	5518799	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	22	5781599	0	50.0000	1.56250000	410625.00000000
burn_50	Burn On (50% block capacity)	23	6044399	0	50.0000	0.78125000	375937.50000000
burn_50	Burn On (50% block capacity)	24	6307199	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	25	6569999	0	50.0000	0.78125000	205312.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	26	6832799	0	50.0000	0.78125000	205312.50000000
burn_50	Burn On (50% block capacity)	27	7095599	0	50.0000	0.39062500	167968.75000000
burn_50	Burn On (50% block capacity)	28	7358399	0	50.0000	0.39062500	102656.25000000
burn_50	Burn On (50% block capacity)	29	7621199	0	50.0000	0.39062500	102656.25000000
burn_50	Burn On (50% block capacity)	30	7883999	0	50.0000	0.39062500	102656.25000000
burn_50	Burn On (50% block capacity)	31	8146799	1	50.0000	0.19531250	73984.37500000
burn_50	Burn On (50% block capacity)	32	8409599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	33	8672399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	34	8935199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	35	9197999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	36	9460799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	37	9723599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	38	9986399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	39	10249199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	40	10511999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	41	10774799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	42	11037599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	43	11300399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	44	11563199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	45	11825999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	46	12088799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	47	12351599	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	48	12614399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	49	12877199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	50	13139999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	51	13402799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	52	13665599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	53	13928399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	54	14191199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	55	14453999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	56	14716799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	57	14979599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	58	15242399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	59	15505199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	60	15767999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	61	16030799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	62	16293599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	63	16556399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	64	16819199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	65	17081999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	66	17344799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	67	17607599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	68	17870399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	69	18133199	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	70	18395999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	71	18658799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	72	18921599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	73	19184399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	74	19447199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	75	19709999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	76	19972799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	77	20235599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	78	20498399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	79	20761199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	80	21023999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	81	21286799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	82	21549599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	83	21812399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	84	22075199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	85	22337999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	86	22600799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	87	22863599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	88	23126399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	89	23389199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	90	23651999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	91	23914799	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	92	24177599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	93	24440399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	94	24703199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	95	24965999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	96	25228799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	97	25491599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	98	25754399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	99	26017199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	100	26279999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	101	26542799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	102	26805599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	103	27068399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	104	27331199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	105	27593999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	106	27856799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	107	28119599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	108	28382399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	109	28645199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	110	28907999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	111	29170799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	112	29433599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	113	29696399	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	114	29959199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	115	30221999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	116	30484799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	117	30747599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	118	31010399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	119	31273199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	120	31535999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	121	31798799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	122	32061599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	123	32324399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	124	32587199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	125	32849999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	126	33112799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	127	33375599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	128	33638399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	129	33901199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	130	34163999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	131	34426799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	132	34689599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	133	34952399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	134	35215199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	135	35477999	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	136	35740799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	137	36003599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	138	36266399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	139	36529199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	140	36791999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	141	37054799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	142	37317599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	143	37580399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	144	37843199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	145	38105999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	146	38368799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	147	38631599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	148	38894399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	149	39157199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	150	39419999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	151	39682799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	152	39945599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	153	40208399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	154	40471199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	155	40733999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	156	40996799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	157	41259599	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	158	41522399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	159	41785199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	160	42047999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	161	42310799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	162	42573599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	163	42836399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	164	43099199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	165	43361999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	166	43624799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	167	43887599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	168	44150399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	169	44413199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	170	44675999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	171	44938799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	172	45201599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	173	45464399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	174	45727199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	175	45989999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	176	46252799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	177	46515599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	178	46778399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	179	47041199	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	180	47303999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	181	47566799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	182	47829599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	183	48092399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	184	48355199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	185	48617999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	186	48880799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	187	49143599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	188	49406399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	189	49669199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	190	49931999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	191	50194799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	192	50457599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	193	50720399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	194	50983199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	195	51245999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	196	51508799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	197	51771599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	198	52034399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	199	52297199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	200	52559999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	201	52822799	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	202	53085599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	203	53348399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	204	53611199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	205	53873999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	206	54136799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	207	54399599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	208	54662399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	209	54925199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	210	55187999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	211	55450799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	212	55713599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	213	55976399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	214	56239199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	215	56501999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	216	56764799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	217	57027599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	218	57290399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	219	57553199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	220	57815999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	221	58078799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	222	58341599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	223	58604399	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	224	58867199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	225	59129999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	226	59392799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	227	59655599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	228	59918399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	229	60181199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	230	60443999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	231	60706799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	232	60969599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	233	61232399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	234	61495199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	235	61757999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	236	62020799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	237	62283599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	238	62546399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	239	62809199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	240	63071999	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	241	63334799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	242	63597599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	243	63860399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	244	64123199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	245	64385999	1	50.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	246	64648799	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	247	64911599	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	248	65174399	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	249	65437199	1	50.0000	0.19531250	51328.12500000
burn_50	Burn On (50% block capacity)	250	65699999	1	50.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	0	-1	0	75.0000	50.00000000	0E-8
burn_75	Burn On (75% block capacity)	1	262799	0	75.0000	50.00000000	13530625.00000000
burn_75	Burn On (75% block capacity)	2	525599	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	3	788399	0	75.0000	50.00000000	13140000.00000000
burn_75	Burn On (75% block capacity)	4	1051199	0	75.0000	25.00000000	11860000.00000000
burn_75	Burn On (75% block capacity)	5	1313999	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	6	1576799	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	7	1839599	0	75.0000	25.00000000	6570000.00000000
burn_75	Burn On (75% block capacity)	8	2102399	0	75.0000	12.50000000	5290000.00000000
burn_75	Burn On (75% block capacity)	9	2365199	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	10	2627999	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	11	2890799	0	75.0000	12.50000000	3285000.00000000
burn_75	Burn On (75% block capacity)	12	3153599	0	75.0000	6.25000000	2325000.00000000
burn_75	Burn On (75% block capacity)	13	3416399	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	14	3679199	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	15	3941999	0	75.0000	6.25000000	1642500.00000000
burn_75	Burn On (75% block capacity)	16	4204799	0	75.0000	3.12500000	1002500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	17	4467599	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	18	4730399	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	19	4993199	0	75.0000	3.12500000	821250.00000000
burn_75	Burn On (75% block capacity)	20	5255999	0	75.0000	1.56250000	421250.00000000
burn_75	Burn On (75% block capacity)	21	5518799	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	22	5781599	0	75.0000	1.56250000	410625.00000000
burn_75	Burn On (75% block capacity)	23	6044399	0	75.0000	0.78125000	375937.50000000
burn_75	Burn On (75% block capacity)	24	6307199	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	25	6569999	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	26	6832799	0	75.0000	0.78125000	205312.50000000
burn_75	Burn On (75% block capacity)	27	7095599	0	75.0000	0.39062500	167968.75000000
burn_75	Burn On (75% block capacity)	28	7358399	0	75.0000	0.39062500	102656.25000000
burn_75	Burn On (75% block capacity)	29	7621199	0	75.0000	0.39062500	102656.25000000
burn_75	Burn On (75% block capacity)	30	7883999	0	75.0000	0.39062500	102656.25000000
burn_75	Burn On (75% block capacity)	31	8146799	1	75.0000	0.19531250	73984.37500000
burn_75	Burn On (75% block capacity)	32	8409599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	33	8672399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	34	8935199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	35	9197999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	36	9460799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	37	9723599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	38	9986399	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	39	10249199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	40	10511999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	41	10774799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	42	11037599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	43	11300399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	44	11563199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	45	11825999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	46	12088799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	47	12351599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	48	12614399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	49	12877199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	50	13139999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	51	13402799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	52	13665599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	53	13928399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	54	14191199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	55	14453999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	56	14716799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	57	14979599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	58	15242399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	59	15505199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	60	15767999	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	61	16030799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	62	16293599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	63	16556399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	64	16819199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	65	17081999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	66	17344799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	67	17607599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	68	17870399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	69	18133199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	70	18395999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	71	18658799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	72	18921599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	73	19184399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	74	19447199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	75	19709999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	76	19972799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	77	20235599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	78	20498399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	79	20761199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	80	21023999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	81	21286799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	82	21549599	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	83	21812399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	84	22075199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	85	22337999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	86	22600799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	87	22863599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	88	23126399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	89	23389199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	90	23651999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	91	23914799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	92	24177599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	93	24440399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	94	24703199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	95	24965999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	96	25228799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	97	25491599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	98	25754399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	99	26017199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	100	26279999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	101	26542799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	102	26805599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	103	27068399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	104	27331199	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	105	27593999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	106	27856799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	107	28119599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	108	28382399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	109	28645199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	110	28907999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	111	29170799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	112	29433599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	113	29696399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	114	29959199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	115	30221999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	116	30484799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	117	30747599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	118	31010399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	119	31273199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	120	31535999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	121	31798799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	122	32061599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	123	32324399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	124	32587199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	125	32849999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	126	33112799	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	127	33375599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	128	33638399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	129	33901199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	130	34163999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	131	34426799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	132	34689599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	133	34952399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	134	35215199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	135	35477999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	136	35740799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	137	36003599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	138	36266399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	139	36529199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	140	36791999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	141	37054799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	142	37317599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	143	37580399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	144	37843199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	145	38105999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	146	38368799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	147	38631599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	148	38894399	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	149	39157199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	150	39419999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	151	39682799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	152	39945599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	153	40208399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	154	40471199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	155	40733999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	156	40996799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	157	41259599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	158	41522399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	159	41785199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	160	42047999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	161	42310799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	162	42573599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	163	42836399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	164	43099199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	165	43361999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	166	43624799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	167	43887599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	168	44150399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	169	44413199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	170	44675999	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	171	44938799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	172	45201599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	173	45464399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	174	45727199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	175	45989999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	176	46252799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	177	46515599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	178	46778399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	179	47041199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	180	47303999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	181	47566799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	182	47829599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	183	48092399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	184	48355199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	185	48617999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	186	48880799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	187	49143599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	188	49406399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	189	49669199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	190	49931999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	191	50194799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	192	50457599	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	193	50720399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	194	50983199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	195	51245999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	196	51508799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	197	51771599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	198	52034399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	199	52297199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	200	52559999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	201	52822799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	202	53085599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	203	53348399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	204	53611199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	205	53873999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	206	54136799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	207	54399599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	208	54662399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	209	54925199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	210	55187999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	211	55450799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	212	55713599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	213	55976399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	214	56239199	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	215	56501999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	216	56764799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	217	57027599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	218	57290399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	219	57553199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	220	57815999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	221	58078799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	222	58341599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	223	58604399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	224	58867199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	225	59129999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	226	59392799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	227	59655599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	228	59918399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	229	60181199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	230	60443999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	231	60706799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	232	60969599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	233	61232399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	234	61495199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	235	61757999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	236	62020799	1	75.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	237	62283599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	238	62546399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	239	62809199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	240	63071999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	241	63334799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	242	63597599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	243	63860399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	244	64123199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	245	64385999	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	246	64648799	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	247	64911599	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	248	65174399	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	249	65437199	1	75.0000	0.19531250	51328.12500000
burn_75	Burn On (75% block capacity)	250	65699999	1	75.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	0	-1	0	100.0000	50.00000000	0E-8
burn_100	Burn On (100% block capacity)	1	262799	0	100.0000	50.00000000	13530625.00000000
burn_100	Burn On (100% block capacity)	2	525599	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	3	788399	0	100.0000	50.00000000	13140000.00000000
burn_100	Burn On (100% block capacity)	4	1051199	0	100.0000	25.00000000	11860000.00000000
burn_100	Burn On (100% block capacity)	5	1313999	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	6	1576799	0	100.0000	25.00000000	6570000.00000000
burn_100	Burn On (100% block capacity)	7	1839599	0	100.0000	25.00000000	6570000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	8	2102399	0	100.0000	12.50000000	5290000.00000000
burn_100	Burn On (100% block capacity)	9	2365199	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	10	2627999	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	11	2890799	0	100.0000	12.50000000	3285000.00000000
burn_100	Burn On (100% block capacity)	12	3153599	0	100.0000	6.25000000	2325000.00000000
burn_100	Burn On (100% block capacity)	13	3416399	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	14	3679199	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	15	3941999	0	100.0000	6.25000000	1642500.00000000
burn_100	Burn On (100% block capacity)	16	4204799	0	100.0000	3.12500000	1002500.00000000
burn_100	Burn On (100% block capacity)	17	4467599	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	18	4730399	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	19	4993199	0	100.0000	3.12500000	821250.00000000
burn_100	Burn On (100% block capacity)	20	5255999	0	100.0000	1.56250000	421250.00000000
burn_100	Burn On (100% block capacity)	21	5518799	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	22	5781599	0	100.0000	1.56250000	410625.00000000
burn_100	Burn On (100% block capacity)	23	6044399	0	100.0000	0.78125000	375937.50000000
burn_100	Burn On (100% block capacity)	24	6307199	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	25	6569999	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	26	6832799	0	100.0000	0.78125000	205312.50000000
burn_100	Burn On (100% block capacity)	27	7095599	0	100.0000	0.39062500	167968.75000000
burn_100	Burn On (100% block capacity)	28	7358399	0	100.0000	0.39062500	102656.25000000
burn_100	Burn On (100% block capacity)	29	7621199	0	100.0000	0.39062500	102656.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	30	7883999	0	100.0000	0.39062500	102656.25000000
burn_100	Burn On (100% block capacity)	31	8146799	1	100.0000	0.19531250	73984.37500000
burn_100	Burn On (100% block capacity)	32	8409599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	33	8672399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	34	8935199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	35	9197999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	36	9460799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	37	9723599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	38	9986399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	39	10249199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	40	10511999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	41	10774799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	42	11037599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	43	11300399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	44	11563199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	45	11825999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	46	12088799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	47	12351599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	48	12614399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	49	12877199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	50	13139999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	51	13402799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	52	13665599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	53	13928399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	54	14191199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	55	14453999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	56	14716799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	57	14979599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	58	15242399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	59	15505199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	60	15767999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	61	16030799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	62	16293599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	63	16556399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	64	16819199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	65	17081999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	66	17344799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	67	17607599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	68	17870399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	69	18133199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	70	18395999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	71	18658799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	72	18921599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	73	19184399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	74	19447199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	75	19709999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	76	19972799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	77	20235599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	78	20498399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	79	20761199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	80	21023999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	81	21286799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	82	21549599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	83	21812399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	84	22075199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	85	22337999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	86	22600799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	87	22863599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	88	23126399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	89	23389199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	90	23651999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	91	23914799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	92	24177599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	93	24440399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	94	24703199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	95	24965999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	96	25228799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	97	25491599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	98	25754399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	99	26017199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	100	26279999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	101	26542799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	102	26805599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	103	27068399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	104	27331199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	105	27593999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	106	27856799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	107	28119599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	108	28382399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	109	28645199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	110	28907999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	111	29170799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	112	29433599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	113	29696399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	114	29959199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	115	30221999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	116	30484799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	117	30747599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	118	31010399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	119	31273199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	120	31535999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	121	31798799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	122	32061599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	123	32324399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	124	32587199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	125	32849999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	126	33112799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	127	33375599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	128	33638399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	129	33901199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	130	34163999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	131	34426799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	132	34689599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	133	34952399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	134	35215199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	135	35477999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	136	35740799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	137	36003599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	138	36266399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	139	36529199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	140	36791999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	141	37054799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	142	37317599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	143	37580399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	144	37843199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	145	38105999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	146	38368799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	147	38631599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	148	38894399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	149	39157199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	150	39419999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	151	39682799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	152	39945599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	153	40208399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	154	40471199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	155	40733999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	156	40996799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	157	41259599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	158	41522399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	159	41785199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	160	42047999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	161	42310799	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	162	42573599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	163	42836399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	164	43099199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	165	43361999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	166	43624799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	167	43887599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	168	44150399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	169	44413199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	170	44675999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	171	44938799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	172	45201599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	173	45464399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	174	45727199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	175	45989999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	176	46252799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	177	46515599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	178	46778399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	179	47041199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	180	47303999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	181	47566799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	182	47829599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	183	48092399	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	184	48355199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	185	48617999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	186	48880799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	187	49143599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	188	49406399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	189	49669199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	190	49931999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	191	50194799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	192	50457599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	193	50720399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	194	50983199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	195	51245999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	196	51508799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	197	51771599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	198	52034399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	199	52297199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	200	52559999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	201	52822799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	202	53085599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	203	53348399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	204	53611199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	205	53873999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	206	54136799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	207	54399599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	208	54662399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	209	54925199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	210	55187999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	211	55450799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	212	55713599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	213	55976399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	214	56239199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	215	56501999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	216	56764799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	217	57027599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	218	57290399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	219	57553199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	220	57815999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	221	58078799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	222	58341599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	223	58604399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	224	58867199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	225	59129999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	226	59392799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	227	59655599	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	228	59918399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	229	60181199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	230	60443999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	231	60706799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	232	60969599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	233	61232399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	234	61495199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	235	61757999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	236	62020799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	237	62283599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	238	62546399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	239	62809199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	240	63071999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	241	63334799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	242	63597599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	243	63860399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	244	64123199	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	245	64385999	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	246	64648799	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	247	64911599	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	248	65174399	1	100.0000	0.19531250	51328.12500000
burn_100	Burn On (100% block capacity)	249	65437199	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	250	65699999	1	100.0000	0.19531250	51328.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed policy-budget utilization level for the scenario, as percent of max block vbytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
no_burn_1?	321930.00000000	0E-8	321930.00000000	13852555.00000000	13530625.00000000	0E-8	13530625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	13461930.00000000	26670625.00000000	0E-8	26670625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	13461930.00000000	39810625.00000000	0E-8	39810625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	12181930.00000000	51670625.00000000	0E-8	51670625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	6891930.00000000	58240625.00000000	0E-8	58240625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	6891930.00000000	64810625.00000000	0E-8	64810625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	6891930.00000000	71380625.00000000	0E-8	71380625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	5611930.00000000	76670625.00000000	0E-8	76670625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	3606930.00000000	79955625.00000000	0E-8	79955625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	3606930.00000000	83240625.00000000	0E-8	83240625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	3606930.00000000	86525625.00000000	0E-8	86525625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	2646930.00000000	88850625.00000000	0E-8	88850625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1964430.00000000	90493125.00000000	0E-8	90493125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1964430.00000000	92135625.00000000	0E-8	92135625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1964430.00000000	93778125.00000000	0E-8	93778125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1324430.00000000	94780625.00000000	0E-8	94780625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1143180.00000000	95601875.00000000	0E-8	95601875.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1143180.00000000	96423125.00000000	0E-8	96423125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	1143180.00000000	97244375.00000000	0E-8	97244375.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	743180.00000000	97665625.00000000	0E-8	97665625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	732555.00000000	98076250.00000000	0E-8	98076250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	732555.00000000	98486875.00000000	0E-8	98486875.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	697867.50000000	98862812.50000000	0E-8	98862812.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	527242.50000000	99068125.00000000	0E-8	99068125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	527242.50000000	99273437.50000000	0E-8	99273437.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	527242.50000000	99478750.00000000	0E-8	99478750.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	489898.75000000	99646718.75000000	0E-8	99646718.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	424586.25000000	99749375.00000000	0E-8	99749375.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	424586.25000000	99852031.25000000	0E-8	99852031.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	424586.25000000	99954687.50000000	0E-8	99954687.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	395914.37500000	100028671.87500000	0E-8	100028671.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100080000.00000000	0E-8	100080000.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100131328.12500000	0E-8	100131328.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100182656.25000000	0E-8	100182656.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100233984.37500000	0E-8	100233984.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100285312.50000000	0E-8	100285312.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100336640.62500000	0E-8	100336640.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100387968.75000000	0E-8	100387968.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100439296.87500000	0E-8	100439296.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100490625.00000000	0E-8	100490625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100541953.12500000	0E-8	100541953.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100593281.25000000	0E-8	100593281.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100644609.37500000	0E-8	100644609.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100695937.50000000	0E-8	100695937.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100747265.62500000	0E-8	100747265.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100798593.75000000	0E-8	100798593.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100849921.87500000	0E-8	100849921.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100901250.00000000	0E-8	100901250.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	100952578.12500000	0E-8	100952578.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101003906.25000000	0E-8	101003906.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101055234.37500000	0E-8	101055234.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101106562.50000000	0E-8	101106562.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101157890.62500000	0E-8	101157890.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101209218.75000000	0E-8	101209218.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101260546.87500000	0E-8	101260546.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101311875.00000000	0E-8	101311875.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101363203.12500000	0E-8	101363203.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101414531.25000000	0E-8	101414531.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101465859.37500000	0E-8	101465859.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101517187.50000000	0E-8	101517187.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101568515.62500000	0E-8	101568515.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101619843.75000000	0E-8	101619843.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101671171.87500000	0E-8	101671171.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101722500.00000000	0E-8	101722500.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101773828.12500000	0E-8	101773828.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101825156.25000000	0E-8	101825156.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101876484.37500000	0E-8	101876484.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101927812.50000000	0E-8	101927812.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	101979140.62500000	0E-8	101979140.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102030468.75000000	0E-8	102030468.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102081796.87500000	0E-8	102081796.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102133125.00000000	0E-8	102133125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102184453.12500000	0E-8	102184453.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102235781.25000000	0E-8	102235781.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102287109.37500000	0E-8	102287109.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102338437.50000000	0E-8	102338437.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102389765.62500000	0E-8	102389765.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102441093.75000000	0E-8	102441093.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102492421.87500000	0E-8	102492421.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102543750.00000000	0E-8	102543750.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102595078.12500000	0E-8	102595078.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102646406.25000000	0E-8	102646406.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102697734.37500000	0E-8	102697734.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102749062.50000000	0E-8	102749062.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102800390.62500000	0E-8	102800390.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102851718.75000000	0E-8	102851718.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102903046.87500000	0E-8	102903046.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	102954375.00000000	0E-8	102954375.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103005703.12500000	0E-8	103005703.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103057031.25000000	0E-8	103057031.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103108359.37500000	0E-8	103108359.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103159687.50000000	0E-8	103159687.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103211015.62500000	0E-8	103211015.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103262343.75000000	0E-8	103262343.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103313671.87500000	0E-8	103313671.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103365000.00000000	0E-8	103365000.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103416328.12500000	0E-8	103416328.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103467656.25000000	0E-8	103467656.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103518984.37500000	0E-8	103518984.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103570312.50000000	0E-8	103570312.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103621640.62500000	0E-8	103621640.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103672968.75000000	0E-8	103672968.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103724296.87500000	0E-8	103724296.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103775625.00000000	0E-8	103775625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103826953.12500000	0E-8	103826953.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103878281.25000000	0E-8	103878281.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103929609.37500000	0E-8	103929609.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	103980937.50000000	0E-8	103980937.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104032265.62500000	0E-8	104032265.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104083593.75000000	0E-8	104083593.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104134921.87500000	0E-8	104134921.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104186250.00000000	0E-8	104186250.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104237578.12500000	0E-8	104237578.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104288906.25000000	0E-8	104288906.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104340234.37500000	0E-8	104340234.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104391562.50000000	0E-8	104391562.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104442890.62500000	0E-8	104442890.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104494218.75000000	0E-8	104494218.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104545546.87500000	0E-8	104545546.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104596875.00000000	0E-8	104596875.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104648203.12500000	0E-8	104648203.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104699531.25000000	0E-8	104699531.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104750859.37500000	0E-8	104750859.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104802187.50000000	0E-8	104802187.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104853515.62500000	0E-8	104853515.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104904843.75000000	0E-8	104904843.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	104956171.87500000	0E-8	104956171.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105007500.00000000	0E-8	105007500.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105058828.12500000	0E-8	105058828.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105110156.25000000	0E-8	105110156.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105161484.37500000	0E-8	105161484.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105212812.50000000	0E-8	105212812.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105264140.62500000	0E-8	105264140.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105315468.75000000	0E-8	105315468.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105366796.87500000	0E-8	105366796.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105418125.00000000	0E-8	105418125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105469453.12500000	0E-8	105469453.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105520781.25000000	0E-8	105520781.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105572109.37500000	0E-8	105572109.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105623437.50000000	0E-8	105623437.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105674765.62500000	0E-8	105674765.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105726093.75000000	0E-8	105726093.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105777421.87500000	0E-8	105777421.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105828750.00000000	0E-8	105828750.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105880078.12500000	0E-8	105880078.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105931406.25000000	0E-8	105931406.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	105982734.37500000	0E-8	105982734.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106034062.50000000	0E-8	106034062.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106085390.62500000	0E-8	106085390.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106136718.75000000	0E-8	106136718.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106188046.87500000	0E-8	106188046.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106239375.00000000	0E-8	106239375.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106290703.12500000	0E-8	106290703.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106342031.25000000	0E-8	106342031.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106393359.37500000	0E-8	106393359.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106444687.50000000	0E-8	106444687.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106496015.62500000	0E-8	106496015.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106547343.75000000	0E-8	106547343.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106598671.87500000	0E-8	106598671.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106650000.00000000	0E-8	106650000.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106701328.12500000	0E-8	106701328.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106752656.25000000	0E-8	106752656.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106803984.37500000	0E-8	106803984.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106855312.50000000	0E-8	106855312.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106906640.62500000	0E-8	106906640.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	106957968.75000000	0E-8	106957968.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107009296.87500000	0E-8	107009296.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107060625.00000000	0E-8	107060625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107111953.12500000	0E-8	107111953.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107163281.25000000	0E-8	107163281.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107214609.37500000	0E-8	107214609.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107265937.50000000	0E-8	107265937.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107317265.62500000	0E-8	107317265.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107368593.75000000	0E-8	107368593.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107419921.87500000	0E-8	107419921.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107471250.00000000	0E-8	107471250.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107522578.12500000	0E-8	107522578.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107573906.25000000	0E-8	107573906.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107625234.37500000	0E-8	107625234.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107676562.50000000	0E-8	107676562.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107727890.62500000	0E-8	107727890.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107779218.75000000	0E-8	107779218.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107830546.87500000	0E-8	107830546.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107881875.00000000	0E-8	107881875.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107933203.12500000	0E-8	107933203.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	107984531.25000000	0E-8	107984531.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108035859.37500000	0E-8	108035859.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108087187.50000000	0E-8	108087187.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108138515.62500000	0E-8	108138515.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108189843.75000000	0E-8	108189843.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108241171.87500000	0E-8	108241171.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108292500.00000000	0E-8	108292500.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108343828.12500000	0E-8	108343828.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108395156.25000000	0E-8	108395156.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108446484.37500000	0E-8	108446484.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108497812.50000000	0E-8	108497812.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108549140.62500000	0E-8	108549140.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108600468.75000000	0E-8	108600468.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108651796.87500000	0E-8	108651796.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108703125.00000000	0E-8	108703125.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108754453.12500000	0E-8	108754453.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108805781.25000000	0E-8	108805781.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108857109.37500000	0E-8	108857109.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108908437.50000000	0E-8	108908437.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	108959765.62500000	0E-8	108959765.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109011093.75000000	0E-8	109011093.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109062421.87500000	0E-8	109062421.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109113750.00000000	0E-8	109113750.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109165078.12500000	0E-8	109165078.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109216406.25000000	0E-8	109216406.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109267734.37500000	0E-8	109267734.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109319062.50000000	0E-8	109319062.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109370390.62500000	0E-8	109370390.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109421718.75000000	0E-8	109421718.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109473046.87500000	0E-8	109473046.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109524375.00000000	0E-8	109524375.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109575703.12500000	0E-8	109575703.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109627031.25000000	0E-8	109627031.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109678359.37500000	0E-8	109678359.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109729687.50000000	0E-8	109729687.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109781015.62500000	0E-8	109781015.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109832343.75000000	0E-8	109832343.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109883671.87500000	0E-8	109883671.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109935000.00000000	0E-8	109935000.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	109986328.12500000	0E-8	109986328.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110037656.25000000	0E-8	110037656.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110088984.37500000	0E-8	110088984.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110140312.50000000	0E-8	110140312.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110191640.62500000	0E-8	110191640.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110242968.75000000	0E-8	110242968.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110294296.87500000	0E-8	110294296.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110345625.00000000	0E-8	110345625.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110396953.12500000	0E-8	110396953.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110448281.25000000	0E-8	110448281.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110499609.37500000	0E-8	110499609.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110550937.50000000	0E-8	110550937.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110602265.62500000	0E-8	110602265.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110653593.75000000	0E-8	110653593.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110704921.87500000	0E-8	110704921.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110756250.00000000	0E-8	110756250.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110807578.12500000	0E-8	110807578.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110858906.25000000	0E-8	110858906.25000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110910234.37500000	0E-8	110910234.37500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	110961562.50000000	0E-8	110961562.50000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	111012890.62500000	0E-8	111012890.62500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	111064218.75000000	0E-8	111064218.75000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	111115546.87500000	0E-8	111115546.87500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	111166875.00000000	0E-8	111166875.00000000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	111218203.12500000	0E-8	111218203.12500000
no_burn_1?	321930.00000000	0E-8	321930.00000000	373258.12500000	111269531.25000000	0E-8	111269531.25000000
burn_25	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_25	80482.50000000	0E-8	80482.50000000	13611107.50000000	13530625.00000000	0E-8	13530625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	13220482.50000000	26670625.00000000	0E-8	26670625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	13220482.50000000	39810625.00000000	0E-8	39810625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	11940482.50000000	51670625.00000000	0E-8	51670625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	6650482.50000000	58240625.00000000	0E-8	58240625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	6650482.50000000	64810625.00000000	0E-8	64810625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	6650482.50000000	71380625.00000000	0E-8	71380625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	5370482.50000000	76670625.00000000	0E-8	76670625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	3365482.50000000	79955625.00000000	0E-8	79955625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	3365482.50000000	83240625.00000000	0E-8	83240625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	3365482.50000000	86525625.00000000	0E-8	86525625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	2405482.50000000	88850625.00000000	0E-8	88850625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	0E-8	80482.50000000	1722982.50000000	90493125.00000000	0E-8	90493125.00000000
burn_25	80482.50000000	0E-8	80482.50000000	1722982.50000000	92135625.00000000	0E-8	92135625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	1722982.50000000	93778125.00000000	0E-8	93778125.00000000
burn_25	80482.50000000	0E-8	80482.50000000	1082982.50000000	94780625.00000000	0E-8	94780625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	901732.50000000	95601875.00000000	0E-8	95601875.00000000
burn_25	80482.50000000	0E-8	80482.50000000	901732.50000000	96423125.00000000	0E-8	96423125.00000000
burn_25	80482.50000000	0E-8	80482.50000000	901732.50000000	97244375.00000000	0E-8	97244375.00000000
burn_25	80482.50000000	0E-8	80482.50000000	501732.50000000	97665625.00000000	0E-8	97665625.00000000
burn_25	80482.50000000	0E-8	80482.50000000	491107.50000000	98076250.00000000	0E-8	98076250.00000000
burn_25	80482.50000000	0E-8	80482.50000000	491107.50000000	98486875.00000000	0E-8	98486875.00000000
burn_25	80482.50000000	0E-8	80482.50000000	456420.00000000	98862812.50000000	0E-8	98862812.50000000
burn_25	80482.50000000	0E-8	80482.50000000	285795.00000000	99068125.00000000	0E-8	99068125.00000000
burn_25	80482.50000000	0E-8	80482.50000000	285795.00000000	99273437.50000000	0E-8	99273437.50000000
burn_25	80482.50000000	0E-8	80482.50000000	285795.00000000	99478750.00000000	0E-8	99478750.00000000
burn_25	80482.50000000	0E-8	80482.50000000	248451.25000000	99646718.75000000	0E-8	99646718.75000000
burn_25	80482.50000000	0E-8	80482.50000000	183138.75000000	99749375.00000000	0E-8	99749375.00000000
burn_25	80482.50000000	0E-8	80482.50000000	183138.75000000	99852031.25000000	0E-8	99852031.25000000
burn_25	80482.50000000	0E-8	80482.50000000	183138.75000000	99954687.50000000	0E-8	99954687.50000000
burn_25	80482.50000000	36217.12500000	44265.37500000	118249.75000000	100028671.87500000	36217.12500000	99992454.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100080000.00000000	72434.25000000	100007565.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100131328.12500000	108651.37500000	100022676.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100182656.25000000	144868.50000000	100037787.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100233984.37500000	181085.62500000	100052898.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100285312.50000000	217302.75000000	100068009.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100336640.62500000	253519.87500000	100083120.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100387968.75000000	289737.00000000	100098231.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100439296.87500000	325954.12500000	100113342.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100490625.00000000	362171.25000000	100128453.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100541953.12500000	398388.37500000	100143564.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100593281.25000000	434605.50000000	100158675.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100644609.37500000	470822.62500000	100173786.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100695937.50000000	507039.75000000	100188897.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100747265.62500000	543256.87500000	100204008.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100798593.75000000	579474.00000000	100219119.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100849921.87500000	615691.12500000	100234230.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100901250.00000000	651908.25000000	100249341.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	100952578.12500000	688125.37500000	100264452.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101003906.25000000	724342.50000000	100279563.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101055234.37500000	760559.62500000	100294674.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101106562.50000000	796776.75000000	100309785.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101157890.62500000	832993.87500000	100324896.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101209218.75000000	869211.00000000	100340007.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101260546.87500000	905428.12500000	100355118.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101311875.00000000	941645.25000000	100370229.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101363203.12500000	977862.37500000	100385340.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101414531.25000000	1014079.50000000	100400451.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101465859.37500000	1050296.62500000	100415562.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101517187.50000000	1086513.75000000	100430673.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101568515.62500000	1122730.87500000	100445784.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101619843.75000000	1158948.00000000	100460895.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101671171.87500000	1195165.12500000	100476006.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101722500.00000000	1231382.25000000	100491117.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101773828.12500000	1267599.37500000	100506228.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101825156.25000000	1303816.50000000	100521339.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101876484.37500000	1340033.62500000	100536450.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101927812.50000000	1376250.75000000	100551561.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	101979140.62500000	1412467.87500000	100566672.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102030468.75000000	1448685.00000000	100581783.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102081796.87500000	1484902.12500000	100596894.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102133125.00000000	1521119.25000000	100612005.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102184453.12500000	1557336.37500000	100627116.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102235781.25000000	1593553.50000000	100642227.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102287109.37500000	1629770.62500000	100657338.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102338437.50000000	1665987.75000000	100672449.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102389765.62500000	1702204.87500000	100687560.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102441093.75000000	1738422.00000000	100702671.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102492421.87500000	1774639.12500000	100717782.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102543750.00000000	1810856.25000000	100732893.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102595078.12500000	1847073.37500000	100748004.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102646406.25000000	1883290.50000000	100763115.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102697734.37500000	1919507.62500000	100778226.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102749062.50000000	1955724.75000000	100793337.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102800390.62500000	1991941.87500000	100808448.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102851718.75000000	2028159.00000000	100823559.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102903046.87500000	2064376.12500000	100838670.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	102954375.00000000	2100593.25000000	100853781.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103005703.12500000	2136810.37500000	100868892.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103057031.25000000	2173027.50000000	100884003.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103108359.37500000	2209244.62500000	100899114.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103159687.50000000	2245461.75000000	100914225.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103211015.62500000	2281678.87500000	100929336.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103262343.75000000	2317896.00000000	100944447.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103313671.87500000	2354113.12500000	100959558.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103365000.00000000	2390330.25000000	100974669.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103416328.12500000	2426547.37500000	100989780.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103467656.25000000	2462764.50000000	101004891.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103518984.37500000	2498981.62500000	101020002.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103570312.50000000	2535198.75000000	101035113.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103621640.62500000	2571415.87500000	101050224.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103672968.75000000	2607633.00000000	101065335.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103724296.87500000	2643850.12500000	101080446.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103775625.00000000	2680067.25000000	101095557.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103826953.12500000	2716284.37500000	101110668.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103878281.25000000	2752501.50000000	101125779.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103929609.37500000	2788718.62500000	101140890.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	103980937.50000000	2824935.75000000	101156001.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104032265.62500000	2861152.87500000	101171112.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104083593.75000000	2897370.00000000	101186223.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104134921.87500000	2933587.12500000	101201334.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104186250.00000000	2969804.25000000	101216445.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104237578.12500000	3006021.37500000	101231556.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104288906.25000000	3042238.50000000	101246667.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104340234.37500000	3078455.62500000	101261778.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104391562.50000000	3114672.75000000	101276889.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104442890.62500000	3150889.87500000	101292000.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104494218.75000000	3187107.00000000	101307111.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104545546.87500000	3223324.12500000	101322222.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104596875.00000000	3259541.25000000	101337333.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104648203.12500000	3295758.37500000	101352444.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104699531.25000000	3331975.50000000	101367555.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104750859.37500000	3368192.62500000	101382666.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104802187.50000000	3404409.75000000	101397777.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104853515.62500000	3440626.87500000	101412888.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104904843.75000000	3476844.00000000	101427999.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	104956171.87500000	3513061.12500000	101443110.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105007500.00000000	3549278.25000000	101458221.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105058828.12500000	3585495.37500000	101473332.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105110156.25000000	3621712.50000000	101488443.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105161484.37500000	3657929.62500000	101503554.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105212812.50000000	3694146.75000000	101518665.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105264140.62500000	3730363.87500000	101533776.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105315468.75000000	3766581.00000000	101548887.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105366796.87500000	3802798.12500000	101563998.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105418125.00000000	3839015.25000000	101579109.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105469453.12500000	3875232.37500000	101594220.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105520781.25000000	3911449.50000000	101609331.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105572109.37500000	3947666.62500000	101624442.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105623437.50000000	3983883.75000000	101639553.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105674765.62500000	4020100.87500000	101654664.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105726093.75000000	4056318.00000000	101669775.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105777421.87500000	4092535.12500000	101684886.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105828750.00000000	4128752.25000000	101699997.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105880078.12500000	4164969.37500000	101715108.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105931406.25000000	4201186.50000000	101730219.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	105982734.37500000	4237403.62500000	101745330.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106034062.50000000	4273620.75000000	101760441.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106085390.62500000	4309837.87500000	101775552.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106136718.75000000	4346055.00000000	101790663.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106188046.87500000	4382272.12500000	101805774.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106239375.00000000	4418489.25000000	101820885.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106290703.12500000	4454706.37500000	101835996.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106342031.25000000	4490923.50000000	101851107.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106393359.37500000	4527140.62500000	101866218.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106444687.50000000	4563357.75000000	101881329.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106496015.62500000	4599574.87500000	101896440.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106547343.75000000	4635792.00000000	101911551.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106598671.87500000	4672009.12500000	101926662.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106650000.00000000	4708226.25000000	101941773.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106701328.12500000	4744443.37500000	101956884.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106752656.25000000	4780660.50000000	101971995.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106803984.37500000	4816877.62500000	101987106.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106855312.50000000	4853094.75000000	102002217.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106906640.62500000	4889311.87500000	102017328.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	106957968.75000000	4925529.00000000	102032439.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107009296.87500000	4961746.12500000	102047550.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107060625.00000000	4997963.25000000	102062661.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107111953.12500000	5034180.37500000	102077772.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107163281.25000000	5070397.50000000	102092883.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107214609.37500000	5106614.62500000	102107994.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107265937.50000000	5142831.75000000	102123105.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107317265.62500000	5179048.87500000	102138216.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107368593.75000000	5215266.00000000	102153327.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107419921.87500000	5251483.12500000	102168438.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107471250.00000000	5287700.25000000	102183549.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107522578.12500000	5323917.37500000	102198660.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107573906.25000000	5360134.50000000	102213771.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107625234.37500000	5396351.62500000	102228882.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107676562.50000000	5432568.75000000	102243993.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107727890.62500000	5468785.87500000	102259104.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107779218.75000000	5505003.00000000	102274215.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107830546.87500000	5541220.12500000	102289326.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107881875.00000000	5577437.25000000	102304437.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107933203.12500000	5613654.37500000	102319548.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	107984531.25000000	5649871.50000000	102334659.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108035859.37500000	5686088.62500000	102349770.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108087187.50000000	5722305.75000000	102364881.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108138515.62500000	5758522.87500000	102379992.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108189843.75000000	5794740.00000000	102395103.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108241171.87500000	5830957.12500000	102410214.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108292500.00000000	5867174.25000000	102425325.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108343828.12500000	5903391.37500000	102440436.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108395156.25000000	5939608.50000000	102455547.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108446484.37500000	5975825.62500000	102470658.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108497812.50000000	6012042.75000000	102485769.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108549140.62500000	6048259.87500000	102500880.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108600468.75000000	6084477.00000000	102515991.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108651796.87500000	6120694.12500000	102531102.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108703125.00000000	6156911.25000000	102546213.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108754453.12500000	6193128.37500000	102561324.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108805781.25000000	6229345.50000000	102576435.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108857109.37500000	6265562.62500000	102591546.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108908437.50000000	6301779.75000000	102606657.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	108959765.62500000	6337996.87500000	102621768.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109011093.75000000	6374214.00000000	102636879.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109062421.87500000	6410431.12500000	102651990.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109113750.00000000	6446648.25000000	102667101.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109165078.12500000	6482865.37500000	102682212.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109216406.25000000	6519082.50000000	102697323.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109267734.37500000	6555299.62500000	102712434.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109319062.50000000	6591516.75000000	102727545.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109370390.62500000	6627733.87500000	102742656.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109421718.75000000	6663951.00000000	102757767.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109473046.87500000	6700168.12500000	102772878.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109524375.00000000	6736385.25000000	102787989.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109575703.12500000	6772602.37500000	102803100.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109627031.25000000	6808819.50000000	102818211.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109678359.37500000	6845036.62500000	102833322.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109729687.50000000	6881253.75000000	102848433.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109781015.62500000	6917470.87500000	102863544.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109832343.75000000	6953688.00000000	102878655.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109883671.87500000	6989905.12500000	102893766.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109935000.00000000	7026122.25000000	102908877.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	109986328.12500000	7062339.37500000	102923988.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110037656.25000000	7098556.50000000	102939099.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110088984.37500000	7134773.62500000	102954210.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110140312.50000000	7170990.75000000	102969321.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110191640.62500000	7207207.87500000	102984432.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110242968.75000000	7243425.00000000	102999543.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110294296.87500000	7279642.12500000	103014654.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110345625.00000000	7315859.25000000	103029765.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110396953.12500000	7352076.37500000	103044876.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110448281.25000000	7388293.50000000	103059987.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110499609.37500000	7424510.62500000	103075098.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110550937.50000000	7460727.75000000	103090209.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110602265.62500000	7496944.87500000	103105320.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110653593.75000000	7533162.00000000	103120431.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110704921.87500000	7569379.12500000	103135542.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110756250.00000000	7605596.25000000	103150653.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110807578.12500000	7641813.37500000	103165764.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110858906.25000000	7678030.50000000	103180875.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110910234.37500000	7714247.62500000	103195986.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	110961562.50000000	7750464.75000000	103211097.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	111012890.62500000	7786681.87500000	103226208.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	111064218.75000000	7822899.00000000	103241319.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	111115546.87500000	7859116.12500000	103256430.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	111166875.00000000	7895333.25000000	103271541.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	111218203.12500000	7931550.37500000	103286652.75000000
burn_25	80482.50000000	36217.12500000	44265.37500000	95593.50000000	111269531.25000000	7967767.50000000	103301763.75000000
burn_50	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_50	160965.00000000	0E-8	160965.00000000	13691590.00000000	13530625.00000000	0E-8	13530625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	13300965.00000000	26670625.00000000	0E-8	26670625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	13300965.00000000	39810625.00000000	0E-8	39810625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	0E-8	160965.00000000	12020965.00000000	51670625.00000000	0E-8	51670625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	6730965.00000000	58240625.00000000	0E-8	58240625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	6730965.00000000	64810625.00000000	0E-8	64810625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	6730965.00000000	71380625.00000000	0E-8	71380625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	5450965.00000000	76670625.00000000	0E-8	76670625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	3445965.00000000	79955625.00000000	0E-8	79955625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	3445965.00000000	83240625.00000000	0E-8	83240625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	3445965.00000000	86525625.00000000	0E-8	86525625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	2485965.00000000	88850625.00000000	0E-8	88850625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	1803465.00000000	90493125.00000000	0E-8	90493125.00000000
burn_50	160965.00000000	0E-8	160965.00000000	1803465.00000000	92135625.00000000	0E-8	92135625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	1803465.00000000	93778125.00000000	0E-8	93778125.00000000
burn_50	160965.00000000	0E-8	160965.00000000	1163465.00000000	94780625.00000000	0E-8	94780625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	982215.00000000	95601875.00000000	0E-8	95601875.00000000
burn_50	160965.00000000	0E-8	160965.00000000	982215.00000000	96423125.00000000	0E-8	96423125.00000000
burn_50	160965.00000000	0E-8	160965.00000000	982215.00000000	97244375.00000000	0E-8	97244375.00000000
burn_50	160965.00000000	0E-8	160965.00000000	582215.00000000	97665625.00000000	0E-8	97665625.00000000
burn_50	160965.00000000	0E-8	160965.00000000	571590.00000000	98076250.00000000	0E-8	98076250.00000000
burn_50	160965.00000000	0E-8	160965.00000000	571590.00000000	98486875.00000000	0E-8	98486875.00000000
burn_50	160965.00000000	0E-8	160965.00000000	536902.50000000	98862812.50000000	0E-8	98862812.50000000
burn_50	160965.00000000	0E-8	160965.00000000	366277.50000000	99068125.00000000	0E-8	99068125.00000000
burn_50	160965.00000000	0E-8	160965.00000000	366277.50000000	99273437.50000000	0E-8	99273437.50000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	0E-8	160965.00000000	366277.50000000	99478750.00000000	0E-8	99478750.00000000
burn_50	160965.00000000	0E-8	160965.00000000	328933.75000000	99646718.75000000	0E-8	99646718.75000000
burn_50	160965.00000000	0E-8	160965.00000000	263621.25000000	99749375.00000000	0E-8	99749375.00000000
burn_50	160965.00000000	0E-8	160965.00000000	263621.25000000	99852031.25000000	0E-8	99852031.25000000
burn_50	160965.00000000	0E-8	160965.00000000	263621.25000000	99954687.50000000	0E-8	99954687.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	162515.12500000	100028671.87500000	72434.25000000	99956237.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100080000.00000000	144868.50000000	99935131.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100131328.12500000	217302.75000000	99914025.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100182656.25000000	289737.00000000	99892919.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100233984.37500000	362171.25000000	99871813.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100285312.50000000	434605.50000000	99850707.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100336640.62500000	507039.75000000	99829600.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100387968.75000000	579474.00000000	99808494.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100439296.87500000	651908.25000000	99787388.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100490625.00000000	724342.50000000	99766282.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100541953.12500000	796776.75000000	99745176.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100593281.25000000	869211.00000000	99724070.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100644609.37500000	941645.25000000	99702964.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100695937.50000000	1014079.50000000	99681858.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100747265.62500000	1086513.75000000	99660751.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100798593.75000000	1158948.00000000	99639645.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100849921.87500000	1231382.25000000	99618539.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100901250.00000000	1303816.50000000	99597433.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	100952578.12500000	1376250.75000000	99576327.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101003906.25000000	1448685.00000000	99555221.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101055234.37500000	1521119.25000000	99534115.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101106562.50000000	1593553.50000000	99513009.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101157890.62500000	1665987.75000000	99491902.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101209218.75000000	1738422.00000000	99470796.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101260546.87500000	1810856.25000000	99449690.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101311875.00000000	1883290.50000000	99428584.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101363203.12500000	1955724.75000000	99407478.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101414531.25000000	2028159.00000000	99386372.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101465859.37500000	2100593.25000000	99365266.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101517187.50000000	2173027.50000000	99344160.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101568515.62500000	2245461.75000000	99323053.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101619843.75000000	2317896.00000000	99301947.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101671171.87500000	2390330.25000000	99280841.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101722500.00000000	2462764.50000000	99259735.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101773828.12500000	2535198.75000000	99238629.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101825156.25000000	2607633.00000000	99217523.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101876484.37500000	2680067.25000000	99196417.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101927812.50000000	2752501.50000000	99175311.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	101979140.62500000	2824935.75000000	99154204.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102030468.75000000	2897370.00000000	99133098.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102081796.87500000	2969804.25000000	99111992.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102133125.00000000	3042238.50000000	99090886.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102184453.12500000	3114672.75000000	99069780.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102235781.25000000	3187107.00000000	99048674.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102287109.37500000	3259541.25000000	99027568.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102338437.50000000	3331975.50000000	99006462.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102389765.62500000	3404409.75000000	98985355.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102441093.75000000	3476844.00000000	98964249.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102492421.87500000	3549278.25000000	98943143.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102543750.00000000	3621712.50000000	98922037.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102595078.12500000	3694146.75000000	98900931.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102646406.25000000	3766581.00000000	98879825.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102697734.37500000	3839015.25000000	98858719.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102749062.50000000	3911449.50000000	98837613.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102800390.62500000	3983883.75000000	98816506.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102851718.75000000	4056318.00000000	98795400.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102903046.87500000	4128752.25000000	98774294.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	102954375.00000000	4201186.50000000	98753188.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103005703.12500000	4273620.75000000	98732082.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103057031.25000000	4346055.00000000	98710976.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103108359.37500000	4418489.25000000	98689870.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103159687.50000000	4490923.50000000	98668764.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103211015.62500000	4563357.75000000	98647657.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103262343.75000000	4635792.00000000	98626551.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103313671.87500000	4708226.25000000	98605445.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103365000.00000000	4780660.50000000	98584339.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103416328.12500000	4853094.75000000	98563233.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103467656.25000000	4925529.00000000	98542127.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103518984.37500000	4997963.25000000	98521021.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103570312.50000000	5070397.50000000	98499915.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103621640.62500000	5142831.75000000	98478808.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103672968.75000000	5215266.00000000	98457702.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103724296.87500000	5287700.25000000	98436596.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103775625.00000000	5360134.50000000	98415490.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103826953.12500000	5432568.75000000	98394384.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103878281.25000000	5505003.00000000	98373278.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103929609.37500000	5577437.25000000	98352172.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	103980937.50000000	5649871.50000000	98331066.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104032265.62500000	5722305.75000000	98309959.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104083593.75000000	5794740.00000000	98288853.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104134921.87500000	5867174.25000000	98267747.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104186250.00000000	5939608.50000000	98246641.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104237578.12500000	6012042.75000000	98225535.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104288906.25000000	6084477.00000000	98204429.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104340234.37500000	6156911.25000000	98183323.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104391562.50000000	6229345.50000000	98162217.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104442890.62500000	6301779.75000000	98141110.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104494218.75000000	6374214.00000000	98120004.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104545546.87500000	6446648.25000000	98098898.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104596875.00000000	6519082.50000000	98077792.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104648203.12500000	6591516.75000000	98056686.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104699531.25000000	6663951.00000000	98035580.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104750859.37500000	6736385.25000000	98014474.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104802187.50000000	6808819.50000000	97993368.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104853515.62500000	6881253.75000000	97972261.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104904843.75000000	6953688.00000000	97951155.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	104956171.87500000	7026122.25000000	97930049.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105007500.00000000	7098556.50000000	97908943.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105058828.12500000	7170990.75000000	97887837.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105110156.25000000	7243425.00000000	97866731.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105161484.37500000	7315859.25000000	97845625.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105212812.50000000	7388293.50000000	97824519.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105264140.62500000	7460727.75000000	97803412.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105315468.75000000	7533162.00000000	97782306.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105366796.87500000	7605596.25000000	97761200.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105418125.00000000	7678030.50000000	97740094.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105469453.12500000	7750464.75000000	97718988.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105520781.25000000	7822899.00000000	97697882.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105572109.37500000	7895333.25000000	97676776.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105623437.50000000	7967767.50000000	97655670.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105674765.62500000	8040201.75000000	97634563.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105726093.75000000	8112636.00000000	97613457.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105777421.87500000	8185070.25000000	97592351.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105828750.00000000	8257504.50000000	97571245.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105880078.12500000	8329938.75000000	97550139.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105931406.25000000	8402373.00000000	97529033.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	105982734.37500000	8474807.25000000	97507927.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106034062.50000000	8547241.50000000	97486821.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106085390.62500000	8619675.75000000	97465714.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106136718.75000000	8692110.00000000	97444608.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106188046.87500000	8764544.25000000	97423502.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106239375.00000000	8836978.50000000	97402396.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106290703.12500000	8909412.75000000	97381290.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106342031.25000000	8981847.00000000	97360184.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106393359.37500000	9054281.25000000	97339078.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106444687.50000000	9126715.50000000	97317972.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106496015.62500000	9199149.75000000	97296865.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106547343.75000000	9271584.00000000	97275759.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106598671.87500000	9344018.25000000	97254653.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106650000.00000000	9416452.50000000	97233547.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106701328.12500000	9488886.75000000	97212441.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106752656.25000000	9561321.00000000	97191335.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106803984.37500000	9633755.25000000	97170229.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106855312.50000000	9706189.50000000	97149123.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106906640.62500000	9778623.75000000	97128016.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	106957968.75000000	9851058.00000000	97106910.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107009296.87500000	9923492.25000000	97085804.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107060625.00000000	9995926.50000000	97064698.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107111953.12500000	10068360.75000000	97043592.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107163281.25000000	10140795.00000000	97022486.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107214609.37500000	10213229.25000000	97001380.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107265937.50000000	10285663.50000000	96980274.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107317265.62500000	10358097.75000000	96959167.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107368593.75000000	10430532.00000000	96938061.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107419921.87500000	10502966.25000000	96916955.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107471250.00000000	10575400.50000000	96895849.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107522578.12500000	10647834.75000000	96874743.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107573906.25000000	10720269.00000000	96853637.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107625234.37500000	10792703.25000000	96832531.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107676562.50000000	10865137.50000000	96811425.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107727890.62500000	10937571.75000000	96790318.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107779218.75000000	11010006.00000000	96769212.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107830546.87500000	11082440.25000000	96748106.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107881875.00000000	11154874.50000000	96727000.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107933203.12500000	11227308.75000000	96705894.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	107984531.25000000	11299743.00000000	96684788.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108035859.37500000	11372177.25000000	96663682.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108087187.50000000	11444611.50000000	96642576.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108138515.62500000	11517045.75000000	96621469.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108189843.75000000	11589480.00000000	96600363.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108241171.87500000	11661914.25000000	96579257.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108292500.00000000	11734348.50000000	96558151.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108343828.12500000	11806782.75000000	96537045.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108395156.25000000	11879217.00000000	96515939.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108446484.37500000	11951651.25000000	96494833.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108497812.50000000	12024085.50000000	96473727.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108549140.62500000	12096519.75000000	96452620.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108600468.75000000	12168954.00000000	96431514.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108651796.87500000	12241388.25000000	96410408.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108703125.00000000	12313822.50000000	96389302.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108754453.12500000	12386256.75000000	96368196.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108805781.25000000	12458691.00000000	96347090.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108857109.37500000	12531125.25000000	96325984.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108908437.50000000	12603559.50000000	96304878.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	108959765.62500000	12675993.75000000	96283771.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109011093.75000000	12748428.00000000	96262665.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109062421.87500000	12820862.25000000	96241559.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109113750.00000000	12893296.50000000	96220453.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109165078.12500000	12965730.75000000	96199347.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109216406.25000000	13038165.00000000	96178241.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109267734.37500000	13110599.25000000	96157135.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109319062.50000000	13183033.50000000	96136029.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109370390.62500000	13255467.75000000	96114922.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109421718.75000000	13327902.00000000	96093816.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109473046.87500000	13400336.25000000	96072710.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109524375.00000000	13472770.50000000	96051604.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109575703.12500000	13545204.75000000	96030498.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109627031.25000000	13617639.00000000	96009392.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109678359.37500000	13690073.25000000	95988286.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109729687.50000000	13762507.50000000	95967180.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109781015.62500000	13834941.75000000	95946073.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109832343.75000000	13907376.00000000	95924967.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109883671.87500000	13979810.25000000	95903861.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109935000.00000000	14052244.50000000	95882755.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	109986328.12500000	14124678.75000000	95861649.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110037656.25000000	14197113.00000000	95840543.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110088984.37500000	14269547.25000000	95819437.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110140312.50000000	14341981.50000000	95798331.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110191640.62500000	14414415.75000000	95777224.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110242968.75000000	14486850.00000000	95756118.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110294296.87500000	14559284.25000000	95735012.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110345625.00000000	14631718.50000000	95713906.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110396953.12500000	14704152.75000000	95692800.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110448281.25000000	14776587.00000000	95671694.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110499609.37500000	14849021.25000000	95650588.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110550937.50000000	14921455.50000000	95629482.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110602265.62500000	14993889.75000000	95608375.87500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110653593.75000000	15066324.00000000	95587269.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110704921.87500000	15138758.25000000	95566163.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110756250.00000000	15211192.50000000	95545057.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110807578.12500000	15283626.75000000	95523951.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110858906.25000000	15356061.00000000	95502845.25000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110910234.37500000	15428495.25000000	95481739.12500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	110961562.50000000	15500929.50000000	95460633.00000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	111012890.62500000	15573363.75000000	95439526.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	111064218.75000000	15645798.00000000	95418420.75000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	111115546.87500000	15718232.25000000	95397314.62500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	111166875.00000000	15790666.50000000	95376208.50000000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	111218203.12500000	15863100.75000000	95355102.37500000
burn_50	160965.00000000	72434.25000000	88530.75000000	139858.87500000	111269531.25000000	15935535.00000000	95333996.25000000
burn_75	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_75	241447.50000000	0E-8	241447.50000000	13772072.50000000	13530625.00000000	0E-8	13530625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	13381447.50000000	26670625.00000000	0E-8	26670625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	13381447.50000000	39810625.00000000	0E-8	39810625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	12101447.50000000	51670625.00000000	0E-8	51670625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	6811447.50000000	58240625.00000000	0E-8	58240625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	6811447.50000000	64810625.00000000	0E-8	64810625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	6811447.50000000	71380625.00000000	0E-8	71380625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	5531447.50000000	76670625.00000000	0E-8	76670625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	3526447.50000000	79955625.00000000	0E-8	79955625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	3526447.50000000	83240625.00000000	0E-8	83240625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	3526447.50000000	86525625.00000000	0E-8	86525625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	2566447.50000000	88850625.00000000	0E-8	88850625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	1883947.50000000	90493125.00000000	0E-8	90493125.00000000
burn_75	241447.50000000	0E-8	241447.50000000	1883947.50000000	92135625.00000000	0E-8	92135625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	1883947.50000000	93778125.00000000	0E-8	93778125.00000000
burn_75	241447.50000000	0E-8	241447.50000000	1243947.50000000	94780625.00000000	0E-8	94780625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	0E-8	241447.50000000	1062697.50000000	95601875.00000000	0E-8	95601875.00000000
burn_75	241447.50000000	0E-8	241447.50000000	1062697.50000000	96423125.00000000	0E-8	96423125.00000000
burn_75	241447.50000000	0E-8	241447.50000000	1062697.50000000	97244375.00000000	0E-8	97244375.00000000
burn_75	241447.50000000	0E-8	241447.50000000	662697.50000000	97665625.00000000	0E-8	97665625.00000000
burn_75	241447.50000000	0E-8	241447.50000000	652072.50000000	98076250.00000000	0E-8	98076250.00000000
burn_75	241447.50000000	0E-8	241447.50000000	652072.50000000	98486875.00000000	0E-8	98486875.00000000
burn_75	241447.50000000	0E-8	241447.50000000	617385.00000000	98862812.50000000	0E-8	98862812.50000000
burn_75	241447.50000000	0E-8	241447.50000000	446760.00000000	99068125.00000000	0E-8	99068125.00000000
burn_75	241447.50000000	0E-8	241447.50000000	446760.00000000	99273437.50000000	0E-8	99273437.50000000
burn_75	241447.50000000	0E-8	241447.50000000	446760.00000000	99478750.00000000	0E-8	99478750.00000000
burn_75	241447.50000000	0E-8	241447.50000000	409416.25000000	99646718.75000000	0E-8	99646718.75000000
burn_75	241447.50000000	0E-8	241447.50000000	344103.75000000	99749375.00000000	0E-8	99749375.00000000
burn_75	241447.50000000	0E-8	241447.50000000	344103.75000000	99852031.25000000	0E-8	99852031.25000000
burn_75	241447.50000000	0E-8	241447.50000000	344103.75000000	99954687.50000000	0E-8	99954687.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	206780.50000000	100028671.87500000	108651.37500000	99920020.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100080000.00000000	217302.75000000	99862697.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100131328.12500000	325954.12500000	99805374.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100182656.25000000	434605.50000000	99748050.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100233984.37500000	543256.87500000	99690727.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100285312.50000000	651908.25000000	99633404.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100336640.62500000	760559.62500000	99576081.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100387968.75000000	869211.00000000	99518757.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100439296.87500000	977862.37500000	99461434.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100490625.00000000	1086513.75000000	99404111.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100541953.12500000	1195165.12500000	99346788.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100593281.25000000	1303816.50000000	99289464.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100644609.37500000	1412467.87500000	99232141.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100695937.50000000	1521119.25000000	99174818.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100747265.62500000	1629770.62500000	99117495.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100798593.75000000	1738422.00000000	99060171.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100849921.87500000	1847073.37500000	99002848.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100901250.00000000	1955724.75000000	98945525.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	100952578.12500000	2064376.12500000	98888202.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101003906.25000000	2173027.50000000	98830878.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101055234.37500000	2281678.87500000	98773555.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101106562.50000000	2390330.25000000	98716232.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101157890.62500000	2498981.62500000	98658909.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101209218.75000000	2607633.00000000	98601585.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101260546.87500000	2716284.37500000	98544262.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101311875.00000000	2824935.75000000	98486939.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101363203.12500000	2933587.12500000	98429616.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101414531.25000000	3042238.50000000	98372292.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101465859.37500000	3150889.87500000	98314969.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101517187.50000000	3259541.25000000	98257646.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101568515.62500000	3368192.62500000	98200323.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101619843.75000000	3476844.00000000	98142999.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101671171.87500000	3585495.37500000	98085676.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101722500.00000000	3694146.75000000	98028353.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101773828.12500000	3802798.12500000	97971030.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101825156.25000000	3911449.50000000	97913706.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101876484.37500000	4020100.87500000	97856383.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101927812.50000000	4128752.25000000	97799060.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	101979140.62500000	4237403.62500000	97741737.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102030468.75000000	4346055.00000000	97684413.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102081796.87500000	4454706.37500000	97627090.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102133125.00000000	4563357.75000000	97569767.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102184453.12500000	4672009.12500000	97512444.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102235781.25000000	4780660.50000000	97455120.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102287109.37500000	4889311.87500000	97397797.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102338437.50000000	4997963.25000000	97340474.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102389765.62500000	5106614.62500000	97283151.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102441093.75000000	5215266.00000000	97225827.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102492421.87500000	5323917.37500000	97168504.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102543750.00000000	5432568.75000000	97111181.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102595078.12500000	5541220.12500000	97053858.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102646406.25000000	5649871.50000000	96996534.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102697734.37500000	5758522.87500000	96939211.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102749062.50000000	5867174.25000000	96881888.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102800390.62500000	5975825.62500000	96824565.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102851718.75000000	6084477.00000000	96767241.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102903046.87500000	6193128.37500000	96709918.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	102954375.00000000	6301779.75000000	96652595.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103005703.12500000	6410431.12500000	96595272.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103057031.25000000	6519082.50000000	96537948.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103108359.37500000	6627733.87500000	96480625.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103159687.50000000	6736385.25000000	96423302.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103211015.62500000	6845036.62500000	96365979.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103262343.75000000	6953688.00000000	96308655.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103313671.87500000	7062339.37500000	96251332.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103365000.00000000	7170990.75000000	96194009.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103416328.12500000	7279642.12500000	96136686.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103467656.25000000	7388293.50000000	96079362.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103518984.37500000	7496944.87500000	96022039.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103570312.50000000	7605596.25000000	95964716.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103621640.62500000	7714247.62500000	95907393.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103672968.75000000	7822899.00000000	95850069.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103724296.87500000	7931550.37500000	95792746.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103775625.00000000	8040201.75000000	95735423.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103826953.12500000	8148853.12500000	95678100.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103878281.25000000	8257504.50000000	95620776.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103929609.37500000	8366155.87500000	95563453.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	103980937.50000000	8474807.25000000	95506130.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104032265.62500000	8583458.62500000	95448807.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104083593.75000000	8692110.00000000	95391483.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104134921.87500000	8800761.37500000	95334160.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104186250.00000000	8909412.75000000	95276837.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104237578.12500000	9018064.12500000	95219514.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104288906.25000000	9126715.50000000	95162190.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104340234.37500000	9235366.87500000	95104867.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104391562.50000000	9344018.25000000	95047544.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104442890.62500000	9452669.62500000	94990221.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104494218.75000000	9561321.00000000	94932897.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104545546.87500000	9669972.37500000	94875574.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104596875.00000000	9778623.75000000	94818251.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104648203.12500000	9887275.12500000	94760928.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104699531.25000000	9995926.50000000	94703604.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104750859.37500000	10104577.87500000	94646281.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104802187.50000000	10213229.25000000	94588958.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104853515.62500000	10321880.62500000	94531635.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104904843.75000000	10430532.00000000	94474311.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	104956171.87500000	10539183.37500000	94416988.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105007500.00000000	10647834.75000000	94359665.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105058828.12500000	10756486.12500000	94302342.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105110156.25000000	10865137.50000000	94245018.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105161484.37500000	10973788.87500000	94187695.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105212812.50000000	11082440.25000000	94130372.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105264140.62500000	11191091.62500000	94073049.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105315468.75000000	11299743.00000000	94015725.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105366796.87500000	11408394.37500000	93958402.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105418125.00000000	11517045.75000000	93901079.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105469453.12500000	11625697.12500000	93843756.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105520781.25000000	11734348.50000000	93786432.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105572109.37500000	11842999.87500000	93729109.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105623437.50000000	11951651.25000000	93671786.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105674765.62500000	12060302.62500000	93614463.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105726093.75000000	12168954.00000000	93557139.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105777421.87500000	12277605.37500000	93499816.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105828750.00000000	12386256.75000000	93442493.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105880078.12500000	12494908.12500000	93385170.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105931406.25000000	12603559.50000000	93327846.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	105982734.37500000	12712210.87500000	93270523.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106034062.50000000	12820862.25000000	93213200.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106085390.62500000	12929513.62500000	93155877.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106136718.75000000	13038165.00000000	93098553.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106188046.87500000	13146816.37500000	93041230.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106239375.00000000	13255467.75000000	92983907.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106290703.12500000	13364119.12500000	92926584.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106342031.25000000	13472770.50000000	92869260.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106393359.37500000	13581421.87500000	92811937.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106444687.50000000	13690073.25000000	92754614.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106496015.62500000	13798724.62500000	92697291.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106547343.75000000	13907376.00000000	92639967.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106598671.87500000	14016027.37500000	92582644.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106650000.00000000	14124678.75000000	92525321.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106701328.12500000	14233330.12500000	92467998.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106752656.25000000	14341981.50000000	92410674.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106803984.37500000	14450632.87500000	92353351.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106855312.50000000	14559284.25000000	92296028.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106906640.62500000	14667935.62500000	92238705.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	106957968.75000000	14776587.00000000	92181381.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107009296.87500000	14885238.37500000	92124058.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107060625.00000000	14993889.75000000	92066735.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107111953.12500000	15102541.12500000	92009412.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107163281.25000000	15211192.50000000	91952088.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107214609.37500000	15319843.87500000	91894765.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107265937.50000000	15428495.25000000	91837442.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107317265.62500000	15537146.62500000	91780119.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107368593.75000000	15645798.00000000	91722795.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107419921.87500000	15754449.37500000	91665472.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107471250.00000000	15863100.75000000	91608149.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107522578.12500000	15971752.12500000	91550826.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107573906.25000000	16080403.50000000	91493502.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107625234.37500000	16189054.87500000	91436179.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107676562.50000000	16297706.25000000	91378856.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107727890.62500000	16406357.62500000	91321533.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107779218.75000000	16515009.00000000	91264209.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107830546.87500000	16623660.37500000	91206886.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107881875.00000000	16732311.75000000	91149563.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107933203.12500000	16840963.12500000	91092240.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	107984531.25000000	16949614.50000000	91034916.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108035859.37500000	17058265.87500000	90977593.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108087187.50000000	17166917.25000000	90920270.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108138515.62500000	17275568.62500000	90862947.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108189843.75000000	17384220.00000000	90805623.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108241171.87500000	17492871.37500000	90748300.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108292500.00000000	17601522.75000000	90690977.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108343828.12500000	17710174.12500000	90633654.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108395156.25000000	17818825.50000000	90576330.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108446484.37500000	17927476.87500000	90519007.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108497812.50000000	18036128.25000000	90461684.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108549140.62500000	18144779.62500000	90404361.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108600468.75000000	18253431.00000000	90347037.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108651796.87500000	18362082.37500000	90289714.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108703125.00000000	18470733.75000000	90232391.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108754453.12500000	18579385.12500000	90175068.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108805781.25000000	18688036.50000000	90117744.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108857109.37500000	18796687.87500000	90060421.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108908437.50000000	18905339.25000000	90003098.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	108959765.62500000	19013990.62500000	89945775.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109011093.75000000	19122642.00000000	89888451.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109062421.87500000	19231293.37500000	89831128.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109113750.00000000	19339944.75000000	89773805.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109165078.12500000	19448596.12500000	89716482.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109216406.25000000	19557247.50000000	89659158.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109267734.37500000	19665898.87500000	89601835.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109319062.50000000	19774550.25000000	89544512.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109370390.62500000	19883201.62500000	89487189.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109421718.75000000	19991853.00000000	89429865.75000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109473046.87500000	20100504.37500000	89372542.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109524375.00000000	20209155.75000000	89315219.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109575703.12500000	20317807.12500000	89257896.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109627031.25000000	20426458.50000000	89200572.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109678359.37500000	20535109.87500000	89143249.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109729687.50000000	20643761.25000000	89085926.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109781015.62500000	20752412.62500000	89028603.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109832343.75000000	20861064.00000000	88971279.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109883671.87500000	20969715.37500000	88913956.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109935000.00000000	21078366.75000000	88856633.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	109986328.12500000	21187018.12500000	88799310.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110037656.25000000	21295669.50000000	88741986.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110088984.37500000	21404320.87500000	88684663.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110140312.50000000	21512972.25000000	88627340.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110191640.62500000	21621623.62500000	88570017.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110242968.75000000	21730275.00000000	88512693.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110294296.87500000	21838926.37500000	88455370.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110345625.00000000	21947577.75000000	88398047.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110396953.12500000	22056229.12500000	88340724.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110448281.25000000	22164880.50000000	88283400.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110499609.37500000	22273531.87500000	88226077.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110550937.50000000	22382183.25000000	88168754.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110602265.62500000	22490834.62500000	88111431.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110653593.75000000	22599486.00000000	88054107.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110704921.87500000	22708137.37500000	87996784.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110756250.00000000	22816788.75000000	87939461.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110807578.12500000	22925440.12500000	87882138.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110858906.25000000	23034091.50000000	87824814.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110910234.37500000	23142742.87500000	87767491.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	110961562.50000000	23251394.25000000	87710168.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	111012890.62500000	23360045.62500000	87652845.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	111064218.75000000	23468697.00000000	87595521.75000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	111115546.87500000	23577348.37500000	87538198.50000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	111166875.00000000	23685999.75000000	87480875.25000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	111218203.12500000	23794651.12500000	87423552.00000000
burn_75	241447.50000000	108651.375000?	132796.12500000	184124.25000000	111269531.25000000	23903302.50000000	87366228.75000000
burn_100	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_100	321930.00000000	0E-8	321930.00000000	13852555.00000000	13530625.00000000	0E-8	13530625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	13461930.00000000	26670625.00000000	0E-8	26670625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	13461930.00000000	39810625.00000000	0E-8	39810625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	12181930.00000000	51670625.00000000	0E-8	51670625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	6891930.00000000	58240625.00000000	0E-8	58240625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	6891930.00000000	64810625.00000000	0E-8	64810625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	6891930.00000000	71380625.00000000	0E-8	71380625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	0E-8	321930.00000000	5611930.00000000	76670625.00000000	0E-8	76670625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	3606930.00000000	79955625.00000000	0E-8	79955625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	3606930.00000000	83240625.00000000	0E-8	83240625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	3606930.00000000	86525625.00000000	0E-8	86525625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	2646930.00000000	88850625.00000000	0E-8	88850625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1964430.00000000	90493125.00000000	0E-8	90493125.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1964430.00000000	92135625.00000000	0E-8	92135625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1964430.00000000	93778125.00000000	0E-8	93778125.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1324430.00000000	94780625.00000000	0E-8	94780625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1143180.00000000	95601875.00000000	0E-8	95601875.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1143180.00000000	96423125.00000000	0E-8	96423125.00000000
burn_100	321930.00000000	0E-8	321930.00000000	1143180.00000000	97244375.00000000	0E-8	97244375.00000000
burn_100	321930.00000000	0E-8	321930.00000000	743180.00000000	97665625.00000000	0E-8	97665625.00000000
burn_100	321930.00000000	0E-8	321930.00000000	732555.00000000	98076250.00000000	0E-8	98076250.00000000
burn_100	321930.00000000	0E-8	321930.00000000	732555.00000000	98486875.00000000	0E-8	98486875.00000000
burn_100	321930.00000000	0E-8	321930.00000000	697867.50000000	98862812.50000000	0E-8	98862812.50000000
burn_100	321930.00000000	0E-8	321930.00000000	527242.50000000	99068125.00000000	0E-8	99068125.00000000
burn_100	321930.00000000	0E-8	321930.00000000	527242.50000000	99273437.50000000	0E-8	99273437.50000000
burn_100	321930.00000000	0E-8	321930.00000000	527242.50000000	99478750.00000000	0E-8	99478750.00000000
burn_100	321930.00000000	0E-8	321930.00000000	489898.75000000	99646718.75000000	0E-8	99646718.75000000
burn_100	321930.00000000	0E-8	321930.00000000	424586.25000000	99749375.00000000	0E-8	99749375.00000000
burn_100	321930.00000000	0E-8	321930.00000000	424586.25000000	99852031.25000000	0E-8	99852031.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	0E-8	321930.00000000	424586.25000000	99954687.50000000	0E-8	99954687.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	251045.87500000	100028671.87500000	144868.50000000	99883803.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100080000.00000000	289737.00000000	99790263.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100131328.12500000	434605.50000000	99696722.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100182656.25000000	579474.00000000	99603182.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100233984.37500000	724342.50000000	99509641.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100285312.50000000	869211.00000000	99416101.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100336640.62500000	1014079.50000000	99322561.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100387968.75000000	1158948.00000000	99229020.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100439296.87500000	1303816.50000000	99135480.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100490625.00000000	1448685.00000000	99041940.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100541953.12500000	1593553.50000000	98948399.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100593281.25000000	1738422.00000000	98854859.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100644609.37500000	1883290.50000000	98761318.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100695937.50000000	2028159.00000000	98667778.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100747265.62500000	2173027.50000000	98574238.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100798593.75000000	2317896.00000000	98480697.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100849921.87500000	2462764.50000000	98387157.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100901250.00000000	2607633.00000000	98293617.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	100952578.12500000	2752501.50000000	98200076.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101003906.25000000	2897370.00000000	98106536.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101055234.37500000	3042238.50000000	98012995.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101106562.50000000	3187107.00000000	97919455.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101157890.62500000	3331975.50000000	97825915.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101209218.75000000	3476844.00000000	97732374.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101260546.87500000	3621712.50000000	97638834.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101311875.00000000	3766581.00000000	97545294.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101363203.12500000	3911449.50000000	97451753.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101414531.25000000	4056318.00000000	97358213.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101465859.37500000	4201186.50000000	97264672.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101517187.50000000	4346055.00000000	97171132.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101568515.62500000	4490923.50000000	97077592.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101619843.75000000	4635792.00000000	96984051.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101671171.87500000	4780660.50000000	96890511.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101722500.00000000	4925529.00000000	96796971.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101773828.12500000	5070397.50000000	96703430.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101825156.25000000	5215266.00000000	96609890.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101876484.37500000	5360134.50000000	96516349.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101927812.50000000	5505003.00000000	96422809.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	101979140.62500000	5649871.50000000	96329269.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102030468.75000000	5794740.00000000	96235728.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102081796.87500000	5939608.50000000	96142188.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102133125.00000000	6084477.00000000	96048648.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102184453.12500000	6229345.50000000	95955107.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102235781.25000000	6374214.00000000	95861567.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102287109.37500000	6519082.50000000	95768026.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102338437.50000000	6663951.00000000	95674486.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102389765.62500000	6808819.50000000	95580946.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102441093.75000000	6953688.00000000	95487405.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102492421.87500000	7098556.50000000	95393865.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102543750.00000000	7243425.00000000	95300325.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102595078.12500000	7388293.50000000	95206784.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102646406.25000000	7533162.00000000	95113244.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102697734.37500000	7678030.50000000	95019703.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102749062.50000000	7822899.00000000	94926163.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102800390.62500000	7967767.50000000	94832623.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102851718.75000000	8112636.00000000	94739082.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102903046.87500000	8257504.50000000	94645542.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	102954375.00000000	8402373.00000000	94552002.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103005703.12500000	8547241.50000000	94458461.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103057031.25000000	8692110.00000000	94364921.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103108359.37500000	8836978.50000000	94271380.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103159687.50000000	8981847.00000000	94177840.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103211015.62500000	9126715.50000000	94084300.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103262343.75000000	9271584.00000000	93990759.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103313671.87500000	9416452.50000000	93897219.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103365000.00000000	9561321.00000000	93803679.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103416328.12500000	9706189.50000000	93710138.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103467656.25000000	9851058.00000000	93616598.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103518984.37500000	9995926.50000000	93523057.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103570312.50000000	10140795.00000000	93429517.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103621640.62500000	10285663.50000000	93335977.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103672968.75000000	10430532.00000000	93242436.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103724296.87500000	10575400.50000000	93148896.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103775625.00000000	10720269.00000000	93055356.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103826953.12500000	10865137.50000000	92961815.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103878281.25000000	11010006.00000000	92868275.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103929609.37500000	11154874.50000000	92774734.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	103980937.50000000	11299743.00000000	92681194.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104032265.62500000	11444611.50000000	92587654.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104083593.75000000	11589480.00000000	92494113.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104134921.87500000	11734348.50000000	92400573.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104186250.00000000	11879217.00000000	92307033.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104237578.12500000	12024085.50000000	92213492.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104288906.25000000	12168954.00000000	92119952.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104340234.37500000	12313822.50000000	92026411.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104391562.50000000	12458691.00000000	91932871.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104442890.62500000	12603559.50000000	91839331.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104494218.75000000	12748428.00000000	91745790.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104545546.87500000	12893296.50000000	91652250.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104596875.00000000	13038165.00000000	91558710.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104648203.12500000	13183033.50000000	91465169.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104699531.25000000	13327902.00000000	91371629.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104750859.37500000	13472770.50000000	91278088.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104802187.50000000	13617639.00000000	91184548.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104853515.62500000	13762507.50000000	91091008.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104904843.75000000	13907376.00000000	90997467.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	104956171.87500000	14052244.50000000	90903927.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105007500.00000000	14197113.00000000	90810387.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105058828.12500000	14341981.50000000	90716846.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105110156.25000000	14486850.00000000	90623306.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105161484.37500000	14631718.50000000	90529765.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105212812.50000000	14776587.00000000	90436225.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105264140.62500000	14921455.50000000	90342685.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105315468.75000000	15066324.00000000	90249144.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105366796.87500000	15211192.50000000	90155604.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105418125.00000000	15356061.00000000	90062064.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105469453.12500000	15500929.50000000	89968523.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105520781.25000000	15645798.00000000	89874983.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105572109.37500000	15790666.50000000	89781442.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105623437.50000000	15935535.00000000	89687902.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105674765.62500000	16080403.50000000	89594362.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105726093.75000000	16225272.00000000	89500821.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105777421.87500000	16370140.50000000	89407281.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105828750.00000000	16515009.00000000	89313741.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105880078.12500000	16659877.50000000	89220200.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105931406.25000000	16804746.00000000	89126660.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	105982734.37500000	16949614.50000000	89033119.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106034062.50000000	17094483.00000000	88939579.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106085390.62500000	17239351.50000000	88846039.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106136718.75000000	17384220.00000000	88752498.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106188046.87500000	17529088.50000000	88658958.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106239375.00000000	17673957.00000000	88565418.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106290703.12500000	17818825.50000000	88471877.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106342031.25000000	17963694.00000000	88378337.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106393359.37500000	18108562.50000000	88284796.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106444687.50000000	18253431.00000000	88191256.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106496015.62500000	18398299.50000000	88097716.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106547343.75000000	18543168.00000000	88004175.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106598671.87500000	18688036.50000000	87910635.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106650000.00000000	18832905.00000000	87817095.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106701328.12500000	18977773.50000000	87723554.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106752656.25000000	19122642.00000000	87630014.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106803984.37500000	19267510.50000000	87536473.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106855312.50000000	19412379.00000000	87442933.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106906640.62500000	19557247.50000000	87349393.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	106957968.75000000	19702116.00000000	87255852.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107009296.87500000	19846984.50000000	87162312.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107060625.00000000	19991853.00000000	87068772.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107111953.12500000	20136721.50000000	86975231.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107163281.25000000	20281590.00000000	86881691.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107214609.37500000	20426458.50000000	86788150.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107265937.50000000	20571327.00000000	86694610.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107317265.62500000	20716195.50000000	86601070.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107368593.75000000	20861064.00000000	86507529.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107419921.87500000	21005932.50000000	86413989.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107471250.00000000	21150801.00000000	86320449.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107522578.12500000	21295669.50000000	86226908.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107573906.25000000	21440538.00000000	86133368.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107625234.37500000	21585406.50000000	86039827.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107676562.50000000	21730275.00000000	85946287.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107727890.62500000	21875143.50000000	85852747.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107779218.75000000	22020012.00000000	85759206.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107830546.87500000	22164880.50000000	85665666.37500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107881875.00000000	22309749.00000000	85572126.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107933203.12500000	22454617.50000000	85478585.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	107984531.25000000	22599486.00000000	85385045.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108035859.37500000	22744354.50000000	85291504.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108087187.50000000	22889223.00000000	85197964.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108138515.62500000	23034091.50000000	85104424.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108189843.75000000	23178960.00000000	85010883.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108241171.87500000	23323828.50000000	84917343.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108292500.00000000	23468697.00000000	84823803.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108343828.12500000	23613565.50000000	84730262.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108395156.25000000	23758434.00000000	84636722.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108446484.37500000	23903302.50000000	84543181.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108497812.50000000	24048171.00000000	84449641.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108549140.62500000	24193039.50000000	84356101.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108600468.75000000	24337908.00000000	84262560.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108651796.87500000	24482776.50000000	84169020.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108703125.00000000	24627645.00000000	84075480.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108754453.12500000	24772513.50000000	83981939.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108805781.25000000	24917382.00000000	83888399.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108857109.37500000	25062250.50000000	83794858.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108908437.50000000	25207119.00000000	83701318.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	108959765.62500000	25351987.50000000	83607778.12500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109011093.75000000	25496856.00000000	83514237.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109062421.87500000	25641724.50000000	83420697.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109113750.00000000	25786593.00000000	83327157.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109165078.12500000	25931461.50000000	83233616.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109216406.25000000	26076330.00000000	83140076.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109267734.37500000	26221198.50000000	83046535.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109319062.50000000	26366067.00000000	82952995.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109370390.62500000	26510935.50000000	82859455.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109421718.75000000	26655804.00000000	82765914.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109473046.87500000	26800672.50000000	82672374.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109524375.00000000	26945541.00000000	82578834.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109575703.12500000	27090409.50000000	82485293.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109627031.25000000	27235278.00000000	82391753.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109678359.37500000	27380146.50000000	82298212.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109729687.50000000	27525015.00000000	82204672.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109781015.62500000	27669883.50000000	82111132.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109832343.75000000	27814752.00000000	82017591.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109883671.87500000	27959620.50000000	81924051.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109935000.00000000	28104489.00000000	81830511.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	109986328.12500000	28249357.50000000	81736970.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110037656.25000000	28394226.00000000	81643430.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110088984.37500000	28539094.50000000	81549889.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110140312.50000000	28683963.00000000	81456349.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110191640.62500000	28828831.50000000	81362809.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110242968.75000000	28973700.00000000	81269268.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110294296.87500000	29118568.50000000	81175728.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110345625.00000000	29263437.00000000	81082188.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110396953.12500000	29408305.50000000	80988647.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110448281.25000000	29553174.00000000	80895107.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110499609.37500000	29698042.50000000	80801566.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110550937.50000000	29842911.00000000	80708026.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110602265.62500000	29987779.50000000	80614486.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110653593.75000000	30132648.00000000	80520945.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110704921.87500000	30277516.50000000	80427405.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110756250.00000000	30422385.00000000	80333865.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110807578.12500000	30567253.50000000	80240324.62500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110858906.25000000	30712122.00000000	80146784.25000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110910234.37500000	30856990.50000000	80053243.87500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	110961562.50000000	31001859.00000000	79959703.50000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	111012890.62500000	31146727.50000000	79866163.12500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	111064218.75000000	31291596.00000000	79772622.75000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	111115546.87500000	31436464.50000000	79679082.37500000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	111166875.00000000	31581333.00000000	79585542.00000000
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	111218203.12500000	31726201.50000000	79492001.62500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	321930.00000000	144868.500000?	177061.50000000	228389.62500000	111269531.25000000	31871070.00000000	79398461.25000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	0E-8	0E-8	6183	51.52500000
no_burn_100	13530625.00000000	0E-8	6183	51.52500000
no_burn_100	13140000.00000000	97.11303062	6183	51.52500000
no_burn_100	13140000.00000000	49.26768683	6183	51.52500000
no_burn_100	11860000.00000000	29.79104196	6183	51.52500000
no_burn_100	6570000.00000000	12.71515489	6183	51.52500000
no_burn_100	6570000.00000000	11.28078553	6183	51.52500000
no_burn_100	6570000.00000000	10.13722673	6183	51.52500000
no_burn_100	5290000.00000000	7.41097462	6183	51.52500000
no_burn_100	3285000.00000000	4.28456139	6183	51.52500000
no_burn_100	3285000.00000000	4.10852895	6183	51.52500000
no_burn_100	3285000.00000000	3.94639036	6183	51.52500000
no_burn_100	2325000.00000000	2.68706525	6183	51.52500000
no_burn_100	1642500.00000000	1.84860827	6183	51.52500000
no_burn_100	1642500.00000000	1.81505501	6183	51.52500000
no_burn_100	1642500.00000000	1.78269806	6183	51.52500000
no_burn_100	1002500.00000000	1.06901263	6183	51.52500000
no_burn_100	821250.00000000	0.86647456	6183	51.52500000
no_burn_100	821250.00000000	0.85903127	6183	51.52500000
no_burn_100	821250.00000000	0.85171477	6183	51.52500000
no_burn_100	421250.00000000	0.43318701	6183	51.52500000
no_burn_100	410625.00000000	0.42043964	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	410625.00000000	0.41867934	6183	51.52500000
no_burn_100	375937.50000000	0.38171330	6183	51.52500000
no_burn_100	205312.50000000	0.20767414	6183	51.52500000
no_burn_100	205312.50000000	0.20724375	6183	51.52500000
no_burn_100	205312.50000000	0.20681514	6183	51.52500000
no_burn_100	167968.75000000	0.16884887	6183	51.52500000
no_burn_100	102656.25000000	0.10302020	6183	51.52500000
no_burn_100	102656.25000000	0.10291418	6183	51.52500000
no_burn_100	102656.25000000	0.10280837	6183	51.52500000
no_burn_100	73984.37500000	0.07401791	6183	51.52500000
no_burn_100	51328.12500000	0.05131341	6183	51.52500000
no_burn_100	51328.12500000	0.05128710	6183	51.52500000
no_burn_100	51328.12500000	0.05126081	6183	51.52500000
no_burn_100	51328.12500000	0.05123454	6183	51.52500000
no_burn_100	51328.12500000	0.05120831	6183	51.52500000
no_burn_100	51328.12500000	0.05118210	6183	51.52500000
no_burn_100	51328.12500000	0.05115591	6183	51.52500000
no_burn_100	51328.12500000	0.05112976	6183	51.52500000
no_burn_100	51328.12500000	0.05110363	6183	51.52500000
no_burn_100	51328.12500000	0.05107753	6183	51.52500000
no_burn_100	51328.12500000	0.05105145	6183	51.52500000
no_burn_100	51328.12500000	0.05102540	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.05099938	6183	51.52500000
no_burn_100	51328.12500000	0.05097338	6183	51.52500000
no_burn_100	51328.12500000	0.05094741	6183	51.52500000
no_burn_100	51328.12500000	0.05092147	6183	51.52500000
no_burn_100	51328.12500000	0.05089555	6183	51.52500000
no_burn_100	51328.12500000	0.05086966	6183	51.52500000
no_burn_100	51328.12500000	0.05084380	6183	51.52500000
no_burn_100	51328.12500000	0.05081796	6183	51.52500000
no_burn_100	51328.12500000	0.05079215	6183	51.52500000
no_burn_100	51328.12500000	0.05076636	6183	51.52500000
no_burn_100	51328.12500000	0.05074060	6183	51.52500000
no_burn_100	51328.12500000	0.05071487	6183	51.52500000
no_burn_100	51328.12500000	0.05068916	6183	51.52500000
no_burn_100	51328.12500000	0.05066348	6183	51.52500000
no_burn_100	51328.12500000	0.05063783	6183	51.52500000
no_burn_100	51328.12500000	0.05061220	6183	51.52500000
no_burn_100	51328.12500000	0.05058660	6183	51.52500000
no_burn_100	51328.12500000	0.05056102	6183	51.52500000
no_burn_100	51328.12500000	0.05053547	6183	51.52500000
no_burn_100	51328.12500000	0.05050994	6183	51.52500000
no_burn_100	51328.12500000	0.05048444	6183	51.52500000
no_burn_100	51328.12500000	0.05045897	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.05043352	6183	51.52500000
no_burn_100	51328.12500000	0.05040810	6183	51.52500000
no_burn_100	51328.12500000	0.05038270	6183	51.52500000
no_burn_100	51328.12500000	0.05035733	6183	51.52500000
no_burn_100	51328.12500000	0.05033198	6183	51.52500000
no_burn_100	51328.12500000	0.05030666	6183	51.52500000
no_burn_100	51328.12500000	0.05028137	6183	51.52500000
no_burn_100	51328.12500000	0.05025610	6183	51.52500000
no_burn_100	51328.12500000	0.05023086	6183	51.52500000
no_burn_100	51328.12500000	0.05020564	6183	51.52500000
no_burn_100	51328.12500000	0.05018044	6183	51.52500000
no_burn_100	51328.12500000	0.05015528	6183	51.52500000
no_burn_100	51328.12500000	0.05013013	6183	51.52500000
no_burn_100	51328.12500000	0.05010501	6183	51.52500000
no_burn_100	51328.12500000	0.05007992	6183	51.52500000
no_burn_100	51328.12500000	0.05005485	6183	51.52500000
no_burn_100	51328.12500000	0.05002981	6183	51.52500000
no_burn_100	51328.12500000	0.05000479	6183	51.52500000
no_burn_100	51328.12500000	0.04997980	6183	51.52500000
no_burn_100	51328.12500000	0.04995484	6183	51.52500000
no_burn_100	51328.12500000	0.04992989	6183	51.52500000
no_burn_100	51328.12500000	0.04990498	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04988008	6183	51.52500000
no_burn_100	51328.12500000	0.04985521	6183	51.52500000
no_burn_100	51328.12500000	0.04983037	6183	51.52500000
no_burn_100	51328.12500000	0.04980555	6183	51.52500000
no_burn_100	51328.12500000	0.04978076	6183	51.52500000
no_burn_100	51328.12500000	0.04975599	6183	51.52500000
no_burn_100	51328.12500000	0.04973125	6183	51.52500000
no_burn_100	51328.12500000	0.04970653	6183	51.52500000
no_burn_100	51328.12500000	0.04968183	6183	51.52500000
no_burn_100	51328.12500000	0.04965716	6183	51.52500000
no_burn_100	51328.12500000	0.04963252	6183	51.52500000
no_burn_100	51328.12500000	0.04960789	6183	51.52500000
no_burn_100	51328.12500000	0.04958330	6183	51.52500000
no_burn_100	51328.12500000	0.04955872	6183	51.52500000
no_burn_100	51328.12500000	0.04953418	6183	51.52500000
no_burn_100	51328.12500000	0.04950965	6183	51.52500000
no_burn_100	51328.12500000	0.04948515	6183	51.52500000
no_burn_100	51328.12500000	0.04946068	6183	51.52500000
no_burn_100	51328.12500000	0.04943622	6183	51.52500000
no_burn_100	51328.12500000	0.04941180	6183	51.52500000
no_burn_100	51328.12500000	0.04938739	6183	51.52500000
no_burn_100	51328.12500000	0.04936301	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04933866	6183	51.52500000
no_burn_100	51328.12500000	0.04931433	6183	51.52500000
no_burn_100	51328.12500000	0.04929002	6183	51.52500000
no_burn_100	51328.12500000	0.04926574	6183	51.52500000
no_burn_100	51328.12500000	0.04924148	6183	51.52500000
no_burn_100	51328.12500000	0.04921724	6183	51.52500000
no_burn_100	51328.12500000	0.04919303	6183	51.52500000
no_burn_100	51328.12500000	0.04916884	6183	51.52500000
no_burn_100	51328.12500000	0.04914468	6183	51.52500000
no_burn_100	51328.12500000	0.04912054	6183	51.52500000
no_burn_100	51328.12500000	0.04909642	6183	51.52500000
no_burn_100	51328.12500000	0.04907233	6183	51.52500000
no_burn_100	51328.12500000	0.04904826	6183	51.52500000
no_burn_100	51328.12500000	0.04902422	6183	51.52500000
no_burn_100	51328.12500000	0.04900019	6183	51.52500000
no_burn_100	51328.12500000	0.04897620	6183	51.52500000
no_burn_100	51328.12500000	0.04895222	6183	51.52500000
no_burn_100	51328.12500000	0.04892827	6183	51.52500000
no_burn_100	51328.12500000	0.04890434	6183	51.52500000
no_burn_100	51328.12500000	0.04888044	6183	51.52500000
no_burn_100	51328.12500000	0.04885656	6183	51.52500000
no_burn_100	51328.12500000	0.04883270	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04880886	6183	51.52500000
no_burn_100	51328.12500000	0.04878505	6183	51.52500000
no_burn_100	51328.12500000	0.04876126	6183	51.52500000
no_burn_100	51328.12500000	0.04873750	6183	51.52500000
no_burn_100	51328.12500000	0.04871376	6183	51.52500000
no_burn_100	51328.12500000	0.04869004	6183	51.52500000
no_burn_100	51328.12500000	0.04866634	6183	51.52500000
no_burn_100	51328.12500000	0.04864267	6183	51.52500000
no_burn_100	51328.12500000	0.04861902	6183	51.52500000
no_burn_100	51328.12500000	0.04859539	6183	51.52500000
no_burn_100	51328.12500000	0.04857179	6183	51.52500000
no_burn_100	51328.12500000	0.04854821	6183	51.52500000
no_burn_100	51328.12500000	0.04852465	6183	51.52500000
no_burn_100	51328.12500000	0.04850112	6183	51.52500000
no_burn_100	51328.12500000	0.04847760	6183	51.52500000
no_burn_100	51328.12500000	0.04845411	6183	51.52500000
no_burn_100	51328.12500000	0.04843065	6183	51.52500000
no_burn_100	51328.12500000	0.04840720	6183	51.52500000
no_burn_100	51328.12500000	0.04838378	6183	51.52500000
no_burn_100	51328.12500000	0.04836038	6183	51.52500000
no_burn_100	51328.12500000	0.04833701	6183	51.52500000
no_burn_100	51328.12500000	0.04831365	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04829032	6183	51.52500000
no_burn_100	51328.12500000	0.04826702	6183	51.52500000
no_burn_100	51328.12500000	0.04824373	6183	51.52500000
no_burn_100	51328.12500000	0.04822047	6183	51.52500000
no_burn_100	51328.12500000	0.04819723	6183	51.52500000
no_burn_100	51328.12500000	0.04817401	6183	51.52500000
no_burn_100	51328.12500000	0.04815081	6183	51.52500000
no_burn_100	51328.12500000	0.04812764	6183	51.52500000
no_burn_100	51328.12500000	0.04810449	6183	51.52500000
no_burn_100	51328.12500000	0.04808136	6183	51.52500000
no_burn_100	51328.12500000	0.04805825	6183	51.52500000
no_burn_100	51328.12500000	0.04803516	6183	51.52500000
no_burn_100	51328.12500000	0.04801210	6183	51.52500000
no_burn_100	51328.12500000	0.04798906	6183	51.52500000
no_burn_100	51328.12500000	0.04796604	6183	51.52500000
no_burn_100	51328.12500000	0.04794305	6183	51.52500000
no_burn_100	51328.12500000	0.04792007	6183	51.52500000
no_burn_100	51328.12500000	0.04789712	6183	51.52500000
no_burn_100	51328.12500000	0.04787419	6183	51.52500000
no_burn_100	51328.12500000	0.04785128	6183	51.52500000
no_burn_100	51328.12500000	0.04782839	6183	51.52500000
no_burn_100	51328.12500000	0.04780553	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04778269	6183	51.52500000
no_burn_100	51328.12500000	0.04775987	6183	51.52500000
no_burn_100	51328.12500000	0.04773707	6183	51.52500000
no_burn_100	51328.12500000	0.04771429	6183	51.52500000
no_burn_100	51328.12500000	0.04769153	6183	51.52500000
no_burn_100	51328.12500000	0.04766880	6183	51.52500000
no_burn_100	51328.12500000	0.04764609	6183	51.52500000
no_burn_100	51328.12500000	0.04762340	6183	51.52500000
no_burn_100	51328.12500000	0.04760073	6183	51.52500000
no_burn_100	51328.12500000	0.04757808	6183	51.52500000
no_burn_100	51328.12500000	0.04755545	6183	51.52500000
no_burn_100	51328.12500000	0.04753285	6183	51.52500000
no_burn_100	51328.12500000	0.04751027	6183	51.52500000
no_burn_100	51328.12500000	0.04748771	6183	51.52500000
no_burn_100	51328.12500000	0.04746517	6183	51.52500000
no_burn_100	51328.12500000	0.04744265	6183	51.52500000
no_burn_100	51328.12500000	0.04742015	6183	51.52500000
no_burn_100	51328.12500000	0.04739767	6183	51.52500000
no_burn_100	51328.12500000	0.04737522	6183	51.52500000
no_burn_100	51328.12500000	0.04735278	6183	51.52500000
no_burn_100	51328.12500000	0.04733037	6183	51.52500000
no_burn_100	51328.12500000	0.04730798	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04728561	6183	51.52500000
no_burn_100	51328.12500000	0.04726326	6183	51.52500000
no_burn_100	51328.12500000	0.04724094	6183	51.52500000
no_burn_100	51328.12500000	0.04721863	6183	51.52500000
no_burn_100	51328.12500000	0.04719634	6183	51.52500000
no_burn_100	51328.12500000	0.04717408	6183	51.52500000
no_burn_100	51328.12500000	0.04715184	6183	51.52500000
no_burn_100	51328.12500000	0.04712961	6183	51.52500000
no_burn_100	51328.12500000	0.04710741	6183	51.52500000
no_burn_100	51328.12500000	0.04708523	6183	51.52500000
no_burn_100	51328.12500000	0.04706307	6183	51.52500000
no_burn_100	51328.12500000	0.04704093	6183	51.52500000
no_burn_100	51328.12500000	0.04701881	6183	51.52500000
no_burn_100	51328.12500000	0.04699672	6183	51.52500000
no_burn_100	51328.12500000	0.04697464	6183	51.52500000
no_burn_100	51328.12500000	0.04695258	6183	51.52500000
no_burn_100	51328.12500000	0.04693055	6183	51.52500000
no_burn_100	51328.12500000	0.04690853	6183	51.52500000
no_burn_100	51328.12500000	0.04688654	6183	51.52500000
no_burn_100	51328.12500000	0.04686457	6183	51.52500000
no_burn_100	51328.12500000	0.04684262	6183	51.52500000
no_burn_100	51328.12500000	0.04682068	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04679877	6183	51.52500000
no_burn_100	51328.12500000	0.04677688	6183	51.52500000
no_burn_100	51328.12500000	0.04675501	6183	51.52500000
no_burn_100	51328.12500000	0.04673316	6183	51.52500000
no_burn_100	51328.12500000	0.04671133	6183	51.52500000
no_burn_100	51328.12500000	0.04668952	6183	51.52500000
no_burn_100	51328.12500000	0.04666773	6183	51.52500000
no_burn_100	51328.12500000	0.04664596	6183	51.52500000
no_burn_100	51328.12500000	0.04662422	6183	51.52500000
no_burn_100	51328.12500000	0.04660249	6183	51.52500000
no_burn_100	51328.12500000	0.04658078	6183	51.52500000
no_burn_100	51328.12500000	0.04655909	6183	51.52500000
no_burn_100	51328.12500000	0.04653742	6183	51.52500000
no_burn_100	51328.12500000	0.04651578	6183	51.52500000
no_burn_100	51328.12500000	0.04649415	6183	51.52500000
no_burn_100	51328.12500000	0.04647254	6183	51.52500000
no_burn_100	51328.12500000	0.04645096	6183	51.52500000
no_burn_100	51328.12500000	0.04642939	6183	51.52500000
no_burn_100	51328.12500000	0.04640784	6183	51.52500000
no_burn_100	51328.12500000	0.04638632	6183	51.52500000
no_burn_100	51328.12500000	0.04636481	6183	51.52500000
no_burn_100	51328.12500000	0.04634332	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	51328.12500000	0.04632185	6183	51.52500000
no_burn_100	51328.12500000	0.04630041	6183	51.52500000
no_burn_100	51328.12500000	0.04627898	6183	51.52500000
no_burn_100	51328.12500000	0.04625757	6183	51.52500000
no_burn_100	51328.12500000	0.04623618	6183	51.52500000
no_burn_100	51328.12500000	0.04621482	6183	51.52500000
no_burn_100	51328.12500000	0.04619347	6183	51.52500000
no_burn_100	51328.12500000	0.04617214	6183	51.52500000
no_burn_100	51328.12500000	0.04615083	6183	51.52500000
burn_25	0E-8	0E-8	1545	12.87500000
burn_25	13530625.00000000	0E-8	1545	12.87500000
burn_25	13140000.00000000	97.11303062	1545	12.87500000
burn_25	13140000.00000000	49.26768683	1545	12.87500000
burn_25	11860000.00000000	29.79104196	1545	12.87500000
burn_25	6570000.00000000	12.71515489	1545	12.87500000
burn_25	6570000.00000000	11.28078553	1545	12.87500000
burn_25	6570000.00000000	10.13722673	1545	12.87500000
burn_25	5290000.00000000	7.41097462	1545	12.87500000
burn_25	3285000.00000000	4.28456139	1545	12.87500000
burn_25	3285000.00000000	4.10852895	1545	12.87500000
burn_25	3285000.00000000	3.94639036	1545	12.87500000
burn_25	2325000.00000000	2.68706525	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	1642500.00000000	1.84860827	1545	12.87500000
burn_25	1642500.00000000	1.81505501	1545	12.87500000
burn_25	1642500.00000000	1.78269806	1545	12.87500000
burn_25	1002500.00000000	1.06901263	1545	12.87500000
burn_25	821250.00000000	0.86647456	1545	12.87500000
burn_25	821250.00000000	0.85903127	1545	12.87500000
burn_25	821250.00000000	0.85171477	1545	12.87500000
burn_25	421250.00000000	0.43318701	1545	12.87500000
burn_25	410625.00000000	0.42043964	1545	12.87500000
burn_25	410625.00000000	0.41867934	1545	12.87500000
burn_25	375937.50000000	0.38171330	1545	12.87500000
burn_25	205312.50000000	0.20767414	1545	12.87500000
burn_25	205312.50000000	0.20724375	1545	12.87500000
burn_25	205312.50000000	0.20681514	1545	12.87500000
burn_25	167968.75000000	0.16884887	1545	12.87500000
burn_25	102656.25000000	0.10302020	1545	12.87500000
burn_25	102656.25000000	0.10291418	1545	12.87500000
burn_25	102656.25000000	0.10280837	1545	12.87500000
burn_25	37767.25000000	0.03778437	1545	12.87500000
burn_25	15111.00000000	0.01511214	1545	12.87500000
burn_25	15111.00000000	0.01510986	1545	12.87500000
burn_25	15111.00000000	0.01510757	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01510529	1545	12.87500000
burn_25	15111.00000000	0.01510301	1545	12.87500000
burn_25	15111.00000000	0.01510073	1545	12.87500000
burn_25	15111.00000000	0.01509845	1545	12.87500000
burn_25	15111.00000000	0.01509617	1545	12.87500000
burn_25	15111.00000000	0.01509389	1545	12.87500000
burn_25	15111.00000000	0.01509161	1545	12.87500000
burn_25	15111.00000000	0.01508934	1545	12.87500000
burn_25	15111.00000000	0.01508706	1545	12.87500000
burn_25	15111.00000000	0.01508478	1545	12.87500000
burn_25	15111.00000000	0.01508251	1545	12.87500000
burn_25	15111.00000000	0.01508024	1545	12.87500000
burn_25	15111.00000000	0.01507796	1545	12.87500000
burn_25	15111.00000000	0.01507569	1545	12.87500000
burn_25	15111.00000000	0.01507342	1545	12.87500000
burn_25	15111.00000000	0.01507114	1545	12.87500000
burn_25	15111.00000000	0.01506887	1545	12.87500000
burn_25	15111.00000000	0.01506660	1545	12.87500000
burn_25	15111.00000000	0.01506433	1545	12.87500000
burn_25	15111.00000000	0.01506206	1545	12.87500000
burn_25	15111.00000000	0.01505980	1545	12.87500000
burn_25	15111.00000000	0.01505753	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01505526	1545	12.87500000
burn_25	15111.00000000	0.01505299	1545	12.87500000
burn_25	15111.00000000	0.01505073	1545	12.87500000
burn_25	15111.00000000	0.01504846	1545	12.87500000
burn_25	15111.00000000	0.01504620	1545	12.87500000
burn_25	15111.00000000	0.01504394	1545	12.87500000
burn_25	15111.00000000	0.01504167	1545	12.87500000
burn_25	15111.00000000	0.01503941	1545	12.87500000
burn_25	15111.00000000	0.01503715	1545	12.87500000
burn_25	15111.00000000	0.01503489	1545	12.87500000
burn_25	15111.00000000	0.01503263	1545	12.87500000
burn_25	15111.00000000	0.01503037	1545	12.87500000
burn_25	15111.00000000	0.01502811	1545	12.87500000
burn_25	15111.00000000	0.01502585	1545	12.87500000
burn_25	15111.00000000	0.01502360	1545	12.87500000
burn_25	15111.00000000	0.01502134	1545	12.87500000
burn_25	15111.00000000	0.01501908	1545	12.87500000
burn_25	15111.00000000	0.01501683	1545	12.87500000
burn_25	15111.00000000	0.01501457	1545	12.87500000
burn_25	15111.00000000	0.01501232	1545	12.87500000
burn_25	15111.00000000	0.01501006	1545	12.87500000
burn_25	15111.00000000	0.01500781	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01500556	1545	12.87500000
burn_25	15111.00000000	0.01500331	1545	12.87500000
burn_25	15111.00000000	0.01500106	1545	12.87500000
burn_25	15111.00000000	0.01499881	1545	12.87500000
burn_25	15111.00000000	0.01499656	1545	12.87500000
burn_25	15111.00000000	0.01499431	1545	12.87500000
burn_25	15111.00000000	0.01499206	1545	12.87500000
burn_25	15111.00000000	0.01498982	1545	12.87500000
burn_25	15111.00000000	0.01498757	1545	12.87500000
burn_25	15111.00000000	0.01498532	1545	12.87500000
burn_25	15111.00000000	0.01498308	1545	12.87500000
burn_25	15111.00000000	0.01498083	1545	12.87500000
burn_25	15111.00000000	0.01497859	1545	12.87500000
burn_25	15111.00000000	0.01497635	1545	12.87500000
burn_25	15111.00000000	0.01497410	1545	12.87500000
burn_25	15111.00000000	0.01497186	1545	12.87500000
burn_25	15111.00000000	0.01496962	1545	12.87500000
burn_25	15111.00000000	0.01496738	1545	12.87500000
burn_25	15111.00000000	0.01496514	1545	12.87500000
burn_25	15111.00000000	0.01496290	1545	12.87500000
burn_25	15111.00000000	0.01496066	1545	12.87500000
burn_25	15111.00000000	0.01495842	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01495619	1545	12.87500000
burn_25	15111.00000000	0.01495395	1545	12.87500000
burn_25	15111.00000000	0.01495171	1545	12.87500000
burn_25	15111.00000000	0.01494948	1545	12.87500000
burn_25	15111.00000000	0.01494724	1545	12.87500000
burn_25	15111.00000000	0.01494501	1545	12.87500000
burn_25	15111.00000000	0.01494278	1545	12.87500000
burn_25	15111.00000000	0.01494054	1545	12.87500000
burn_25	15111.00000000	0.01493831	1545	12.87500000
burn_25	15111.00000000	0.01493608	1545	12.87500000
burn_25	15111.00000000	0.01493385	1545	12.87500000
burn_25	15111.00000000	0.01493162	1545	12.87500000
burn_25	15111.00000000	0.01492939	1545	12.87500000
burn_25	15111.00000000	0.01492716	1545	12.87500000
burn_25	15111.00000000	0.01492494	1545	12.87500000
burn_25	15111.00000000	0.01492271	1545	12.87500000
burn_25	15111.00000000	0.01492048	1545	12.87500000
burn_25	15111.00000000	0.01491826	1545	12.87500000
burn_25	15111.00000000	0.01491603	1545	12.87500000
burn_25	15111.00000000	0.01491381	1545	12.87500000
burn_25	15111.00000000	0.01491158	1545	12.87500000
burn_25	15111.00000000	0.01490936	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01490714	1545	12.87500000
burn_25	15111.00000000	0.01490491	1545	12.87500000
burn_25	15111.00000000	0.01490269	1545	12.87500000
burn_25	15111.00000000	0.01490047	1545	12.87500000
burn_25	15111.00000000	0.01489825	1545	12.87500000
burn_25	15111.00000000	0.01489603	1545	12.87500000
burn_25	15111.00000000	0.01489382	1545	12.87500000
burn_25	15111.00000000	0.01489160	1545	12.87500000
burn_25	15111.00000000	0.01488938	1545	12.87500000
burn_25	15111.00000000	0.01488716	1545	12.87500000
burn_25	15111.00000000	0.01488495	1545	12.87500000
burn_25	15111.00000000	0.01488273	1545	12.87500000
burn_25	15111.00000000	0.01488052	1545	12.87500000
burn_25	15111.00000000	0.01487830	1545	12.87500000
burn_25	15111.00000000	0.01487609	1545	12.87500000
burn_25	15111.00000000	0.01487388	1545	12.87500000
burn_25	15111.00000000	0.01487167	1545	12.87500000
burn_25	15111.00000000	0.01486945	1545	12.87500000
burn_25	15111.00000000	0.01486724	1545	12.87500000
burn_25	15111.00000000	0.01486503	1545	12.87500000
burn_25	15111.00000000	0.01486282	1545	12.87500000
burn_25	15111.00000000	0.01486062	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01485841	1545	12.87500000
burn_25	15111.00000000	0.01485620	1545	12.87500000
burn_25	15111.00000000	0.01485399	1545	12.87500000
burn_25	15111.00000000	0.01485179	1545	12.87500000
burn_25	15111.00000000	0.01484958	1545	12.87500000
burn_25	15111.00000000	0.01484738	1545	12.87500000
burn_25	15111.00000000	0.01484517	1545	12.87500000
burn_25	15111.00000000	0.01484297	1545	12.87500000
burn_25	15111.00000000	0.01484077	1545	12.87500000
burn_25	15111.00000000	0.01483856	1545	12.87500000
burn_25	15111.00000000	0.01483636	1545	12.87500000
burn_25	15111.00000000	0.01483416	1545	12.87500000
burn_25	15111.00000000	0.01483196	1545	12.87500000
burn_25	15111.00000000	0.01482976	1545	12.87500000
burn_25	15111.00000000	0.01482756	1545	12.87500000
burn_25	15111.00000000	0.01482537	1545	12.87500000
burn_25	15111.00000000	0.01482317	1545	12.87500000
burn_25	15111.00000000	0.01482097	1545	12.87500000
burn_25	15111.00000000	0.01481877	1545	12.87500000
burn_25	15111.00000000	0.01481658	1545	12.87500000
burn_25	15111.00000000	0.01481438	1545	12.87500000
burn_25	15111.00000000	0.01481219	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01481000	1545	12.87500000
burn_25	15111.00000000	0.01480780	1545	12.87500000
burn_25	15111.00000000	0.01480561	1545	12.87500000
burn_25	15111.00000000	0.01480342	1545	12.87500000
burn_25	15111.00000000	0.01480123	1545	12.87500000
burn_25	15111.00000000	0.01479904	1545	12.87500000
burn_25	15111.00000000	0.01479685	1545	12.87500000
burn_25	15111.00000000	0.01479466	1545	12.87500000
burn_25	15111.00000000	0.01479247	1545	12.87500000
burn_25	15111.00000000	0.01479028	1545	12.87500000
burn_25	15111.00000000	0.01478809	1545	12.87500000
burn_25	15111.00000000	0.01478591	1545	12.87500000
burn_25	15111.00000000	0.01478372	1545	12.87500000
burn_25	15111.00000000	0.01478154	1545	12.87500000
burn_25	15111.00000000	0.01477935	1545	12.87500000
burn_25	15111.00000000	0.01477717	1545	12.87500000
burn_25	15111.00000000	0.01477498	1545	12.87500000
burn_25	15111.00000000	0.01477280	1545	12.87500000
burn_25	15111.00000000	0.01477062	1545	12.87500000
burn_25	15111.00000000	0.01476844	1545	12.87500000
burn_25	15111.00000000	0.01476626	1545	12.87500000
burn_25	15111.00000000	0.01476408	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01476190	1545	12.87500000
burn_25	15111.00000000	0.01475972	1545	12.87500000
burn_25	15111.00000000	0.01475754	1545	12.87500000
burn_25	15111.00000000	0.01475536	1545	12.87500000
burn_25	15111.00000000	0.01475319	1545	12.87500000
burn_25	15111.00000000	0.01475101	1545	12.87500000
burn_25	15111.00000000	0.01474884	1545	12.87500000
burn_25	15111.00000000	0.01474666	1545	12.87500000
burn_25	15111.00000000	0.01474449	1545	12.87500000
burn_25	15111.00000000	0.01474231	1545	12.87500000
burn_25	15111.00000000	0.01474014	1545	12.87500000
burn_25	15111.00000000	0.01473797	1545	12.87500000
burn_25	15111.00000000	0.01473580	1545	12.87500000
burn_25	15111.00000000	0.01473362	1545	12.87500000
burn_25	15111.00000000	0.01473145	1545	12.87500000
burn_25	15111.00000000	0.01472928	1545	12.87500000
burn_25	15111.00000000	0.01472711	1545	12.87500000
burn_25	15111.00000000	0.01472495	1545	12.87500000
burn_25	15111.00000000	0.01472278	1545	12.87500000
burn_25	15111.00000000	0.01472061	1545	12.87500000
burn_25	15111.00000000	0.01471844	1545	12.87500000
burn_25	15111.00000000	0.01471628	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01471411	1545	12.87500000
burn_25	15111.00000000	0.01471195	1545	12.87500000
burn_25	15111.00000000	0.01470978	1545	12.87500000
burn_25	15111.00000000	0.01470762	1545	12.87500000
burn_25	15111.00000000	0.01470546	1545	12.87500000
burn_25	15111.00000000	0.01470330	1545	12.87500000
burn_25	15111.00000000	0.01470113	1545	12.87500000
burn_25	15111.00000000	0.01469897	1545	12.87500000
burn_25	15111.00000000	0.01469681	1545	12.87500000
burn_25	15111.00000000	0.01469465	1545	12.87500000
burn_25	15111.00000000	0.01469249	1545	12.87500000
burn_25	15111.00000000	0.01469034	1545	12.87500000
burn_25	15111.00000000	0.01468818	1545	12.87500000
burn_25	15111.00000000	0.01468602	1545	12.87500000
burn_25	15111.00000000	0.01468386	1545	12.87500000
burn_25	15111.00000000	0.01468171	1545	12.87500000
burn_25	15111.00000000	0.01467955	1545	12.87500000
burn_25	15111.00000000	0.01467740	1545	12.87500000
burn_25	15111.00000000	0.01467524	1545	12.87500000
burn_25	15111.00000000	0.01467309	1545	12.87500000
burn_25	15111.00000000	0.01467094	1545	12.87500000
burn_25	15111.00000000	0.01466879	1545	12.87500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	15111.00000000	0.01466664	1545	12.87500000
burn_25	15111.00000000	0.01466448	1545	12.87500000
burn_25	15111.00000000	0.01466233	1545	12.87500000
burn_25	15111.00000000	0.01466018	1545	12.87500000
burn_25	15111.00000000	0.01465804	1545	12.87500000
burn_25	15111.00000000	0.01465589	1545	12.87500000
burn_25	15111.00000000	0.01465374	1545	12.87500000
burn_25	15111.00000000	0.01465159	1545	12.87500000
burn_25	15111.00000000	0.01464945	1545	12.87500000
burn_25	15111.00000000	0.01464730	1545	12.87500000
burn_25	15111.00000000	0.01464516	1545	12.87500000
burn_25	15111.00000000	0.01464301	1545	12.87500000
burn_25	15111.00000000	0.01464087	1545	12.87500000
burn_25	15111.00000000	0.01463872	1545	12.87500000
burn_25	15111.00000000	0.01463658	1545	12.87500000
burn_25	15111.00000000	0.01463444	1545	12.87500000
burn_25	15111.00000000	0.01463230	1545	12.87500000
burn_25	15111.00000000	0.01463016	1545	12.87500000
burn_50	0E-8	0E-8	3091	25.75833333
burn_50	13530625.00000000	0E-8	3091	25.75833333
burn_50	13140000.00000000	97.11303062	3091	25.75833333
burn_50	13140000.00000000	49.26768683	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	11860000.00000000	29.79104196	3091	25.75833333
burn_50	6570000.00000000	12.71515489	3091	25.75833333
burn_50	6570000.00000000	11.28078553	3091	25.75833333
burn_50	6570000.00000000	10.13722673	3091	25.75833333
burn_50	5290000.00000000	7.41097462	3091	25.75833333
burn_50	3285000.00000000	4.28456139	3091	25.75833333
burn_50	3285000.00000000	4.10852895	3091	25.75833333
burn_50	3285000.00000000	3.94639036	3091	25.75833333
burn_50	2325000.00000000	2.68706525	3091	25.75833333
burn_50	1642500.00000000	1.84860827	3091	25.75833333
burn_50	1642500.00000000	1.81505501	3091	25.75833333
burn_50	1642500.00000000	1.78269806	3091	25.75833333
burn_50	1002500.00000000	1.06901263	3091	25.75833333
burn_50	821250.00000000	0.86647456	3091	25.75833333
burn_50	821250.00000000	0.85903127	3091	25.75833333
burn_50	821250.00000000	0.85171477	3091	25.75833333
burn_50	421250.00000000	0.43318701	3091	25.75833333
burn_50	410625.00000000	0.42043964	3091	25.75833333
burn_50	410625.00000000	0.41867934	3091	25.75833333
burn_50	375937.50000000	0.38171330	3091	25.75833333
burn_50	205312.50000000	0.20767414	3091	25.75833333
burn_50	205312.50000000	0.20724375	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	205312.50000000	0.20681514	3091	25.75833333
burn_50	167968.75000000	0.16884887	3091	25.75833333
burn_50	102656.25000000	0.10302020	3091	25.75833333
burn_50	102656.25000000	0.10291418	3091	25.75833333
burn_50	102656.25000000	0.10280837	3091	25.75833333
burn_50	1550.12500000	0.00155083	3091	25.75833333
burn_50	-21106.12500000	-0.02111537	3091	25.75833333
burn_50	-21106.12500000	-0.02111983	3091	25.75833333
burn_50	-21106.12500000	-0.02112429	3091	25.75833333
burn_50	-21106.12500000	-0.02112875	3091	25.75833333
burn_50	-21106.12500000	-0.02113322	3091	25.75833333
burn_50	-21106.12500000	-0.02113768	3091	25.75833333
burn_50	-21106.12500000	-0.02114215	3091	25.75833333
burn_50	-21106.12500000	-0.02114662	3091	25.75833333
burn_50	-21106.12500000	-0.02115109	3091	25.75833333
burn_50	-21106.12500000	-0.02115557	3091	25.75833333
burn_50	-21106.12500000	-0.02116005	3091	25.75833333
burn_50	-21106.12500000	-0.02116452	3091	25.75833333
burn_50	-21106.12500000	-0.02116900	3091	25.75833333
burn_50	-21106.12500000	-0.02117349	3091	25.75833333
burn_50	-21106.12500000	-0.02117797	3091	25.75833333
burn_50	-21106.12500000	-0.02118246	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02118694	3091	25.75833333
burn_50	-21106.12500000	-0.02119143	3091	25.75833333
burn_50	-21106.12500000	-0.02119593	3091	25.75833333
burn_50	-21106.12500000	-0.02120042	3091	25.75833333
burn_50	-21106.12500000	-0.02120492	3091	25.75833333
burn_50	-21106.12500000	-0.02120941	3091	25.75833333
burn_50	-21106.12500000	-0.02121391	3091	25.75833333
burn_50	-21106.12500000	-0.02121841	3091	25.75833333
burn_50	-21106.12500000	-0.02122292	3091	25.75833333
burn_50	-21106.12500000	-0.02122742	3091	25.75833333
burn_50	-21106.12500000	-0.02123193	3091	25.75833333
burn_50	-21106.12500000	-0.02123644	3091	25.75833333
burn_50	-21106.12500000	-0.02124095	3091	25.75833333
burn_50	-21106.12500000	-0.02124546	3091	25.75833333
burn_50	-21106.12500000	-0.02124998	3091	25.75833333
burn_50	-21106.12500000	-0.02125449	3091	25.75833333
burn_50	-21106.12500000	-0.02125901	3091	25.75833333
burn_50	-21106.12500000	-0.02126353	3091	25.75833333
burn_50	-21106.12500000	-0.02126805	3091	25.75833333
burn_50	-21106.12500000	-0.02127258	3091	25.75833333
burn_50	-21106.12500000	-0.02127710	3091	25.75833333
burn_50	-21106.12500000	-0.02128163	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02128616	3091	25.75833333
burn_50	-21106.12500000	-0.02129069	3091	25.75833333
burn_50	-21106.12500000	-0.02129523	3091	25.75833333
burn_50	-21106.12500000	-0.02129976	3091	25.75833333
burn_50	-21106.12500000	-0.02130430	3091	25.75833333
burn_50	-21106.12500000	-0.02130884	3091	25.75833333
burn_50	-21106.12500000	-0.02131338	3091	25.75833333
burn_50	-21106.12500000	-0.02131793	3091	25.75833333
burn_50	-21106.12500000	-0.02132247	3091	25.75833333
burn_50	-21106.12500000	-0.02132702	3091	25.75833333
burn_50	-21106.12500000	-0.02133157	3091	25.75833333
burn_50	-21106.12500000	-0.02133612	3091	25.75833333
burn_50	-21106.12500000	-0.02134067	3091	25.75833333
burn_50	-21106.12500000	-0.02134523	3091	25.75833333
burn_50	-21106.12500000	-0.02134979	3091	25.75833333
burn_50	-21106.12500000	-0.02135435	3091	25.75833333
burn_50	-21106.12500000	-0.02135891	3091	25.75833333
burn_50	-21106.12500000	-0.02136347	3091	25.75833333
burn_50	-21106.12500000	-0.02136803	3091	25.75833333
burn_50	-21106.12500000	-0.02137260	3091	25.75833333
burn_50	-21106.12500000	-0.02137717	3091	25.75833333
burn_50	-21106.12500000	-0.02138174	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02138631	3091	25.75833333
burn_50	-21106.12500000	-0.02139089	3091	25.75833333
burn_50	-21106.12500000	-0.02139546	3091	25.75833333
burn_50	-21106.12500000	-0.02140004	3091	25.75833333
burn_50	-21106.12500000	-0.02140462	3091	25.75833333
burn_50	-21106.12500000	-0.02140921	3091	25.75833333
burn_50	-21106.12500000	-0.02141379	3091	25.75833333
burn_50	-21106.12500000	-0.02141838	3091	25.75833333
burn_50	-21106.12500000	-0.02142297	3091	25.75833333
burn_50	-21106.12500000	-0.02142756	3091	25.75833333
burn_50	-21106.12500000	-0.02143215	3091	25.75833333
burn_50	-21106.12500000	-0.02143674	3091	25.75833333
burn_50	-21106.12500000	-0.02144134	3091	25.75833333
burn_50	-21106.12500000	-0.02144594	3091	25.75833333
burn_50	-21106.12500000	-0.02145054	3091	25.75833333
burn_50	-21106.12500000	-0.02145514	3091	25.75833333
burn_50	-21106.12500000	-0.02145974	3091	25.75833333
burn_50	-21106.12500000	-0.02146435	3091	25.75833333
burn_50	-21106.12500000	-0.02146896	3091	25.75833333
burn_50	-21106.12500000	-0.02147357	3091	25.75833333
burn_50	-21106.12500000	-0.02147818	3091	25.75833333
burn_50	-21106.12500000	-0.02148280	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02148741	3091	25.75833333
burn_50	-21106.12500000	-0.02149203	3091	25.75833333
burn_50	-21106.12500000	-0.02149665	3091	25.75833333
burn_50	-21106.12500000	-0.02150127	3091	25.75833333
burn_50	-21106.12500000	-0.02150590	3091	25.75833333
burn_50	-21106.12500000	-0.02151052	3091	25.75833333
burn_50	-21106.12500000	-0.02151515	3091	25.75833333
burn_50	-21106.12500000	-0.02151978	3091	25.75833333
burn_50	-21106.12500000	-0.02152441	3091	25.75833333
burn_50	-21106.12500000	-0.02152905	3091	25.75833333
burn_50	-21106.12500000	-0.02153368	3091	25.75833333
burn_50	-21106.12500000	-0.02153832	3091	25.75833333
burn_50	-21106.12500000	-0.02154296	3091	25.75833333
burn_50	-21106.12500000	-0.02154760	3091	25.75833333
burn_50	-21106.12500000	-0.02155225	3091	25.75833333
burn_50	-21106.12500000	-0.02155689	3091	25.75833333
burn_50	-21106.12500000	-0.02156154	3091	25.75833333
burn_50	-21106.12500000	-0.02156619	3091	25.75833333
burn_50	-21106.12500000	-0.02157084	3091	25.75833333
burn_50	-21106.12500000	-0.02157550	3091	25.75833333
burn_50	-21106.12500000	-0.02158015	3091	25.75833333
burn_50	-21106.12500000	-0.02158481	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02158947	3091	25.75833333
burn_50	-21106.12500000	-0.02159413	3091	25.75833333
burn_50	-21106.12500000	-0.02159880	3091	25.75833333
burn_50	-21106.12500000	-0.02160346	3091	25.75833333
burn_50	-21106.12500000	-0.02160813	3091	25.75833333
burn_50	-21106.12500000	-0.02161280	3091	25.75833333
burn_50	-21106.12500000	-0.02161747	3091	25.75833333
burn_50	-21106.12500000	-0.02162215	3091	25.75833333
burn_50	-21106.12500000	-0.02162682	3091	25.75833333
burn_50	-21106.12500000	-0.02163150	3091	25.75833333
burn_50	-21106.12500000	-0.02163618	3091	25.75833333
burn_50	-21106.12500000	-0.02164086	3091	25.75833333
burn_50	-21106.12500000	-0.02164555	3091	25.75833333
burn_50	-21106.12500000	-0.02165023	3091	25.75833333
burn_50	-21106.12500000	-0.02165492	3091	25.75833333
burn_50	-21106.12500000	-0.02165961	3091	25.75833333
burn_50	-21106.12500000	-0.02166431	3091	25.75833333
burn_50	-21106.12500000	-0.02166900	3091	25.75833333
burn_50	-21106.12500000	-0.02167370	3091	25.75833333
burn_50	-21106.12500000	-0.02167839	3091	25.75833333
burn_50	-21106.12500000	-0.02168310	3091	25.75833333
burn_50	-21106.12500000	-0.02168780	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02169250	3091	25.75833333
burn_50	-21106.12500000	-0.02169721	3091	25.75833333
burn_50	-21106.12500000	-0.02170192	3091	25.75833333
burn_50	-21106.12500000	-0.02170663	3091	25.75833333
burn_50	-21106.12500000	-0.02171134	3091	25.75833333
burn_50	-21106.12500000	-0.02171606	3091	25.75833333
burn_50	-21106.12500000	-0.02172077	3091	25.75833333
burn_50	-21106.12500000	-0.02172549	3091	25.75833333
burn_50	-21106.12500000	-0.02173021	3091	25.75833333
burn_50	-21106.12500000	-0.02173494	3091	25.75833333
burn_50	-21106.12500000	-0.02173966	3091	25.75833333
burn_50	-21106.12500000	-0.02174439	3091	25.75833333
burn_50	-21106.12500000	-0.02174912	3091	25.75833333
burn_50	-21106.12500000	-0.02175385	3091	25.75833333
burn_50	-21106.12500000	-0.02175858	3091	25.75833333
burn_50	-21106.12500000	-0.02176332	3091	25.75833333
burn_50	-21106.12500000	-0.02176806	3091	25.75833333
burn_50	-21106.12500000	-0.02177279	3091	25.75833333
burn_50	-21106.12500000	-0.02177754	3091	25.75833333
burn_50	-21106.12500000	-0.02178228	3091	25.75833333
burn_50	-21106.12500000	-0.02178703	3091	25.75833333
burn_50	-21106.12500000	-0.02179177	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02179652	3091	25.75833333
burn_50	-21106.12500000	-0.02180128	3091	25.75833333
burn_50	-21106.12500000	-0.02180603	3091	25.75833333
burn_50	-21106.12500000	-0.02181079	3091	25.75833333
burn_50	-21106.12500000	-0.02181554	3091	25.75833333
burn_50	-21106.12500000	-0.02182030	3091	25.75833333
burn_50	-21106.12500000	-0.02182507	3091	25.75833333
burn_50	-21106.12500000	-0.02182983	3091	25.75833333
burn_50	-21106.12500000	-0.02183460	3091	25.75833333
burn_50	-21106.12500000	-0.02183937	3091	25.75833333
burn_50	-21106.12500000	-0.02184414	3091	25.75833333
burn_50	-21106.12500000	-0.02184891	3091	25.75833333
burn_50	-21106.12500000	-0.02185368	3091	25.75833333
burn_50	-21106.12500000	-0.02185846	3091	25.75833333
burn_50	-21106.12500000	-0.02186324	3091	25.75833333
burn_50	-21106.12500000	-0.02186802	3091	25.75833333
burn_50	-21106.12500000	-0.02187280	3091	25.75833333
burn_50	-21106.12500000	-0.02187759	3091	25.75833333
burn_50	-21106.12500000	-0.02188238	3091	25.75833333
burn_50	-21106.12500000	-0.02188717	3091	25.75833333
burn_50	-21106.12500000	-0.02189196	3091	25.75833333
burn_50	-21106.12500000	-0.02189675	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02190155	3091	25.75833333
burn_50	-21106.12500000	-0.02190634	3091	25.75833333
burn_50	-21106.12500000	-0.02191114	3091	25.75833333
burn_50	-21106.12500000	-0.02191595	3091	25.75833333
burn_50	-21106.12500000	-0.02192075	3091	25.75833333
burn_50	-21106.12500000	-0.02192556	3091	25.75833333
burn_50	-21106.12500000	-0.02193036	3091	25.75833333
burn_50	-21106.12500000	-0.02193518	3091	25.75833333
burn_50	-21106.12500000	-0.02193999	3091	25.75833333
burn_50	-21106.12500000	-0.02194480	3091	25.75833333
burn_50	-21106.12500000	-0.02194962	3091	25.75833333
burn_50	-21106.12500000	-0.02195444	3091	25.75833333
burn_50	-21106.12500000	-0.02195926	3091	25.75833333
burn_50	-21106.12500000	-0.02196408	3091	25.75833333
burn_50	-21106.12500000	-0.02196891	3091	25.75833333
burn_50	-21106.12500000	-0.02197373	3091	25.75833333
burn_50	-21106.12500000	-0.02197856	3091	25.75833333
burn_50	-21106.12500000	-0.02198340	3091	25.75833333
burn_50	-21106.12500000	-0.02198823	3091	25.75833333
burn_50	-21106.12500000	-0.02199307	3091	25.75833333
burn_50	-21106.12500000	-0.02199790	3091	25.75833333
burn_50	-21106.12500000	-0.02200274	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02200759	3091	25.75833333
burn_50	-21106.12500000	-0.02201243	3091	25.75833333
burn_50	-21106.12500000	-0.02201728	3091	25.75833333
burn_50	-21106.12500000	-0.02202213	3091	25.75833333
burn_50	-21106.12500000	-0.02202698	3091	25.75833333
burn_50	-21106.12500000	-0.02203183	3091	25.75833333
burn_50	-21106.12500000	-0.02203668	3091	25.75833333
burn_50	-21106.12500000	-0.02204154	3091	25.75833333
burn_50	-21106.12500000	-0.02204640	3091	25.75833333
burn_50	-21106.12500000	-0.02205126	3091	25.75833333
burn_50	-21106.12500000	-0.02205613	3091	25.75833333
burn_50	-21106.12500000	-0.02206099	3091	25.75833333
burn_50	-21106.12500000	-0.02206586	3091	25.75833333
burn_50	-21106.12500000	-0.02207073	3091	25.75833333
burn_50	-21106.12500000	-0.02207560	3091	25.75833333
burn_50	-21106.12500000	-0.02208048	3091	25.75833333
burn_50	-21106.12500000	-0.02208535	3091	25.75833333
burn_50	-21106.12500000	-0.02209023	3091	25.75833333
burn_50	-21106.12500000	-0.02209511	3091	25.75833333
burn_50	-21106.12500000	-0.02210000	3091	25.75833333
burn_50	-21106.12500000	-0.02210488	3091	25.75833333
burn_50	-21106.12500000	-0.02210977	3091	25.75833333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	-21106.12500000	-0.02211466	3091	25.75833333
burn_50	-21106.12500000	-0.02211955	3091	25.75833333
burn_50	-21106.12500000	-0.02212444	3091	25.75833333
burn_50	-21106.12500000	-0.02212934	3091	25.75833333
burn_50	-21106.12500000	-0.02213424	3091	25.75833333
burn_75	0E-8	0E-8	4637	38.64166667
burn_75	13530625.00000000	0E-8	4637	38.64166667
burn_75	13140000.00000000	97.11303062	4637	38.64166667
burn_75	13140000.00000000	49.26768683	4637	38.64166667
burn_75	11860000.00000000	29.79104196	4637	38.64166667
burn_75	6570000.00000000	12.71515489	4637	38.64166667
burn_75	6570000.00000000	11.28078553	4637	38.64166667
burn_75	6570000.00000000	10.13722673	4637	38.64166667
burn_75	5290000.00000000	7.41097462	4637	38.64166667
burn_75	3285000.00000000	4.28456139	4637	38.64166667
burn_75	3285000.00000000	4.10852895	4637	38.64166667
burn_75	3285000.00000000	3.94639036	4637	38.64166667
burn_75	2325000.00000000	2.68706525	4637	38.64166667
burn_75	1642500.00000000	1.84860827	4637	38.64166667
burn_75	1642500.00000000	1.81505501	4637	38.64166667
burn_75	1642500.00000000	1.78269806	4637	38.64166667
burn_75	1002500.00000000	1.06901263	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	821250.00000000	0.86647456	4637	38.64166667
burn_75	821250.00000000	0.85903127	4637	38.64166667
burn_75	821250.00000000	0.85171477	4637	38.64166667
burn_75	421250.00000000	0.43318701	4637	38.64166667
burn_75	410625.00000000	0.42043964	4637	38.64166667
burn_75	410625.00000000	0.41867934	4637	38.64166667
burn_75	375937.50000000	0.38171330	4637	38.64166667
burn_75	205312.50000000	0.20767414	4637	38.64166667
burn_75	205312.50000000	0.20724375	4637	38.64166667
burn_75	205312.50000000	0.20681514	4637	38.64166667
burn_75	167968.75000000	0.16884887	4637	38.64166667
burn_75	102656.25000000	0.10302020	4637	38.64166667
burn_75	102656.25000000	0.10291418	4637	38.64166667
burn_75	102656.25000000	0.10280837	4637	38.64166667
burn_75	-34667.00000000	-0.03468272	4637	38.64166667
burn_75	-57323.25000000	-0.05736913	4637	38.64166667
burn_75	-57323.25000000	-0.05740206	4637	38.64166667
burn_75	-57323.25000000	-0.05743503	4637	38.64166667
burn_75	-57323.25000000	-0.05746804	4637	38.64166667
burn_75	-57323.25000000	-0.05750109	4637	38.64166667
burn_75	-57323.25000000	-0.05753417	4637	38.64166667
burn_75	-57323.25000000	-0.05756729	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.05760045	4637	38.64166667
burn_75	-57323.25000000	-0.05763364	4637	38.64166667
burn_75	-57323.25000000	-0.05766688	4637	38.64166667
burn_75	-57323.25000000	-0.05770015	4637	38.64166667
burn_75	-57323.25000000	-0.05773347	4637	38.64166667
burn_75	-57323.25000000	-0.05776682	4637	38.64166667
burn_75	-57323.25000000	-0.05780021	4637	38.64166667
burn_75	-57323.25000000	-0.05783363	4637	38.64166667
burn_75	-57323.25000000	-0.05786710	4637	38.64166667
burn_75	-57323.25000000	-0.05790061	4637	38.64166667
burn_75	-57323.25000000	-0.05793415	4637	38.64166667
burn_75	-57323.25000000	-0.05796773	4637	38.64166667
burn_75	-57323.25000000	-0.05800136	4637	38.64166667
burn_75	-57323.25000000	-0.05803502	4637	38.64166667
burn_75	-57323.25000000	-0.05806872	4637	38.64166667
burn_75	-57323.25000000	-0.05810246	4637	38.64166667
burn_75	-57323.25000000	-0.05813624	4637	38.64166667
burn_75	-57323.25000000	-0.05817005	4637	38.64166667
burn_75	-57323.25000000	-0.05820391	4637	38.64166667
burn_75	-57323.25000000	-0.05823781	4637	38.64166667
burn_75	-57323.25000000	-0.05827174	4637	38.64166667
burn_75	-57323.25000000	-0.05830572	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.05833973	4637	38.64166667
burn_75	-57323.25000000	-0.05837379	4637	38.64166667
burn_75	-57323.25000000	-0.05840788	4637	38.64166667
burn_75	-57323.25000000	-0.05844202	4637	38.64166667
burn_75	-57323.25000000	-0.05847619	4637	38.64166667
burn_75	-57323.25000000	-0.05851041	4637	38.64166667
burn_75	-57323.25000000	-0.05854466	4637	38.64166667
burn_75	-57323.25000000	-0.05857896	4637	38.64166667
burn_75	-57323.25000000	-0.05861329	4637	38.64166667
burn_75	-57323.25000000	-0.05864767	4637	38.64166667
burn_75	-57323.25000000	-0.05868208	4637	38.64166667
burn_75	-57323.25000000	-0.05871654	4637	38.64166667
burn_75	-57323.25000000	-0.05875104	4637	38.64166667
burn_75	-57323.25000000	-0.05878557	4637	38.64166667
burn_75	-57323.25000000	-0.05882015	4637	38.64166667
burn_75	-57323.25000000	-0.05885477	4637	38.64166667
burn_75	-57323.25000000	-0.05888943	4637	38.64166667
burn_75	-57323.25000000	-0.05892413	4637	38.64166667
burn_75	-57323.25000000	-0.05895887	4637	38.64166667
burn_75	-57323.25000000	-0.05899365	4637	38.64166667
burn_75	-57323.25000000	-0.05902848	4637	38.64166667
burn_75	-57323.25000000	-0.05906334	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.05909825	4637	38.64166667
burn_75	-57323.25000000	-0.05913319	4637	38.64166667
burn_75	-57323.25000000	-0.05916818	4637	38.64166667
burn_75	-57323.25000000	-0.05920321	4637	38.64166667
burn_75	-57323.25000000	-0.05923828	4637	38.64166667
burn_75	-57323.25000000	-0.05927339	4637	38.64166667
burn_75	-57323.25000000	-0.05930855	4637	38.64166667
burn_75	-57323.25000000	-0.05934374	4637	38.64166667
burn_75	-57323.25000000	-0.05937898	4637	38.64166667
burn_75	-57323.25000000	-0.05941426	4637	38.64166667
burn_75	-57323.25000000	-0.05944958	4637	38.64166667
burn_75	-57323.25000000	-0.05948495	4637	38.64166667
burn_75	-57323.25000000	-0.05952035	4637	38.64166667
burn_75	-57323.25000000	-0.05955580	4637	38.64166667
burn_75	-57323.25000000	-0.05959129	4637	38.64166667
burn_75	-57323.25000000	-0.05962682	4637	38.64166667
burn_75	-57323.25000000	-0.05966240	4637	38.64166667
burn_75	-57323.25000000	-0.05969801	4637	38.64166667
burn_75	-57323.25000000	-0.05973367	4637	38.64166667
burn_75	-57323.25000000	-0.05976938	4637	38.64166667
burn_75	-57323.25000000	-0.05980512	4637	38.64166667
burn_75	-57323.25000000	-0.05984091	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.05987674	4637	38.64166667
burn_75	-57323.25000000	-0.05991261	4637	38.64166667
burn_75	-57323.25000000	-0.05994853	4637	38.64166667
burn_75	-57323.25000000	-0.05998449	4637	38.64166667
burn_75	-57323.25000000	-0.06002049	4637	38.64166667
burn_75	-57323.25000000	-0.06005654	4637	38.64166667
burn_75	-57323.25000000	-0.06009263	4637	38.64166667
burn_75	-57323.25000000	-0.06012876	4637	38.64166667
burn_75	-57323.25000000	-0.06016494	4637	38.64166667
burn_75	-57323.25000000	-0.06020116	4637	38.64166667
burn_75	-57323.25000000	-0.06023742	4637	38.64166667
burn_75	-57323.25000000	-0.06027373	4637	38.64166667
burn_75	-57323.25000000	-0.06031008	4637	38.64166667
burn_75	-57323.25000000	-0.06034648	4637	38.64166667
burn_75	-57323.25000000	-0.06038291	4637	38.64166667
burn_75	-57323.25000000	-0.06041940	4637	38.64166667
burn_75	-57323.25000000	-0.06045592	4637	38.64166667
burn_75	-57323.25000000	-0.06049250	4637	38.64166667
burn_75	-57323.25000000	-0.06052911	4637	38.64166667
burn_75	-57323.25000000	-0.06056577	4637	38.64166667
burn_75	-57323.25000000	-0.06060248	4637	38.64166667
burn_75	-57323.25000000	-0.06063922	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.06067602	4637	38.64166667
burn_75	-57323.25000000	-0.06071286	4637	38.64166667
burn_75	-57323.25000000	-0.06074974	4637	38.64166667
burn_75	-57323.25000000	-0.06078667	4637	38.64166667
burn_75	-57323.25000000	-0.06082364	4637	38.64166667
burn_75	-57323.25000000	-0.06086066	4637	38.64166667
burn_75	-57323.25000000	-0.06089772	4637	38.64166667
burn_75	-57323.25000000	-0.06093483	4637	38.64166667
burn_75	-57323.25000000	-0.06097198	4637	38.64166667
burn_75	-57323.25000000	-0.06100918	4637	38.64166667
burn_75	-57323.25000000	-0.06104642	4637	38.64166667
burn_75	-57323.25000000	-0.06108371	4637	38.64166667
burn_75	-57323.25000000	-0.06112105	4637	38.64166667
burn_75	-57323.25000000	-0.06115843	4637	38.64166667
burn_75	-57323.25000000	-0.06119585	4637	38.64166667
burn_75	-57323.25000000	-0.06123333	4637	38.64166667
burn_75	-57323.25000000	-0.06127084	4637	38.64166667
burn_75	-57323.25000000	-0.06130841	4637	38.64166667
burn_75	-57323.25000000	-0.06134602	4637	38.64166667
burn_75	-57323.25000000	-0.06138368	4637	38.64166667
burn_75	-57323.25000000	-0.06142138	4637	38.64166667
burn_75	-57323.25000000	-0.06145913	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.06149692	4637	38.64166667
burn_75	-57323.25000000	-0.06153477	4637	38.64166667
burn_75	-57323.25000000	-0.06157265	4637	38.64166667
burn_75	-57323.25000000	-0.06161059	4637	38.64166667
burn_75	-57323.25000000	-0.06164857	4637	38.64166667
burn_75	-57323.25000000	-0.06168660	4637	38.64166667
burn_75	-57323.25000000	-0.06172468	4637	38.64166667
burn_75	-57323.25000000	-0.06176280	4637	38.64166667
burn_75	-57323.25000000	-0.06180097	4637	38.64166667
burn_75	-57323.25000000	-0.06183919	4637	38.64166667
burn_75	-57323.25000000	-0.06187745	4637	38.64166667
burn_75	-57323.25000000	-0.06191576	4637	38.64166667
burn_75	-57323.25000000	-0.06195412	4637	38.64166667
burn_75	-57323.25000000	-0.06199253	4637	38.64166667
burn_75	-57323.25000000	-0.06203098	4637	38.64166667
burn_75	-57323.25000000	-0.06206949	4637	38.64166667
burn_75	-57323.25000000	-0.06210804	4637	38.64166667
burn_75	-57323.25000000	-0.06214663	4637	38.64166667
burn_75	-57323.25000000	-0.06218528	4637	38.64166667
burn_75	-57323.25000000	-0.06222397	4637	38.64166667
burn_75	-57323.25000000	-0.06226272	4637	38.64166667
burn_75	-57323.25000000	-0.06230151	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.06234035	4637	38.64166667
burn_75	-57323.25000000	-0.06237923	4637	38.64166667
burn_75	-57323.25000000	-0.06241817	4637	38.64166667
burn_75	-57323.25000000	-0.06245715	4637	38.64166667
burn_75	-57323.25000000	-0.06249619	4637	38.64166667
burn_75	-57323.25000000	-0.06253527	4637	38.64166667
burn_75	-57323.25000000	-0.06257440	4637	38.64166667
burn_75	-57323.25000000	-0.06261358	4637	38.64166667
burn_75	-57323.25000000	-0.06265281	4637	38.64166667
burn_75	-57323.25000000	-0.06269209	4637	38.64166667
burn_75	-57323.25000000	-0.06273142	4637	38.64166667
burn_75	-57323.25000000	-0.06277079	4637	38.64166667
burn_75	-57323.25000000	-0.06281022	4637	38.64166667
burn_75	-57323.25000000	-0.06284970	4637	38.64166667
burn_75	-57323.25000000	-0.06288922	4637	38.64166667
burn_75	-57323.25000000	-0.06292880	4637	38.64166667
burn_75	-57323.25000000	-0.06296842	4637	38.64166667
burn_75	-57323.25000000	-0.06300810	4637	38.64166667
burn_75	-57323.25000000	-0.06304782	4637	38.64166667
burn_75	-57323.25000000	-0.06308760	4637	38.64166667
burn_75	-57323.25000000	-0.06312742	4637	38.64166667
burn_75	-57323.25000000	-0.06316730	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.06320722	4637	38.64166667
burn_75	-57323.25000000	-0.06324720	4637	38.64166667
burn_75	-57323.25000000	-0.06328723	4637	38.64166667
burn_75	-57323.25000000	-0.06332731	4637	38.64166667
burn_75	-57323.25000000	-0.06336744	4637	38.64166667
burn_75	-57323.25000000	-0.06340762	4637	38.64166667
burn_75	-57323.25000000	-0.06344785	4637	38.64166667
burn_75	-57323.25000000	-0.06348813	4637	38.64166667
burn_75	-57323.25000000	-0.06352846	4637	38.64166667
burn_75	-57323.25000000	-0.06356885	4637	38.64166667
burn_75	-57323.25000000	-0.06360928	4637	38.64166667
burn_75	-57323.25000000	-0.06364977	4637	38.64166667
burn_75	-57323.25000000	-0.06369031	4637	38.64166667
burn_75	-57323.25000000	-0.06373090	4637	38.64166667
burn_75	-57323.25000000	-0.06377154	4637	38.64166667
burn_75	-57323.25000000	-0.06381223	4637	38.64166667
burn_75	-57323.25000000	-0.06385298	4637	38.64166667
burn_75	-57323.25000000	-0.06389378	4637	38.64166667
burn_75	-57323.25000000	-0.06393463	4637	38.64166667
burn_75	-57323.25000000	-0.06397553	4637	38.64166667
burn_75	-57323.25000000	-0.06401649	4637	38.64166667
burn_75	-57323.25000000	-0.06405749	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.06409855	4637	38.64166667
burn_75	-57323.25000000	-0.06413967	4637	38.64166667
burn_75	-57323.25000000	-0.06418083	4637	38.64166667
burn_75	-57323.25000000	-0.06422205	4637	38.64166667
burn_75	-57323.25000000	-0.06426332	4637	38.64166667
burn_75	-57323.25000000	-0.06430464	4637	38.64166667
burn_75	-57323.25000000	-0.06434602	4637	38.64166667
burn_75	-57323.25000000	-0.06438745	4637	38.64166667
burn_75	-57323.25000000	-0.06442894	4637	38.64166667
burn_75	-57323.25000000	-0.06447047	4637	38.64166667
burn_75	-57323.25000000	-0.06451207	4637	38.64166667
burn_75	-57323.25000000	-0.06455371	4637	38.64166667
burn_75	-57323.25000000	-0.06459541	4637	38.64166667
burn_75	-57323.25000000	-0.06463716	4637	38.64166667
burn_75	-57323.25000000	-0.06467897	4637	38.64166667
burn_75	-57323.25000000	-0.06472083	4637	38.64166667
burn_75	-57323.25000000	-0.06476274	4637	38.64166667
burn_75	-57323.25000000	-0.06480471	4637	38.64166667
burn_75	-57323.25000000	-0.06484674	4637	38.64166667
burn_75	-57323.25000000	-0.06488882	4637	38.64166667
burn_75	-57323.25000000	-0.06493095	4637	38.64166667
burn_75	-57323.25000000	-0.06497314	4637	38.64166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-57323.25000000	-0.06501538	4637	38.64166667
burn_75	-57323.25000000	-0.06505768	4637	38.64166667
burn_75	-57323.25000000	-0.06510003	4637	38.64166667
burn_75	-57323.25000000	-0.06514244	4637	38.64166667
burn_75	-57323.25000000	-0.06518490	4637	38.64166667
burn_75	-57323.25000000	-0.06522742	4637	38.64166667
burn_75	-57323.25000000	-0.06526999	4637	38.64166667
burn_75	-57323.25000000	-0.06531262	4637	38.64166667
burn_75	-57323.25000000	-0.06535531	4637	38.64166667
burn_75	-57323.25000000	-0.06539805	4637	38.64166667
burn_75	-57323.25000000	-0.06544085	4637	38.64166667
burn_75	-57323.25000000	-0.06548370	4637	38.64166667
burn_75	-57323.25000000	-0.06552661	4637	38.64166667
burn_75	-57323.25000000	-0.06556957	4637	38.64166667
burn_100	0E-8	0E-8	6183	51.52500000
burn_100	13530625.00000000	0E-8	6183	51.52500000
burn_100	13140000.00000000	97.11303062	6183	51.52500000
burn_100	13140000.00000000	49.26768683	6183	51.52500000
burn_100	11860000.00000000	29.79104196	6183	51.52500000
burn_100	6570000.00000000	12.71515489	6183	51.52500000
burn_100	6570000.00000000	11.28078553	6183	51.52500000
burn_100	6570000.00000000	10.13722673	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	5290000.00000000	7.41097462	6183	51.52500000
burn_100	3285000.00000000	4.28456139	6183	51.52500000
burn_100	3285000.00000000	4.10852895	6183	51.52500000
burn_100	3285000.00000000	3.94639036	6183	51.52500000
burn_100	2325000.00000000	2.68706525	6183	51.52500000
burn_100	1642500.00000000	1.84860827	6183	51.52500000
burn_100	1642500.00000000	1.81505501	6183	51.52500000
burn_100	1642500.00000000	1.78269806	6183	51.52500000
burn_100	1002500.00000000	1.06901263	6183	51.52500000
burn_100	821250.00000000	0.86647456	6183	51.52500000
burn_100	821250.00000000	0.85903127	6183	51.52500000
burn_100	821250.00000000	0.85171477	6183	51.52500000
burn_100	421250.00000000	0.43318701	6183	51.52500000
burn_100	410625.00000000	0.42043964	6183	51.52500000
burn_100	410625.00000000	0.41867934	6183	51.52500000
burn_100	375937.50000000	0.38171330	6183	51.52500000
burn_100	205312.50000000	0.20767414	6183	51.52500000
burn_100	205312.50000000	0.20724375	6183	51.52500000
burn_100	205312.50000000	0.20681514	6183	51.52500000
burn_100	167968.75000000	0.16884887	6183	51.52500000
burn_100	102656.25000000	0.10302020	6183	51.52500000
burn_100	102656.25000000	0.10291418	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	102656.25000000	0.10280837	6183	51.52500000
burn_100	-70884.12500000	-0.07091626	6183	51.52500000
burn_100	-93540.37500000	-0.09364919	6183	51.52500000
burn_100	-93540.37500000	-0.09373698	6183	51.52500000
burn_100	-93540.37500000	-0.09382492	6183	51.52500000
burn_100	-93540.37500000	-0.09391304	6183	51.52500000
burn_100	-93540.37500000	-0.09400132	6183	51.52500000
burn_100	-93540.37500000	-0.09408976	6183	51.52500000
burn_100	-93540.37500000	-0.09417838	6183	51.52500000
burn_100	-93540.37500000	-0.09426716	6183	51.52500000
burn_100	-93540.37500000	-0.09435610	6183	51.52500000
burn_100	-93540.37500000	-0.09444522	6183	51.52500000
burn_100	-93540.37500000	-0.09453450	6183	51.52500000
burn_100	-93540.37500000	-0.09462395	6183	51.52500000
burn_100	-93540.37500000	-0.09471357	6183	51.52500000
burn_100	-93540.37500000	-0.09480337	6183	51.52500000
burn_100	-93540.37500000	-0.09489333	6183	51.52500000
burn_100	-93540.37500000	-0.09498346	6183	51.52500000
burn_100	-93540.37500000	-0.09507377	6183	51.52500000
burn_100	-93540.37500000	-0.09516424	6183	51.52500000
burn_100	-93540.37500000	-0.09525489	6183	51.52500000
burn_100	-93540.37500000	-0.09534571	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.09543671	6183	51.52500000
burn_100	-93540.37500000	-0.09552787	6183	51.52500000
burn_100	-93540.37500000	-0.09561922	6183	51.52500000
burn_100	-93540.37500000	-0.09571074	6183	51.52500000
burn_100	-93540.37500000	-0.09580243	6183	51.52500000
burn_100	-93540.37500000	-0.09589430	6183	51.52500000
burn_100	-93540.37500000	-0.09598634	6183	51.52500000
burn_100	-93540.37500000	-0.09607857	6183	51.52500000
burn_100	-93540.37500000	-0.09617097	6183	51.52500000
burn_100	-93540.37500000	-0.09626354	6183	51.52500000
burn_100	-93540.37500000	-0.09635630	6183	51.52500000
burn_100	-93540.37500000	-0.09644923	6183	51.52500000
burn_100	-93540.37500000	-0.09654235	6183	51.52500000
burn_100	-93540.37500000	-0.09663564	6183	51.52500000
burn_100	-93540.37500000	-0.09672912	6183	51.52500000
burn_100	-93540.37500000	-0.09682277	6183	51.52500000
burn_100	-93540.37500000	-0.09691661	6183	51.52500000
burn_100	-93540.37500000	-0.09701063	6183	51.52500000
burn_100	-93540.37500000	-0.09710483	6183	51.52500000
burn_100	-93540.37500000	-0.09719922	6183	51.52500000
burn_100	-93540.37500000	-0.09729379	6183	51.52500000
burn_100	-93540.37500000	-0.09738854	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.09748348	6183	51.52500000
burn_100	-93540.37500000	-0.09757860	6183	51.52500000
burn_100	-93540.37500000	-0.09767391	6183	51.52500000
burn_100	-93540.37500000	-0.09776940	6183	51.52500000
burn_100	-93540.37500000	-0.09786509	6183	51.52500000
burn_100	-93540.37500000	-0.09796096	6183	51.52500000
burn_100	-93540.37500000	-0.09805701	6183	51.52500000
burn_100	-93540.37500000	-0.09815326	6183	51.52500000
burn_100	-93540.37500000	-0.09824969	6183	51.52500000
burn_100	-93540.37500000	-0.09834632	6183	51.52500000
burn_100	-93540.37500000	-0.09844313	6183	51.52500000
burn_100	-93540.37500000	-0.09854014	6183	51.52500000
burn_100	-93540.37500000	-0.09863734	6183	51.52500000
burn_100	-93540.37500000	-0.09873473	6183	51.52500000
burn_100	-93540.37500000	-0.09883231	6183	51.52500000
burn_100	-93540.37500000	-0.09893008	6183	51.52500000
burn_100	-93540.37500000	-0.09902805	6183	51.52500000
burn_100	-93540.37500000	-0.09912622	6183	51.52500000
burn_100	-93540.37500000	-0.09922457	6183	51.52500000
burn_100	-93540.37500000	-0.09932313	6183	51.52500000
burn_100	-93540.37500000	-0.09942187	6183	51.52500000
burn_100	-93540.37500000	-0.09952082	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.09961996	6183	51.52500000
burn_100	-93540.37500000	-0.09971930	6183	51.52500000
burn_100	-93540.37500000	-0.09981884	6183	51.52500000
burn_100	-93540.37500000	-0.09991858	6183	51.52500000
burn_100	-93540.37500000	-0.10001852	6183	51.52500000
burn_100	-93540.37500000	-0.10011865	6183	51.52500000
burn_100	-93540.37500000	-0.10021899	6183	51.52500000
burn_100	-93540.37500000	-0.10031953	6183	51.52500000
burn_100	-93540.37500000	-0.10042027	6183	51.52500000
burn_100	-93540.37500000	-0.10052122	6183	51.52500000
burn_100	-93540.37500000	-0.10062236	6183	51.52500000
burn_100	-93540.37500000	-0.10072371	6183	51.52500000
burn_100	-93540.37500000	-0.10082527	6183	51.52500000
burn_100	-93540.37500000	-0.10092703	6183	51.52500000
burn_100	-93540.37500000	-0.10102899	6183	51.52500000
burn_100	-93540.37500000	-0.10113117	6183	51.52500000
burn_100	-93540.37500000	-0.10123354	6183	51.52500000
burn_100	-93540.37500000	-0.10133613	6183	51.52500000
burn_100	-93540.37500000	-0.10143892	6183	51.52500000
burn_100	-93540.37500000	-0.10154193	6183	51.52500000
burn_100	-93540.37500000	-0.10164514	6183	51.52500000
burn_100	-93540.37500000	-0.10174856	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.10185220	6183	51.52500000
burn_100	-93540.37500000	-0.10195604	6183	51.52500000
burn_100	-93540.37500000	-0.10206010	6183	51.52500000
burn_100	-93540.37500000	-0.10216437	6183	51.52500000
burn_100	-93540.37500000	-0.10226885	6183	51.52500000
burn_100	-93540.37500000	-0.10237354	6183	51.52500000
burn_100	-93540.37500000	-0.10247845	6183	51.52500000
burn_100	-93540.37500000	-0.10258358	6183	51.52500000
burn_100	-93540.37500000	-0.10268892	6183	51.52500000
burn_100	-93540.37500000	-0.10279448	6183	51.52500000
burn_100	-93540.37500000	-0.10290026	6183	51.52500000
burn_100	-93540.37500000	-0.10300625	6183	51.52500000
burn_100	-93540.37500000	-0.10311246	6183	51.52500000
burn_100	-93540.37500000	-0.10321889	6183	51.52500000
burn_100	-93540.37500000	-0.10332555	6183	51.52500000
burn_100	-93540.37500000	-0.10343242	6183	51.52500000
burn_100	-93540.37500000	-0.10353951	6183	51.52500000
burn_100	-93540.37500000	-0.10364683	6183	51.52500000
burn_100	-93540.37500000	-0.10375437	6183	51.52500000
burn_100	-93540.37500000	-0.10386213	6183	51.52500000
burn_100	-93540.37500000	-0.10397011	6183	51.52500000
burn_100	-93540.37500000	-0.10407832	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.10418676	6183	51.52500000
burn_100	-93540.37500000	-0.10429542	6183	51.52500000
burn_100	-93540.37500000	-0.10440431	6183	51.52500000
burn_100	-93540.37500000	-0.10451343	6183	51.52500000
burn_100	-93540.37500000	-0.10462277	6183	51.52500000
burn_100	-93540.37500000	-0.10473234	6183	51.52500000
burn_100	-93540.37500000	-0.10484215	6183	51.52500000
burn_100	-93540.37500000	-0.10495218	6183	51.52500000
burn_100	-93540.37500000	-0.10506245	6183	51.52500000
burn_100	-93540.37500000	-0.10517294	6183	51.52500000
burn_100	-93540.37500000	-0.10528367	6183	51.52500000
burn_100	-93540.37500000	-0.10539464	6183	51.52500000
burn_100	-93540.37500000	-0.10550584	6183	51.52500000
burn_100	-93540.37500000	-0.10561727	6183	51.52500000
burn_100	-93540.37500000	-0.10572894	6183	51.52500000
burn_100	-93540.37500000	-0.10584084	6183	51.52500000
burn_100	-93540.37500000	-0.10595298	6183	51.52500000
burn_100	-93540.37500000	-0.10606536	6183	51.52500000
burn_100	-93540.37500000	-0.10617798	6183	51.52500000
burn_100	-93540.37500000	-0.10629084	6183	51.52500000
burn_100	-93540.37500000	-0.10640393	6183	51.52500000
burn_100	-93540.37500000	-0.10651727	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.10663085	6183	51.52500000
burn_100	-93540.37500000	-0.10674468	6183	51.52500000
burn_100	-93540.37500000	-0.10685874	6183	51.52500000
burn_100	-93540.37500000	-0.10697305	6183	51.52500000
burn_100	-93540.37500000	-0.10708761	6183	51.52500000
burn_100	-93540.37500000	-0.10720241	6183	51.52500000
burn_100	-93540.37500000	-0.10731745	6183	51.52500000
burn_100	-93540.37500000	-0.10743275	6183	51.52500000
burn_100	-93540.37500000	-0.10754829	6183	51.52500000
burn_100	-93540.37500000	-0.10766408	6183	51.52500000
burn_100	-93540.37500000	-0.10778012	6183	51.52500000
burn_100	-93540.37500000	-0.10789641	6183	51.52500000
burn_100	-93540.37500000	-0.10801296	6183	51.52500000
burn_100	-93540.37500000	-0.10812975	6183	51.52500000
burn_100	-93540.37500000	-0.10824680	6183	51.52500000
burn_100	-93540.37500000	-0.10836410	6183	51.52500000
burn_100	-93540.37500000	-0.10848165	6183	51.52500000
burn_100	-93540.37500000	-0.10859946	6183	51.52500000
burn_100	-93540.37500000	-0.10871753	6183	51.52500000
burn_100	-93540.37500000	-0.10883585	6183	51.52500000
burn_100	-93540.37500000	-0.10895443	6183	51.52500000
burn_100	-93540.37500000	-0.10907327	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.10919237	6183	51.52500000
burn_100	-93540.37500000	-0.10931173	6183	51.52500000
burn_100	-93540.37500000	-0.10943136	6183	51.52500000
burn_100	-93540.37500000	-0.10955124	6183	51.52500000
burn_100	-93540.37500000	-0.10967139	6183	51.52500000
burn_100	-93540.37500000	-0.10979180	6183	51.52500000
burn_100	-93540.37500000	-0.10991247	6183	51.52500000
burn_100	-93540.37500000	-0.11003341	6183	51.52500000
burn_100	-93540.37500000	-0.11015462	6183	51.52500000
burn_100	-93540.37500000	-0.11027609	6183	51.52500000
burn_100	-93540.37500000	-0.11039783	6183	51.52500000
burn_100	-93540.37500000	-0.11051985	6183	51.52500000
burn_100	-93540.37500000	-0.11064213	6183	51.52500000
burn_100	-93540.37500000	-0.11076468	6183	51.52500000
burn_100	-93540.37500000	-0.11088750	6183	51.52500000
burn_100	-93540.37500000	-0.11101060	6183	51.52500000
burn_100	-93540.37500000	-0.11113397	6183	51.52500000
burn_100	-93540.37500000	-0.11125762	6183	51.52500000
burn_100	-93540.37500000	-0.11138154	6183	51.52500000
burn_100	-93540.37500000	-0.11150573	6183	51.52500000
burn_100	-93540.37500000	-0.11163021	6183	51.52500000
burn_100	-93540.37500000	-0.11175496	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.11187999	6183	51.52500000
burn_100	-93540.37500000	-0.11200530	6183	51.52500000
burn_100	-93540.37500000	-0.11213090	6183	51.52500000
burn_100	-93540.37500000	-0.11225677	6183	51.52500000
burn_100	-93540.37500000	-0.11238293	6183	51.52500000
burn_100	-93540.37500000	-0.11250937	6183	51.52500000
burn_100	-93540.37500000	-0.11263609	6183	51.52500000
burn_100	-93540.37500000	-0.11276311	6183	51.52500000
burn_100	-93540.37500000	-0.11289041	6183	51.52500000
burn_100	-93540.37500000	-0.11301799	6183	51.52500000
burn_100	-93540.37500000	-0.11314587	6183	51.52500000
burn_100	-93540.37500000	-0.11327403	6183	51.52500000
burn_100	-93540.37500000	-0.11340249	6183	51.52500000
burn_100	-93540.37500000	-0.11353123	6183	51.52500000
burn_100	-93540.37500000	-0.11366027	6183	51.52500000
burn_100	-93540.37500000	-0.11378961	6183	51.52500000
burn_100	-93540.37500000	-0.11391924	6183	51.52500000
burn_100	-93540.37500000	-0.11404916	6183	51.52500000
burn_100	-93540.37500000	-0.11417938	6183	51.52500000
burn_100	-93540.37500000	-0.11430990	6183	51.52500000
burn_100	-93540.37500000	-0.11444072	6183	51.52500000
burn_100	-93540.37500000	-0.11457183	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.11470325	6183	51.52500000
burn_100	-93540.37500000	-0.11483497	6183	51.52500000
burn_100	-93540.37500000	-0.11496699	6183	51.52500000
burn_100	-93540.37500000	-0.11509932	6183	51.52500000
burn_100	-93540.37500000	-0.11523195	6183	51.52500000
burn_100	-93540.37500000	-0.11536489	6183	51.52500000
burn_100	-93540.37500000	-0.11549813	6183	51.52500000
burn_100	-93540.37500000	-0.11563168	6183	51.52500000
burn_100	-93540.37500000	-0.11576555	6183	51.52500000
burn_100	-93540.37500000	-0.11589972	6183	51.52500000
burn_100	-93540.37500000	-0.11603420	6183	51.52500000
burn_100	-93540.37500000	-0.11616900	6183	51.52500000
burn_100	-93540.37500000	-0.11630411	6183	51.52500000
burn_100	-93540.37500000	-0.11643953	6183	51.52500000
burn_100	-93540.37500000	-0.11657527	6183	51.52500000
burn_100	-93540.37500000	-0.11671133	6183	51.52500000
burn_100	-93540.37500000	-0.11684770	6183	51.52500000
burn_100	-93540.37500000	-0.11698439	6183	51.52500000
burn_100	-93540.37500000	-0.11712141	6183	51.52500000
burn_100	-93540.37500000	-0.11725874	6183	51.52500000
burn_100	-93540.37500000	-0.11739640	6183	51.52500000
burn_100	-93540.37500000	-0.11753438	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-93540.37500000	-0.11767269	6183	51.52500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.