Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	0	-1	0	100.0000	10.00000000	0E-8
no_burn_100	No Burn (100% block capacity)	1	262799	0	100.0000	10.00000000	2628000.00000000
no_burn_100	No Burn (100% block capacity)	2	525599	0	100.0000	10.00000000	2628000.00000000
no_burn_100	No Burn (100% block capacity)	3	788399	0	100.0000	10.00000000	2628000.00000000
no_burn_100	No Burn (100% block capacity)	4	1051199	0	100.0000	10.00000000	2628000.00000000
no_burn_100	No Burn (100% block capacity)	5	1313999	0	100.0000	10.00000000	2628000.00000000
no_burn_100	No Burn (100% block capacity)	6	1576799	0	100.0000	5.00000000	1314000.00000000
no_burn_100	No Burn (100% block capacity)	7	1839599	0	100.0000	5.00000000	1314000.00000000
no_burn_100	No Burn (100% block capacity)	8	2102399	0	100.0000	5.00000000	1314000.00000000
no_burn_100	No Burn (100% block capacity)	9	2365199	0	100.0000	5.00000000	1314000.00000000
no_burn_100	No Burn (100% block capacity)	10	2627999	0	100.0000	5.00000000	1314000.00000000
no_burn_100	No Burn (100% block capacity)	11	2890799	0	100.0000	2.50000000	657000.00000000
no_burn_100	No Burn (100% block capacity)	12	3153599	0	100.0000	2.50000000	657000.00000000
no_burn_100	No Burn (100% block capacity)	13	3416399	0	100.0000	2.50000000	657000.00000000
no_burn_100	No Burn (100% block capacity)	14	3679199	0	100.0000	2.50000000	657000.00000000
no_burn_100	No Burn (100% block capacity)	15	3941999	0	100.0000	2.50000000	657000.00000000
no_burn_100	No Burn (100% block capacity)	16	4204799	0	100.0000	1.25000000	328500.00000000
no_burn_100	No Burn (100% block capacity)	17	4467599	0	100.0000	1.25000000	328500.00000000
no_burn_100	No Burn (100% block capacity)	18	4730399	0	100.0000	1.25000000	328500.00000000
no_burn_100	No Burn (100% block capacity)	19	4993199	0	100.0000	1.25000000	328500.00000000
no_burn_100	No Burn (100% block capacity)	20	5255999	0	100.0000	1.25000000	328500.00000000
no_burn_100	No Burn (100% block capacity)	21	5518799	0	100.0000	0.62500000	164250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	22	5781599	0	100.0000	0.62500000	164250.00000000
no_burn_100	No Burn (100% block capacity)	23	6044399	0	100.0000	0.62500000	164250.00000000
no_burn_100	No Burn (100% block capacity)	24	6307199	0	100.0000	0.62500000	164250.00000000
no_burn_100	No Burn (100% block capacity)	25	6569999	0	100.0000	0.62500000	164250.00000000
no_burn_100	No Burn (100% block capacity)	26	6832799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	27	7095599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	28	7358399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	29	7621199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	30	7883999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	31	8146799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	32	8409599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	33	8672399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	34	8935199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	35	9197999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	36	9460799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	37	9723599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	38	9986399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	39	10249199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	40	10511999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	41	10774799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	42	11037599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	43	11300399	0	100.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	44	11563199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	45	11825999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	46	12088799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	47	12351599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	48	12614399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	49	12877199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	50	13139999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	51	13402799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	52	13665599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	53	13928399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	54	14191199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	55	14453999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	56	14716799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	57	14979599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	58	15242399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	59	15505199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	60	15767999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	61	16030799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	62	16293599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	63	16556399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	64	16819199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	65	17081999	0	100.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	66	17344799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	67	17607599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	68	17870399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	69	18133199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	70	18395999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	71	18658799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	72	18921599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	73	19184399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	74	19447199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	75	19709999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	76	19972799	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	77	20235599	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	78	20498399	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	79	20761199	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	80	21023999	0	100.0000	0.31250000	82125.00000000
no_burn_100	No Burn (100% block capacity)	81	21286799	1	100.0000	0.25000000	70575.00000000
no_burn_100	No Burn (100% block capacity)	82	21549599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	83	21812399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	84	22075199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	85	22337999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	86	22600799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	87	22863599	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	88	23126399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	89	23389199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	90	23651999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	91	23914799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	92	24177599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	93	24440399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	94	24703199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	95	24965999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	96	25228799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	97	25491599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	98	25754399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	99	26017199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	100	26279999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	101	26542799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	102	26805599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	103	27068399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	104	27331199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	105	27593999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	106	27856799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	107	28119599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	108	28382399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	109	28645199	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	110	28907999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	111	29170799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	112	29433599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	113	29696399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	114	29959199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	115	30221999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	116	30484799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	117	30747599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	118	31010399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	119	31273199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	120	31535999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	121	31798799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	122	32061599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	123	32324399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	124	32587199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	125	32849999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	126	33112799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	127	33375599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	128	33638399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	129	33901199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	130	34163999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	131	34426799	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	132	34689599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	133	34952399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	134	35215199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	135	35477999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	136	35740799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	137	36003599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	138	36266399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	139	36529199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	140	36791999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	141	37054799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	142	37317599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	143	37580399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	144	37843199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	145	38105999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	146	38368799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	147	38631599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	148	38894399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	149	39157199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	150	39419999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	151	39682799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	152	39945599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	153	40208399	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	154	40471199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	155	40733999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	156	40996799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	157	41259599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	158	41522399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	159	41785199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	160	42047999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	161	42310799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	162	42573599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	163	42836399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	164	43099199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	165	43361999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	166	43624799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	167	43887599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	168	44150399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	169	44413199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	170	44675999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	171	44938799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	172	45201599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	173	45464399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	174	45727199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	175	45989999	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	176	46252799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	177	46515599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	178	46778399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	179	47041199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	180	47303999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	181	47566799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	182	47829599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	183	48092399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	184	48355199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	185	48617999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	186	48880799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	187	49143599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	188	49406399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	189	49669199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	190	49931999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	191	50194799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	192	50457599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	193	50720399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	194	50983199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	195	51245999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	196	51508799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	197	51771599	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	198	52034399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	199	52297199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	200	52559999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	201	52822799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	202	53085599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	203	53348399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	204	53611199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	205	53873999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	206	54136799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	207	54399599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	208	54662399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	209	54925199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	210	55187999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	211	55450799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	212	55713599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	213	55976399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	214	56239199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	215	56501999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	216	56764799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	217	57027599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	218	57290399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	219	57553199	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	220	57815999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	221	58078799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	222	58341599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	223	58604399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	224	58867199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	225	59129999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	226	59392799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	227	59655599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	228	59918399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	229	60181199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	230	60443999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	231	60706799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	232	60969599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	233	61232399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	234	61495199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	235	61757999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	236	62020799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	237	62283599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	238	62546399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	239	62809199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	240	63071999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	241	63334799	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
no_burn_100	No Burn (100% block capacity)	242	63597599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	243	63860399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	244	64123199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	245	64385999	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	246	64648799	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	247	64911599	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	248	65174399	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	249	65437199	1	100.0000	0.25000000	65700.00000000
no_burn_100	No Burn (100% block capacity)	250	65699999	1	100.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	0	-1	0	25.0000	10.00000000	0E-8
burn_25	Burn On (25% block capacity)	1	262799	0	25.0000	10.00000000	2628000.00000000
burn_25	Burn On (25% block capacity)	2	525599	0	25.0000	10.00000000	2628000.00000000
burn_25	Burn On (25% block capacity)	3	788399	0	25.0000	10.00000000	2628000.00000000
burn_25	Burn On (25% block capacity)	4	1051199	0	25.0000	10.00000000	2628000.00000000
burn_25	Burn On (25% block capacity)	5	1313999	0	25.0000	10.00000000	2628000.00000000
burn_25	Burn On (25% block capacity)	6	1576799	0	25.0000	5.00000000	1314000.00000000
burn_25	Burn On (25% block capacity)	7	1839599	0	25.0000	5.00000000	1314000.00000000
burn_25	Burn On (25% block capacity)	8	2102399	0	25.0000	5.00000000	1314000.00000000
burn_25	Burn On (25% block capacity)	9	2365199	0	25.0000	5.00000000	1314000.00000000
burn_25	Burn On (25% block capacity)	10	2627999	0	25.0000	5.00000000	1314000.00000000
burn_25	Burn On (25% block capacity)	11	2890799	0	25.0000	2.50000000	657000.00000000
burn_25	Burn On (25% block capacity)	12	3153599	0	25.0000	2.50000000	657000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	13	3416399	0	25.0000	2.50000000	657000.00000000
burn_25	Burn On (25% block capacity)	14	3679199	0	25.0000	2.50000000	657000.00000000
burn_25	Burn On (25% block capacity)	15	3941999	0	25.0000	2.50000000	657000.00000000
burn_25	Burn On (25% block capacity)	16	4204799	0	25.0000	1.25000000	328500.00000000
burn_25	Burn On (25% block capacity)	17	4467599	0	25.0000	1.25000000	328500.00000000
burn_25	Burn On (25% block capacity)	18	4730399	0	25.0000	1.25000000	328500.00000000
burn_25	Burn On (25% block capacity)	19	4993199	0	25.0000	1.25000000	328500.00000000
burn_25	Burn On (25% block capacity)	20	5255999	0	25.0000	1.25000000	328500.00000000
burn_25	Burn On (25% block capacity)	21	5518799	0	25.0000	0.62500000	164250.00000000
burn_25	Burn On (25% block capacity)	22	5781599	0	25.0000	0.62500000	164250.00000000
burn_25	Burn On (25% block capacity)	23	6044399	0	25.0000	0.62500000	164250.00000000
burn_25	Burn On (25% block capacity)	24	6307199	0	25.0000	0.62500000	164250.00000000
burn_25	Burn On (25% block capacity)	25	6569999	0	25.0000	0.62500000	164250.00000000
burn_25	Burn On (25% block capacity)	26	6832799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	27	7095599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	28	7358399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	29	7621199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	30	7883999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	31	8146799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	32	8409599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	33	8672399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	34	8935199	0	25.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	35	9197999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	36	9460799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	37	9723599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	38	9986399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	39	10249199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	40	10511999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	41	10774799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	42	11037599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	43	11300399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	44	11563199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	45	11825999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	46	12088799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	47	12351599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	48	12614399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	49	12877199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	50	13139999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	51	13402799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	52	13665599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	53	13928399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	54	14191199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	55	14453999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	56	14716799	0	25.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	57	14979599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	58	15242399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	59	15505199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	60	15767999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	61	16030799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	62	16293599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	63	16556399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	64	16819199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	65	17081999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	66	17344799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	67	17607599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	68	17870399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	69	18133199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	70	18395999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	71	18658799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	72	18921599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	73	19184399	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	74	19447199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	75	19709999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	76	19972799	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	77	20235599	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	78	20498399	0	25.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	79	20761199	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	80	21023999	0	25.0000	0.31250000	82125.00000000
burn_25	Burn On (25% block capacity)	81	21286799	1	25.0000	0.25000000	70575.00000000
burn_25	Burn On (25% block capacity)	82	21549599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	83	21812399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	84	22075199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	85	22337999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	86	22600799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	87	22863599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	88	23126399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	89	23389199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	90	23651999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	91	23914799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	92	24177599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	93	24440399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	94	24703199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	95	24965999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	96	25228799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	97	25491599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	98	25754399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	99	26017199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	100	26279999	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	101	26542799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	102	26805599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	103	27068399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	104	27331199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	105	27593999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	106	27856799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	107	28119599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	108	28382399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	109	28645199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	110	28907999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	111	29170799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	112	29433599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	113	29696399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	114	29959199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	115	30221999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	116	30484799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	117	30747599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	118	31010399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	119	31273199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	120	31535999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	121	31798799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	122	32061599	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	123	32324399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	124	32587199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	125	32849999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	126	33112799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	127	33375599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	128	33638399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	129	33901199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	130	34163999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	131	34426799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	132	34689599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	133	34952399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	134	35215199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	135	35477999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	136	35740799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	137	36003599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	138	36266399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	139	36529199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	140	36791999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	141	37054799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	142	37317599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	143	37580399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	144	37843199	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	145	38105999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	146	38368799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	147	38631599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	148	38894399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	149	39157199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	150	39419999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	151	39682799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	152	39945599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	153	40208399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	154	40471199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	155	40733999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	156	40996799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	157	41259599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	158	41522399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	159	41785199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	160	42047999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	161	42310799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	162	42573599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	163	42836399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	164	43099199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	165	43361999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	166	43624799	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	167	43887599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	168	44150399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	169	44413199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	170	44675999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	171	44938799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	172	45201599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	173	45464399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	174	45727199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	175	45989999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	176	46252799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	177	46515599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	178	46778399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	179	47041199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	180	47303999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	181	47566799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	182	47829599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	183	48092399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	184	48355199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	185	48617999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	186	48880799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	187	49143599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	188	49406399	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	189	49669199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	190	49931999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	191	50194799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	192	50457599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	193	50720399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	194	50983199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	195	51245999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	196	51508799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	197	51771599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	198	52034399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	199	52297199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	200	52559999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	201	52822799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	202	53085599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	203	53348399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	204	53611199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	205	53873999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	206	54136799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	207	54399599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	208	54662399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	209	54925199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	210	55187999	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	211	55450799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	212	55713599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	213	55976399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	214	56239199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	215	56501999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	216	56764799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	217	57027599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	218	57290399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	219	57553199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	220	57815999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	221	58078799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	222	58341599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	223	58604399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	224	58867199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	225	59129999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	226	59392799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	227	59655599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	228	59918399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	229	60181199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	230	60443999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	231	60706799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	232	60969599	1	25.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_25	Burn On (25% block capacity)	233	61232399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	234	61495199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	235	61757999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	236	62020799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	237	62283599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	238	62546399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	239	62809199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	240	63071999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	241	63334799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	242	63597599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	243	63860399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	244	64123199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	245	64385999	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	246	64648799	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	247	64911599	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	248	65174399	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	249	65437199	1	25.0000	0.25000000	65700.00000000
burn_25	Burn On (25% block capacity)	250	65699999	1	25.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	0	-1	0	50.0000	10.00000000	0E-8
burn_50	Burn On (50% block capacity)	1	262799	0	50.0000	10.00000000	2628000.00000000
burn_50	Burn On (50% block capacity)	2	525599	0	50.0000	10.00000000	2628000.00000000
burn_50	Burn On (50% block capacity)	3	788399	0	50.0000	10.00000000	2628000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	4	1051199	0	50.0000	10.00000000	2628000.00000000
burn_50	Burn On (50% block capacity)	5	1313999	0	50.0000	10.00000000	2628000.00000000
burn_50	Burn On (50% block capacity)	6	1576799	0	50.0000	5.00000000	1314000.00000000
burn_50	Burn On (50% block capacity)	7	1839599	0	50.0000	5.00000000	1314000.00000000
burn_50	Burn On (50% block capacity)	8	2102399	0	50.0000	5.00000000	1314000.00000000
burn_50	Burn On (50% block capacity)	9	2365199	0	50.0000	5.00000000	1314000.00000000
burn_50	Burn On (50% block capacity)	10	2627999	0	50.0000	5.00000000	1314000.00000000
burn_50	Burn On (50% block capacity)	11	2890799	0	50.0000	2.50000000	657000.00000000
burn_50	Burn On (50% block capacity)	12	3153599	0	50.0000	2.50000000	657000.00000000
burn_50	Burn On (50% block capacity)	13	3416399	0	50.0000	2.50000000	657000.00000000
burn_50	Burn On (50% block capacity)	14	3679199	0	50.0000	2.50000000	657000.00000000
burn_50	Burn On (50% block capacity)	15	3941999	0	50.0000	2.50000000	657000.00000000
burn_50	Burn On (50% block capacity)	16	4204799	0	50.0000	1.25000000	328500.00000000
burn_50	Burn On (50% block capacity)	17	4467599	0	50.0000	1.25000000	328500.00000000
burn_50	Burn On (50% block capacity)	18	4730399	0	50.0000	1.25000000	328500.00000000
burn_50	Burn On (50% block capacity)	19	4993199	0	50.0000	1.25000000	328500.00000000
burn_50	Burn On (50% block capacity)	20	5255999	0	50.0000	1.25000000	328500.00000000
burn_50	Burn On (50% block capacity)	21	5518799	0	50.0000	0.62500000	164250.00000000
burn_50	Burn On (50% block capacity)	22	5781599	0	50.0000	0.62500000	164250.00000000
burn_50	Burn On (50% block capacity)	23	6044399	0	50.0000	0.62500000	164250.00000000
burn_50	Burn On (50% block capacity)	24	6307199	0	50.0000	0.62500000	164250.00000000
burn_50	Burn On (50% block capacity)	25	6569999	0	50.0000	0.62500000	164250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	26	6832799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	27	7095599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	28	7358399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	29	7621199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	30	7883999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	31	8146799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	32	8409599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	33	8672399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	34	8935199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	35	9197999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	36	9460799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	37	9723599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	38	9986399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	39	10249199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	40	10511999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	41	10774799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	42	11037599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	43	11300399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	44	11563199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	45	11825999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	46	12088799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	47	12351599	0	50.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	48	12614399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	49	12877199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	50	13139999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	51	13402799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	52	13665599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	53	13928399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	54	14191199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	55	14453999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	56	14716799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	57	14979599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	58	15242399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	59	15505199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	60	15767999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	61	16030799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	62	16293599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	63	16556399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	64	16819199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	65	17081999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	66	17344799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	67	17607599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	68	17870399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	69	18133199	0	50.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	70	18395999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	71	18658799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	72	18921599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	73	19184399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	74	19447199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	75	19709999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	76	19972799	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	77	20235599	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	78	20498399	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	79	20761199	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	80	21023999	0	50.0000	0.31250000	82125.00000000
burn_50	Burn On (50% block capacity)	81	21286799	1	50.0000	0.25000000	70575.00000000
burn_50	Burn On (50% block capacity)	82	21549599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	83	21812399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	84	22075199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	85	22337999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	86	22600799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	87	22863599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	88	23126399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	89	23389199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	90	23651999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	91	23914799	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	92	24177599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	93	24440399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	94	24703199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	95	24965999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	96	25228799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	97	25491599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	98	25754399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	99	26017199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	100	26279999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	101	26542799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	102	26805599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	103	27068399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	104	27331199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	105	27593999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	106	27856799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	107	28119599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	108	28382399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	109	28645199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	110	28907999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	111	29170799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	112	29433599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	113	29696399	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	114	29959199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	115	30221999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	116	30484799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	117	30747599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	118	31010399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	119	31273199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	120	31535999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	121	31798799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	122	32061599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	123	32324399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	124	32587199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	125	32849999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	126	33112799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	127	33375599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	128	33638399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	129	33901199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	130	34163999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	131	34426799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	132	34689599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	133	34952399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	134	35215199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	135	35477999	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	136	35740799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	137	36003599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	138	36266399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	139	36529199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	140	36791999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	141	37054799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	142	37317599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	143	37580399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	144	37843199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	145	38105999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	146	38368799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	147	38631599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	148	38894399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	149	39157199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	150	39419999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	151	39682799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	152	39945599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	153	40208399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	154	40471199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	155	40733999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	156	40996799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	157	41259599	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	158	41522399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	159	41785199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	160	42047999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	161	42310799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	162	42573599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	163	42836399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	164	43099199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	165	43361999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	166	43624799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	167	43887599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	168	44150399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	169	44413199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	170	44675999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	171	44938799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	172	45201599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	173	45464399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	174	45727199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	175	45989999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	176	46252799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	177	46515599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	178	46778399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	179	47041199	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	180	47303999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	181	47566799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	182	47829599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	183	48092399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	184	48355199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	185	48617999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	186	48880799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	187	49143599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	188	49406399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	189	49669199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	190	49931999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	191	50194799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	192	50457599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	193	50720399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	194	50983199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	195	51245999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	196	51508799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	197	51771599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	198	52034399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	199	52297199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	200	52559999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	201	52822799	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	202	53085599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	203	53348399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	204	53611199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	205	53873999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	206	54136799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	207	54399599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	208	54662399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	209	54925199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	210	55187999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	211	55450799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	212	55713599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	213	55976399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	214	56239199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	215	56501999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	216	56764799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	217	57027599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	218	57290399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	219	57553199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	220	57815999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	221	58078799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	222	58341599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	223	58604399	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	224	58867199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	225	59129999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	226	59392799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	227	59655599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	228	59918399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	229	60181199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	230	60443999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	231	60706799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	232	60969599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	233	61232399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	234	61495199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	235	61757999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	236	62020799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	237	62283599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	238	62546399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	239	62809199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	240	63071999	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	241	63334799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	242	63597599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	243	63860399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	244	64123199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	245	64385999	1	50.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_50	Burn On (50% block capacity)	246	64648799	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	247	64911599	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	248	65174399	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	249	65437199	1	50.0000	0.25000000	65700.00000000
burn_50	Burn On (50% block capacity)	250	65699999	1	50.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	0	-1	0	75.0000	10.00000000	0E-8
burn_75	Burn On (75% block capacity)	1	262799	0	75.0000	10.00000000	2628000.00000000
burn_75	Burn On (75% block capacity)	2	525599	0	75.0000	10.00000000	2628000.00000000
burn_75	Burn On (75% block capacity)	3	788399	0	75.0000	10.00000000	2628000.00000000
burn_75	Burn On (75% block capacity)	4	1051199	0	75.0000	10.00000000	2628000.00000000
burn_75	Burn On (75% block capacity)	5	1313999	0	75.0000	10.00000000	2628000.00000000
burn_75	Burn On (75% block capacity)	6	1576799	0	75.0000	5.00000000	1314000.00000000
burn_75	Burn On (75% block capacity)	7	1839599	0	75.0000	5.00000000	1314000.00000000
burn_75	Burn On (75% block capacity)	8	2102399	0	75.0000	5.00000000	1314000.00000000
burn_75	Burn On (75% block capacity)	9	2365199	0	75.0000	5.00000000	1314000.00000000
burn_75	Burn On (75% block capacity)	10	2627999	0	75.0000	5.00000000	1314000.00000000
burn_75	Burn On (75% block capacity)	11	2890799	0	75.0000	2.50000000	657000.00000000
burn_75	Burn On (75% block capacity)	12	3153599	0	75.0000	2.50000000	657000.00000000
burn_75	Burn On (75% block capacity)	13	3416399	0	75.0000	2.50000000	657000.00000000
burn_75	Burn On (75% block capacity)	14	3679199	0	75.0000	2.50000000	657000.00000000
burn_75	Burn On (75% block capacity)	15	3941999	0	75.0000	2.50000000	657000.00000000
burn_75	Burn On (75% block capacity)	16	4204799	0	75.0000	1.25000000	328500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	17	4467599	0	75.0000	1.25000000	328500.00000000
burn_75	Burn On (75% block capacity)	18	4730399	0	75.0000	1.25000000	328500.00000000
burn_75	Burn On (75% block capacity)	19	4993199	0	75.0000	1.25000000	328500.00000000
burn_75	Burn On (75% block capacity)	20	5255999	0	75.0000	1.25000000	328500.00000000
burn_75	Burn On (75% block capacity)	21	5518799	0	75.0000	0.62500000	164250.00000000
burn_75	Burn On (75% block capacity)	22	5781599	0	75.0000	0.62500000	164250.00000000
burn_75	Burn On (75% block capacity)	23	6044399	0	75.0000	0.62500000	164250.00000000
burn_75	Burn On (75% block capacity)	24	6307199	0	75.0000	0.62500000	164250.00000000
burn_75	Burn On (75% block capacity)	25	6569999	0	75.0000	0.62500000	164250.00000000
burn_75	Burn On (75% block capacity)	26	6832799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	27	7095599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	28	7358399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	29	7621199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	30	7883999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	31	8146799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	32	8409599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	33	8672399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	34	8935199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	35	9197999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	36	9460799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	37	9723599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	38	9986399	0	75.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	39	10249199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	40	10511999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	41	10774799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	42	11037599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	43	11300399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	44	11563199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	45	11825999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	46	12088799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	47	12351599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	48	12614399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	49	12877199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	50	13139999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	51	13402799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	52	13665599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	53	13928399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	54	14191199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	55	14453999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	56	14716799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	57	14979599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	58	15242399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	59	15505199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	60	15767999	0	75.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	61	16030799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	62	16293599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	63	16556399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	64	16819199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	65	17081999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	66	17344799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	67	17607599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	68	17870399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	69	18133199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	70	18395999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	71	18658799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	72	18921599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	73	19184399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	74	19447199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	75	19709999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	76	19972799	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	77	20235599	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	78	20498399	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	79	20761199	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	80	21023999	0	75.0000	0.31250000	82125.00000000
burn_75	Burn On (75% block capacity)	81	21286799	1	75.0000	0.25000000	70575.00000000
burn_75	Burn On (75% block capacity)	82	21549599	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	83	21812399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	84	22075199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	85	22337999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	86	22600799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	87	22863599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	88	23126399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	89	23389199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	90	23651999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	91	23914799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	92	24177599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	93	24440399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	94	24703199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	95	24965999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	96	25228799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	97	25491599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	98	25754399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	99	26017199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	100	26279999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	101	26542799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	102	26805599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	103	27068399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	104	27331199	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	105	27593999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	106	27856799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	107	28119599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	108	28382399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	109	28645199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	110	28907999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	111	29170799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	112	29433599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	113	29696399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	114	29959199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	115	30221999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	116	30484799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	117	30747599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	118	31010399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	119	31273199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	120	31535999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	121	31798799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	122	32061599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	123	32324399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	124	32587199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	125	32849999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	126	33112799	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	127	33375599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	128	33638399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	129	33901199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	130	34163999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	131	34426799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	132	34689599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	133	34952399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	134	35215199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	135	35477999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	136	35740799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	137	36003599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	138	36266399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	139	36529199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	140	36791999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	141	37054799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	142	37317599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	143	37580399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	144	37843199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	145	38105999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	146	38368799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	147	38631599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	148	38894399	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	149	39157199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	150	39419999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	151	39682799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	152	39945599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	153	40208399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	154	40471199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	155	40733999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	156	40996799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	157	41259599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	158	41522399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	159	41785199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	160	42047999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	161	42310799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	162	42573599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	163	42836399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	164	43099199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	165	43361999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	166	43624799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	167	43887599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	168	44150399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	169	44413199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	170	44675999	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	171	44938799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	172	45201599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	173	45464399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	174	45727199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	175	45989999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	176	46252799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	177	46515599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	178	46778399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	179	47041199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	180	47303999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	181	47566799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	182	47829599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	183	48092399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	184	48355199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	185	48617999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	186	48880799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	187	49143599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	188	49406399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	189	49669199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	190	49931999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	191	50194799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	192	50457599	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	193	50720399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	194	50983199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	195	51245999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	196	51508799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	197	51771599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	198	52034399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	199	52297199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	200	52559999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	201	52822799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	202	53085599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	203	53348399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	204	53611199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	205	53873999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	206	54136799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	207	54399599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	208	54662399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	209	54925199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	210	55187999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	211	55450799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	212	55713599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	213	55976399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	214	56239199	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	215	56501999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	216	56764799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	217	57027599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	218	57290399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	219	57553199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	220	57815999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	221	58078799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	222	58341599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	223	58604399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	224	58867199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	225	59129999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	226	59392799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	227	59655599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	228	59918399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	229	60181199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	230	60443999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	231	60706799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	232	60969599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	233	61232399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	234	61495199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	235	61757999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	236	62020799	1	75.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_75	Burn On (75% block capacity)	237	62283599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	238	62546399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	239	62809199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	240	63071999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	241	63334799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	242	63597599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	243	63860399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	244	64123199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	245	64385999	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	246	64648799	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	247	64911599	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	248	65174399	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	249	65437199	1	75.0000	0.25000000	65700.00000000
burn_75	Burn On (75% block capacity)	250	65699999	1	75.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	0	-1	0	100.0000	10.00000000	0E-8
burn_100	Burn On (100% block capacity)	1	262799	0	100.0000	10.00000000	2628000.00000000
burn_100	Burn On (100% block capacity)	2	525599	0	100.0000	10.00000000	2628000.00000000
burn_100	Burn On (100% block capacity)	3	788399	0	100.0000	10.00000000	2628000.00000000
burn_100	Burn On (100% block capacity)	4	1051199	0	100.0000	10.00000000	2628000.00000000
burn_100	Burn On (100% block capacity)	5	1313999	0	100.0000	10.00000000	2628000.00000000
burn_100	Burn On (100% block capacity)	6	1576799	0	100.0000	5.00000000	1314000.00000000
burn_100	Burn On (100% block capacity)	7	1839599	0	100.0000	5.00000000	1314000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	8	2102399	0	100.0000	5.00000000	1314000.00000000
burn_100	Burn On (100% block capacity)	9	2365199	0	100.0000	5.00000000	1314000.00000000
burn_100	Burn On (100% block capacity)	10	2627999	0	100.0000	5.00000000	1314000.00000000
burn_100	Burn On (100% block capacity)	11	2890799	0	100.0000	2.50000000	657000.00000000
burn_100	Burn On (100% block capacity)	12	3153599	0	100.0000	2.50000000	657000.00000000
burn_100	Burn On (100% block capacity)	13	3416399	0	100.0000	2.50000000	657000.00000000
burn_100	Burn On (100% block capacity)	14	3679199	0	100.0000	2.50000000	657000.00000000
burn_100	Burn On (100% block capacity)	15	3941999	0	100.0000	2.50000000	657000.00000000
burn_100	Burn On (100% block capacity)	16	4204799	0	100.0000	1.25000000	328500.00000000
burn_100	Burn On (100% block capacity)	17	4467599	0	100.0000	1.25000000	328500.00000000
burn_100	Burn On (100% block capacity)	18	4730399	0	100.0000	1.25000000	328500.00000000
burn_100	Burn On (100% block capacity)	19	4993199	0	100.0000	1.25000000	328500.00000000
burn_100	Burn On (100% block capacity)	20	5255999	0	100.0000	1.25000000	328500.00000000
burn_100	Burn On (100% block capacity)	21	5518799	0	100.0000	0.62500000	164250.00000000
burn_100	Burn On (100% block capacity)	22	5781599	0	100.0000	0.62500000	164250.00000000
burn_100	Burn On (100% block capacity)	23	6044399	0	100.0000	0.62500000	164250.00000000
burn_100	Burn On (100% block capacity)	24	6307199	0	100.0000	0.62500000	164250.00000000
burn_100	Burn On (100% block capacity)	25	6569999	0	100.0000	0.62500000	164250.00000000
burn_100	Burn On (100% block capacity)	26	6832799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	27	7095599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	28	7358399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	29	7621199	0	100.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	30	7883999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	31	8146799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	32	8409599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	33	8672399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	34	8935199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	35	9197999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	36	9460799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	37	9723599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	38	9986399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	39	10249199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	40	10511999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	41	10774799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	42	11037599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	43	11300399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	44	11563199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	45	11825999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	46	12088799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	47	12351599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	48	12614399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	49	12877199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	50	13139999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	51	13402799	0	100.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	52	13665599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	53	13928399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	54	14191199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	55	14453999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	56	14716799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	57	14979599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	58	15242399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	59	15505199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	60	15767999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	61	16030799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	62	16293599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	63	16556399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	64	16819199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	65	17081999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	66	17344799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	67	17607599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	68	17870399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	69	18133199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	70	18395999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	71	18658799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	72	18921599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	73	19184399	0	100.0000	0.31250000	82125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	74	19447199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	75	19709999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	76	19972799	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	77	20235599	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	78	20498399	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	79	20761199	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	80	21023999	0	100.0000	0.31250000	82125.00000000
burn_100	Burn On (100% block capacity)	81	21286799	1	100.0000	0.25000000	70575.00000000
burn_100	Burn On (100% block capacity)	82	21549599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	83	21812399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	84	22075199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	85	22337999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	86	22600799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	87	22863599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	88	23126399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	89	23389199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	90	23651999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	91	23914799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	92	24177599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	93	24440399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	94	24703199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	95	24965999	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	96	25228799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	97	25491599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	98	25754399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	99	26017199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	100	26279999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	101	26542799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	102	26805599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	103	27068399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	104	27331199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	105	27593999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	106	27856799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	107	28119599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	108	28382399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	109	28645199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	110	28907999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	111	29170799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	112	29433599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	113	29696399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	114	29959199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	115	30221999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	116	30484799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	117	30747599	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	118	31010399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	119	31273199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	120	31535999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	121	31798799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	122	32061599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	123	32324399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	124	32587199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	125	32849999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	126	33112799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	127	33375599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	128	33638399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	129	33901199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	130	34163999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	131	34426799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	132	34689599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	133	34952399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	134	35215199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	135	35477999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	136	35740799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	137	36003599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	138	36266399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	139	36529199	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	140	36791999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	141	37054799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	142	37317599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	143	37580399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	144	37843199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	145	38105999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	146	38368799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	147	38631599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	148	38894399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	149	39157199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	150	39419999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	151	39682799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	152	39945599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	153	40208399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	154	40471199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	155	40733999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	156	40996799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	157	41259599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	158	41522399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	159	41785199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	160	42047999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	161	42310799	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	162	42573599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	163	42836399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	164	43099199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	165	43361999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	166	43624799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	167	43887599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	168	44150399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	169	44413199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	170	44675999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	171	44938799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	172	45201599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	173	45464399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	174	45727199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	175	45989999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	176	46252799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	177	46515599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	178	46778399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	179	47041199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	180	47303999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	181	47566799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	182	47829599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	183	48092399	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	184	48355199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	185	48617999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	186	48880799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	187	49143599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	188	49406399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	189	49669199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	190	49931999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	191	50194799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	192	50457599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	193	50720399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	194	50983199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	195	51245999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	196	51508799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	197	51771599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	198	52034399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	199	52297199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	200	52559999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	201	52822799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	202	53085599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	203	53348399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	204	53611199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	205	53873999	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	206	54136799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	207	54399599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	208	54662399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	209	54925199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	210	55187999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	211	55450799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	212	55713599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	213	55976399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	214	56239199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	215	56501999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	216	56764799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	217	57027599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	218	57290399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	219	57553199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	220	57815999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	221	58078799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	222	58341599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	223	58604399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	224	58867199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	225	59129999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	226	59392799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	227	59655599	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	228	59918399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	229	60181199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	230	60443999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	231	60706799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	232	60969599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	233	61232399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	234	61495199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	235	61757999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	236	62020799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	237	62283599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	238	62546399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	239	62809199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	240	63071999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	241	63334799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	242	63597599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	243	63860399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	244	64123199	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	245	64385999	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	246	64648799	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	247	64911599	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	248	65174399	1	100.0000	0.25000000	65700.00000000
burn_100	Burn On (100% block capacity)	249	65437199	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1-8 of 19

scenario_key	scenario_label	year	end_height	burn_active	capacity_pct	reward_per_block_atho	annual_issuance_atho
burn_100	Burn On (100% block capacity)	250	65699999	1	100.0000	0.25000000	65700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] scenario_label: Human-readable scenario name used in charts and summary tables.
[4] year: Model year index from genesis (0..250).
[5] end_height: Inclusive ending block height for the row interval.
[6] burn_active: 1 means tail-era burn rules apply for that sampled year; 0 means burn is inactive.
[7] capacity_pct: Assumed block-byte utilization level for the scenario, as percent of max block bytes.
[8] reward_per_block_atho: Consensus block subsidy active at sampled height (ATHO/block).
[9] annual_issuance_atho: Coins newly minted during the sampled year (ATHO/year).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
no_burn_1?	131400.00000000	0E-8	131400.00000000	2759400.00000000	2628000.00000000	0E-8	2628000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	2759400.00000000	5256000.00000000	0E-8	5256000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	2759400.00000000	7884000.00000000	0E-8	7884000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	2759400.00000000	10512000.00000000	0E-8	10512000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	2759400.00000000	13140000.00000000	0E-8	13140000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	1445400.00000000	14454000.00000000	0E-8	14454000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	1445400.00000000	15768000.00000000	0E-8	15768000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	1445400.00000000	17082000.00000000	0E-8	17082000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	1445400.00000000	18396000.00000000	0E-8	18396000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	1445400.00000000	19710000.00000000	0E-8	19710000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	788400.00000000	20367000.00000000	0E-8	20367000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	788400.00000000	21024000.00000000	0E-8	21024000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	788400.00000000	21681000.00000000	0E-8	21681000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	788400.00000000	22338000.00000000	0E-8	22338000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	788400.00000000	22995000.00000000	0E-8	22995000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	459900.00000000	23323500.00000000	0E-8	23323500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	459900.00000000	23652000.00000000	0E-8	23652000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	459900.00000000	23980500.00000000	0E-8	23980500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	459900.00000000	24309000.00000000	0E-8	24309000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	459900.00000000	24637500.00000000	0E-8	24637500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	295650.00000000	24801750.00000000	0E-8	24801750.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	295650.00000000	24966000.00000000	0E-8	24966000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	295650.00000000	25130250.00000000	0E-8	25130250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	295650.00000000	25294500.00000000	0E-8	25294500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	295650.00000000	25458750.00000000	0E-8	25458750.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	25540875.00000000	0E-8	25540875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	25623000.00000000	0E-8	25623000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	25705125.00000000	0E-8	25705125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	25787250.00000000	0E-8	25787250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	25869375.00000000	0E-8	25869375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	25951500.00000000	0E-8	25951500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26033625.00000000	0E-8	26033625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26115750.00000000	0E-8	26115750.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26197875.00000000	0E-8	26197875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26280000.00000000	0E-8	26280000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26362125.00000000	0E-8	26362125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26444250.00000000	0E-8	26444250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26526375.00000000	0E-8	26526375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26608500.00000000	0E-8	26608500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26690625.00000000	0E-8	26690625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26772750.00000000	0E-8	26772750.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26854875.00000000	0E-8	26854875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	26937000.00000000	0E-8	26937000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27019125.00000000	0E-8	27019125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27101250.00000000	0E-8	27101250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27183375.00000000	0E-8	27183375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27265500.00000000	0E-8	27265500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27347625.00000000	0E-8	27347625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27429750.00000000	0E-8	27429750.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27511875.00000000	0E-8	27511875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27594000.00000000	0E-8	27594000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27676125.00000000	0E-8	27676125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27758250.00000000	0E-8	27758250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27840375.00000000	0E-8	27840375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	27922500.00000000	0E-8	27922500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28004625.00000000	0E-8	28004625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28086750.00000000	0E-8	28086750.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28168875.00000000	0E-8	28168875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28251000.00000000	0E-8	28251000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28333125.00000000	0E-8	28333125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28415250.00000000	0E-8	28415250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28497375.00000000	0E-8	28497375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28579500.00000000	0E-8	28579500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28661625.00000000	0E-8	28661625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28743750.00000000	0E-8	28743750.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28825875.00000000	0E-8	28825875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28908000.00000000	0E-8	28908000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	28990125.00000000	0E-8	28990125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29072250.00000000	0E-8	29072250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29154375.00000000	0E-8	29154375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29236500.00000000	0E-8	29236500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29318625.00000000	0E-8	29318625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29400750.00000000	0E-8	29400750.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29482875.00000000	0E-8	29482875.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29565000.00000000	0E-8	29565000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29647125.00000000	0E-8	29647125.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29729250.00000000	0E-8	29729250.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29811375.00000000	0E-8	29811375.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29893500.00000000	0E-8	29893500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	213525.00000000	29975625.00000000	0E-8	29975625.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	201975.00000000	30046200.00000000	0E-8	30046200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30111900.00000000	0E-8	30111900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30177600.00000000	0E-8	30177600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30243300.00000000	0E-8	30243300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30309000.00000000	0E-8	30309000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30374700.00000000	0E-8	30374700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30440400.00000000	0E-8	30440400.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30506100.00000000	0E-8	30506100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30571800.00000000	0E-8	30571800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30637500.00000000	0E-8	30637500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30703200.00000000	0E-8	30703200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30768900.00000000	0E-8	30768900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30834600.00000000	0E-8	30834600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30900300.00000000	0E-8	30900300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	30966000.00000000	0E-8	30966000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31031700.00000000	0E-8	31031700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31097400.00000000	0E-8	31097400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31163100.00000000	0E-8	31163100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31228800.00000000	0E-8	31228800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31294500.00000000	0E-8	31294500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31360200.00000000	0E-8	31360200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31425900.00000000	0E-8	31425900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31491600.00000000	0E-8	31491600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31557300.00000000	0E-8	31557300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31623000.00000000	0E-8	31623000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31688700.00000000	0E-8	31688700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31754400.00000000	0E-8	31754400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31820100.00000000	0E-8	31820100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31885800.00000000	0E-8	31885800.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	31951500.00000000	0E-8	31951500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32017200.00000000	0E-8	32017200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32082900.00000000	0E-8	32082900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32148600.00000000	0E-8	32148600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32214300.00000000	0E-8	32214300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32280000.00000000	0E-8	32280000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32345700.00000000	0E-8	32345700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32411400.00000000	0E-8	32411400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32477100.00000000	0E-8	32477100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32542800.00000000	0E-8	32542800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32608500.00000000	0E-8	32608500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32674200.00000000	0E-8	32674200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32739900.00000000	0E-8	32739900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32805600.00000000	0E-8	32805600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32871300.00000000	0E-8	32871300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	32937000.00000000	0E-8	32937000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33002700.00000000	0E-8	33002700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33068400.00000000	0E-8	33068400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33134100.00000000	0E-8	33134100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33199800.00000000	0E-8	33199800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33265500.00000000	0E-8	33265500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33331200.00000000	0E-8	33331200.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33396900.00000000	0E-8	33396900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33462600.00000000	0E-8	33462600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33528300.00000000	0E-8	33528300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33594000.00000000	0E-8	33594000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33659700.00000000	0E-8	33659700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33725400.00000000	0E-8	33725400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33791100.00000000	0E-8	33791100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33856800.00000000	0E-8	33856800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33922500.00000000	0E-8	33922500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	33988200.00000000	0E-8	33988200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34053900.00000000	0E-8	34053900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34119600.00000000	0E-8	34119600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34185300.00000000	0E-8	34185300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34251000.00000000	0E-8	34251000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34316700.00000000	0E-8	34316700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34382400.00000000	0E-8	34382400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34448100.00000000	0E-8	34448100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34513800.00000000	0E-8	34513800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34579500.00000000	0E-8	34579500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34645200.00000000	0E-8	34645200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34710900.00000000	0E-8	34710900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34776600.00000000	0E-8	34776600.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34842300.00000000	0E-8	34842300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34908000.00000000	0E-8	34908000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	34973700.00000000	0E-8	34973700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35039400.00000000	0E-8	35039400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35105100.00000000	0E-8	35105100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35170800.00000000	0E-8	35170800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35236500.00000000	0E-8	35236500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35302200.00000000	0E-8	35302200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35367900.00000000	0E-8	35367900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35433600.00000000	0E-8	35433600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35499300.00000000	0E-8	35499300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35565000.00000000	0E-8	35565000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35630700.00000000	0E-8	35630700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35696400.00000000	0E-8	35696400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35762100.00000000	0E-8	35762100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35827800.00000000	0E-8	35827800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35893500.00000000	0E-8	35893500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	35959200.00000000	0E-8	35959200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36024900.00000000	0E-8	36024900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36090600.00000000	0E-8	36090600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36156300.00000000	0E-8	36156300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36222000.00000000	0E-8	36222000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36287700.00000000	0E-8	36287700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36353400.00000000	0E-8	36353400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36419100.00000000	0E-8	36419100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36484800.00000000	0E-8	36484800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36550500.00000000	0E-8	36550500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36616200.00000000	0E-8	36616200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36681900.00000000	0E-8	36681900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36747600.00000000	0E-8	36747600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36813300.00000000	0E-8	36813300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36879000.00000000	0E-8	36879000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	36944700.00000000	0E-8	36944700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37010400.00000000	0E-8	37010400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37076100.00000000	0E-8	37076100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37141800.00000000	0E-8	37141800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37207500.00000000	0E-8	37207500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37273200.00000000	0E-8	37273200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37338900.00000000	0E-8	37338900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37404600.00000000	0E-8	37404600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37470300.00000000	0E-8	37470300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37536000.00000000	0E-8	37536000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37601700.00000000	0E-8	37601700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37667400.00000000	0E-8	37667400.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37733100.00000000	0E-8	37733100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37798800.00000000	0E-8	37798800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37864500.00000000	0E-8	37864500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37930200.00000000	0E-8	37930200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	37995900.00000000	0E-8	37995900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38061600.00000000	0E-8	38061600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38127300.00000000	0E-8	38127300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38193000.00000000	0E-8	38193000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38258700.00000000	0E-8	38258700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38324400.00000000	0E-8	38324400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38390100.00000000	0E-8	38390100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38455800.00000000	0E-8	38455800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38521500.00000000	0E-8	38521500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38587200.00000000	0E-8	38587200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38652900.00000000	0E-8	38652900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38718600.00000000	0E-8	38718600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38784300.00000000	0E-8	38784300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38850000.00000000	0E-8	38850000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38915700.00000000	0E-8	38915700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	38981400.00000000	0E-8	38981400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39047100.00000000	0E-8	39047100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39112800.00000000	0E-8	39112800.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39178500.00000000	0E-8	39178500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39244200.00000000	0E-8	39244200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39309900.00000000	0E-8	39309900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39375600.00000000	0E-8	39375600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39441300.00000000	0E-8	39441300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39507000.00000000	0E-8	39507000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39572700.00000000	0E-8	39572700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39638400.00000000	0E-8	39638400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39704100.00000000	0E-8	39704100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39769800.00000000	0E-8	39769800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39835500.00000000	0E-8	39835500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39901200.00000000	0E-8	39901200.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	39966900.00000000	0E-8	39966900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40032600.00000000	0E-8	40032600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40098300.00000000	0E-8	40098300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40164000.00000000	0E-8	40164000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40229700.00000000	0E-8	40229700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40295400.00000000	0E-8	40295400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40361100.00000000	0E-8	40361100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40426800.00000000	0E-8	40426800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40492500.00000000	0E-8	40492500.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40558200.00000000	0E-8	40558200.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40623900.00000000	0E-8	40623900.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40689600.00000000	0E-8	40689600.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40755300.00000000	0E-8	40755300.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40821000.00000000	0E-8	40821000.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40886700.00000000	0E-8	40886700.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	40952400.00000000	0E-8	40952400.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	41018100.00000000	0E-8	41018100.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	41083800.00000000	0E-8	41083800.00000000
no_burn_1?	131400.00000000	0E-8	131400.00000000	197100.00000000	41149500.00000000	0E-8	41149500.00000000
burn_25	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_25	32850.00000000	0E-8	32850.00000000	2660850.00000000	2628000.00000000	0E-8	2628000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	2660850.00000000	5256000.00000000	0E-8	5256000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	2660850.00000000	7884000.00000000	0E-8	7884000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	2660850.00000000	10512000.00000000	0E-8	10512000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	2660850.00000000	13140000.00000000	0E-8	13140000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	1346850.00000000	14454000.00000000	0E-8	14454000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	1346850.00000000	15768000.00000000	0E-8	15768000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	1346850.00000000	17082000.00000000	0E-8	17082000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	1346850.00000000	18396000.00000000	0E-8	18396000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	1346850.00000000	19710000.00000000	0E-8	19710000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	689850.00000000	20367000.00000000	0E-8	20367000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	689850.00000000	21024000.00000000	0E-8	21024000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	0E-8	32850.00000000	689850.00000000	21681000.00000000	0E-8	21681000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	689850.00000000	22338000.00000000	0E-8	22338000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	689850.00000000	22995000.00000000	0E-8	22995000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	361350.00000000	23323500.00000000	0E-8	23323500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	361350.00000000	23652000.00000000	0E-8	23652000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	361350.00000000	23980500.00000000	0E-8	23980500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	361350.00000000	24309000.00000000	0E-8	24309000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	361350.00000000	24637500.00000000	0E-8	24637500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	197100.00000000	24801750.00000000	0E-8	24801750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	197100.00000000	24966000.00000000	0E-8	24966000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	197100.00000000	25130250.00000000	0E-8	25130250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	197100.00000000	25294500.00000000	0E-8	25294500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	197100.00000000	25458750.00000000	0E-8	25458750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	25540875.00000000	0E-8	25540875.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	25623000.00000000	0E-8	25623000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	25705125.00000000	0E-8	25705125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	25787250.00000000	0E-8	25787250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	25869375.00000000	0E-8	25869375.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	25951500.00000000	0E-8	25951500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26033625.00000000	0E-8	26033625.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26115750.00000000	0E-8	26115750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26197875.00000000	0E-8	26197875.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26280000.00000000	0E-8	26280000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26362125.00000000	0E-8	26362125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26444250.00000000	0E-8	26444250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26526375.00000000	0E-8	26526375.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26608500.00000000	0E-8	26608500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26690625.00000000	0E-8	26690625.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26772750.00000000	0E-8	26772750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26854875.00000000	0E-8	26854875.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	26937000.00000000	0E-8	26937000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27019125.00000000	0E-8	27019125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27101250.00000000	0E-8	27101250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27183375.00000000	0E-8	27183375.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27265500.00000000	0E-8	27265500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27347625.00000000	0E-8	27347625.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27429750.00000000	0E-8	27429750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27511875.00000000	0E-8	27511875.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27594000.00000000	0E-8	27594000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27676125.00000000	0E-8	27676125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27758250.00000000	0E-8	27758250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27840375.00000000	0E-8	27840375.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	27922500.00000000	0E-8	27922500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28004625.00000000	0E-8	28004625.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28086750.00000000	0E-8	28086750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28168875.00000000	0E-8	28168875.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28251000.00000000	0E-8	28251000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28333125.00000000	0E-8	28333125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28415250.00000000	0E-8	28415250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28497375.00000000	0E-8	28497375.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28579500.00000000	0E-8	28579500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28661625.00000000	0E-8	28661625.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28743750.00000000	0E-8	28743750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28825875.00000000	0E-8	28825875.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28908000.00000000	0E-8	28908000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	28990125.00000000	0E-8	28990125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29072250.00000000	0E-8	29072250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29154375.00000000	0E-8	29154375.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29236500.00000000	0E-8	29236500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29318625.00000000	0E-8	29318625.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29400750.00000000	0E-8	29400750.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29482875.00000000	0E-8	29482875.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29565000.00000000	0E-8	29565000.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29647125.00000000	0E-8	29647125.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29729250.00000000	0E-8	29729250.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29811375.00000000	0E-8	29811375.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29893500.00000000	0E-8	29893500.00000000
burn_25	32850.00000000	0E-8	32850.00000000	114975.00000000	29975625.00000000	0E-8	29975625.00000000
burn_25	32850.00000000	32850.00000000	0E-8	70575.00000000	30046200.00000000	32850.00000000	30013350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30111900.00000000	65700.00000000	30046200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30177600.00000000	98550.00000000	30079050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30243300.00000000	131400.00000000	30111900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30309000.00000000	164250.00000000	30144750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30374700.00000000	197100.00000000	30177600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30440400.00000000	229950.00000000	30210450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30506100.00000000	262800.00000000	30243300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30571800.00000000	295650.00000000	30276150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30637500.00000000	328500.00000000	30309000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30703200.00000000	361350.00000000	30341850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30768900.00000000	394200.00000000	30374700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30834600.00000000	427050.00000000	30407550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30900300.00000000	459900.00000000	30440400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	30966000.00000000	492750.00000000	30473250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31031700.00000000	525600.00000000	30506100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31097400.00000000	558450.00000000	30538950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31163100.00000000	591300.00000000	30571800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31228800.00000000	624150.00000000	30604650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31294500.00000000	657000.00000000	30637500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31360200.00000000	689850.00000000	30670350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31425900.00000000	722700.00000000	30703200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31491600.00000000	755550.00000000	30736050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31557300.00000000	788400.00000000	30768900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31623000.00000000	821250.00000000	30801750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31688700.00000000	854100.00000000	30834600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31754400.00000000	886950.00000000	30867450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31820100.00000000	919800.00000000	30900300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31885800.00000000	952650.00000000	30933150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	31951500.00000000	985500.00000000	30966000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32017200.00000000	1018350.00000000	30998850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32082900.00000000	1051200.00000000	31031700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32148600.00000000	1084050.00000000	31064550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32214300.00000000	1116900.00000000	31097400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32280000.00000000	1149750.00000000	31130250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32345700.00000000	1182600.00000000	31163100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32411400.00000000	1215450.00000000	31195950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32477100.00000000	1248300.00000000	31228800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32542800.00000000	1281150.00000000	31261650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32608500.00000000	1314000.00000000	31294500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32674200.00000000	1346850.00000000	31327350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32739900.00000000	1379700.00000000	31360200.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32805600.00000000	1412550.00000000	31393050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32871300.00000000	1445400.00000000	31425900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	32937000.00000000	1478250.00000000	31458750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33002700.00000000	1511100.00000000	31491600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33068400.00000000	1543950.00000000	31524450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33134100.00000000	1576800.00000000	31557300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33199800.00000000	1609650.00000000	31590150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33265500.00000000	1642500.00000000	31623000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33331200.00000000	1675350.00000000	31655850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33396900.00000000	1708200.00000000	31688700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33462600.00000000	1741050.00000000	31721550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33528300.00000000	1773900.00000000	31754400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33594000.00000000	1806750.00000000	31787250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33659700.00000000	1839600.00000000	31820100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33725400.00000000	1872450.00000000	31852950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33791100.00000000	1905300.00000000	31885800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33856800.00000000	1938150.00000000	31918650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33922500.00000000	1971000.00000000	31951500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	33988200.00000000	2003850.00000000	31984350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34053900.00000000	2036700.00000000	32017200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34119600.00000000	2069550.00000000	32050050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34185300.00000000	2102400.00000000	32082900.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34251000.00000000	2135250.00000000	32115750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34316700.00000000	2168100.00000000	32148600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34382400.00000000	2200950.00000000	32181450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34448100.00000000	2233800.00000000	32214300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34513800.00000000	2266650.00000000	32247150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34579500.00000000	2299500.00000000	32280000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34645200.00000000	2332350.00000000	32312850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34710900.00000000	2365200.00000000	32345700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34776600.00000000	2398050.00000000	32378550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34842300.00000000	2430900.00000000	32411400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34908000.00000000	2463750.00000000	32444250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	34973700.00000000	2496600.00000000	32477100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35039400.00000000	2529450.00000000	32509950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35105100.00000000	2562300.00000000	32542800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35170800.00000000	2595150.00000000	32575650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35236500.00000000	2628000.00000000	32608500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35302200.00000000	2660850.00000000	32641350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35367900.00000000	2693700.00000000	32674200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35433600.00000000	2726550.00000000	32707050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35499300.00000000	2759400.00000000	32739900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35565000.00000000	2792250.00000000	32772750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35630700.00000000	2825100.00000000	32805600.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35696400.00000000	2857950.00000000	32838450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35762100.00000000	2890800.00000000	32871300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35827800.00000000	2923650.00000000	32904150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35893500.00000000	2956500.00000000	32937000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	35959200.00000000	2989350.00000000	32969850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36024900.00000000	3022200.00000000	33002700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36090600.00000000	3055050.00000000	33035550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36156300.00000000	3087900.00000000	33068400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36222000.00000000	3120750.00000000	33101250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36287700.00000000	3153600.00000000	33134100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36353400.00000000	3186450.00000000	33166950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36419100.00000000	3219300.00000000	33199800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36484800.00000000	3252150.00000000	33232650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36550500.00000000	3285000.00000000	33265500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36616200.00000000	3317850.00000000	33298350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36681900.00000000	3350700.00000000	33331200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36747600.00000000	3383550.00000000	33364050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36813300.00000000	3416400.00000000	33396900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36879000.00000000	3449250.00000000	33429750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	36944700.00000000	3482100.00000000	33462600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37010400.00000000	3514950.00000000	33495450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37076100.00000000	3547800.00000000	33528300.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37141800.00000000	3580650.00000000	33561150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37207500.00000000	3613500.00000000	33594000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37273200.00000000	3646350.00000000	33626850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37338900.00000000	3679200.00000000	33659700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37404600.00000000	3712050.00000000	33692550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37470300.00000000	3744900.00000000	33725400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37536000.00000000	3777750.00000000	33758250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37601700.00000000	3810600.00000000	33791100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37667400.00000000	3843450.00000000	33823950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37733100.00000000	3876300.00000000	33856800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37798800.00000000	3909150.00000000	33889650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37864500.00000000	3942000.00000000	33922500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37930200.00000000	3974850.00000000	33955350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	37995900.00000000	4007700.00000000	33988200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38061600.00000000	4040550.00000000	34021050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38127300.00000000	4073400.00000000	34053900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38193000.00000000	4106250.00000000	34086750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38258700.00000000	4139100.00000000	34119600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38324400.00000000	4171950.00000000	34152450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38390100.00000000	4204800.00000000	34185300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38455800.00000000	4237650.00000000	34218150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38521500.00000000	4270500.00000000	34251000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38587200.00000000	4303350.00000000	34283850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38652900.00000000	4336200.00000000	34316700.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38718600.00000000	4369050.00000000	34349550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38784300.00000000	4401900.00000000	34382400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38850000.00000000	4434750.00000000	34415250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38915700.00000000	4467600.00000000	34448100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	38981400.00000000	4500450.00000000	34480950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39047100.00000000	4533300.00000000	34513800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39112800.00000000	4566150.00000000	34546650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39178500.00000000	4599000.00000000	34579500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39244200.00000000	4631850.00000000	34612350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39309900.00000000	4664700.00000000	34645200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39375600.00000000	4697550.00000000	34678050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39441300.00000000	4730400.00000000	34710900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39507000.00000000	4763250.00000000	34743750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39572700.00000000	4796100.00000000	34776600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39638400.00000000	4828950.00000000	34809450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39704100.00000000	4861800.00000000	34842300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39769800.00000000	4894650.00000000	34875150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39835500.00000000	4927500.00000000	34908000.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39901200.00000000	4960350.00000000	34940850.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	39966900.00000000	4993200.00000000	34973700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40032600.00000000	5026050.00000000	35006550.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40098300.00000000	5058900.00000000	35039400.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40164000.00000000	5091750.00000000	35072250.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40229700.00000000	5124600.00000000	35105100.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40295400.00000000	5157450.00000000	35137950.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40361100.00000000	5190300.00000000	35170800.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40426800.00000000	5223150.00000000	35203650.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40492500.00000000	5256000.00000000	35236500.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40558200.00000000	5288850.00000000	35269350.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40623900.00000000	5321700.00000000	35302200.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40689600.00000000	5354550.00000000	35335050.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40755300.00000000	5387400.00000000	35367900.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40821000.00000000	5420250.00000000	35400750.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40886700.00000000	5453100.00000000	35433600.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	40952400.00000000	5485950.00000000	35466450.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	41018100.00000000	5518800.00000000	35499300.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	41083800.00000000	5551650.00000000	35532150.00000000
burn_25	32850.00000000	32850.00000000	0E-8	65700.00000000	41149500.00000000	5584500.00000000	35565000.00000000
burn_50	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_50	65700.00000000	0E-8	65700.00000000	2693700.00000000	2628000.00000000	0E-8	2628000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	2693700.00000000	5256000.00000000	0E-8	5256000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	2693700.00000000	7884000.00000000	0E-8	7884000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	0E-8	65700.00000000	2693700.00000000	10512000.00000000	0E-8	10512000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	2693700.00000000	13140000.00000000	0E-8	13140000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	1379700.00000000	14454000.00000000	0E-8	14454000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	1379700.00000000	15768000.00000000	0E-8	15768000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	1379700.00000000	17082000.00000000	0E-8	17082000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	1379700.00000000	18396000.00000000	0E-8	18396000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	1379700.00000000	19710000.00000000	0E-8	19710000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	722700.00000000	20367000.00000000	0E-8	20367000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	722700.00000000	21024000.00000000	0E-8	21024000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	722700.00000000	21681000.00000000	0E-8	21681000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	722700.00000000	22338000.00000000	0E-8	22338000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	722700.00000000	22995000.00000000	0E-8	22995000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	394200.00000000	23323500.00000000	0E-8	23323500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	394200.00000000	23652000.00000000	0E-8	23652000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	394200.00000000	23980500.00000000	0E-8	23980500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	394200.00000000	24309000.00000000	0E-8	24309000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	394200.00000000	24637500.00000000	0E-8	24637500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	229950.00000000	24801750.00000000	0E-8	24801750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	229950.00000000	24966000.00000000	0E-8	24966000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	229950.00000000	25130250.00000000	0E-8	25130250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	229950.00000000	25294500.00000000	0E-8	25294500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	229950.00000000	25458750.00000000	0E-8	25458750.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	25540875.00000000	0E-8	25540875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	25623000.00000000	0E-8	25623000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	25705125.00000000	0E-8	25705125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	25787250.00000000	0E-8	25787250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	25869375.00000000	0E-8	25869375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	25951500.00000000	0E-8	25951500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26033625.00000000	0E-8	26033625.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26115750.00000000	0E-8	26115750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26197875.00000000	0E-8	26197875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26280000.00000000	0E-8	26280000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26362125.00000000	0E-8	26362125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26444250.00000000	0E-8	26444250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26526375.00000000	0E-8	26526375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26608500.00000000	0E-8	26608500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26690625.00000000	0E-8	26690625.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26772750.00000000	0E-8	26772750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26854875.00000000	0E-8	26854875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	26937000.00000000	0E-8	26937000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27019125.00000000	0E-8	27019125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27101250.00000000	0E-8	27101250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27183375.00000000	0E-8	27183375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27265500.00000000	0E-8	27265500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27347625.00000000	0E-8	27347625.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27429750.00000000	0E-8	27429750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27511875.00000000	0E-8	27511875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27594000.00000000	0E-8	27594000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27676125.00000000	0E-8	27676125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27758250.00000000	0E-8	27758250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27840375.00000000	0E-8	27840375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	27922500.00000000	0E-8	27922500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28004625.00000000	0E-8	28004625.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28086750.00000000	0E-8	28086750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28168875.00000000	0E-8	28168875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28251000.00000000	0E-8	28251000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28333125.00000000	0E-8	28333125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28415250.00000000	0E-8	28415250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28497375.00000000	0E-8	28497375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28579500.00000000	0E-8	28579500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28661625.00000000	0E-8	28661625.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28743750.00000000	0E-8	28743750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28825875.00000000	0E-8	28825875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28908000.00000000	0E-8	28908000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	28990125.00000000	0E-8	28990125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29072250.00000000	0E-8	29072250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29154375.00000000	0E-8	29154375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29236500.00000000	0E-8	29236500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29318625.00000000	0E-8	29318625.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29400750.00000000	0E-8	29400750.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29482875.00000000	0E-8	29482875.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29565000.00000000	0E-8	29565000.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29647125.00000000	0E-8	29647125.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29729250.00000000	0E-8	29729250.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29811375.00000000	0E-8	29811375.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29893500.00000000	0E-8	29893500.00000000
burn_50	65700.00000000	0E-8	65700.00000000	147825.00000000	29975625.00000000	0E-8	29975625.00000000
burn_50	65700.00000000	65700.00000000	0E-8	70575.00000000	30046200.00000000	65700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30111900.00000000	131400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30177600.00000000	197100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30243300.00000000	262800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30309000.00000000	328500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30374700.00000000	394200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30440400.00000000	459900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30506100.00000000	525600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30571800.00000000	591300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30637500.00000000	657000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30703200.00000000	722700.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30768900.00000000	788400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30834600.00000000	854100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30900300.00000000	919800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	30966000.00000000	985500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31031700.00000000	1051200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31097400.00000000	1116900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31163100.00000000	1182600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31228800.00000000	1248300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31294500.00000000	1314000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31360200.00000000	1379700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31425900.00000000	1445400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31491600.00000000	1511100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31557300.00000000	1576800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31623000.00000000	1642500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31688700.00000000	1708200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31754400.00000000	1773900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31820100.00000000	1839600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31885800.00000000	1905300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	31951500.00000000	1971000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32017200.00000000	2036700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32082900.00000000	2102400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32148600.00000000	2168100.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32214300.00000000	2233800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32280000.00000000	2299500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32345700.00000000	2365200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32411400.00000000	2430900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32477100.00000000	2496600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32542800.00000000	2562300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32608500.00000000	2628000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32674200.00000000	2693700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32739900.00000000	2759400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32805600.00000000	2825100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32871300.00000000	2890800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	32937000.00000000	2956500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33002700.00000000	3022200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33068400.00000000	3087900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33134100.00000000	3153600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33199800.00000000	3219300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33265500.00000000	3285000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33331200.00000000	3350700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33396900.00000000	3416400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33462600.00000000	3482100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33528300.00000000	3547800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33594000.00000000	3613500.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33659700.00000000	3679200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33725400.00000000	3744900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33791100.00000000	3810600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33856800.00000000	3876300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33922500.00000000	3942000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	33988200.00000000	4007700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34053900.00000000	4073400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34119600.00000000	4139100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34185300.00000000	4204800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34251000.00000000	4270500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34316700.00000000	4336200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34382400.00000000	4401900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34448100.00000000	4467600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34513800.00000000	4533300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34579500.00000000	4599000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34645200.00000000	4664700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34710900.00000000	4730400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34776600.00000000	4796100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34842300.00000000	4861800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34908000.00000000	4927500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	34973700.00000000	4993200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35039400.00000000	5058900.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35105100.00000000	5124600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35170800.00000000	5190300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35236500.00000000	5256000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35302200.00000000	5321700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35367900.00000000	5387400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35433600.00000000	5453100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35499300.00000000	5518800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35565000.00000000	5584500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35630700.00000000	5650200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35696400.00000000	5715900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35762100.00000000	5781600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35827800.00000000	5847300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35893500.00000000	5913000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	35959200.00000000	5978700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36024900.00000000	6044400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36090600.00000000	6110100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36156300.00000000	6175800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36222000.00000000	6241500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36287700.00000000	6307200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36353400.00000000	6372900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36419100.00000000	6438600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36484800.00000000	6504300.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36550500.00000000	6570000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36616200.00000000	6635700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36681900.00000000	6701400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36747600.00000000	6767100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36813300.00000000	6832800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36879000.00000000	6898500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	36944700.00000000	6964200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37010400.00000000	7029900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37076100.00000000	7095600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37141800.00000000	7161300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37207500.00000000	7227000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37273200.00000000	7292700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37338900.00000000	7358400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37404600.00000000	7424100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37470300.00000000	7489800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37536000.00000000	7555500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37601700.00000000	7621200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37667400.00000000	7686900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37733100.00000000	7752600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37798800.00000000	7818300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37864500.00000000	7884000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37930200.00000000	7949700.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	37995900.00000000	8015400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38061600.00000000	8081100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38127300.00000000	8146800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38193000.00000000	8212500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38258700.00000000	8278200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38324400.00000000	8343900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38390100.00000000	8409600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38455800.00000000	8475300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38521500.00000000	8541000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38587200.00000000	8606700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38652900.00000000	8672400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38718600.00000000	8738100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38784300.00000000	8803800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38850000.00000000	8869500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38915700.00000000	8935200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	38981400.00000000	9000900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39047100.00000000	9066600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39112800.00000000	9132300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39178500.00000000	9198000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39244200.00000000	9263700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39309900.00000000	9329400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39375600.00000000	9395100.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39441300.00000000	9460800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39507000.00000000	9526500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39572700.00000000	9592200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39638400.00000000	9657900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39704100.00000000	9723600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39769800.00000000	9789300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39835500.00000000	9855000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39901200.00000000	9920700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	39966900.00000000	9986400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40032600.00000000	10052100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40098300.00000000	10117800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40164000.00000000	10183500.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40229700.00000000	10249200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40295400.00000000	10314900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40361100.00000000	10380600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40426800.00000000	10446300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40492500.00000000	10512000.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40558200.00000000	10577700.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40623900.00000000	10643400.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40689600.00000000	10709100.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40755300.00000000	10774800.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40821000.00000000	10840500.00000000	29980500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40886700.00000000	10906200.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	40952400.00000000	10971900.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	41018100.00000000	11037600.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	41083800.00000000	11103300.00000000	29980500.00000000
burn_50	65700.00000000	65700.00000000	0E-8	65700.00000000	41149500.00000000	11169000.00000000	29980500.00000000
burn_75	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_75	98550.00000000	0E-8	98550.00000000	2726550.00000000	2628000.00000000	0E-8	2628000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	2726550.00000000	5256000.00000000	0E-8	5256000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	2726550.00000000	7884000.00000000	0E-8	7884000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	2726550.00000000	10512000.00000000	0E-8	10512000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	2726550.00000000	13140000.00000000	0E-8	13140000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	1412550.00000000	14454000.00000000	0E-8	14454000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	1412550.00000000	15768000.00000000	0E-8	15768000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	1412550.00000000	17082000.00000000	0E-8	17082000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	1412550.00000000	18396000.00000000	0E-8	18396000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	1412550.00000000	19710000.00000000	0E-8	19710000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	755550.00000000	20367000.00000000	0E-8	20367000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	755550.00000000	21024000.00000000	0E-8	21024000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	755550.00000000	21681000.00000000	0E-8	21681000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	755550.00000000	22338000.00000000	0E-8	22338000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	755550.00000000	22995000.00000000	0E-8	22995000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	427050.00000000	23323500.00000000	0E-8	23323500.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	0E-8	98550.00000000	427050.00000000	23652000.00000000	0E-8	23652000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	427050.00000000	23980500.00000000	0E-8	23980500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	427050.00000000	24309000.00000000	0E-8	24309000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	427050.00000000	24637500.00000000	0E-8	24637500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	262800.00000000	24801750.00000000	0E-8	24801750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	262800.00000000	24966000.00000000	0E-8	24966000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	262800.00000000	25130250.00000000	0E-8	25130250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	262800.00000000	25294500.00000000	0E-8	25294500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	262800.00000000	25458750.00000000	0E-8	25458750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	25540875.00000000	0E-8	25540875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	25623000.00000000	0E-8	25623000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	25705125.00000000	0E-8	25705125.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	25787250.00000000	0E-8	25787250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	25869375.00000000	0E-8	25869375.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	25951500.00000000	0E-8	25951500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26033625.00000000	0E-8	26033625.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26115750.00000000	0E-8	26115750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26197875.00000000	0E-8	26197875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26280000.00000000	0E-8	26280000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26362125.00000000	0E-8	26362125.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26444250.00000000	0E-8	26444250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26526375.00000000	0E-8	26526375.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26608500.00000000	0E-8	26608500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26690625.00000000	0E-8	26690625.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26772750.00000000	0E-8	26772750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26854875.00000000	0E-8	26854875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	26937000.00000000	0E-8	26937000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27019125.00000000	0E-8	27019125.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27101250.00000000	0E-8	27101250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27183375.00000000	0E-8	27183375.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27265500.00000000	0E-8	27265500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27347625.00000000	0E-8	27347625.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27429750.00000000	0E-8	27429750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27511875.00000000	0E-8	27511875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27594000.00000000	0E-8	27594000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27676125.00000000	0E-8	27676125.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27758250.00000000	0E-8	27758250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27840375.00000000	0E-8	27840375.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	27922500.00000000	0E-8	27922500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28004625.00000000	0E-8	28004625.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28086750.00000000	0E-8	28086750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28168875.00000000	0E-8	28168875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28251000.00000000	0E-8	28251000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28333125.00000000	0E-8	28333125.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28415250.00000000	0E-8	28415250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28497375.00000000	0E-8	28497375.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28579500.00000000	0E-8	28579500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28661625.00000000	0E-8	28661625.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28743750.00000000	0E-8	28743750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28825875.00000000	0E-8	28825875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28908000.00000000	0E-8	28908000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	28990125.00000000	0E-8	28990125.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29072250.00000000	0E-8	29072250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29154375.00000000	0E-8	29154375.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29236500.00000000	0E-8	29236500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29318625.00000000	0E-8	29318625.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29400750.00000000	0E-8	29400750.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29482875.00000000	0E-8	29482875.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29565000.00000000	0E-8	29565000.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29647125.00000000	0E-8	29647125.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29729250.00000000	0E-8	29729250.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29811375.00000000	0E-8	29811375.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29893500.00000000	0E-8	29893500.00000000
burn_75	98550.00000000	0E-8	98550.00000000	180675.00000000	29975625.00000000	0E-8	29975625.00000000
burn_75	98550.00000000	98550.00000000	0E-8	70575.00000000	30046200.00000000	98550.00000000	29947650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30111900.00000000	197100.00000000	29914800.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30177600.00000000	295650.00000000	29881950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30243300.00000000	394200.00000000	29849100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30309000.00000000	492750.00000000	29816250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30374700.00000000	591300.00000000	29783400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30440400.00000000	689850.00000000	29750550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30506100.00000000	788400.00000000	29717700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30571800.00000000	886950.00000000	29684850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30637500.00000000	985500.00000000	29652000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30703200.00000000	1084050.00000000	29619150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30768900.00000000	1182600.00000000	29586300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30834600.00000000	1281150.00000000	29553450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30900300.00000000	1379700.00000000	29520600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	30966000.00000000	1478250.00000000	29487750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31031700.00000000	1576800.00000000	29454900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31097400.00000000	1675350.00000000	29422050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31163100.00000000	1773900.00000000	29389200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31228800.00000000	1872450.00000000	29356350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31294500.00000000	1971000.00000000	29323500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31360200.00000000	2069550.00000000	29290650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31425900.00000000	2168100.00000000	29257800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31491600.00000000	2266650.00000000	29224950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31557300.00000000	2365200.00000000	29192100.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31623000.00000000	2463750.00000000	29159250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31688700.00000000	2562300.00000000	29126400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31754400.00000000	2660850.00000000	29093550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31820100.00000000	2759400.00000000	29060700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31885800.00000000	2857950.00000000	29027850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	31951500.00000000	2956500.00000000	28995000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32017200.00000000	3055050.00000000	28962150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32082900.00000000	3153600.00000000	28929300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32148600.00000000	3252150.00000000	28896450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32214300.00000000	3350700.00000000	28863600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32280000.00000000	3449250.00000000	28830750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32345700.00000000	3547800.00000000	28797900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32411400.00000000	3646350.00000000	28765050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32477100.00000000	3744900.00000000	28732200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32542800.00000000	3843450.00000000	28699350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32608500.00000000	3942000.00000000	28666500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32674200.00000000	4040550.00000000	28633650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32739900.00000000	4139100.00000000	28600800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32805600.00000000	4237650.00000000	28567950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32871300.00000000	4336200.00000000	28535100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	32937000.00000000	4434750.00000000	28502250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33002700.00000000	4533300.00000000	28469400.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33068400.00000000	4631850.00000000	28436550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33134100.00000000	4730400.00000000	28403700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33199800.00000000	4828950.00000000	28370850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33265500.00000000	4927500.00000000	28338000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33331200.00000000	5026050.00000000	28305150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33396900.00000000	5124600.00000000	28272300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33462600.00000000	5223150.00000000	28239450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33528300.00000000	5321700.00000000	28206600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33594000.00000000	5420250.00000000	28173750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33659700.00000000	5518800.00000000	28140900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33725400.00000000	5617350.00000000	28108050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33791100.00000000	5715900.00000000	28075200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33856800.00000000	5814450.00000000	28042350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33922500.00000000	5913000.00000000	28009500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	33988200.00000000	6011550.00000000	27976650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34053900.00000000	6110100.00000000	27943800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34119600.00000000	6208650.00000000	27910950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34185300.00000000	6307200.00000000	27878100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34251000.00000000	6405750.00000000	27845250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34316700.00000000	6504300.00000000	27812400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34382400.00000000	6602850.00000000	27779550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34448100.00000000	6701400.00000000	27746700.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34513800.00000000	6799950.00000000	27713850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34579500.00000000	6898500.00000000	27681000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34645200.00000000	6997050.00000000	27648150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34710900.00000000	7095600.00000000	27615300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34776600.00000000	7194150.00000000	27582450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34842300.00000000	7292700.00000000	27549600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34908000.00000000	7391250.00000000	27516750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	34973700.00000000	7489800.00000000	27483900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35039400.00000000	7588350.00000000	27451050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35105100.00000000	7686900.00000000	27418200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35170800.00000000	7785450.00000000	27385350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35236500.00000000	7884000.00000000	27352500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35302200.00000000	7982550.00000000	27319650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35367900.00000000	8081100.00000000	27286800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35433600.00000000	8179650.00000000	27253950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35499300.00000000	8278200.00000000	27221100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35565000.00000000	8376750.00000000	27188250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35630700.00000000	8475300.00000000	27155400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35696400.00000000	8573850.00000000	27122550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35762100.00000000	8672400.00000000	27089700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35827800.00000000	8770950.00000000	27056850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35893500.00000000	8869500.00000000	27024000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	35959200.00000000	8968050.00000000	26991150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36024900.00000000	9066600.00000000	26958300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36090600.00000000	9165150.00000000	26925450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36156300.00000000	9263700.00000000	26892600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36222000.00000000	9362250.00000000	26859750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36287700.00000000	9460800.00000000	26826900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36353400.00000000	9559350.00000000	26794050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36419100.00000000	9657900.00000000	26761200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36484800.00000000	9756450.00000000	26728350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36550500.00000000	9855000.00000000	26695500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36616200.00000000	9953550.00000000	26662650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36681900.00000000	10052100.00000000	26629800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36747600.00000000	10150650.00000000	26596950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36813300.00000000	10249200.00000000	26564100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36879000.00000000	10347750.00000000	26531250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	36944700.00000000	10446300.00000000	26498400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37010400.00000000	10544850.00000000	26465550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37076100.00000000	10643400.00000000	26432700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37141800.00000000	10741950.00000000	26399850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37207500.00000000	10840500.00000000	26367000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37273200.00000000	10939050.00000000	26334150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37338900.00000000	11037600.00000000	26301300.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37404600.00000000	11136150.00000000	26268450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37470300.00000000	11234700.00000000	26235600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37536000.00000000	11333250.00000000	26202750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37601700.00000000	11431800.00000000	26169900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37667400.00000000	11530350.00000000	26137050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37733100.00000000	11628900.00000000	26104200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37798800.00000000	11727450.00000000	26071350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37864500.00000000	11826000.00000000	26038500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37930200.00000000	11924550.00000000	26005650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	37995900.00000000	12023100.00000000	25972800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38061600.00000000	12121650.00000000	25939950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38127300.00000000	12220200.00000000	25907100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38193000.00000000	12318750.00000000	25874250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38258700.00000000	12417300.00000000	25841400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38324400.00000000	12515850.00000000	25808550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38390100.00000000	12614400.00000000	25775700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38455800.00000000	12712950.00000000	25742850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38521500.00000000	12811500.00000000	25710000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38587200.00000000	12910050.00000000	25677150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38652900.00000000	13008600.00000000	25644300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38718600.00000000	13107150.00000000	25611450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38784300.00000000	13205700.00000000	25578600.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38850000.00000000	13304250.00000000	25545750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38915700.00000000	13402800.00000000	25512900.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	38981400.00000000	13501350.00000000	25480050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39047100.00000000	13599900.00000000	25447200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39112800.00000000	13698450.00000000	25414350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39178500.00000000	13797000.00000000	25381500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39244200.00000000	13895550.00000000	25348650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39309900.00000000	13994100.00000000	25315800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39375600.00000000	14092650.00000000	25282950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39441300.00000000	14191200.00000000	25250100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39507000.00000000	14289750.00000000	25217250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39572700.00000000	14388300.00000000	25184400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39638400.00000000	14486850.00000000	25151550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39704100.00000000	14585400.00000000	25118700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39769800.00000000	14683950.00000000	25085850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39835500.00000000	14782500.00000000	25053000.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39901200.00000000	14881050.00000000	25020150.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	39966900.00000000	14979600.00000000	24987300.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40032600.00000000	15078150.00000000	24954450.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40098300.00000000	15176700.00000000	24921600.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40164000.00000000	15275250.00000000	24888750.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40229700.00000000	15373800.00000000	24855900.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40295400.00000000	15472350.00000000	24823050.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40361100.00000000	15570900.00000000	24790200.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40426800.00000000	15669450.00000000	24757350.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40492500.00000000	15768000.00000000	24724500.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40558200.00000000	15866550.00000000	24691650.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40623900.00000000	15965100.00000000	24658800.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40689600.00000000	16063650.00000000	24625950.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40755300.00000000	16162200.00000000	24593100.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40821000.00000000	16260750.00000000	24560250.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40886700.00000000	16359300.00000000	24527400.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	40952400.00000000	16457850.00000000	24494550.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	41018100.00000000	16556400.00000000	24461700.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	41083800.00000000	16654950.00000000	24428850.00000000
burn_75	98550.00000000	98550.00000000	0E-8	65700.00000000	41149500.00000000	16753500.00000000	24396000.00000000
burn_100	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8	0E-8
burn_100	131400.00000000	0E-8	131400.00000000	2759400.00000000	2628000.00000000	0E-8	2628000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	2759400.00000000	5256000.00000000	0E-8	5256000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	2759400.00000000	7884000.00000000	0E-8	7884000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	2759400.00000000	10512000.00000000	0E-8	10512000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	2759400.00000000	13140000.00000000	0E-8	13140000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	1445400.00000000	14454000.00000000	0E-8	14454000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	1445400.00000000	15768000.00000000	0E-8	15768000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	0E-8	131400.00000000	1445400.00000000	17082000.00000000	0E-8	17082000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	1445400.00000000	18396000.00000000	0E-8	18396000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	1445400.00000000	19710000.00000000	0E-8	19710000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	788400.00000000	20367000.00000000	0E-8	20367000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	788400.00000000	21024000.00000000	0E-8	21024000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	788400.00000000	21681000.00000000	0E-8	21681000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	788400.00000000	22338000.00000000	0E-8	22338000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	788400.00000000	22995000.00000000	0E-8	22995000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	459900.00000000	23323500.00000000	0E-8	23323500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	459900.00000000	23652000.00000000	0E-8	23652000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	459900.00000000	23980500.00000000	0E-8	23980500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	459900.00000000	24309000.00000000	0E-8	24309000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	459900.00000000	24637500.00000000	0E-8	24637500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	295650.00000000	24801750.00000000	0E-8	24801750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	295650.00000000	24966000.00000000	0E-8	24966000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	295650.00000000	25130250.00000000	0E-8	25130250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	295650.00000000	25294500.00000000	0E-8	25294500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	295650.00000000	25458750.00000000	0E-8	25458750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	25540875.00000000	0E-8	25540875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	25623000.00000000	0E-8	25623000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	25705125.00000000	0E-8	25705125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	25787250.00000000	0E-8	25787250.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	25869375.00000000	0E-8	25869375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	25951500.00000000	0E-8	25951500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26033625.00000000	0E-8	26033625.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26115750.00000000	0E-8	26115750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26197875.00000000	0E-8	26197875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26280000.00000000	0E-8	26280000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26362125.00000000	0E-8	26362125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26444250.00000000	0E-8	26444250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26526375.00000000	0E-8	26526375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26608500.00000000	0E-8	26608500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26690625.00000000	0E-8	26690625.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26772750.00000000	0E-8	26772750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26854875.00000000	0E-8	26854875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	26937000.00000000	0E-8	26937000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27019125.00000000	0E-8	27019125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27101250.00000000	0E-8	27101250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27183375.00000000	0E-8	27183375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27265500.00000000	0E-8	27265500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27347625.00000000	0E-8	27347625.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27429750.00000000	0E-8	27429750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27511875.00000000	0E-8	27511875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27594000.00000000	0E-8	27594000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27676125.00000000	0E-8	27676125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27758250.00000000	0E-8	27758250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27840375.00000000	0E-8	27840375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	27922500.00000000	0E-8	27922500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28004625.00000000	0E-8	28004625.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28086750.00000000	0E-8	28086750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28168875.00000000	0E-8	28168875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28251000.00000000	0E-8	28251000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28333125.00000000	0E-8	28333125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28415250.00000000	0E-8	28415250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28497375.00000000	0E-8	28497375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28579500.00000000	0E-8	28579500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28661625.00000000	0E-8	28661625.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28743750.00000000	0E-8	28743750.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28825875.00000000	0E-8	28825875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28908000.00000000	0E-8	28908000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	28990125.00000000	0E-8	28990125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29072250.00000000	0E-8	29072250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29154375.00000000	0E-8	29154375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29236500.00000000	0E-8	29236500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29318625.00000000	0E-8	29318625.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29400750.00000000	0E-8	29400750.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29482875.00000000	0E-8	29482875.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29565000.00000000	0E-8	29565000.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29647125.00000000	0E-8	29647125.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29729250.00000000	0E-8	29729250.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29811375.00000000	0E-8	29811375.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29893500.00000000	0E-8	29893500.00000000
burn_100	131400.00000000	0E-8	131400.00000000	213525.00000000	29975625.00000000	0E-8	29975625.00000000
burn_100	131400.00000000	131400.000000?	0E-8	70575.00000000	30046200.00000000	131400.00000000	29914800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30111900.00000000	262800.00000000	29849100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30177600.00000000	394200.00000000	29783400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30243300.00000000	525600.00000000	29717700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30309000.00000000	657000.00000000	29652000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30374700.00000000	788400.00000000	29586300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30440400.00000000	919800.00000000	29520600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30506100.00000000	1051200.00000000	29454900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30571800.00000000	1182600.00000000	29389200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30637500.00000000	1314000.00000000	29323500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30703200.00000000	1445400.00000000	29257800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30768900.00000000	1576800.00000000	29192100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30834600.00000000	1708200.00000000	29126400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30900300.00000000	1839600.00000000	29060700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	30966000.00000000	1971000.00000000	28995000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31031700.00000000	2102400.00000000	28929300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31097400.00000000	2233800.00000000	28863600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31163100.00000000	2365200.00000000	28797900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31228800.00000000	2496600.00000000	28732200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31294500.00000000	2628000.00000000	28666500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31360200.00000000	2759400.00000000	28600800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31425900.00000000	2890800.00000000	28535100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31491600.00000000	3022200.00000000	28469400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31557300.00000000	3153600.00000000	28403700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31623000.00000000	3285000.00000000	28338000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31688700.00000000	3416400.00000000	28272300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31754400.00000000	3547800.00000000	28206600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31820100.00000000	3679200.00000000	28140900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31885800.00000000	3810600.00000000	28075200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	31951500.00000000	3942000.00000000	28009500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32017200.00000000	4073400.00000000	27943800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32082900.00000000	4204800.00000000	27878100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32148600.00000000	4336200.00000000	27812400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32214300.00000000	4467600.00000000	27746700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32280000.00000000	4599000.00000000	27681000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32345700.00000000	4730400.00000000	27615300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32411400.00000000	4861800.00000000	27549600.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32477100.00000000	4993200.00000000	27483900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32542800.00000000	5124600.00000000	27418200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32608500.00000000	5256000.00000000	27352500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32674200.00000000	5387400.00000000	27286800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32739900.00000000	5518800.00000000	27221100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32805600.00000000	5650200.00000000	27155400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32871300.00000000	5781600.00000000	27089700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	32937000.00000000	5913000.00000000	27024000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33002700.00000000	6044400.00000000	26958300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33068400.00000000	6175800.00000000	26892600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33134100.00000000	6307200.00000000	26826900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33199800.00000000	6438600.00000000	26761200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33265500.00000000	6570000.00000000	26695500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33331200.00000000	6701400.00000000	26629800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33396900.00000000	6832800.00000000	26564100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33462600.00000000	6964200.00000000	26498400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33528300.00000000	7095600.00000000	26432700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33594000.00000000	7227000.00000000	26367000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33659700.00000000	7358400.00000000	26301300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33725400.00000000	7489800.00000000	26235600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33791100.00000000	7621200.00000000	26169900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33856800.00000000	7752600.00000000	26104200.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33922500.00000000	7884000.00000000	26038500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	33988200.00000000	8015400.00000000	25972800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34053900.00000000	8146800.00000000	25907100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34119600.00000000	8278200.00000000	25841400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34185300.00000000	8409600.00000000	25775700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34251000.00000000	8541000.00000000	25710000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34316700.00000000	8672400.00000000	25644300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34382400.00000000	8803800.00000000	25578600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34448100.00000000	8935200.00000000	25512900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34513800.00000000	9066600.00000000	25447200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34579500.00000000	9198000.00000000	25381500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34645200.00000000	9329400.00000000	25315800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34710900.00000000	9460800.00000000	25250100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34776600.00000000	9592200.00000000	25184400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34842300.00000000	9723600.00000000	25118700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34908000.00000000	9855000.00000000	25053000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	34973700.00000000	9986400.00000000	24987300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35039400.00000000	10117800.00000000	24921600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35105100.00000000	10249200.00000000	24855900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35170800.00000000	10380600.00000000	24790200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35236500.00000000	10512000.00000000	24724500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35302200.00000000	10643400.00000000	24658800.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35367900.00000000	10774800.00000000	24593100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35433600.00000000	10906200.00000000	24527400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35499300.00000000	11037600.00000000	24461700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35565000.00000000	11169000.00000000	24396000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35630700.00000000	11300400.00000000	24330300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35696400.00000000	11431800.00000000	24264600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35762100.00000000	11563200.00000000	24198900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35827800.00000000	11694600.00000000	24133200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35893500.00000000	11826000.00000000	24067500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	35959200.00000000	11957400.00000000	24001800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36024900.00000000	12088800.00000000	23936100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36090600.00000000	12220200.00000000	23870400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36156300.00000000	12351600.00000000	23804700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36222000.00000000	12483000.00000000	23739000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36287700.00000000	12614400.00000000	23673300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36353400.00000000	12745800.00000000	23607600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36419100.00000000	12877200.00000000	23541900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36484800.00000000	13008600.00000000	23476200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36550500.00000000	13140000.00000000	23410500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36616200.00000000	13271400.00000000	23344800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36681900.00000000	13402800.00000000	23279100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36747600.00000000	13534200.00000000	23213400.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36813300.00000000	13665600.00000000	23147700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36879000.00000000	13797000.00000000	23082000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	36944700.00000000	13928400.00000000	23016300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37010400.00000000	14059800.00000000	22950600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37076100.00000000	14191200.00000000	22884900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37141800.00000000	14322600.00000000	22819200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37207500.00000000	14454000.00000000	22753500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37273200.00000000	14585400.00000000	22687800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37338900.00000000	14716800.00000000	22622100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37404600.00000000	14848200.00000000	22556400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37470300.00000000	14979600.00000000	22490700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37536000.00000000	15111000.00000000	22425000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37601700.00000000	15242400.00000000	22359300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37667400.00000000	15373800.00000000	22293600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37733100.00000000	15505200.00000000	22227900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37798800.00000000	15636600.00000000	22162200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37864500.00000000	15768000.00000000	22096500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37930200.00000000	15899400.00000000	22030800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	37995900.00000000	16030800.00000000	21965100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38061600.00000000	16162200.00000000	21899400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38127300.00000000	16293600.00000000	21833700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38193000.00000000	16425000.00000000	21768000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38258700.00000000	16556400.00000000	21702300.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38324400.00000000	16687800.00000000	21636600.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38390100.00000000	16819200.00000000	21570900.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38455800.00000000	16950600.00000000	21505200.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38521500.00000000	17082000.00000000	21439500.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38587200.00000000	17213400.00000000	21373800.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38652900.00000000	17344800.00000000	21308100.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38718600.00000000	17476200.00000000	21242400.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38784300.00000000	17607600.00000000	21176700.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38850000.00000000	17739000.00000000	21111000.00000000
burn_100	131400.00000000	131400.000000?	0E-8	65700.00000000	38915700.00000000	17870400.00000000	21045300.00000000
burn_100	131400.00000000	111000.000000?	20400.00000000	86100.00000000	38981400.00000000	17981400.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39047100.00000000	18047100.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39112800.00000000	18112800.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39178500.00000000	18178500.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39244200.00000000	18244200.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39309900.00000000	18309900.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39375600.00000000	18375600.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39441300.00000000	18441300.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39507000.00000000	18507000.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39572700.00000000	18572700.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39638400.00000000	18638400.00000000	21000000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39704100.00000000	18704100.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39769800.00000000	18769800.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39835500.00000000	18835500.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39901200.00000000	18901200.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	39966900.00000000	18966900.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40032600.00000000	19032600.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40098300.00000000	19098300.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40164000.00000000	19164000.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40229700.00000000	19229700.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40295400.00000000	19295400.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40361100.00000000	19361100.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40426800.00000000	19426800.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40492500.00000000	19492500.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40558200.00000000	19558200.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40623900.00000000	19623900.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40689600.00000000	19689600.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40755300.00000000	19755300.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40821000.00000000	19821000.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40886700.00000000	19886700.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	40952400.00000000	19952400.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	41018100.00000000	20018100.00000000	21000000.00000000
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	41083800.00000000	20083800.00000000	21000000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 9-15 of 19

scenario?	annual_fees_total_?	annual_burn_?	annual_miner_fees_?	annual_miner_revenue_?	cumulative_emitted_?	cumulative_burned_?	circulating_supply_?
burn_100	131400.00000000	65700.00000000	65700.00000000	131400.00000000	41149500.00000000	20149500.00000000	21000000.00000000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_fees_total_atho: Total fee pool under assumed utilization at fee floor (ATHO/year).
[4] annual_burn_atho: Coins permanently removed from fees under burn policy (ATHO/year).
[5] annual_miner_fees_atho: Fee share retained by miners after burn split (ATHO/year).
[6] annual_miner_revenue_atho: Miner income = annual issuance + miner fee share (ATHO/year).
[7] cumulative_emitted_atho: Total minted coins from genesis through sampled year-end (ATHO).
[8] cumulative_burned_atho: Total burned fees from genesis through sampled year-end (ATHO).
[9] circulating_supply_atho: Circulating = cumulative emitted - cumulative burned (ATHO).
[10] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	0E-8	0E-8	357	2.97500000
no_burn_100	2628000.00000000	0E-8	357	2.97500000
no_burn_100	2628000.00000000	100.00000000	357	2.97500000
no_burn_100	2628000.00000000	50.00000000	357	2.97500000
no_burn_100	2628000.00000000	33.33333333	357	2.97500000
no_burn_100	2628000.00000000	25.00000000	357	2.97500000
no_burn_100	1314000.00000000	10.00000000	357	2.97500000
no_burn_100	1314000.00000000	9.09090909	357	2.97500000
no_burn_100	1314000.00000000	8.33333333	357	2.97500000
no_burn_100	1314000.00000000	7.69230769	357	2.97500000
no_burn_100	1314000.00000000	7.14285714	357	2.97500000
no_burn_100	657000.00000000	3.33333333	357	2.97500000
no_burn_100	657000.00000000	3.22580645	357	2.97500000
no_burn_100	657000.00000000	3.12500000	357	2.97500000
no_burn_100	657000.00000000	3.03030303	357	2.97500000
no_burn_100	657000.00000000	2.94117647	357	2.97500000
no_burn_100	328500.00000000	1.42857143	357	2.97500000
no_burn_100	328500.00000000	1.40845070	357	2.97500000
no_burn_100	328500.00000000	1.38888889	357	2.97500000
no_burn_100	328500.00000000	1.36986301	357	2.97500000
no_burn_100	328500.00000000	1.35135135	357	2.97500000
no_burn_100	164250.00000000	0.66666667	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	164250.00000000	0.66225166	357	2.97500000
no_burn_100	164250.00000000	0.65789474	357	2.97500000
no_burn_100	164250.00000000	0.65359477	357	2.97500000
no_burn_100	164250.00000000	0.64935065	357	2.97500000
no_burn_100	82125.00000000	0.32258065	357	2.97500000
no_burn_100	82125.00000000	0.32154341	357	2.97500000
no_burn_100	82125.00000000	0.32051282	357	2.97500000
no_burn_100	82125.00000000	0.31948882	357	2.97500000
no_burn_100	82125.00000000	0.31847134	357	2.97500000
no_burn_100	82125.00000000	0.31746032	357	2.97500000
no_burn_100	82125.00000000	0.31645570	357	2.97500000
no_burn_100	82125.00000000	0.31545741	357	2.97500000
no_burn_100	82125.00000000	0.31446541	357	2.97500000
no_burn_100	82125.00000000	0.31347962	357	2.97500000
no_burn_100	82125.00000000	0.31250000	357	2.97500000
no_burn_100	82125.00000000	0.31152648	357	2.97500000
no_burn_100	82125.00000000	0.31055901	357	2.97500000
no_burn_100	82125.00000000	0.30959752	357	2.97500000
no_burn_100	82125.00000000	0.30864198	357	2.97500000
no_burn_100	82125.00000000	0.30769231	357	2.97500000
no_burn_100	82125.00000000	0.30674847	357	2.97500000
no_burn_100	82125.00000000	0.30581040	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	82125.00000000	0.30487805	357	2.97500000
no_burn_100	82125.00000000	0.30395137	357	2.97500000
no_burn_100	82125.00000000	0.30303030	357	2.97500000
no_burn_100	82125.00000000	0.30211480	357	2.97500000
no_burn_100	82125.00000000	0.30120482	357	2.97500000
no_burn_100	82125.00000000	0.30030030	357	2.97500000
no_burn_100	82125.00000000	0.29940120	357	2.97500000
no_burn_100	82125.00000000	0.29850746	357	2.97500000
no_burn_100	82125.00000000	0.29761905	357	2.97500000
no_burn_100	82125.00000000	0.29673591	357	2.97500000
no_burn_100	82125.00000000	0.29585799	357	2.97500000
no_burn_100	82125.00000000	0.29498525	357	2.97500000
no_burn_100	82125.00000000	0.29411765	357	2.97500000
no_burn_100	82125.00000000	0.29325513	357	2.97500000
no_burn_100	82125.00000000	0.29239766	357	2.97500000
no_burn_100	82125.00000000	0.29154519	357	2.97500000
no_burn_100	82125.00000000	0.29069767	357	2.97500000
no_burn_100	82125.00000000	0.28985507	357	2.97500000
no_burn_100	82125.00000000	0.28901734	357	2.97500000
no_burn_100	82125.00000000	0.28818444	357	2.97500000
no_burn_100	82125.00000000	0.28735632	357	2.97500000
no_burn_100	82125.00000000	0.28653295	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	82125.00000000	0.28571429	357	2.97500000
no_burn_100	82125.00000000	0.28490028	357	2.97500000
no_burn_100	82125.00000000	0.28409091	357	2.97500000
no_burn_100	82125.00000000	0.28328612	357	2.97500000
no_burn_100	82125.00000000	0.28248588	357	2.97500000
no_burn_100	82125.00000000	0.28169014	357	2.97500000
no_burn_100	82125.00000000	0.28089888	357	2.97500000
no_burn_100	82125.00000000	0.28011204	357	2.97500000
no_burn_100	82125.00000000	0.27932961	357	2.97500000
no_burn_100	82125.00000000	0.27855153	357	2.97500000
no_burn_100	82125.00000000	0.27777778	357	2.97500000
no_burn_100	82125.00000000	0.27700831	357	2.97500000
no_burn_100	82125.00000000	0.27624309	357	2.97500000
no_burn_100	82125.00000000	0.27548209	357	2.97500000
no_burn_100	82125.00000000	0.27472527	357	2.97500000
no_burn_100	70575.00000000	0.23544130	357	2.97500000
no_burn_100	65700.00000000	0.21866326	357	2.97500000
no_burn_100	65700.00000000	0.21818617	357	2.97500000
no_burn_100	65700.00000000	0.21771115	357	2.97500000
no_burn_100	65700.00000000	0.21723820	357	2.97500000
no_burn_100	65700.00000000	0.21676730	357	2.97500000
no_burn_100	65700.00000000	0.21629843	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.21583159	357	2.97500000
no_burn_100	65700.00000000	0.21536676	357	2.97500000
no_burn_100	65700.00000000	0.21490393	357	2.97500000
no_burn_100	65700.00000000	0.21444308	357	2.97500000
no_burn_100	65700.00000000	0.21398421	357	2.97500000
no_burn_100	65700.00000000	0.21352730	357	2.97500000
no_burn_100	65700.00000000	0.21307233	357	2.97500000
no_burn_100	65700.00000000	0.21261929	357	2.97500000
no_burn_100	65700.00000000	0.21216818	357	2.97500000
no_burn_100	65700.00000000	0.21171898	357	2.97500000
no_burn_100	65700.00000000	0.21127168	357	2.97500000
no_burn_100	65700.00000000	0.21082627	357	2.97500000
no_burn_100	65700.00000000	0.21038272	357	2.97500000
no_burn_100	65700.00000000	0.20994104	357	2.97500000
no_burn_100	65700.00000000	0.20950121	357	2.97500000
no_burn_100	65700.00000000	0.20906322	357	2.97500000
no_burn_100	65700.00000000	0.20862706	357	2.97500000
no_burn_100	65700.00000000	0.20819272	357	2.97500000
no_burn_100	65700.00000000	0.20776017	357	2.97500000
no_burn_100	65700.00000000	0.20732943	357	2.97500000
no_burn_100	65700.00000000	0.20690046	357	2.97500000
no_burn_100	65700.00000000	0.20647327	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.20604783	357	2.97500000
no_burn_100	65700.00000000	0.20562415	357	2.97500000
no_burn_100	65700.00000000	0.20520220	357	2.97500000
no_burn_100	65700.00000000	0.20478199	357	2.97500000
no_burn_100	65700.00000000	0.20436349	357	2.97500000
no_burn_100	65700.00000000	0.20394669	357	2.97500000
no_burn_100	65700.00000000	0.20353160	357	2.97500000
no_burn_100	65700.00000000	0.20311819	357	2.97500000
no_burn_100	65700.00000000	0.20270646	357	2.97500000
no_burn_100	65700.00000000	0.20229639	357	2.97500000
no_burn_100	65700.00000000	0.20188798	357	2.97500000
no_burn_100	65700.00000000	0.20148121	357	2.97500000
no_burn_100	65700.00000000	0.20107608	357	2.97500000
no_burn_100	65700.00000000	0.20067257	357	2.97500000
no_burn_100	65700.00000000	0.20027069	357	2.97500000
no_burn_100	65700.00000000	0.19987040	357	2.97500000
no_burn_100	65700.00000000	0.19947172	357	2.97500000
no_burn_100	65700.00000000	0.19907462	357	2.97500000
no_burn_100	65700.00000000	0.19867910	357	2.97500000
no_burn_100	65700.00000000	0.19828515	357	2.97500000
no_burn_100	65700.00000000	0.19789276	357	2.97500000
no_burn_100	65700.00000000	0.19750192	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.19711262	357	2.97500000
no_burn_100	65700.00000000	0.19672485	357	2.97500000
no_burn_100	65700.00000000	0.19633860	357	2.97500000
no_burn_100	65700.00000000	0.19595387	357	2.97500000
no_burn_100	65700.00000000	0.19557064	357	2.97500000
no_burn_100	65700.00000000	0.19518891	357	2.97500000
no_burn_100	65700.00000000	0.19480866	357	2.97500000
no_burn_100	65700.00000000	0.19442989	357	2.97500000
no_burn_100	65700.00000000	0.19405260	357	2.97500000
no_burn_100	65700.00000000	0.19367676	357	2.97500000
no_burn_100	65700.00000000	0.19330238	357	2.97500000
no_burn_100	65700.00000000	0.19292944	357	2.97500000
no_burn_100	65700.00000000	0.19255794	357	2.97500000
no_burn_100	65700.00000000	0.19218787	357	2.97500000
no_burn_100	65700.00000000	0.19181922	357	2.97500000
no_burn_100	65700.00000000	0.19145198	357	2.97500000
no_burn_100	65700.00000000	0.19108614	357	2.97500000
no_burn_100	65700.00000000	0.19072169	357	2.97500000
no_burn_100	65700.00000000	0.19035864	357	2.97500000
no_burn_100	65700.00000000	0.18999696	357	2.97500000
no_burn_100	65700.00000000	0.18963666	357	2.97500000
no_burn_100	65700.00000000	0.18927772	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.18892014	357	2.97500000
no_burn_100	65700.00000000	0.18856390	357	2.97500000
no_burn_100	65700.00000000	0.18820901	357	2.97500000
no_burn_100	65700.00000000	0.18785545	357	2.97500000
no_burn_100	65700.00000000	0.18750321	357	2.97500000
no_burn_100	65700.00000000	0.18715229	357	2.97500000
no_burn_100	65700.00000000	0.18680269	357	2.97500000
no_burn_100	65700.00000000	0.18645439	357	2.97500000
no_burn_100	65700.00000000	0.18610738	357	2.97500000
no_burn_100	65700.00000000	0.18576167	357	2.97500000
no_burn_100	65700.00000000	0.18541723	357	2.97500000
no_burn_100	65700.00000000	0.18507407	357	2.97500000
no_burn_100	65700.00000000	0.18473218	357	2.97500000
no_burn_100	65700.00000000	0.18439155	357	2.97500000
no_burn_100	65700.00000000	0.18405217	357	2.97500000
no_burn_100	65700.00000000	0.18371404	357	2.97500000
no_burn_100	65700.00000000	0.18337715	357	2.97500000
no_burn_100	65700.00000000	0.18304150	357	2.97500000
no_burn_100	65700.00000000	0.18270707	357	2.97500000
no_burn_100	65700.00000000	0.18237386	357	2.97500000
no_burn_100	65700.00000000	0.18204186	357	2.97500000
no_burn_100	65700.00000000	0.18171107	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.18138148	357	2.97500000
no_burn_100	65700.00000000	0.18105308	357	2.97500000
no_burn_100	65700.00000000	0.18072587	357	2.97500000
no_burn_100	65700.00000000	0.18039985	357	2.97500000
no_burn_100	65700.00000000	0.18007499	357	2.97500000
no_burn_100	65700.00000000	0.17975130	357	2.97500000
no_burn_100	65700.00000000	0.17942878	357	2.97500000
no_burn_100	65700.00000000	0.17910741	357	2.97500000
no_burn_100	65700.00000000	0.17878719	357	2.97500000
no_burn_100	65700.00000000	0.17846811	357	2.97500000
no_burn_100	65700.00000000	0.17815017	357	2.97500000
no_burn_100	65700.00000000	0.17783336	357	2.97500000
no_burn_100	65700.00000000	0.17751767	357	2.97500000
no_burn_100	65700.00000000	0.17720310	357	2.97500000
no_burn_100	65700.00000000	0.17688965	357	2.97500000
no_burn_100	65700.00000000	0.17657730	357	2.97500000
no_burn_100	65700.00000000	0.17626606	357	2.97500000
no_burn_100	65700.00000000	0.17595591	357	2.97500000
no_burn_100	65700.00000000	0.17564685	357	2.97500000
no_burn_100	65700.00000000	0.17533887	357	2.97500000
no_burn_100	65700.00000000	0.17503197	357	2.97500000
no_burn_100	65700.00000000	0.17472614	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.17442138	357	2.97500000
no_burn_100	65700.00000000	0.17411768	357	2.97500000
no_burn_100	65700.00000000	0.17381504	357	2.97500000
no_burn_100	65700.00000000	0.17351345	357	2.97500000
no_burn_100	65700.00000000	0.17321290	357	2.97500000
no_burn_100	65700.00000000	0.17291339	357	2.97500000
no_burn_100	65700.00000000	0.17261492	357	2.97500000
no_burn_100	65700.00000000	0.17231747	357	2.97500000
no_burn_100	65700.00000000	0.17202105	357	2.97500000
no_burn_100	65700.00000000	0.17172565	357	2.97500000
no_burn_100	65700.00000000	0.17143126	357	2.97500000
no_burn_100	65700.00000000	0.17113787	357	2.97500000
no_burn_100	65700.00000000	0.17084549	357	2.97500000
no_burn_100	65700.00000000	0.17055411	357	2.97500000
no_burn_100	65700.00000000	0.17026371	357	2.97500000
no_burn_100	65700.00000000	0.16997431	357	2.97500000
no_burn_100	65700.00000000	0.16968589	357	2.97500000
no_burn_100	65700.00000000	0.16939844	357	2.97500000
no_burn_100	65700.00000000	0.16911197	357	2.97500000
no_burn_100	65700.00000000	0.16882646	357	2.97500000
no_burn_100	65700.00000000	0.16854192	357	2.97500000
no_burn_100	65700.00000000	0.16825833	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.16797570	357	2.97500000
no_burn_100	65700.00000000	0.16769402	357	2.97500000
no_burn_100	65700.00000000	0.16741327	357	2.97500000
no_burn_100	65700.00000000	0.16713347	357	2.97500000
no_burn_100	65700.00000000	0.16685460	357	2.97500000
no_burn_100	65700.00000000	0.16657666	357	2.97500000
no_burn_100	65700.00000000	0.16629964	357	2.97500000
no_burn_100	65700.00000000	0.16602355	357	2.97500000
no_burn_100	65700.00000000	0.16574837	357	2.97500000
no_burn_100	65700.00000000	0.16547409	357	2.97500000
no_burn_100	65700.00000000	0.16520073	357	2.97500000
no_burn_100	65700.00000000	0.16492827	357	2.97500000
no_burn_100	65700.00000000	0.16465670	357	2.97500000
no_burn_100	65700.00000000	0.16438603	357	2.97500000
no_burn_100	65700.00000000	0.16411625	357	2.97500000
no_burn_100	65700.00000000	0.16384735	357	2.97500000
no_burn_100	65700.00000000	0.16357932	357	2.97500000
no_burn_100	65700.00000000	0.16331218	357	2.97500000
no_burn_100	65700.00000000	0.16304591	357	2.97500000
no_burn_100	65700.00000000	0.16278050	357	2.97500000
no_burn_100	65700.00000000	0.16251595	357	2.97500000
no_burn_100	65700.00000000	0.16225227	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
no_burn_100	65700.00000000	0.16198944	357	2.97500000
no_burn_100	65700.00000000	0.16172746	357	2.97500000
no_burn_100	65700.00000000	0.16146632	357	2.97500000
no_burn_100	65700.00000000	0.16120603	357	2.97500000
no_burn_100	65700.00000000	0.16094657	357	2.97500000
no_burn_100	65700.00000000	0.16068795	357	2.97500000
no_burn_100	65700.00000000	0.16043016	357	2.97500000
no_burn_100	65700.00000000	0.16017319	357	2.97500000
no_burn_100	65700.00000000	0.15991705	357	2.97500000
burn_25	0E-8	0E-8	89	0.74166667
burn_25	2628000.00000000	0E-8	89	0.74166667
burn_25	2628000.00000000	100.00000000	89	0.74166667
burn_25	2628000.00000000	50.00000000	89	0.74166667
burn_25	2628000.00000000	33.33333333	89	0.74166667
burn_25	2628000.00000000	25.00000000	89	0.74166667
burn_25	1314000.00000000	10.00000000	89	0.74166667
burn_25	1314000.00000000	9.09090909	89	0.74166667
burn_25	1314000.00000000	8.33333333	89	0.74166667
burn_25	1314000.00000000	7.69230769	89	0.74166667
burn_25	1314000.00000000	7.14285714	89	0.74166667
burn_25	657000.00000000	3.33333333	89	0.74166667
burn_25	657000.00000000	3.22580645	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	657000.00000000	3.12500000	89	0.74166667
burn_25	657000.00000000	3.03030303	89	0.74166667
burn_25	657000.00000000	2.94117647	89	0.74166667
burn_25	328500.00000000	1.42857143	89	0.74166667
burn_25	328500.00000000	1.40845070	89	0.74166667
burn_25	328500.00000000	1.38888889	89	0.74166667
burn_25	328500.00000000	1.36986301	89	0.74166667
burn_25	328500.00000000	1.35135135	89	0.74166667
burn_25	164250.00000000	0.66666667	89	0.74166667
burn_25	164250.00000000	0.66225166	89	0.74166667
burn_25	164250.00000000	0.65789474	89	0.74166667
burn_25	164250.00000000	0.65359477	89	0.74166667
burn_25	164250.00000000	0.64935065	89	0.74166667
burn_25	82125.00000000	0.32258065	89	0.74166667
burn_25	82125.00000000	0.32154341	89	0.74166667
burn_25	82125.00000000	0.32051282	89	0.74166667
burn_25	82125.00000000	0.31948882	89	0.74166667
burn_25	82125.00000000	0.31847134	89	0.74166667
burn_25	82125.00000000	0.31746032	89	0.74166667
burn_25	82125.00000000	0.31645570	89	0.74166667
burn_25	82125.00000000	0.31545741	89	0.74166667
burn_25	82125.00000000	0.31446541	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	82125.00000000	0.31347962	89	0.74166667
burn_25	82125.00000000	0.31250000	89	0.74166667
burn_25	82125.00000000	0.31152648	89	0.74166667
burn_25	82125.00000000	0.31055901	89	0.74166667
burn_25	82125.00000000	0.30959752	89	0.74166667
burn_25	82125.00000000	0.30864198	89	0.74166667
burn_25	82125.00000000	0.30769231	89	0.74166667
burn_25	82125.00000000	0.30674847	89	0.74166667
burn_25	82125.00000000	0.30581040	89	0.74166667
burn_25	82125.00000000	0.30487805	89	0.74166667
burn_25	82125.00000000	0.30395137	89	0.74166667
burn_25	82125.00000000	0.30303030	89	0.74166667
burn_25	82125.00000000	0.30211480	89	0.74166667
burn_25	82125.00000000	0.30120482	89	0.74166667
burn_25	82125.00000000	0.30030030	89	0.74166667
burn_25	82125.00000000	0.29940120	89	0.74166667
burn_25	82125.00000000	0.29850746	89	0.74166667
burn_25	82125.00000000	0.29761905	89	0.74166667
burn_25	82125.00000000	0.29673591	89	0.74166667
burn_25	82125.00000000	0.29585799	89	0.74166667
burn_25	82125.00000000	0.29498525	89	0.74166667
burn_25	82125.00000000	0.29411765	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	82125.00000000	0.29325513	89	0.74166667
burn_25	82125.00000000	0.29239766	89	0.74166667
burn_25	82125.00000000	0.29154519	89	0.74166667
burn_25	82125.00000000	0.29069767	89	0.74166667
burn_25	82125.00000000	0.28985507	89	0.74166667
burn_25	82125.00000000	0.28901734	89	0.74166667
burn_25	82125.00000000	0.28818444	89	0.74166667
burn_25	82125.00000000	0.28735632	89	0.74166667
burn_25	82125.00000000	0.28653295	89	0.74166667
burn_25	82125.00000000	0.28571429	89	0.74166667
burn_25	82125.00000000	0.28490028	89	0.74166667
burn_25	82125.00000000	0.28409091	89	0.74166667
burn_25	82125.00000000	0.28328612	89	0.74166667
burn_25	82125.00000000	0.28248588	89	0.74166667
burn_25	82125.00000000	0.28169014	89	0.74166667
burn_25	82125.00000000	0.28089888	89	0.74166667
burn_25	82125.00000000	0.28011204	89	0.74166667
burn_25	82125.00000000	0.27932961	89	0.74166667
burn_25	82125.00000000	0.27855153	89	0.74166667
burn_25	82125.00000000	0.27777778	89	0.74166667
burn_25	82125.00000000	0.27700831	89	0.74166667
burn_25	82125.00000000	0.27624309	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	82125.00000000	0.27548209	89	0.74166667
burn_25	82125.00000000	0.27472527	89	0.74166667
burn_25	37725.00000000	0.12585225	89	0.74166667
burn_25	32850.00000000	0.10945129	89	0.74166667
burn_25	32850.00000000	0.10933163	89	0.74166667
burn_25	32850.00000000	0.10921223	89	0.74166667
burn_25	32850.00000000	0.10909308	89	0.74166667
burn_25	32850.00000000	0.10897420	89	0.74166667
burn_25	32850.00000000	0.10885557	89	0.74166667
burn_25	32850.00000000	0.10873721	89	0.74166667
burn_25	32850.00000000	0.10861910	89	0.74166667
burn_25	32850.00000000	0.10850125	89	0.74166667
burn_25	32850.00000000	0.10838365	89	0.74166667
burn_25	32850.00000000	0.10826631	89	0.74166667
burn_25	32850.00000000	0.10814922	89	0.74166667
burn_25	32850.00000000	0.10803238	89	0.74166667
burn_25	32850.00000000	0.10791580	89	0.74166667
burn_25	32850.00000000	0.10779946	89	0.74166667
burn_25	32850.00000000	0.10768338	89	0.74166667
burn_25	32850.00000000	0.10756755	89	0.74166667
burn_25	32850.00000000	0.10745197	89	0.74166667
burn_25	32850.00000000	0.10733663	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.10722154	89	0.74166667
burn_25	32850.00000000	0.10710670	89	0.74166667
burn_25	32850.00000000	0.10699211	89	0.74166667
burn_25	32850.00000000	0.10687775	89	0.74166667
burn_25	32850.00000000	0.10676365	89	0.74166667
burn_25	32850.00000000	0.10664978	89	0.74166667
burn_25	32850.00000000	0.10653616	89	0.74166667
burn_25	32850.00000000	0.10642279	89	0.74166667
burn_25	32850.00000000	0.10630965	89	0.74166667
burn_25	32850.00000000	0.10619675	89	0.74166667
burn_25	32850.00000000	0.10608409	89	0.74166667
burn_25	32850.00000000	0.10597167	89	0.74166667
burn_25	32850.00000000	0.10585949	89	0.74166667
burn_25	32850.00000000	0.10574755	89	0.74166667
burn_25	32850.00000000	0.10563584	89	0.74166667
burn_25	32850.00000000	0.10552437	89	0.74166667
burn_25	32850.00000000	0.10541313	89	0.74166667
burn_25	32850.00000000	0.10530213	89	0.74166667
burn_25	32850.00000000	0.10519136	89	0.74166667
burn_25	32850.00000000	0.10508083	89	0.74166667
burn_25	32850.00000000	0.10497052	89	0.74166667
burn_25	32850.00000000	0.10486045	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.10475061	89	0.74166667
burn_25	32850.00000000	0.10464100	89	0.74166667
burn_25	32850.00000000	0.10453161	89	0.74166667
burn_25	32850.00000000	0.10442246	89	0.74166667
burn_25	32850.00000000	0.10431353	89	0.74166667
burn_25	32850.00000000	0.10420483	89	0.74166667
burn_25	32850.00000000	0.10409636	89	0.74166667
burn_25	32850.00000000	0.10398811	89	0.74166667
burn_25	32850.00000000	0.10388009	89	0.74166667
burn_25	32850.00000000	0.10377229	89	0.74166667
burn_25	32850.00000000	0.10366471	89	0.74166667
burn_25	32850.00000000	0.10355736	89	0.74166667
burn_25	32850.00000000	0.10345023	89	0.74166667
burn_25	32850.00000000	0.10334332	89	0.74166667
burn_25	32850.00000000	0.10323663	89	0.74166667
burn_25	32850.00000000	0.10313017	89	0.74166667
burn_25	32850.00000000	0.10302392	89	0.74166667
burn_25	32850.00000000	0.10291789	89	0.74166667
burn_25	32850.00000000	0.10281207	89	0.74166667
burn_25	32850.00000000	0.10270648	89	0.74166667
burn_25	32850.00000000	0.10260110	89	0.74166667
burn_25	32850.00000000	0.10249594	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.10239099	89	0.74166667
burn_25	32850.00000000	0.10228626	89	0.74166667
burn_25	32850.00000000	0.10218174	89	0.74166667
burn_25	32850.00000000	0.10207744	89	0.74166667
burn_25	32850.00000000	0.10197335	89	0.74166667
burn_25	32850.00000000	0.10186947	89	0.74166667
burn_25	32850.00000000	0.10176580	89	0.74166667
burn_25	32850.00000000	0.10166234	89	0.74166667
burn_25	32850.00000000	0.10155909	89	0.74166667
burn_25	32850.00000000	0.10145606	89	0.74166667
burn_25	32850.00000000	0.10135323	89	0.74166667
burn_25	32850.00000000	0.10125061	89	0.74166667
burn_25	32850.00000000	0.10114819	89	0.74166667
burn_25	32850.00000000	0.10104599	89	0.74166667
burn_25	32850.00000000	0.10094399	89	0.74166667
burn_25	32850.00000000	0.10084219	89	0.74166667
burn_25	32850.00000000	0.10074060	89	0.74166667
burn_25	32850.00000000	0.10063922	89	0.74166667
burn_25	32850.00000000	0.10053804	89	0.74166667
burn_25	32850.00000000	0.10043706	89	0.74166667
burn_25	32850.00000000	0.10033629	89	0.74166667
burn_25	32850.00000000	0.10023571	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.10013534	89	0.74166667
burn_25	32850.00000000	0.10003517	89	0.74166667
burn_25	32850.00000000	0.09993520	89	0.74166667
burn_25	32850.00000000	0.09983543	89	0.74166667
burn_25	32850.00000000	0.09973586	89	0.74166667
burn_25	32850.00000000	0.09963649	89	0.74166667
burn_25	32850.00000000	0.09953731	89	0.74166667
burn_25	32850.00000000	0.09943833	89	0.74166667
burn_25	32850.00000000	0.09933955	89	0.74166667
burn_25	32850.00000000	0.09924097	89	0.74166667
burn_25	32850.00000000	0.09914258	89	0.74166667
burn_25	32850.00000000	0.09904438	89	0.74166667
burn_25	32850.00000000	0.09894638	89	0.74166667
burn_25	32850.00000000	0.09884857	89	0.74166667
burn_25	32850.00000000	0.09875096	89	0.74166667
burn_25	32850.00000000	0.09865354	89	0.74166667
burn_25	32850.00000000	0.09855631	89	0.74166667
burn_25	32850.00000000	0.09845927	89	0.74166667
burn_25	32850.00000000	0.09836242	89	0.74166667
burn_25	32850.00000000	0.09826577	89	0.74166667
burn_25	32850.00000000	0.09816930	89	0.74166667
burn_25	32850.00000000	0.09807302	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.09797693	89	0.74166667
burn_25	32850.00000000	0.09788103	89	0.74166667
burn_25	32850.00000000	0.09778532	89	0.74166667
burn_25	32850.00000000	0.09768979	89	0.74166667
burn_25	32850.00000000	0.09759445	89	0.74166667
burn_25	32850.00000000	0.09749930	89	0.74166667
burn_25	32850.00000000	0.09740433	89	0.74166667
burn_25	32850.00000000	0.09730955	89	0.74166667
burn_25	32850.00000000	0.09721495	89	0.74166667
burn_25	32850.00000000	0.09712053	89	0.74166667
burn_25	32850.00000000	0.09702630	89	0.74166667
burn_25	32850.00000000	0.09693225	89	0.74166667
burn_25	32850.00000000	0.09683838	89	0.74166667
burn_25	32850.00000000	0.09674470	89	0.74166667
burn_25	32850.00000000	0.09665119	89	0.74166667
burn_25	32850.00000000	0.09655787	89	0.74166667
burn_25	32850.00000000	0.09646472	89	0.74166667
burn_25	32850.00000000	0.09637176	89	0.74166667
burn_25	32850.00000000	0.09627897	89	0.74166667
burn_25	32850.00000000	0.09618636	89	0.74166667
burn_25	32850.00000000	0.09609394	89	0.74166667
burn_25	32850.00000000	0.09600168	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.09590961	89	0.74166667
burn_25	32850.00000000	0.09581771	89	0.74166667
burn_25	32850.00000000	0.09572599	89	0.74166667
burn_25	32850.00000000	0.09563444	89	0.74166667
burn_25	32850.00000000	0.09554307	89	0.74166667
burn_25	32850.00000000	0.09545187	89	0.74166667
burn_25	32850.00000000	0.09536085	89	0.74166667
burn_25	32850.00000000	0.09527000	89	0.74166667
burn_25	32850.00000000	0.09517932	89	0.74166667
burn_25	32850.00000000	0.09508881	89	0.74166667
burn_25	32850.00000000	0.09499848	89	0.74166667
burn_25	32850.00000000	0.09490832	89	0.74166667
burn_25	32850.00000000	0.09481833	89	0.74166667
burn_25	32850.00000000	0.09472851	89	0.74166667
burn_25	32850.00000000	0.09463886	89	0.74166667
burn_25	32850.00000000	0.09454938	89	0.74166667
burn_25	32850.00000000	0.09446007	89	0.74166667
burn_25	32850.00000000	0.09437093	89	0.74166667
burn_25	32850.00000000	0.09428195	89	0.74166667
burn_25	32850.00000000	0.09419314	89	0.74166667
burn_25	32850.00000000	0.09410450	89	0.74166667
burn_25	32850.00000000	0.09401603	89	0.74166667

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_25	32850.00000000	0.09392772	89	0.74166667
burn_25	32850.00000000	0.09383958	89	0.74166667
burn_25	32850.00000000	0.09375161	89	0.74166667
burn_25	32850.00000000	0.09366379	89	0.74166667
burn_25	32850.00000000	0.09357615	89	0.74166667
burn_25	32850.00000000	0.09348866	89	0.74166667
burn_25	32850.00000000	0.09340134	89	0.74166667
burn_25	32850.00000000	0.09331419	89	0.74166667
burn_25	32850.00000000	0.09322719	89	0.74166667
burn_25	32850.00000000	0.09314036	89	0.74166667
burn_25	32850.00000000	0.09305369	89	0.74166667
burn_25	32850.00000000	0.09296718	89	0.74166667
burn_25	32850.00000000	0.09288083	89	0.74166667
burn_25	32850.00000000	0.09279464	89	0.74166667
burn_25	32850.00000000	0.09270862	89	0.74166667
burn_25	32850.00000000	0.09262275	89	0.74166667
burn_25	32850.00000000	0.09253704	89	0.74166667
burn_25	32850.00000000	0.09245148	89	0.74166667
burn_50	0E-8	0E-8	178	1.48333333
burn_50	2628000.00000000	0E-8	178	1.48333333
burn_50	2628000.00000000	100.00000000	178	1.48333333
burn_50	2628000.00000000	50.00000000	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	2628000.00000000	33.33333333	178	1.48333333
burn_50	2628000.00000000	25.00000000	178	1.48333333
burn_50	1314000.00000000	10.00000000	178	1.48333333
burn_50	1314000.00000000	9.09090909	178	1.48333333
burn_50	1314000.00000000	8.33333333	178	1.48333333
burn_50	1314000.00000000	7.69230769	178	1.48333333
burn_50	1314000.00000000	7.14285714	178	1.48333333
burn_50	657000.00000000	3.33333333	178	1.48333333
burn_50	657000.00000000	3.22580645	178	1.48333333
burn_50	657000.00000000	3.12500000	178	1.48333333
burn_50	657000.00000000	3.03030303	178	1.48333333
burn_50	657000.00000000	2.94117647	178	1.48333333
burn_50	328500.00000000	1.42857143	178	1.48333333
burn_50	328500.00000000	1.40845070	178	1.48333333
burn_50	328500.00000000	1.38888889	178	1.48333333
burn_50	328500.00000000	1.36986301	178	1.48333333
burn_50	328500.00000000	1.35135135	178	1.48333333
burn_50	164250.00000000	0.66666667	178	1.48333333
burn_50	164250.00000000	0.66225166	178	1.48333333
burn_50	164250.00000000	0.65789474	178	1.48333333
burn_50	164250.00000000	0.65359477	178	1.48333333
burn_50	164250.00000000	0.64935065	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	82125.00000000	0.32258065	178	1.48333333
burn_50	82125.00000000	0.32154341	178	1.48333333
burn_50	82125.00000000	0.32051282	178	1.48333333
burn_50	82125.00000000	0.31948882	178	1.48333333
burn_50	82125.00000000	0.31847134	178	1.48333333
burn_50	82125.00000000	0.31746032	178	1.48333333
burn_50	82125.00000000	0.31645570	178	1.48333333
burn_50	82125.00000000	0.31545741	178	1.48333333
burn_50	82125.00000000	0.31446541	178	1.48333333
burn_50	82125.00000000	0.31347962	178	1.48333333
burn_50	82125.00000000	0.31250000	178	1.48333333
burn_50	82125.00000000	0.31152648	178	1.48333333
burn_50	82125.00000000	0.31055901	178	1.48333333
burn_50	82125.00000000	0.30959752	178	1.48333333
burn_50	82125.00000000	0.30864198	178	1.48333333
burn_50	82125.00000000	0.30769231	178	1.48333333
burn_50	82125.00000000	0.30674847	178	1.48333333
burn_50	82125.00000000	0.30581040	178	1.48333333
burn_50	82125.00000000	0.30487805	178	1.48333333
burn_50	82125.00000000	0.30395137	178	1.48333333
burn_50	82125.00000000	0.30303030	178	1.48333333
burn_50	82125.00000000	0.30211480	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	82125.00000000	0.30120482	178	1.48333333
burn_50	82125.00000000	0.30030030	178	1.48333333
burn_50	82125.00000000	0.29940120	178	1.48333333
burn_50	82125.00000000	0.29850746	178	1.48333333
burn_50	82125.00000000	0.29761905	178	1.48333333
burn_50	82125.00000000	0.29673591	178	1.48333333
burn_50	82125.00000000	0.29585799	178	1.48333333
burn_50	82125.00000000	0.29498525	178	1.48333333
burn_50	82125.00000000	0.29411765	178	1.48333333
burn_50	82125.00000000	0.29325513	178	1.48333333
burn_50	82125.00000000	0.29239766	178	1.48333333
burn_50	82125.00000000	0.29154519	178	1.48333333
burn_50	82125.00000000	0.29069767	178	1.48333333
burn_50	82125.00000000	0.28985507	178	1.48333333
burn_50	82125.00000000	0.28901734	178	1.48333333
burn_50	82125.00000000	0.28818444	178	1.48333333
burn_50	82125.00000000	0.28735632	178	1.48333333
burn_50	82125.00000000	0.28653295	178	1.48333333
burn_50	82125.00000000	0.28571429	178	1.48333333
burn_50	82125.00000000	0.28490028	178	1.48333333
burn_50	82125.00000000	0.28409091	178	1.48333333
burn_50	82125.00000000	0.28328612	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	82125.00000000	0.28248588	178	1.48333333
burn_50	82125.00000000	0.28169014	178	1.48333333
burn_50	82125.00000000	0.28089888	178	1.48333333
burn_50	82125.00000000	0.28011204	178	1.48333333
burn_50	82125.00000000	0.27932961	178	1.48333333
burn_50	82125.00000000	0.27855153	178	1.48333333
burn_50	82125.00000000	0.27777778	178	1.48333333
burn_50	82125.00000000	0.27700831	178	1.48333333
burn_50	82125.00000000	0.27624309	178	1.48333333
burn_50	82125.00000000	0.27548209	178	1.48333333
burn_50	82125.00000000	0.27472527	178	1.48333333
burn_50	4875.00000000	0.01626321	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_50	0E-8	0E-8	178	1.48333333
burn_75	0E-8	0E-8	267	2.22500000
burn_75	2628000.00000000	0E-8	267	2.22500000
burn_75	2628000.00000000	100.00000000	267	2.22500000
burn_75	2628000.00000000	50.00000000	267	2.22500000
burn_75	2628000.00000000	33.33333333	267	2.22500000
burn_75	2628000.00000000	25.00000000	267	2.22500000
burn_75	1314000.00000000	10.00000000	267	2.22500000
burn_75	1314000.00000000	9.09090909	267	2.22500000
burn_75	1314000.00000000	8.33333333	267	2.22500000
burn_75	1314000.00000000	7.69230769	267	2.22500000
burn_75	1314000.00000000	7.14285714	267	2.22500000
burn_75	657000.00000000	3.33333333	267	2.22500000
burn_75	657000.00000000	3.22580645	267	2.22500000
burn_75	657000.00000000	3.12500000	267	2.22500000
burn_75	657000.00000000	3.03030303	267	2.22500000
burn_75	657000.00000000	2.94117647	267	2.22500000
burn_75	328500.00000000	1.42857143	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	328500.00000000	1.40845070	267	2.22500000
burn_75	328500.00000000	1.38888889	267	2.22500000
burn_75	328500.00000000	1.36986301	267	2.22500000
burn_75	328500.00000000	1.35135135	267	2.22500000
burn_75	164250.00000000	0.66666667	267	2.22500000
burn_75	164250.00000000	0.66225166	267	2.22500000
burn_75	164250.00000000	0.65789474	267	2.22500000
burn_75	164250.00000000	0.65359477	267	2.22500000
burn_75	164250.00000000	0.64935065	267	2.22500000
burn_75	82125.00000000	0.32258065	267	2.22500000
burn_75	82125.00000000	0.32154341	267	2.22500000
burn_75	82125.00000000	0.32051282	267	2.22500000
burn_75	82125.00000000	0.31948882	267	2.22500000
burn_75	82125.00000000	0.31847134	267	2.22500000
burn_75	82125.00000000	0.31746032	267	2.22500000
burn_75	82125.00000000	0.31645570	267	2.22500000
burn_75	82125.00000000	0.31545741	267	2.22500000
burn_75	82125.00000000	0.31446541	267	2.22500000
burn_75	82125.00000000	0.31347962	267	2.22500000
burn_75	82125.00000000	0.31250000	267	2.22500000
burn_75	82125.00000000	0.31152648	267	2.22500000
burn_75	82125.00000000	0.31055901	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	82125.00000000	0.30959752	267	2.22500000
burn_75	82125.00000000	0.30864198	267	2.22500000
burn_75	82125.00000000	0.30769231	267	2.22500000
burn_75	82125.00000000	0.30674847	267	2.22500000
burn_75	82125.00000000	0.30581040	267	2.22500000
burn_75	82125.00000000	0.30487805	267	2.22500000
burn_75	82125.00000000	0.30395137	267	2.22500000
burn_75	82125.00000000	0.30303030	267	2.22500000
burn_75	82125.00000000	0.30211480	267	2.22500000
burn_75	82125.00000000	0.30120482	267	2.22500000
burn_75	82125.00000000	0.30030030	267	2.22500000
burn_75	82125.00000000	0.29940120	267	2.22500000
burn_75	82125.00000000	0.29850746	267	2.22500000
burn_75	82125.00000000	0.29761905	267	2.22500000
burn_75	82125.00000000	0.29673591	267	2.22500000
burn_75	82125.00000000	0.29585799	267	2.22500000
burn_75	82125.00000000	0.29498525	267	2.22500000
burn_75	82125.00000000	0.29411765	267	2.22500000
burn_75	82125.00000000	0.29325513	267	2.22500000
burn_75	82125.00000000	0.29239766	267	2.22500000
burn_75	82125.00000000	0.29154519	267	2.22500000
burn_75	82125.00000000	0.29069767	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	82125.00000000	0.28985507	267	2.22500000
burn_75	82125.00000000	0.28901734	267	2.22500000
burn_75	82125.00000000	0.28818444	267	2.22500000
burn_75	82125.00000000	0.28735632	267	2.22500000
burn_75	82125.00000000	0.28653295	267	2.22500000
burn_75	82125.00000000	0.28571429	267	2.22500000
burn_75	82125.00000000	0.28490028	267	2.22500000
burn_75	82125.00000000	0.28409091	267	2.22500000
burn_75	82125.00000000	0.28328612	267	2.22500000
burn_75	82125.00000000	0.28248588	267	2.22500000
burn_75	82125.00000000	0.28169014	267	2.22500000
burn_75	82125.00000000	0.28089888	267	2.22500000
burn_75	82125.00000000	0.28011204	267	2.22500000
burn_75	82125.00000000	0.27932961	267	2.22500000
burn_75	82125.00000000	0.27855153	267	2.22500000
burn_75	82125.00000000	0.27777778	267	2.22500000
burn_75	82125.00000000	0.27700831	267	2.22500000
burn_75	82125.00000000	0.27624309	267	2.22500000
burn_75	82125.00000000	0.27548209	267	2.22500000
burn_75	82125.00000000	0.27472527	267	2.22500000
burn_75	-27975.00000000	-0.09332583	267	2.22500000
burn_75	-32850.00000000	-0.10969141	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.10981187	267	2.22500000
burn_75	-32850.00000000	-0.10993258	267	2.22500000
burn_75	-32850.00000000	-0.11005357	267	2.22500000
burn_75	-32850.00000000	-0.11017482	267	2.22500000
burn_75	-32850.00000000	-0.11029634	267	2.22500000
burn_75	-32850.00000000	-0.11041813	267	2.22500000
burn_75	-32850.00000000	-0.11054018	267	2.22500000
burn_75	-32850.00000000	-0.11066251	267	2.22500000
burn_75	-32850.00000000	-0.11078511	267	2.22500000
burn_75	-32850.00000000	-0.11090798	267	2.22500000
burn_75	-32850.00000000	-0.11103112	267	2.22500000
burn_75	-32850.00000000	-0.11115454	267	2.22500000
burn_75	-32850.00000000	-0.11127823	267	2.22500000
burn_75	-32850.00000000	-0.11140219	267	2.22500000
burn_75	-32850.00000000	-0.11152644	267	2.22500000
burn_75	-32850.00000000	-0.11165096	267	2.22500000
burn_75	-32850.00000000	-0.11177575	267	2.22500000
burn_75	-32850.00000000	-0.11190083	267	2.22500000
burn_75	-32850.00000000	-0.11202619	267	2.22500000
burn_75	-32850.00000000	-0.11215183	267	2.22500000
burn_75	-32850.00000000	-0.11227775	267	2.22500000
burn_75	-32850.00000000	-0.11240396	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.11253044	267	2.22500000
burn_75	-32850.00000000	-0.11265722	267	2.22500000
burn_75	-32850.00000000	-0.11278428	267	2.22500000
burn_75	-32850.00000000	-0.11291162	267	2.22500000
burn_75	-32850.00000000	-0.11303926	267	2.22500000
burn_75	-32850.00000000	-0.11316718	267	2.22500000
burn_75	-32850.00000000	-0.11329540	267	2.22500000
burn_75	-32850.00000000	-0.11342390	267	2.22500000
burn_75	-32850.00000000	-0.11355270	267	2.22500000
burn_75	-32850.00000000	-0.11368178	267	2.22500000
burn_75	-32850.00000000	-0.11381117	267	2.22500000
burn_75	-32850.00000000	-0.11394084	267	2.22500000
burn_75	-32850.00000000	-0.11407082	267	2.22500000
burn_75	-32850.00000000	-0.11420109	267	2.22500000
burn_75	-32850.00000000	-0.11433166	267	2.22500000
burn_75	-32850.00000000	-0.11446252	267	2.22500000
burn_75	-32850.00000000	-0.11459369	267	2.22500000
burn_75	-32850.00000000	-0.11472516	267	2.22500000
burn_75	-32850.00000000	-0.11485693	267	2.22500000
burn_75	-32850.00000000	-0.11498900	267	2.22500000
burn_75	-32850.00000000	-0.11512138	267	2.22500000
burn_75	-32850.00000000	-0.11525406	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.11538705	267	2.22500000
burn_75	-32850.00000000	-0.11552034	267	2.22500000
burn_75	-32850.00000000	-0.11565395	267	2.22500000
burn_75	-32850.00000000	-0.11578786	267	2.22500000
burn_75	-32850.00000000	-0.11592208	267	2.22500000
burn_75	-32850.00000000	-0.11605662	267	2.22500000
burn_75	-32850.00000000	-0.11619147	267	2.22500000
burn_75	-32850.00000000	-0.11632663	267	2.22500000
burn_75	-32850.00000000	-0.11646210	267	2.22500000
burn_75	-32850.00000000	-0.11659790	267	2.22500000
burn_75	-32850.00000000	-0.11673401	267	2.22500000
burn_75	-32850.00000000	-0.11687043	267	2.22500000
burn_75	-32850.00000000	-0.11700718	267	2.22500000
burn_75	-32850.00000000	-0.11714425	267	2.22500000
burn_75	-32850.00000000	-0.11728164	267	2.22500000
burn_75	-32850.00000000	-0.11741935	267	2.22500000
burn_75	-32850.00000000	-0.11755738	267	2.22500000
burn_75	-32850.00000000	-0.11769574	267	2.22500000
burn_75	-32850.00000000	-0.11783443	267	2.22500000
burn_75	-32850.00000000	-0.11797344	267	2.22500000
burn_75	-32850.00000000	-0.11811278	267	2.22500000
burn_75	-32850.00000000	-0.11825246	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.11839246	267	2.22500000
burn_75	-32850.00000000	-0.11853279	267	2.22500000
burn_75	-32850.00000000	-0.11867346	267	2.22500000
burn_75	-32850.00000000	-0.11881446	267	2.22500000
burn_75	-32850.00000000	-0.11895580	267	2.22500000
burn_75	-32850.00000000	-0.11909747	267	2.22500000
burn_75	-32850.00000000	-0.11923948	267	2.22500000
burn_75	-32850.00000000	-0.11938183	267	2.22500000
burn_75	-32850.00000000	-0.11952452	267	2.22500000
burn_75	-32850.00000000	-0.11966755	267	2.22500000
burn_75	-32850.00000000	-0.11981093	267	2.22500000
burn_75	-32850.00000000	-0.11995465	267	2.22500000
burn_75	-32850.00000000	-0.12009871	267	2.22500000
burn_75	-32850.00000000	-0.12024312	267	2.22500000
burn_75	-32850.00000000	-0.12038788	267	2.22500000
burn_75	-32850.00000000	-0.12053299	267	2.22500000
burn_75	-32850.00000000	-0.12067844	267	2.22500000
burn_75	-32850.00000000	-0.12082425	267	2.22500000
burn_75	-32850.00000000	-0.12097041	267	2.22500000
burn_75	-32850.00000000	-0.12111693	267	2.22500000
burn_75	-32850.00000000	-0.12126380	267	2.22500000
burn_75	-32850.00000000	-0.12141103	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.12155861	267	2.22500000
burn_75	-32850.00000000	-0.12170656	267	2.22500000
burn_75	-32850.00000000	-0.12185486	267	2.22500000
burn_75	-32850.00000000	-0.12200353	267	2.22500000
burn_75	-32850.00000000	-0.12215256	267	2.22500000
burn_75	-32850.00000000	-0.12230196	267	2.22500000
burn_75	-32850.00000000	-0.12245172	267	2.22500000
burn_75	-32850.00000000	-0.12260185	267	2.22500000
burn_75	-32850.00000000	-0.12275234	267	2.22500000
burn_75	-32850.00000000	-0.12290321	267	2.22500000
burn_75	-32850.00000000	-0.12305445	267	2.22500000
burn_75	-32850.00000000	-0.12320606	267	2.22500000
burn_75	-32850.00000000	-0.12335804	267	2.22500000
burn_75	-32850.00000000	-0.12351040	267	2.22500000
burn_75	-32850.00000000	-0.12366314	267	2.22500000
burn_75	-32850.00000000	-0.12381625	267	2.22500000
burn_75	-32850.00000000	-0.12396975	267	2.22500000
burn_75	-32850.00000000	-0.12412362	267	2.22500000
burn_75	-32850.00000000	-0.12427788	267	2.22500000
burn_75	-32850.00000000	-0.12443253	267	2.22500000
burn_75	-32850.00000000	-0.12458755	267	2.22500000
burn_75	-32850.00000000	-0.12474297	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.12489877	267	2.22500000
burn_75	-32850.00000000	-0.12505496	267	2.22500000
burn_75	-32850.00000000	-0.12521154	267	2.22500000
burn_75	-32850.00000000	-0.12536852	267	2.22500000
burn_75	-32850.00000000	-0.12552589	267	2.22500000
burn_75	-32850.00000000	-0.12568366	267	2.22500000
burn_75	-32850.00000000	-0.12584182	267	2.22500000
burn_75	-32850.00000000	-0.12600038	267	2.22500000
burn_75	-32850.00000000	-0.12615934	267	2.22500000
burn_75	-32850.00000000	-0.12631870	267	2.22500000
burn_75	-32850.00000000	-0.12647847	267	2.22500000
burn_75	-32850.00000000	-0.12663864	267	2.22500000
burn_75	-32850.00000000	-0.12679922	267	2.22500000
burn_75	-32850.00000000	-0.12696020	267	2.22500000
burn_75	-32850.00000000	-0.12712160	267	2.22500000
burn_75	-32850.00000000	-0.12728340	267	2.22500000
burn_75	-32850.00000000	-0.12744562	267	2.22500000
burn_75	-32850.00000000	-0.12760825	267	2.22500000
burn_75	-32850.00000000	-0.12777130	267	2.22500000
burn_75	-32850.00000000	-0.12793476	267	2.22500000
burn_75	-32850.00000000	-0.12809864	267	2.22500000
burn_75	-32850.00000000	-0.12826294	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.12842767	267	2.22500000
burn_75	-32850.00000000	-0.12859282	267	2.22500000
burn_75	-32850.00000000	-0.12875839	267	2.22500000
burn_75	-32850.00000000	-0.12892439	267	2.22500000
burn_75	-32850.00000000	-0.12909082	267	2.22500000
burn_75	-32850.00000000	-0.12925768	267	2.22500000
burn_75	-32850.00000000	-0.12942497	267	2.22500000
burn_75	-32850.00000000	-0.12959270	267	2.22500000
burn_75	-32850.00000000	-0.12976086	267	2.22500000
burn_75	-32850.00000000	-0.12992946	267	2.22500000
burn_75	-32850.00000000	-0.13009849	267	2.22500000
burn_75	-32850.00000000	-0.13026797	267	2.22500000
burn_75	-32850.00000000	-0.13043789	267	2.22500000
burn_75	-32850.00000000	-0.13060825	267	2.22500000
burn_75	-32850.00000000	-0.13077906	267	2.22500000
burn_75	-32850.00000000	-0.13095032	267	2.22500000
burn_75	-32850.00000000	-0.13112202	267	2.22500000
burn_75	-32850.00000000	-0.13129418	267	2.22500000
burn_75	-32850.00000000	-0.13146679	267	2.22500000
burn_75	-32850.00000000	-0.13163985	267	2.22500000
burn_75	-32850.00000000	-0.13181337	267	2.22500000
burn_75	-32850.00000000	-0.13198734	267	2.22500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_75	-32850.00000000	-0.13216178	267	2.22500000
burn_75	-32850.00000000	-0.13233668	267	2.22500000
burn_75	-32850.00000000	-0.13251204	267	2.22500000
burn_75	-32850.00000000	-0.13268787	267	2.22500000
burn_75	-32850.00000000	-0.13286416	267	2.22500000
burn_75	-32850.00000000	-0.13304093	267	2.22500000
burn_75	-32850.00000000	-0.13321816	267	2.22500000
burn_75	-32850.00000000	-0.13339587	267	2.22500000
burn_75	-32850.00000000	-0.13357405	267	2.22500000
burn_75	-32850.00000000	-0.13375271	267	2.22500000
burn_75	-32850.00000000	-0.13393185	267	2.22500000
burn_75	-32850.00000000	-0.13411147	267	2.22500000
burn_75	-32850.00000000	-0.13429157	267	2.22500000
burn_75	-32850.00000000	-0.13447215	267	2.22500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	2628000.00000000	0E-8	357	2.97500000
burn_100	2628000.00000000	100.00000000	357	2.97500000
burn_100	2628000.00000000	50.00000000	357	2.97500000
burn_100	2628000.00000000	33.33333333	357	2.97500000
burn_100	2628000.00000000	25.00000000	357	2.97500000
burn_100	1314000.00000000	10.00000000	357	2.97500000
burn_100	1314000.00000000	9.09090909	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	1314000.00000000	8.33333333	357	2.97500000
burn_100	1314000.00000000	7.69230769	357	2.97500000
burn_100	1314000.00000000	7.14285714	357	2.97500000
burn_100	657000.00000000	3.33333333	357	2.97500000
burn_100	657000.00000000	3.22580645	357	2.97500000
burn_100	657000.00000000	3.12500000	357	2.97500000
burn_100	657000.00000000	3.03030303	357	2.97500000
burn_100	657000.00000000	2.94117647	357	2.97500000
burn_100	328500.00000000	1.42857143	357	2.97500000
burn_100	328500.00000000	1.40845070	357	2.97500000
burn_100	328500.00000000	1.38888889	357	2.97500000
burn_100	328500.00000000	1.36986301	357	2.97500000
burn_100	328500.00000000	1.35135135	357	2.97500000
burn_100	164250.00000000	0.66666667	357	2.97500000
burn_100	164250.00000000	0.66225166	357	2.97500000
burn_100	164250.00000000	0.65789474	357	2.97500000
burn_100	164250.00000000	0.65359477	357	2.97500000
burn_100	164250.00000000	0.64935065	357	2.97500000
burn_100	82125.00000000	0.32258065	357	2.97500000
burn_100	82125.00000000	0.32154341	357	2.97500000
burn_100	82125.00000000	0.32051282	357	2.97500000
burn_100	82125.00000000	0.31948882	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	82125.00000000	0.31847134	357	2.97500000
burn_100	82125.00000000	0.31746032	357	2.97500000
burn_100	82125.00000000	0.31645570	357	2.97500000
burn_100	82125.00000000	0.31545741	357	2.97500000
burn_100	82125.00000000	0.31446541	357	2.97500000
burn_100	82125.00000000	0.31347962	357	2.97500000
burn_100	82125.00000000	0.31250000	357	2.97500000
burn_100	82125.00000000	0.31152648	357	2.97500000
burn_100	82125.00000000	0.31055901	357	2.97500000
burn_100	82125.00000000	0.30959752	357	2.97500000
burn_100	82125.00000000	0.30864198	357	2.97500000
burn_100	82125.00000000	0.30769231	357	2.97500000
burn_100	82125.00000000	0.30674847	357	2.97500000
burn_100	82125.00000000	0.30581040	357	2.97500000
burn_100	82125.00000000	0.30487805	357	2.97500000
burn_100	82125.00000000	0.30395137	357	2.97500000
burn_100	82125.00000000	0.30303030	357	2.97500000
burn_100	82125.00000000	0.30211480	357	2.97500000
burn_100	82125.00000000	0.30120482	357	2.97500000
burn_100	82125.00000000	0.30030030	357	2.97500000
burn_100	82125.00000000	0.29940120	357	2.97500000
burn_100	82125.00000000	0.29850746	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	82125.00000000	0.29761905	357	2.97500000
burn_100	82125.00000000	0.29673591	357	2.97500000
burn_100	82125.00000000	0.29585799	357	2.97500000
burn_100	82125.00000000	0.29498525	357	2.97500000
burn_100	82125.00000000	0.29411765	357	2.97500000
burn_100	82125.00000000	0.29325513	357	2.97500000
burn_100	82125.00000000	0.29239766	357	2.97500000
burn_100	82125.00000000	0.29154519	357	2.97500000
burn_100	82125.00000000	0.29069767	357	2.97500000
burn_100	82125.00000000	0.28985507	357	2.97500000
burn_100	82125.00000000	0.28901734	357	2.97500000
burn_100	82125.00000000	0.28818444	357	2.97500000
burn_100	82125.00000000	0.28735632	357	2.97500000
burn_100	82125.00000000	0.28653295	357	2.97500000
burn_100	82125.00000000	0.28571429	357	2.97500000
burn_100	82125.00000000	0.28490028	357	2.97500000
burn_100	82125.00000000	0.28409091	357	2.97500000
burn_100	82125.00000000	0.28328612	357	2.97500000
burn_100	82125.00000000	0.28248588	357	2.97500000
burn_100	82125.00000000	0.28169014	357	2.97500000
burn_100	82125.00000000	0.28089888	357	2.97500000
burn_100	82125.00000000	0.28011204	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	82125.00000000	0.27932961	357	2.97500000
burn_100	82125.00000000	0.27855153	357	2.97500000
burn_100	82125.00000000	0.27777778	357	2.97500000
burn_100	82125.00000000	0.27700831	357	2.97500000
burn_100	82125.00000000	0.27624309	357	2.97500000
burn_100	82125.00000000	0.27548209	357	2.97500000
burn_100	82125.00000000	0.27472527	357	2.97500000
burn_100	-60825.00000000	-0.20291487	357	2.97500000
burn_100	-65700.00000000	-0.21962373	357	2.97500000
burn_100	-65700.00000000	-0.22010714	357	2.97500000
burn_100	-65700.00000000	-0.22059268	357	2.97500000
burn_100	-65700.00000000	-0.22108037	357	2.97500000
burn_100	-65700.00000000	-0.22157021	357	2.97500000
burn_100	-65700.00000000	-0.22206224	357	2.97500000
burn_100	-65700.00000000	-0.22255645	357	2.97500000
burn_100	-65700.00000000	-0.22305287	357	2.97500000
burn_100	-65700.00000000	-0.22355151	357	2.97500000
burn_100	-65700.00000000	-0.22405238	357	2.97500000
burn_100	-65700.00000000	-0.22455550	357	2.97500000
burn_100	-65700.00000000	-0.22506089	357	2.97500000
burn_100	-65700.00000000	-0.22556856	357	2.97500000
burn_100	-65700.00000000	-0.22607852	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-65700.00000000	-0.22659079	357	2.97500000
burn_100	-65700.00000000	-0.22710539	357	2.97500000
burn_100	-65700.00000000	-0.22762233	357	2.97500000
burn_100	-65700.00000000	-0.22814164	357	2.97500000
burn_100	-65700.00000000	-0.22866331	357	2.97500000
burn_100	-65700.00000000	-0.22918738	357	2.97500000
burn_100	-65700.00000000	-0.22971385	357	2.97500000
burn_100	-65700.00000000	-0.23024275	357	2.97500000
burn_100	-65700.00000000	-0.23077409	357	2.97500000
burn_100	-65700.00000000	-0.23130789	357	2.97500000
burn_100	-65700.00000000	-0.23184417	357	2.97500000
burn_100	-65700.00000000	-0.23238293	357	2.97500000
burn_100	-65700.00000000	-0.23292421	357	2.97500000
burn_100	-65700.00000000	-0.23346801	357	2.97500000
burn_100	-65700.00000000	-0.23401436	357	2.97500000
burn_100	-65700.00000000	-0.23456327	357	2.97500000
burn_100	-65700.00000000	-0.23511477	357	2.97500000
burn_100	-65700.00000000	-0.23566886	357	2.97500000
burn_100	-65700.00000000	-0.23622557	357	2.97500000
burn_100	-65700.00000000	-0.23678491	357	2.97500000
burn_100	-65700.00000000	-0.23734692	357	2.97500000
burn_100	-65700.00000000	-0.23791159	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-65700.00000000	-0.23847896	357	2.97500000
burn_100	-65700.00000000	-0.23904904	357	2.97500000
burn_100	-65700.00000000	-0.23962186	357	2.97500000
burn_100	-65700.00000000	-0.24019742	357	2.97500000
burn_100	-65700.00000000	-0.24077576	357	2.97500000
burn_100	-65700.00000000	-0.24135689	357	2.97500000
burn_100	-65700.00000000	-0.24194083	357	2.97500000
burn_100	-65700.00000000	-0.24252760	357	2.97500000
burn_100	-65700.00000000	-0.24311723	357	2.97500000
burn_100	-65700.00000000	-0.24370973	357	2.97500000
burn_100	-65700.00000000	-0.24430512	357	2.97500000
burn_100	-65700.00000000	-0.24490344	357	2.97500000
burn_100	-65700.00000000	-0.24550469	357	2.97500000
burn_100	-65700.00000000	-0.24610889	357	2.97500000
burn_100	-65700.00000000	-0.24671608	357	2.97500000
burn_100	-65700.00000000	-0.24732628	357	2.97500000
burn_100	-65700.00000000	-0.24793950	357	2.97500000
burn_100	-65700.00000000	-0.24855577	357	2.97500000
burn_100	-65700.00000000	-0.24917511	357	2.97500000
burn_100	-65700.00000000	-0.24979754	357	2.97500000
burn_100	-65700.00000000	-0.25042309	357	2.97500000
burn_100	-65700.00000000	-0.25105178	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-65700.00000000	-0.25168364	357	2.97500000
burn_100	-65700.00000000	-0.25231868	357	2.97500000
burn_100	-65700.00000000	-0.25295694	357	2.97500000
burn_100	-65700.00000000	-0.25359843	357	2.97500000
burn_100	-65700.00000000	-0.25424319	357	2.97500000
burn_100	-65700.00000000	-0.25489123	357	2.97500000
burn_100	-65700.00000000	-0.25554259	357	2.97500000
burn_100	-65700.00000000	-0.25619728	357	2.97500000
burn_100	-65700.00000000	-0.25685534	357	2.97500000
burn_100	-65700.00000000	-0.25751679	357	2.97500000
burn_100	-65700.00000000	-0.25818165	357	2.97500000
burn_100	-65700.00000000	-0.25884995	357	2.97500000
burn_100	-65700.00000000	-0.25952172	357	2.97500000
burn_100	-65700.00000000	-0.26019699	357	2.97500000
burn_100	-65700.00000000	-0.26087578	357	2.97500000
burn_100	-65700.00000000	-0.26155812	357	2.97500000
burn_100	-65700.00000000	-0.26224404	357	2.97500000
burn_100	-65700.00000000	-0.26293357	357	2.97500000
burn_100	-65700.00000000	-0.26362673	357	2.97500000
burn_100	-65700.00000000	-0.26432356	357	2.97500000
burn_100	-65700.00000000	-0.26502408	357	2.97500000
burn_100	-65700.00000000	-0.26572833	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-65700.00000000	-0.26643632	357	2.97500000
burn_100	-65700.00000000	-0.26714810	357	2.97500000
burn_100	-65700.00000000	-0.26786370	357	2.97500000
burn_100	-65700.00000000	-0.26858313	357	2.97500000
burn_100	-65700.00000000	-0.26930644	357	2.97500000
burn_100	-65700.00000000	-0.27003366	357	2.97500000
burn_100	-65700.00000000	-0.27076482	357	2.97500000
burn_100	-65700.00000000	-0.27149994	357	2.97500000
burn_100	-65700.00000000	-0.27223907	357	2.97500000
burn_100	-65700.00000000	-0.27298224	357	2.97500000
burn_100	-65700.00000000	-0.27372947	357	2.97500000
burn_100	-65700.00000000	-0.27448081	357	2.97500000
burn_100	-65700.00000000	-0.27523628	357	2.97500000
burn_100	-65700.00000000	-0.27599592	357	2.97500000
burn_100	-65700.00000000	-0.27675976	357	2.97500000
burn_100	-65700.00000000	-0.27752785	357	2.97500000
burn_100	-65700.00000000	-0.27830021	357	2.97500000
burn_100	-65700.00000000	-0.27907688	357	2.97500000
burn_100	-65700.00000000	-0.27985790	357	2.97500000
burn_100	-65700.00000000	-0.28064330	357	2.97500000
burn_100	-65700.00000000	-0.28143312	357	2.97500000
burn_100	-65700.00000000	-0.28222741	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-65700.00000000	-0.28302618	357	2.97500000
burn_100	-65700.00000000	-0.28382949	357	2.97500000
burn_100	-65700.00000000	-0.28463738	357	2.97500000
burn_100	-65700.00000000	-0.28544988	357	2.97500000
burn_100	-65700.00000000	-0.28626703	357	2.97500000
burn_100	-65700.00000000	-0.28708887	357	2.97500000
burn_100	-65700.00000000	-0.28791544	357	2.97500000
burn_100	-65700.00000000	-0.28874679	357	2.97500000
burn_100	-65700.00000000	-0.28958295	357	2.97500000
burn_100	-65700.00000000	-0.29042397	357	2.97500000
burn_100	-65700.00000000	-0.29126988	357	2.97500000
burn_100	-65700.00000000	-0.29212074	357	2.97500000
burn_100	-65700.00000000	-0.29297659	357	2.97500000
burn_100	-65700.00000000	-0.29383746	357	2.97500000
burn_100	-65700.00000000	-0.29470341	357	2.97500000
burn_100	-65700.00000000	-0.29557448	357	2.97500000
burn_100	-65700.00000000	-0.29645071	357	2.97500000
burn_100	-65700.00000000	-0.29733216	357	2.97500000
burn_100	-65700.00000000	-0.29821886	357	2.97500000
burn_100	-65700.00000000	-0.29911086	357	2.97500000
burn_100	-65700.00000000	-0.30000822	357	2.97500000
burn_100	-65700.00000000	-0.30091098	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	-65700.00000000	-0.30181918	357	2.97500000
burn_100	-65700.00000000	-0.30273289	357	2.97500000
burn_100	-65700.00000000	-0.30365214	357	2.97500000
burn_100	-65700.00000000	-0.30457700	357	2.97500000
burn_100	-65700.00000000	-0.30550751	357	2.97500000
burn_100	-65700.00000000	-0.30644371	357	2.97500000
burn_100	-65700.00000000	-0.30738568	357	2.97500000
burn_100	-65700.00000000	-0.30833345	357	2.97500000
burn_100	-65700.00000000	-0.30928709	357	2.97500000
burn_100	-65700.00000000	-0.31024664	357	2.97500000
burn_100	-65700.00000000	-0.31121216	357	2.97500000
burn_100	-45300.00000000	-0.21524996	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000
burn_100	0E-8	0E-8	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.

Atho 250Y Scenarios Dataset

Year-level scenario data export (from atho_emissions_250y_scenarios.csv) | Columns 1, 16-19 of 19

scenario_key	annual_net_change_atho	annual_net_rate_pct	tx_per_block_est	tps_est
burn_100	0E-8	0E-8	357	2.97500000

Footnotes

[1] Rows: Each row is one (scenario, year) sample from the yearly simulator output.
[2] scenario_key: Stable machine key for joining rows across CSV exports and scenarios.
[3] annual_net_change_atho: Year-over-year circulating supply change after burn (ATHO/year).
[4] annual_net_rate_pct: Annual net supply change divided by previous circulating supply (%/year).
[5] tx_per_block_est: Estimated transactions per block at average tx size and scenario utilization.
[6] tps_est: Estimated transactions per second from tx/block and 120-second blocks.
[7] All ATHO values are deterministic model outputs aligned to current consensus constants.