


Booking

Booking.html



Full code

```
{% extends 'base.html' %}
{% load static %}
{% block hai %}
<style>
  * {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
  }
  body {
    font-family: "Inter", Arial, Helvetica, sans-serif;
  }
  .formbold-mb-5 {
    margin-bottom: 20px;
  }
  .formbold-pt-3 {
    padding-top: 12px;
  }
  .formbold-main-wrapper {
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 48px;
  }
  .formbold-form-wrapper {
    margin: 0 auto;
    max-width: 550px;
    width: 100%;
  }
</style>
<div formbold-main-wrapper>
  <div formbold-form-wrapper>
    <form>
```

```
    background: white;
}
.formbold-form-label {
  display: block;
  font-weight: 500;
  font-size: 16px;
  color: #07074d;
  margin-bottom: 12px;
}
.formbold-form-label-2 {
  font-weight: 600;
  font-size: 20px;
  margin-bottom: 20px;
}

.formbold-form-input {
  width: 100%;
  padding: 12px 24px;
  border-radius: 6px;
  border: 1px solid #e0e0e0;
  background: white;
  font-weight: 500;
  font-size: 16px;
  color: #6b7280;
  outline: none;
  resize: none;
}
.formbold-form-input:focus {
  border-color: #6a64f1;
  box-shadow: 0px 3px 8px rgba(0, 0, 0, 0.05);
}

.formbold-btn {
  text-align: center;
  font-size: 16px;
  border-radius: 6px;
  padding: 14px 32px;
  border: none;
  font-weight: 600;
  background-color: #6a64f1;
  color: white;
  width: 100%;
  cursor: pointer;
}
.formbold-btn:hover {
  box-shadow: 0px 3px 8px rgba(0, 0, 0, 0.05);
}

.formbold--mx-3 {
  margin-left: -12px;
  margin-right: -12px;
}
.formbold-px-3 {
  padding-left: 12px;
  padding-right: 12px;
}
.flex {
  display: flex;
}
.flex-wrap {
  flex-wrap: wrap;
}
```

```

    }
    .w-full {
      width: 100%;
    }
    @media (min-width: 540px) {
      .sm\:w-half {
        width: 50%;
      }
    }
  }
</style>

<div class="formbold-main-wrapper">
  <div class="formbold-form-wrapper">
    <form action="/booking/" method="POST">
      {% csrf_token %}
      <div class="formbold-mb-5">
        <label for="name" class="formbold-form-label"> Full Name </label>
        <input type="text" name="name" id="name" placeholder="Full Name"
class="formbold-form-input"/>
      </div>
      <div class="formbold-mb-5">
        <label for="phone" class="formbold-form-label"> Phone Number
</label>
        <input type="text" name="phone" id="phone" placeholder="Enter your
phone number" class="formbold-form-input"
/>
      </div>
      <div class="formbold-mb-5">
        <label for="email" class="formbold-form-label"> Email Address
</label>
        <input type="email" name="email" id="email" placeholder="Enter your
email" class="formbold-form-input"
/>
      </div>
      <div class="flex flex-wrap formbold--mx-3">
        <div class="w-full sm:w-half formbold-px-3">
          <div class="formbold-mb-5 w-full">
            <label for="date" class="formbold-form-label"> Date </label>
            <input type="date" name="date" id="date" class="formbold-form-
input"
/>
          </div>
        </div>
        <div class="w-full sm:w-half formbold-px-3">
          <div class="formbold-mb-5">
            <label for="time" class="formbold-form-label"> Time </label>
            <input type="time" name="time" id="time" class="formbold-form-
input"/>
          </div>
        </div>
      </div>

      <div class="formbold-mb-5 formbold-pt-3">
        <label class="formbold-form-label formbold-form-label-2">
          Address Details
        </label>
        <div class="flex flex-wrap formbold--mx-3">
          <div class="w-full sm:w-half formbold-px-3">
            <div class="formbold-mb-5">

```

```

        <input type="text" name="area"
            id="area" placeholder="Enter area" class="formbold-form-
input"
        />
    </div>
</div>
<div class="w-full sm:w-half formbold-px-3">
    <div class="formbold-mb-5">
        <input type="text" name="city" id="city" placeholder="Enter
city" class="formbold-form-input"
        />
    </div>
</div>
<div class="w-full sm:w-half formbold-px-3">
    <div class="formbold-mb-5">
        <input type="text" name="state" id="state" placeholder="Enter
state" class="formbold-form-input"
        />
    </div>
</div>
<div class="w-full sm:w-half formbold-px-3">
    <div class="formbold-mb-5">
        <input type="text" name="post-code" id="post-code"
placeholder="Post Code" class="formbold-form-input"
        />
    </div>
</div>
</div>
</div>
<div>
    <button class="formbold-btn">Book Appointment</button>
</div>
</form>
</div>
{% endblock %}

```


Models.py

```
message=models.CharField(max_length=255)

class Booking(models.Model):
    fname=models.CharField(max_length=255)
    fphone=models.CharField(max_length=10)
    femail=models.EmailField()
    fdate = models.DateField()
    ftime = models.TimeField()
    farea=models.CharField(max_length=255)
    fcity=models.CharField(max_length=255)
    fstate = models.CharField(max_length=255)
    fpin = models.CharField(max_length=10)
```

Views.py

Import models in views

A screenshot of a code editor window with multiple tabs. The active tab is 'views.py'. The code in the editor shows imports for Django shortcuts, HTTP responses, and various models from 'doctorapp'.

```
1 from django.shortcuts import render,redirect
2 from django.http import HttpResponseRedirect
3 from doctorapp.models import docreg,document,Department,Doctors,registration,enquiry,Booking
4 from django.core.files.storage import FileSystemStorage
5 from doctorapp.form import enquiryform
6 # Create your views here.
7
```

```
def booking(request):
    if request.method == "POST":
        b1 = Booking(fname=request.POST.get("name"),
                     fphone=request.POST.get("phone"),
                     femail=request.POST.get("email"),
                     fdate=request.POST.get("date"),
                     ftime=request.POST.get("time"),
                     farea=request.POST.get("area"),
                     fcity=request.POST.get("city"),
                     fstate=request.POST.get("state"),
                     fpin=request.POST.get("post-code"))
        b1.save()
    return render(request, template_name: 'booking.html')
```

Urls.py

```
1 from django.contrib import admin
2 from django.urls import path
3 from doctorapp import views
4 from django.conf.urls.static import static
5 from doctors import settings
6 urlpatterns = [
7     path('admin/', admin.site.urls),
8     path('helloworld/', views.hello),
9     path('index/', views.index),
10    path('base/', views.base),
11    path('reg/', views.reg1),
12    path('view/', views.viewdatas),
13    path('reg2/', views.reg2),
14    path('dept/', views.department),
15    path('doc/', views.doctors),
16    path('showreg2/', views.show),
17    path('signup/', views.signup),
18    path('enquiry/', views.enquiry),
19    path('enquirydb/', views.enquirydb),
20    path('booking/', views.booking)
21 ]
22
23 if settings.DEBUG:
24     urlpatterns+=static(settings.MEDIA_URL,document_root=settings.MEDIA_ROOT)
```