




Table of Contents

Design workflow

- Recce Validation
- Layout Preparation
- Layout Approval



Design Workflow






A

- RECEE CAD
- SITE PHOTOS



Sample Documents




SECTION AA'



SECTION BB'



SECTION CC'



SECTION DD'



Merchandising Input Validation

Site Name

Ayodhya_NiyawanRoad

City

Faizabad

State

Uttar Pradesh

Store Type

COCO

Store Size (sq ft)

1000

Proto (INR Lakhs)

11



Checklist

Area	Minimum 500 sqft usable area on single floor plate (excluding toilet, staircase cutouts etc) Exceptions only in case of PANEL approval for specific markets to ensure brand presence in critical catchments provided efficiency of store is feasible on test fit
Width of Store	Min: 3650mm, ideal 3900mm
Height at entry	Min 2400mm from FFL Exception can be made, but not below 2100mm (NBC)
Heights inside store	Min:2700mm from FFL BOB Min 2500mm
Condition of Structure	Old/new Construction ? Visibly old or dilapidated building, request for structural stability certificate. Building construction type (Slab made of RCC, PT SLAB, STONE SLAB, Metal Deck)
Modifications in structure	Any structural modifications in building including - Addition/removal of Mezzanine slab - Cutout for Staircase , Staircase construction where relevant
Washroom	1 Required mandatory within store (exhaust mandatory, finishes and fittings as per LK std.) If existing, condition to be checked and recommendation for uplift to be shared If not existing, location to be confirmed with LL basis feasibility on site If Addition within site not possible, LL to ensure toilet near premise for LK staff use



Checklist

Utilities / Provisions within store premises	Meter Box Location and incomer and Proximity to store to be confirmed
	Presence of any Plumbing pipe within retail area (to be avoided) No sumps/Borewell within premise
Entry	Exterior common Corridor/Landing finish condition LL scope Railing for staircase Pavement to be properly finished
	Existing Obstruction to facade -Presence of hawkers/vendor in front of store -HT line or post obstructing/ too close to store
Rolling Shutter	To be provided by as part of Shell and Core, height below RS drum shouldn't be less than 2400mm from FFL
Glazing & Entry Door	Existing Glazing if in good condition to be retained, Entry Door min to be 1050mm W x 2400mm (H) If Multiple glazed sides existing in building (feasibility to modify to be confirmed with LL)

i	PREMIUM (JOHN JACOBS & OWNDAYS)	• JJ-EYE • OD-EYE • JJ-SUN
ii	VALUE (LENSKART & VINCENT CHASE)	• LK-AIR • VC-EYE • Hooper KIDS
iii	OTHER	• BLUE ZERO • CONTACT LENS
iv	SUPER PREMIUM	• BRANDED (FOSSIL) • LPL (Le petit lunetier)
v	MISC	• Accessories

Header	Branded Eye	Branded Sun	JJ Eye	JJ Sun	VC Eye	LK Air	VC Sun	VC Kids	Reading Glasses	Tentpole	CL Fixtures	OD	LPL	Total
Cohort Estimate														
Closest Store	5.14%	0.0%	29.7%	4.16%	26.29%	24.27%	8.19%	1.43%	0.82%					100.0%
Mix Estimate	0%	0%	33.13%	4.16%	28.0%	25.98%	8.19%	1.43%	0.82%					101.71%
Final Mix	0.0%	0.0%	27.69%	3.48%	23.4%	21.71%	6.84%	1.2%	0.69%					85.01%
Final Projected Sales	0.00	0.00	3,04,590.00	38,280.00	2,57,400.00	2,38,810.00	75,240.00	13,200.00	7,590.00					9,35,110.00
Rev/Fixture - National Median	1,00,000.00	1,00,000.00	90,000.00	60,000.00	1,40,000.00	1,40,000.00	60,000.00	60,000.00						7,50,000.00
Fixture Seeding	0	0	4.6	1	3.1	2.9	2	1.5	1	1				15.1
Ideal Fixture Count Suggestion	0	0	4.6	1	3.1	2.9	2	1.5	1	1				15.1
Final Ideal Fixture Count			2.5	1	2	2	2	1	1	1	1	0.5		10.5
MAX Fixture Count Suggestion	0	0	5	1.7	5.1	4.8	2	1.5	1					20.1
Ideal Capacity Required			112.5	45	170	170	85	72						824.5
MAX Capacity Required	0	0	225	144.5	433.5	408	170	127.5	72					1580.5
Fixture Width										2				

Notes:


MAX represents the maximum fixture count for each BRAND

TARGET represents the ideal fixture count for each BRAND category

CONTROL THRESHOLD: Lower of MAX value and (+20%) variation from TARGET

MAX

TARGET




RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET





Wall Fixtures

Premium Side Wall

- JJ Eye Category visible as you enter followed by OD-EYE and then JJ SUN
- VC SUN preferably following JJ sun or in close proximity. VC SUN can be on Euro Center(Floor Fixture)

Value Side wall

- Begin with LK Air, Followed by VC Eye and then Hooper.

CLens used as a breaker between categories

Mirror

- Ideally 300mm std Mirror units to be placed after every wall fixtures, for optimisation Mirror to be ensured between every 2 fixture
- Where there are columns on site, they can be utilized to create on site mirrors min 250mm width
- Fixture sides also can be used to create on site mirror (in case of space constraints)
- Corner boxing mirror min 300mm to be ensured
- Mirror to be ensured between every 2 fixture

RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET



Floor Fixtures

- Euro Center Min 1 nos in every store for Tentpole display
- Blue Zero 1 nos
 - To be placed visible as you enter can be placed at the edge of the discussion table
 - Or near the column

CIRCULATION

Maintain 1050mm to 1200mm minimum between Floor fixtures and wall fixture

TV Screen

- 55" Inch screen (preferred min) approx 3m ht of BOB
- 49" Inch screen in cases where BOB is 2.8m
- Bottom of TV should not be less than 1950mm on Euro Center Other tv's 2100mm
- Location at Facade glazing and 1 Above euro center

RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET

Floor Fixtures

- Discussion Tables Min 2 nos in every store
 - Discussion tables can be placed on the sides of the Euro Center
 - Preferably oriented parallel to the Wall fixtures
 - Alternately in narrow stores Discussion tables can be oriented perpendicular to wall fixtures
- POS Counter
 - To be placed centrally on the back wall in front of Clinics
 - Left or Right aligned cash placement can be considered in narrower stores

CIRCULATION

Ideal 750mm space behind POS counter and Min 600mm

Maintain 1050mm to 1200mm minimum between Floor fixtures and wall fixture

RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET

**PROTO**

Upto 12 Lakh

12-15 Lakh

>15 Lakh

No of CLINICS

2 Clinics

3 Clinics

4 Clinics

Notes:

Ideally all clinics to be positioned towards to the back end of the store

When there is a MF/FF ensure at least 1 Clinic on the Ground level.

1 Clinic to always have storage and Sink Unit provisioned

1 clinic always to have provision for Remote Optometry

RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET

Seating

- Bench Seating at least 1nos in the store , preferably near the POS counter/Clinics
 - preferably near the POS counter/Clinics
 - Alternate locations include, near euro center or at facade
- >15L Proto Lounge table /sofa seating can be added based on space

CIRCULATION

750mm clear passage spaces to clinics

Opening size 750mm to clinic and BOH/Store

Clinic 1 Standard With Sink

Size : 1500x 2400mm | Min Viewing Range 1800mm

TRIAL SET CONSOLE

STOOL

2400

1500



1800

CHAIR UNIT

SINK UNIT

ACUITY CHART SCREEN

STORAGE UNIT



RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET

Clinic 1 Standard Without sink unit

Size : 1500x 2400mm | Min Viewing Range 1800mm

TRIAL SET CONSOLE

STOOL

2400




1800

SINK UNIT

ACUITY CHART SCREEN

STORAGE UNIT

CHAIR UNIT



RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE



TOILET

Clinic 2 Remote Optometry

Enabled - PC50S machine additional with PC


Provisioned - Std Acuity chart Clinic

Size : 1500x 2400mm | Min Viewing Range 1800mm




Clinic Compact MC5S

Size : 1350-1500 x 1800mm | Viewing Range
1000mm



<https://topconhealthcare.com/products/cv-5000s/>

<https://topconhealthcare.jp/products/mc-5-5s/>





- All BOH to have a door
- Min Furniture and Equipment requirements
 - Dining table/Repair table/QC table : 1 Nos Min - 3 Max
 - Storage Rack : 1 Nos
 - Staff Rack: 1 Nos
 - Water Dispenser : 1 Nos
 - UPS rack: 1 Nos

Notes:

750mm clear circulation ideal

RETAIL

DISCUSSION &
BILLING

CLINIC

**BACK OF
HOUSE/STORE**

TOILET



- Ideally Toilets to be accessible from a common passage independent of the BOH/Store
- Minimum Sizing 1500x1500mm or 1200x2250mm

RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET

TV Screen Back to Back

- Located at Facade glazing / Above Euro centers
- Ensure that QMS can be displayed on the screen, and strategic placement required to ensure visibility to customers
- Bottom of TV should not be less that 1950mm on Euro Center Other tv's 2100mm
 - 55" Inch screen (preferred min)
 - 49" Inch screen in cases where BOB is 2.8m
- Exception for low height stores TV to be Located at Cash back wall

TV NICHE DETAIL							
S.N	DESCRIPTION	TV DIMENSION IN MM			NICHE DIMENSION IN MM		
		LENGTH	WIDTH	DEPTH	LENGTH	WIDTH	DEPTH
1	75" SCREEN	1668	963	87	1708	1003	150
2	65" SCREEN	1456	845	90	1496	885	150
3	55" SCREEN	1245	720	90	1285	760	150
4	49" SCREEN	1106	696	90	1146	736	150
5	43" SCREEN	971	567	90	1011	607	150

Signage

Stack signage mounted on fluted panel at cash back

Free Eye test Signage at glazing

RETAIL

DISCUSSION &
BILLING

CLINIC

BACK OF
HOUSE/STORE

TOILET

MISC



Fixture /Merch Requirement

Number of Clinics

Seating

Mandatory Equipments

BOH requirements

Toilet



Fixture Kit of parts

Discussion Tables

Sizes:

L 900/1200/1500 x W 450 x D 930MM

Finish:

MS Powder
coated Brass
finish

Laminate
41002 PT
Creamy Plecus


Laminate
40475 XMT
Bianco Ibiza



Notes:

Ipad Stand Fixing (wire in and Out)

Electrical Switch Box Fixing





Euro Center

Sizes:

L 1040 x W 1175 x H 930MM

Finish:

MS Powder
coated Brass
finish

Laminate
Design 10526
White Pabelo
Acacia

Birch ply
(Pigeon Hole
dividers)



Notes:

Ipad Stand Fixing (wire in and Out)





Blue Zero

Sizes:

L 450x W 300x H

Finish:

MS Powder
coated Brass
finish

Laminate
41002 PT
Creamy Plecus



Notes:



JJ Wall

Sizes:

L 1200 / 900 x H 2400 x W 250MM

Finish:

Laminate
99988 Brass
MTV

Laminate
41002 PT
Creamy Plecus

Laminate
11005 Neo
Highland pine

Laminate
22091 Frosty
White



Notes:





VC WALL (Hybrid)

Sizes:

L 1200/1010 x H 2400 x W 250MM

Finish:

Laminate
99988 Brass
MTV



Laminate
41002 PT
Creamy Plecus



Laminate
11005 Neo
Highland pine



Laminate
22091 Frosty
White



Notes:





C Lens

Sizes:

L 900 x H 2400 x W 250MM

Finish:

Laminate
99988 Brass
MTV



Laminate
41002 PT
Creamy Plecus



Laminate
11005 Neo
Highland pine



Laminate
22091 Frosty
White



Notes:





JJ Super Hybrid

Sizes:

L 1200 /1010/ 900 x H 2400 x W 250MM

Finish:

Laminate
99988 Brass
MTV



Laminate
41002 PT
Creamy Plecus




Laminate
11005 Neo
Highland pine



Laminate
22091 Frosty
White



Notes:





Cash

Sizes:

L 900/1200/1500/1800 x H 1200 x W 740MM

Finish:

Laminate
99988 Brass
MTV

Duco Paint
Pantone 162C

Laminate
40475 XMT
Bianco Ibiza

Laminate
41002 SF
Creamy Plecus



Notes:





Sink Unit

Sizes:

L 1200 x H 2400 x W 450MM

Finish:

Laminate
99988 Brass
MTV

Laminate
41002 SF
Creamy Plecus



Notes:





Clinic Trial set

Sizes:

L 500 x H 750x W 633MM


Finish:

Laminate
99988 Brass
MTV

Laminate
41002 SF
Creamy Plecus



Notes:





QMS / Greetr

Sizes:

L 700 x H 1000x W 600MM

Finish:

Laminate
99988 Brass
MTV

Laminate
11005 Neo
Highland pine

Laminate
40475 XMT
Bianco Ibiza



Notes:





Lensbar

Sizes:

L 2100MM x H 930/1130MM x W 900MM

Finish:

Laminate
99988 Brass
MTV

Laminate
11005 Neo
Highland pine

Laminate
40475 XMT
Bianco Ibiza



Notes:





Pick Up Window

Sizes:

L 900/1200 MM x H 35MM x W 450MM

Finish:

Notes:







Pick Up Counter

Sizes:

L 1200/1500 MM x H 1100MM x W 750MM

Finish:

Notes:





Lensometer

Sizes:

L 1200/600 x H 1000x W 600MM

Finish:

Laminate
99988 Brass
MTV

Laminate
Design 10526
White Pabelo
Acacia



Notes:





Bench


Sizes:

L 1385/1200 x H 450 x W 485MM

Finish:

Fabric-

Solid wood
legs



Notes:





Corian table + Lounge seating

Sizes:

L x W x H

Finish:

Notes:



Half Euro w/ shelving

Sizes:

L 1040 x W 1175 x H 930MM

Finish:

MS Powder
coated Brass
finish

Laminate
Design 10526
White Pabelo
Acacia

Birch ply
(Pigeon Hole
dividers)



Notes:

Ipad Stand Fixing (wire in and Out)

