

EVENTFORCE MANAGEMENT SYSTEM SALESFORCE IMPLEMENTATION

Project Report

Project Name: EventForce Management System

Organization: Event Planner Solutions

Platform: Salesforce Developer Edition Org

Submitted By:

Government College of Engineering, Thanjavur
Department of Computer Science and Engineering.

Team ID : SWTID-2026-8768

Team Leader : Athulya A

Team member : Janani A

Team member : Samyuktha K

Team member : Pooja S

1. Project Overview

The EventForce Management System is a Salesforce CRM built for **Event Planner Solutions**. It brings client bookings, venue reservations, vendor coordination and feedback collection into one platform, with automation and real-time reporting.

- **Platform:** Salesforce Developer Edition Org (built and tested for academic purposes).
- **Key processes automated:** event scheduling, cancellation approvals and client reminders.
- **Users:** Clients, Event Coordinators, Vendors, Venue Managers and Event Administrators.

2. Objectives

The system aims to digitize and automate event management operations and give the business a single, reliable view of its events.

- Centralize client, event, venue, vendor and feedback data.
- Automate reminders, cancellation approvals and venue availability updates.
- Improve collaboration between coordinators, vendor managers and clients.
- Provide reports and dashboards for data-driven decisions.

Targets:

- Reduction of manual processes by **60%**.
- Improvement of booking efficiency by **40%**.
- Higher client satisfaction through timely communication.
- Data-driven insights for business growth through integrated reporting and analytics.

PHASE 1 – REQUIREMENT ANALYSIS & PLANNING

3. Requirement Analysis

This phase defined what the system must do, who will use it, and how the work would be organized.

3.1 Functional Scope

- Custom objects: Event, Client, Vendor, Venue, Feedback and Event Vendor (junction).
- Relationships: Lookup, Master-Detail and Many-to-Many (Event ↔ Vendor).
- Flows for reminders and notifications; Approval Process for event cancellation.
- Validation Rules and Formula Fields for accurate data and budget calculation.
- Apex Classes and Triggers for venue availability and double-booking prevention.
- Profiles, Roles, Permission Sets and Sharing Rules for access control.
- Reports and Dashboards for event, vendor and upcoming-event insights.

3.2 Stakeholders Mapping

Each stakeholder group was mapped to a responsibility in the system. This mapping later guided the design of profiles, roles and sharing rules.

Stakeholder	Role in the System
Clients	Request event services, give feedback, view event updates
Event Coordinators	Manage scheduling, client communication and approvals
Vendors	Handle assigned services such as catering, decor and logistics
Venue Managers	Manage venue availability and reservations
Event Administrators	Oversee operations, security and data monitoring

3.3 Project Phases

Phase	Focus
Phase 1	Requirement Analysis & Planning
Phase 2	Backend Development & Configurations (Milestones 1–10)
Phase 3	UI/UX Development & Customization (Milestones 11–13)
Phase 4	Data Migration, Testing & Security (Milestones 14–18)
Phase 5	Deployment, Documentation & Maintenance

PHASE 2 – BACKEND DEVELOPMENT & CONFIGURATIONS

The backend phase built the core functional engine of the system. Declarative tools such as Record-Triggered Flows, Validation Rules, Formula Fields and Approval Processes automate booking confirmations, reminders and cancellation approvals. Apex Classes and Triggers handle more advanced logic, such as venue availability updates and prevention of double bookings. Together they turn a static data structure into a dynamic, automated CRM.

4. Data Architecture

The data model uses five custom objects and one junction object, created in a Salesforce Developer Edition org.

4.1 Setup

- Developer org created through the Salesforce developer sign-up and activated through email verification.
- Each object was created from **Setup** → **Object Manager** → **Create** → **Custom Object**, with Allow Reports and Allow Search enabled.
- Event also has Allow Activities and Track Field History enabled.
- Feedback uses an **Auto Number** record name with the format **F-{0000}**.
- Custom tabs were created for Event, Client, Vendor, Venue and Feedback.

4.2 Objects and Fields

Object	Key Fields
Event__c	Event Name, Event Date, Event Type, Event Status, Event Budget (formula)
Client__c	Client Name, Email, Phone, Address, Country, City
Vendor__c	Vendor Name, Email, Phone, Service Type (multi-select), Status
Venue__c	Venue Name, Address, Location (URL), Capacity, Availability Status
Feedback__c	Feedback ID (auto number), Rating (1–5), Comments
EventVendor__c	Junction object linking Event and Vendor

Picklist values

- **Event Type:** Wedding, Corporate, Birthday, Anniversary, Festival, Concert, Other.
- **Event Status:** Planned, Confirmed, Completed, Pending Cancellation, Canceled, Rejected.
- **Vendor Status:** Available, Booked, Cancelled.
- **Venue Availability Status:** Available, Reserved, Not Available.

- **Vendor Service Type:** Catering, Decor, Photography, Videography, Lighting, Stage Setup, Makeup Artist, DJ/Music, Transportation, Hosting/Anchor.
- **Client Country and City:** picklists covering 14 countries and 26 cities.

4.3 Event Budget Formula

Event Budget is a **Currency formula field** that calculates the budget from the Event Type.

Event Type	Budget	Event Type	Budget
Wedding	50,000	Festival	60,000
Corporate	30,000	Concert	40,000
Birthday	10,000	Other	15,000
Anniversary	20,000	Any other value	0

4.4 Relationships

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

- The **EventVendor__c** junction object creates the many-to-many link between Event and Vendor, because Salesforce does not allow a direct many-to-many relationship.
- A **lookup filter** on Feedback shows only the events of the selected client (Event: Client__c equals Feedback: Client__c).

5. Validation Rules

Validation rules stop invalid data from being saved. One rule was implemented to check client email addresses.

Property	Details
Rule Name	Email_Valid_Address
Object	Client__c
Status	Active
Error Message	Please Enter Valid Email Address (shown on the Email field)

Error condition formula:

```
NOT(REGEX(Email__c, "^[a-zA-Z0-9._]+@[a-zA-Z0-9.]+\.[a-zA-Z]{2,}$" ))
```

6. Approval Process

The approval process manages event cancellation requests, so that no event is canceled without a review.

Property	Details
Process Name	Event_Cancellation_Process (object: Event)
Entry Criteria	Event Status = Pending Cancellation
Initial Submitter	Event Owner
Approval Step	Manager Review – all records enter this step; approver assigned automatically to a specific user (Michael Jackson)
On Submission	Email alert to the Event Coordinator role
On Approval	Event Status updated to Canceled; email alert to the Event Owner
On Rejection	Event Status updated to Rejected; email alert to the Event Owner

Email templates created (Classic, Text):

- Event Cancellation Request Notification
- Email to Client After Cancellation
- Approval Notification to Event Owner
- Rejection Notification to Event Owner

The approval page shows Event Name, Owner, Client, Event Budget, Event Date, Event Status, Event Type and Venue. Profiles, roles and users should be created before the process is activated.

7. Flows

A record-triggered flow sends clients an automatic reminder before their event.

Property	Details
Flow Name	Client Reminder - 3 Days Before
Type / Object	Record-Triggered Flow on Event
Trigger	Record created or updated with Event Status = Confirmed
Optimized For	Actions and Related Records
Scheduled Path	3_Days_Before (3 days before Event Date)
Resources	Text templates: Subject and Body
Action	Send Email (Alert_Client_3Day_Reminder) to the Client email, with the Event Owner in CC

- The email body includes the client name, event name, date, venue and event type.

8. Apex Classes

Apex keeps venue availability up to date automatically when an event is saved.

- **Class: VenueStatusHelper** (public with sharing), method **updateVenueStatus**.
- If an event has a venue and its status is **Confirmed**, the venue is set to **Reserved**.
- If the status is **Canceled**, the venue is set to **Available**.
- Venue records are collected in a list and updated in one operation.
- **Trigger: EventTrigger13** on Event__c (after insert, after update) calls the class.

9. Apex Triggers

The PreventDoubleBooking trigger protects the booking calendar of each venue.

- **Trigger: PreventDoubleBooking** on Event__c (before insert, before update).
- It collects the venue Ids of the events being saved and queries the existing events for those venues.
- If another event has the same venue and the same Event Date, the save is blocked.
- **Error message:** This Venue is already booked on this date.

10. Batchable & Schedulable Apex

A nightly job marks past events as Completed so statuses stay accurate without manual work.

- **BatchCompleteEvents** (Database.Batchable): selects events with Event Date before today and status not Completed, and sets them to **Completed**.
- **ScheduleCompleteEvents** (Schedulable): runs the batch with a scope of 200 records.

Schedule Setting	Value
Job Name	Daily Event Completion
Apex Class	ScheduleCompleteEvents
Frequency	Weekly, all days
Start Time	08:00 PM

PHASE 3 – UI/UX DEVELOPMENT & CUSTOMIZATION

This phase created a simple, user-friendly interface for the system. A custom Lightning App brings all modules into one workspace, and reports and dashboards turn the stored data into visual insights.

11. Lightning App

A custom Lightning App brings all modules into a single workspace.

- **App Name:** Event Planner (created in App Manager → New Lightning App).
- **Navigation items:** Event, Client, Vendor, Venue, Feedback, Reports and Dashboards.
- **Assigned profile:** System Administrator.
- Verified through the App Launcher.

12. Reports

Reports give coordinators a clear view of upcoming events and their budgets.

- **Folder:** EventForce Report, shared with the Event Coordinator and Vendor Manager roles (View access).
- At least 10 records were created in each object before building reports.

Report Setting	Details
Report Name	Upcoming Events by Month
Columns	Event Name, Event Date, Event Type, Client, Venue, Event Budget
Filters	All Events; Event Date $\geq$ Today; Event Status $\neq$ Canceled
Grouping	Event Date by Calendar Month
Summaries	Row Count; Sum of Event Budget
Chart	Column or Line chart

13. Dashboards

The dashboard shows the key event metrics at a glance.

13.1 EventForce Operations Dashboard

The dashboard was created from the Dashboards tab of the application. A widget was added using the Upcoming Events by Month report

Dashboard Setting	Details
Dashboard Name	EventForce Operations Dashboard
Source Report	Upcoming Events by Month
Chart	Donut chart, maximum 6 values
Subtitle / Theme	Upcoming Events Overview / Light

PHASE 4 – DATA MIGRATION, TESTING & SECURITY

This phase prepared the system for real use. Data was loaded and validated, users were created, and role-based access controls were put in place to protect data. Testing confirmed that data, automation and permissions work as intended.

14. Data Migration

Data migration is the process of loading existing information into the new system. For EventForce, this ensured that the application contained meaningful data for testing, reporting and demonstration.

14.1 Approach

Records for Events, Clients, Vendors, Venues and Feedback were imported using the Salesforce Data Import Wizard. Before importing, the data was pre-validated to avoid duplicates and to maintain consistency.

14.2 Data Quality

- **Duplicate checks:** records were reviewed before import so that the same client, vendor, venue or event was not loaded twice.
- **Consistency:** values follow the picklists defined in the data architecture, such as Event Type, Event Status and Availability Status.
- **Validation:** the Email_Valid_Address rule protects the format of client emails.
- **Sufficient volume:** at least 10 records were available in every object so that reports and dashboards display useful results.

14.3 Outcome

The system contains clean, consistent data that supports automation, reports and dashboards from the start.

15. Testing

Testing validated data accuracy, automation performance and user permissions.

Area	What Was Verified
Data accuracy	Email validation, Event Budget formula, Feedback lookup filter
Venue logic	Venue changes to Reserved or Available; double booking is blocked
Automation	Approval process outcomes, 3-day reminder flow, nightly completion job
Reports	Upcoming Events by Month report and dashboard display correctly
Permissions	Each profile, role and sharing rule gives the intended access

- Issues found in Apex and flow logic were debugged and fixed.

16. Security Model

Access is controlled through profiles, roles, permission sets, sharing rules and organization-wide defaults.

Profiles

- **Event Admin** – cloned from System Administrator (full access).
- **Event Coordinator, Vendor Manager, Client Profile** – cloned from Standard Platform User, with Event Planner as the default app.
- Session timeout is 2 hours of inactivity; passwords never expire; minimum password length is 8.

Object	Event Coordinator	Vendor Manager	Client Profile
Event	Create, Read, Edit, Delete	Read only	Read only (own events)
Client	Read, Edit	Read only	–
Vendor	Read	Create, Read, Edit, Delete	No access
Venue	Read	Read only	No access
Feedback	Create, Read	Read only	Create, Read

Roles

- **Event Admin** sits at the top of the hierarchy, under CEO.
- **Event Coordinator, Vendor Manager** and **Client** are created directly below Event Admin.

Users

Users were created from Setup → Users, with a unique username, a role, a license and a profile. In a Developer org, a Salesforce license can be used by only two users at a time, so the other users were given the Salesforce Platform license.

User	Role	License	Profile
Event Admin	Event Admin	Salesforce	Event Admin
Event Coordinator	Event Coordinator	Salesforce Platform	Event Coordinator
Vendor Manager	Vendor Manager	Salesforce Platform	Vendor Manager
Client	Client	Salesforce Platform	Client Profile

Permission Sets

- **Feedback Manager** – grants Read, Edit, Create and Delete on Feedback.
- Assigned to the Event Coordinator role user.

Sharing Rules

- **Event_Sharing_For_Vendors** – shares Event records of the Event Coordinator role with the Vendor Manager role as **Read Only**.

OWD

- The **Event** object is set to **Private** for both internal and external access.
- Access is then extended through the role hierarchy and the sharing rule above.

PHASE 5 – DEPLOYMENT & PROJECT CLOSURE

The final phase explains how the solution is prepared for release, how it is maintained and how it is documented for future use.

17. Deployment Strategy

- All work was built and tested in a Salesforce Developer Edition Org.
- Production deployment was not performed, because a Developer org is a standalone environment.
- Real deployments use sandboxes, change sets or DevOps tools such as GitHub CI/CD and Salesforce DX.
- The phase simulates deployment readiness: objects, fields, flows, Apex and dashboards are structured and ready for migration.

18. Maintenance Approach

Regular maintenance keeps event, client, vendor and feedback data accurate.

- Monitor flows, Apex jobs and approval processes to find failed automations early.
- Resolve user-access errors and permission conflicts.
- Debug Apex triggers and flow logic.
- Adjust validation rules and sharing settings as business needs change.

19. Documentation Summary

Project documentation records the purpose, data model, configuration, automation and testing of the system, and supports training and future changes.

- Business overview and objectives; phase-wise implementation.
- Data model and ER diagram.
- Automation: flows, approval process, validation rules and Apex logic.
- Security model: profiles, roles, permission sets and sharing rules.
- Testing results and screenshots.
- A demo video (5–10 minutes) covering the app, automation, security, reports and fixes.


20. Data Model & ER Diagram

The data model centers on the **Event** object, which connects clients, venues, vendors and feedback. The model consists of six objects and six relationships.

- **Event and Client:** each event belongs to one client through a Lookup relationship. A client can have many events.
- **Event and Venue:** each event is held at one venue through a Lookup relationship. A venue can be linked to many events, but not on the same date.

- **Feedback and Event:** each feedback record refers to an event through a Lookup relationship, filtered by client.
- **Feedback and Client:** each feedback record is given by a client through a Lookup relationship.
- **Event and Vendor:** a many-to-many relationship implemented through the **EventVendor__c** junction object, which has Master-Detail relationships to both Event and Vendor.

This structure lets the business answer practical questions, such as which events a client booked, which vendors work on an event and what feedback an event received.



21. Testing Results & Screenshots


Screenshots of the implementation are inserted below as evidence.

- Objects and relationships
- Validation rule and approval process
- Flow, Apex classes, triggers and batch job
- Lightning app, report and dashboard
- Security configuration (profiles, roles, permission set, sharing rule)


Screenshots


Phase 2:

Milestone 1





The screenshot shows the Salesforce Developer Edition sign-up page. On the left, there is a blue background with a white box containing the text: "Build enterprise-quality apps fast to bring your ideas to life". Below this, it lists several benefits: "Build apps fast with drag and drop tools", "Customize your data model with clicks", "Go further with Apex code", "Integrate with anything using powerful APIs", "Stay protected with enterprise-grade security", and "Customize UI with clicks or any leading-edge web framework". On the right, there is a white box with the Salesforce logo at the top. Below the logo, it says "Sign up for your Salesforce Developer Edition" and "A full-featured copy of the Platform, for free". A note states: "Complete the form to start your free trial. Our team will be in touch to help you make the most of your trial." The form includes fields for "First Name*", "Last Name*", "Email*", "Role*", "Company*", "Country/Region*", "Postal Code*", and "Username*". The "Username*" field is pre-filled with "jane@company.sandbox". Below the form, there is a checkbox for "I agree to the Main Services Agreement - Developer Services and Salesforce Program Agreement." and a "Sign me Up" button.







Milestone 2





Milestone 3





Milestone 4

The screenshot shows the Salesforce Object Manager page. It displays a list of objects with columns for Label, API Name, Type, Description, Last Modified, and Deployed. The objects are sorted by Last Modified date. The table includes both custom objects (Event Vendor, Client, Feedback, Venue, Vendor, Event) and standard objects (Work Type Group Member, Work Type Group, Work Type). Each row has a dropdown arrow in the Deployed column.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Event Vendor	Event_Vendor__c	Custom Object		10/1/2026	✓
Client	Client__c	Custom Object		10/1/2026	✓
Feedback	Feedback__c	Custom Object		9/30/2026	✓
Venue	Venue__c	Custom Object		9/30/2026	✓
Vendor	Vendor__c	Custom Object		9/30/2026	✓
Event	Event__c	Custom Object		9/30/2026	✓
Work Type Group Member	WorkTypeGroupMember	Standard Object			
Work Type Group	WorkTypeGroup	Standard Object			
Work Type	WorkType	Standard Object			
Work From Home	WorkFromHome	Standard Object			

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Event

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Custom Field Definition Edit

Change Field Type Save Cancel

Field Information

Field Label

Field Name

Description

Help Text

Data Owner

Field Usage

Data Sensitivity Level

Compliance Categorization

Available

PII
HIPAA
GDPR
PCI

Chosen

Lookup Options

Related To

Child Relationship Name

Milestone 5

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Client

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout


Validation Rules

1 Items, Sorted by Rule Name

New


RULE NAME	ERROR LOCATION	ERROR MESSAGE	ACTIVE	MODIFIED BY
Email_Valid_Address	Email	Please Enter Valid Email Address	✓	Athulya A, 10/1/2026, 1:42 AM

Milestone 6



This screenshot shows the Salesforce Setup page for Classic Email Templates. The left sidebar contains a search bar with 'email templates' and a list of navigation links: 'Email', 'Classic Email Templates', and 'Lightning Email Templates'. The main content area is titled 'Unfiled Public Classic Email Templates' and includes a 'Classic Email Template Availability' section. Below this is a table listing various email templates.

Action	Email Template Name	Template Type	Available For Use	Description	Author	Last Modified Date
Edit Del	Appointment for Unauthenticated User using Appointment Types - For Amazon Chime	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using appointment types with Amazon Chime.	stscadm	9/24/2026
Edit Del	Appointment for Unauthenticated User using Appointment Types - For third party	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using appointment types with third party video applications.	stscadm	9/24/2026
Edit Del	Appointment for Unauthenticated User using Engagement Channels-For Amazon Chime	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using engagement channels with Amazon Chime.	stscadm	9/24/2026
Edit Del	Appointment for Unauthenticated User using Engagement Channels-For third party	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using engagement channels with third party video applications.	stscadm	9/24/2026
Edit Del	Approval Notification to Event Owner	Text	✓		ath	10/1/2026
Edit Del	Canceled Service Appointment Confirmation Email	Custom	✓	Email Template to confirm canceling of a service appointment.	stscadm	9/24/2026
Edit Del	Commerce Reorder Portal Invitation	Custom	✓	Invite a contact to a Commerce Reorder Portal.	autops	9/24/2026
Edit Del	Email to Client After Cancellation	Text	✓		ath	10/1/2026
Edit Del	Event Cancellation Request Notification	Text	✓		ath	10/1/2026



This screenshot shows the preview of a Classic Email Template. The left sidebar is identical to the previous screenshot. The main content area is titled 'Email Template' and displays a preview of the email content. The preview includes a calendar icon, a greeting, and appointment details.

Appointment has been scheduled!

Hello (LeadName),
Your appointment is scheduled.

Appointment Details

Scheduled On
!(DATETIMEVALUE(ServiceAppointment.SchedStartTime) - (DATETIMEVALUE(ServiceAppointment.SchedEndTime))!(User.TimeZoneSidKey))

Appointment Topic
!(ServiceAppointment.WorkType)

With
!(ServiceAppointment.Comments)

Type
Video call - !(ServiceAppointment.EngagementChannelType)

[Join Video Call](#)

Milestone 7

The screenshot shows the Salesforce Setup interface in the Developer Edition. The left sidebar contains a search bar with 'flows' entered and a navigation menu with 'Process Automation' and 'Identity' sections. The main content area is titled 'Flows' and displays a list of flow definitions. The list includes columns for Flow Label, Process Type, Active status, Temp... status, Package State, Packa..., Last M..., and Last Modified Date. The flows listed are: Add Case Comment (Autolaunched Flow), Add or Modify Service Appointment Attendees (Salesforce Scheduler Flow), Approvals Workflow: Evaluate Approval Requests (Screen Flow), Approvals Workflow: Process Approval Submission (Screen Flow), Authentication Provider User Registration (Identity User Registration Flow), Basic Approval Request (Flow Orchestration for CMS), Book Appointment from Invitation (Salesforce Scheduler Flow), Cancel All Eligible Items Flow (Screen Flow), Cancel Item Flow (Screen Flow), Cancel Order (Autolaunched Flow), and Choose Case Owner to Incident Owner (Screen Flow).

Flow Label	Process Type	Active	Temp...	Package State	Packa...	Last M...	Last Modified Date
Add Case Comment	Autolaunched Flow	✓	□	Managed-Installed			
Add or Modify Service Appointment Attendees	Salesforce Scheduler Flow	✓	□	Managed-Installed			
Approvals Workflow: Evaluate Approval Requests	Screen Flow	✓	✓	Managed-Installed			
Approvals Workflow: Process Approval Submission	Screen Flow	✓	□	Managed-Installed			
Authentication Provider User Registration	Identity User Registration Flow	□	✓	Managed-Installed			
Basic Approval Request	Flow Orchestration for CMS	✓	✓	Managed-Installed			
Book Appointment from Invitation	Salesforce Scheduler Flow	✓	✓	Managed-Installed			
Cancel All Eligible Items Flow	Screen Flow	□	✓	Managed-Installed			
Cancel Item Flow	Screen Flow	□	✓	Managed-Installed			
Cancel Order	Autolaunched Flow	✓	□	Managed-Installed			
Choose Case Owner to Incident Owner	Screen Flow	□	✓	Managed-Installed			

The screenshot shows the Salesforce Flow Builder interface. The top bar includes a search bar with 'flows' entered and a navigation menu with 'Process Automation' and 'Identity' sections. The main content area is titled 'Flow Builder' and displays a configuration window for a flow. The configuration window includes a 'Configure Start' section with a 'Field' dropdown set to 'Event Status', an 'Operator' dropdown set to 'Equals', and a 'Value' dropdown set to 'Confirmed'. Below this, there is a section for 'When to Run the Flow for Updated Records' with two radio button options: 'Every time a record is updated and meets the condition requirements' (selected) and 'Only when a record is updated to meet the condition requirements'. The 'Optimize Flow' section includes a 'Fast Field Updates' box and an 'Actions and Related Records' box. The 'Fast Field Updates' box contains the text: 'Update fields on the record that triggers the flow to run. This high-performance flow runs before the record is saved to the database.' The 'Actions and Related Records' box contains the text: 'Update any record and perform actions, like send an email. This more flexible flow runs after the record is saved to the database.' At the bottom, there is a question: 'Is this flow making an external callout or connecting to an external system?' with a note: 'An asynchronous path is required for flows that involve external systems.'

Lightning Experience | Salesforce | Flows | Salesforce | Flow Builder | Ask Gemini

orgfarm-cb4c11dd61-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

Developer Edition

Flow Builder

Auto-Layout

Run Debug View Tests Save As New Version Save Activate

Record Triggered Flow
Start
Object Event
Trigger: A record is created or updated
Conditions: 1
Optimize for Actions and Related Recor...
Scheduled Path: 2
Open Flow Trigger Explorer for Event

Run Immediately 3_Days_Before

End End

Configure Scheduled Paths

SCHEDULED PATHS

Run Immediately 3_Days_Before

SCHEDULED PATH DETAILS

Delete Path

*Path Label 3_Days_Before *API Name X3_Days_Before

*Time Source Event__c: Event Date

*Offset Number 3 *Offset Options Days Before

Show advanced options

Lightning Experience | Salesforce | Flows | Salesforce | Flow Builder | Ask Gemini

orgfarm-cb4c11dd61-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app

Developer Edition

Flow Builder

Auto-Layout

Run Debug View Tests Save As New Version Save Activate

Record Triggered Flow
Start
Object Event
Trigger: A record is created or updated
Conditions: 1
Optimize for Actions and Related Recor...
Scheduled Path: 2
Open Flow Trigger Explorer for Event

Run Immediately 3_Days_Before

End Alert_Closed_3Day_Reminder End

Send Email

Compose Email Content
Set email details and compose message.

Use Email Template
Select an existing email template.


A₃ Subject Subject

A₃ Body Body


Rich-Text-Formatted Body Enter value or search resources...

Use Line Breaks Enter value or search resources...

A₃ Attachment ID Search records...



Milestone 8



Developer Console - Google Chrome

orgfarm-cb4c11dd61-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

File • Edit • Debug • Test • Workspace • Help • < • >

VenueStatusHelper.apex

Code Coverage: None • API Version: 67

Go To

```
1 public with sharing class VenueStatusHelper {
2     public static void updateVenueStatus(List<Event__c> events){
3         List<Venue__c> venues = new List<Venue__c>();
4         for(Event__c ev : events){
5             if(ev.Venue__c != null){
6                 if(ev.Event_Status__c == 'Confirmed'){
7                     venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
8                 } else if(ev.Event_Status__c == 'Canceled'){
9                     venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
10                }
11            }
12        }
13        if(!venues.isEmpty()) update venues;
14    }
15 }
```

New Apex Trigger

Name: EventTrigger13

sObject: Event__c

Submit

Logs Tests Checkpoints Query Editor View State Progress Problems

User	Application	Operation	Time	Status	Read	Size
------	-------------	-----------	------	--------	------	------

Filter Click here to filter the log list

Milestone 9

Developer Console - Google Chrome

orgfarm-cb4c11dd61-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

File • Edit • Debug • Test • Workspace • Help • < • >

VenueStatusHelper.apex

Code Coverage: None • API Version: 67

Go To

```
1 trigger EventTrigger13 on Event__c (after insert, after update) {
2     VenueStatusHelper.updateVenueStatus(trigger.new);
3 }
```

New Apex Trigger

Name: PreventDoubleBooking

sObject: Event__c

Submit

Logs Tests Checkpoints Query Editor View State Progress Problems

User	Application	Operation	Time	Status	Read	Size
------	-------------	-----------	------	--------	------	------

Filter Click here to filter the log list

Developer Console - Google Chrome

orgfarm-cb4c11dd61-dev-ed.develop.my.salesforce.com/_ui/common/apex/debug/ApexCSIPage

File Edit Debug Test Workspace Help

VenueStatusHelper.apex EventTrigger13.apex PreventDoubleBooking.apex

Code Coverage: None API Version: 67 Go To


```
1 trigger PreventDoubleBooking on Event__c (before insert, before update) {
2   Set<Id> venueIds = new Set<Id>();
3   for(Event__c ev : Trigger.new){
4     if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
5   }
6
7   Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
8   for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
9
10    FROM Event__c WHERE Venue__c IN :venueIds]){
11     if(!venueEventMap.containsKey(e.Venue__c)){
12       venueEventMap.put(e.Venue__c, new List<Event__c>());
13     }
14     venueEventMap.get(e.Venue__c).add(e);
15   }
16
17   for(Event__c ev : Trigger.new){
18     if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){
19       for(Event__c existing : venueEventMap.get(ev.Venue__c)){
20         if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){
```



Logs Tests Checkpoints Query Editor View State Progress Problems


User	Application	Operation	Time	Status	Read	Size
------	-------------	-----------	------	--------	------	------

Filter Click here to filter the log list

Milestone 10








Phase 3

Milestone 11



Event Planner - Lightning App

Ask Gemini

orgfarm-cb4c11dd61-dev-ed.develop.lightning.force.com/visualEditor/appBuilder.app?id=02uaj00000a3zyHAAQ8&retUrl=https%3A%2F%2Forgfarm-cb4c11dd61-dev-ed.develop.my.salesforce.com

Developer Edition

Lightning App BuilderApp SettingsPagesEvent PlannerHelp

App Settings

App Details & Branding

App Options

Utility Items (Desktop Only)

Navigation Items

User Profiles

Navigation Items

Choose the items to include in the app, and arrange the order in which they appear. Users can personalize the navigation to add or move items, but users can't remove or rename the items that you add. Some navigation items are available only for phone or only for desktop. These items are dropped from the navigation bar when the app is viewed in a format that the item doesn't support.

Available Items

Create

Type to filter list...

A I Prediction Scores

Accounts

Action Hub

Activation Targets

Activations

Activity History

Advisements (Beta)

Agent Config

AgentExchange Go-To-Market App Contract Terms

Selected Items

Events

Venues

Clients

Vendors

Feedbacks

Reports

Dashboards

Event Vendors

javascript:void(0)

Milestone 12

Upcoming Events by Month

Ask Gemini

orgfarm-cb4c11dd61-dev-ed.develop.lightning.force.com/lightning/r/Report/00Oaj00000U8bKTEAZ/view?queryScope=userFolders

Developer Edition

Lightning Usage AppLightning UsageEventsClientsFeedbacksVendorsVenuesEvent VendorsUpcoming Events by Month

Report: Events

Upcoming Events by Month

Enable Field Editing

Search

Filter

Sort

Edit

Total Records

1

Total Event Budget

\$10,000.00

Record Count

1

0.8

0.6

0.4

0.2

0

10/14/2026


Event Date

Row Counts


Detail Rows

Subtotals

Grand Total



Milestone13



Phase 4

Milestone 14

The screenshot shows the Salesforce Setup interface in Developer Edition. The left sidebar contains a navigation menu with categories like Users, Data, Feature Settings, and Marketing. The main content area is titled 'Profiles' and shows the 'System Administrator' profile. Below the profile name, there is a 'Profile Edit' section with a table of 'Custom App Settings'. The table has columns for 'Name', 'User License', 'Visible', and 'Default'. The 'System Administrator' profile is selected, and the 'Custom Profile' checkbox is checked. The table lists various standard Salesforce applications and their visibility settings for this profile.

Name	User License	Visible	Default
Agentforce Grid (standard__AllWorkbench)	System Administrator	☒	☐
Agentforce Studio (standard__AgentforceStudio)	System Administrator	☒	☐
All Tabs (standard__AllTabSet)	System Administrator	☒	☐
Analytics Studio (standard__Insights)	System Administrator	☒	☐
App Launcher (standard__AppLauncher)	System Administrator	☒	☐
Approvals (standard__Approvals)	System Administrator	☒	☐
Automation (standard__FlowsApp)	System Administrator	☒	☐
Marketing CRM Classic (standard__Marketing)	System Administrator	☒	☐
My Service Journey (standard__MSJApp)	System Administrator	☒	☐
Queue Management (standard__QueueManagement)	System Administrator	☒	☐
Sales (standard__LightningSales)	System Administrator	☒	☐
Sales (standard__Sales)	System Administrator	☒	☐
Sales Cloud Mobile (standard__SalesCloudMobile)	System Administrator	☒	☐
Sales Console (standard__LightningSalesConsole)	System Administrator	☒	☐

The screenshot shows the Salesforce Setup interface in Developer Edition. The left sidebar contains a navigation menu with categories like Users, Data, Feature Settings, and Marketing. The main content area is titled 'Profiles' and shows the 'Event Coordinator' profile. Below the profile name, there is a 'Profile Detail' section with a table of 'Page Layouts'. The table has columns for 'Name', 'User License', 'Created By', 'Created Date', 'Modified By', and 'Modified Date'. The 'Event Coordinator' profile is selected, and the 'Custom Profile' checkbox is checked. The table lists various standard Salesforce applications and their visibility settings for this profile.

Name	User License	Created By	Created Date	Modified By	Modified Date
Event Coordinator	Event Coordinator	Abhishek A.	10/1/2026, 2:03 AM	Abhishek A.	10/1/2026, 9:13 PM

Developer Edition

Search Setup

Setup Home Object Manager

PRO

Hyperforce Assistant

Users

Profiles

Data

Mass Transfer Approval Requests

Feature Settings

Approval Settings

Data.com

Prospector Preferences

Prospector Users

Functions

Marketing

Lead Processes

Sales

Products

Asset Settings

Profiles

Vendor Manager

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

Login IP Ranges | Enabled Apex Class Access | Enabled Visualforce Page Access | Enabled External Data Source Access | Enabled Named Credential Access | Enabled External Credential Principal Access | Enabled Custom Metadata Type Access | Enabled Custom Setting Definitions Access | Enabled Flow Access | Enabled Service Presence Status Access | Enabled Custom Permissions

Profile Detail

Edit Clone Delete View Users

Name	Vendor Manager	Custom Profile	✓
User License	Salesforce Platform		
Description			
Created By	Athulya A.	Modified By	Athulya A.
	10/1/2026, 2:07 AM		10/1/2026, 9:15 PM

Page Layouts

Standard Object Layouts

Global	Global Layout [View Assignment]	Lead	Lead Layout [View Assignment]
Email Application	Not Assigned [View Assignment]	Location	Location Layout [View Assignment]
Home Page Layout	Home Page Default [View Assignment]	Location Group	Location Group Layout [View Assignment]
Account	Account Layout [View Assignment]	Location Group Assignment	Location Group Assignment Layout [View Assignment]

Developer Edition

Search Setup

Setup Home Object Manager

PRO

Hyperforce Assistant

Users

Profiles

Data

Mass Transfer Approval Requests

Feature Settings

Approval Settings

Data.com

Prospector Preferences

Prospector Users

Functions

Marketing

Lead Processes

Sales

Products

Asset Settings

Profiles

Client Profile

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

Login IP Ranges | Enabled Apex Class Access | Enabled Visualforce Page Access | Enabled External Data Source Access | Enabled Named Credential Access | Enabled External Credential Principal Access | Enabled Custom Metadata Type Access | Enabled Custom Setting Definitions Access | Enabled Flow Access | Enabled Service Presence Status Access | Enabled Custom Permissions

Profile Detail

Edit Clone Delete View Users

Name	Client Profile	Custom Profile	✓
User License	Salesforce Platform		
Description			
Created By	Athulya A.	Modified By	Athulya A.
	10/1/2026, 2:09 AM		10/1/2026, 9:14 PM

Page Layouts

Standard Object Layouts

Global	Global Layout [View Assignment]	Lead	Lead Layout [View Assignment]
Email Application	Not Assigned [View Assignment]	Location	Location Layout [View Assignment]
Home Page Layout	Home Page Default [View Assignment]	Location Group	Location Group Layout [View Assignment]
Account	Account Layout [View Assignment]	Location Group Assignment	Location Group Assignment Layout [View Assignment]

Developer Edition

Setup Home Object Manager

Search Setup

Profiles

Custom Object Permissions

	Setup Access				Using Administration			Setup Access				Using Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
Clients	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Events	☒	☐	☐	☐	☐	☐	☐	☒	☒	☐	☐	☐	☐	☐
Event Vendors	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Feedbacks	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Vendors	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Venues	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login

Password Policies

User passwords expire in: Never expires

Enforce password history: 3 passwords remembered

Minimum password length: 8

Password complexity requirement: Must include alpha and numeric characters

Password question requirement: Cannot contain password

Maximum invalid login attempts: 10

Lockout effective period: 15 minutes

Obscure secret answer for password resets: ☐

Require a minimum 1 day password: ☐

Milestone 15

Developer Edition

Setup Home Object Manager

Search Setup

Roles

Understanding Roles


Set up your Role Hierarchy to control how your organization reports on and accesses data.

Sample Role Hierarchy


View other sample Role Hierarchies: Territory-based Sample

Set Up Roles

Don't show this page again



Milestone 16



Developer Edition

Setup Home Object Manager

users

Users

Analytics Groups

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Didn't find what you're looking for? Try using Global Search.

Search Setup

Users

User Dharun kumar

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

[Permission Set Assignments \(1\)](#) | [Permission Set Assignments: Activation Required \(0\)](#) | [Permission Set Group Assignments \(0\)](#) | [Permission Set License Assignments \(0\)](#) | [Personal Groups \(0\)](#) | [Public Group Membership \(0\)](#) | [Queue Membership \(0\)](#) | [Team \(0\)](#) | [Managers in the Role Hierarchy \(1\)](#) | [OAuth Apps \(0\)](#) | [Third-Party Account Links \(0\)](#) | [Built-In Authenticators \(0\)](#) | [Installed Mobile Apps \(0\)](#) | [Authentication Settings for External Systems \(0\)](#) | [Login History \(0\)](#) | [User Provisioning Accounts \(0\)](#)

User Detail

Name

Dharun kumar

Role

Event Coordinator

Alias

dkuma

User License

Salesforce Platform

Email

athu@an8625.61efc018824e@agentforce.com

Profile

Event Coordinator

Username

dharun@theagentforce.com

Active

☒

Nickname

Dharun

Marketing User

☐

Title

Offline User

☐

Company

Knowledge User

☐

Department

Flow User

☐

Division

Service Cloud User

☐

Address

Site.com Contributor User

☐

Time Zone

(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)

Site.com Publisher User

☐

Locale

English (United States)

WDC User

☐

Language

French

Mobile Push Notifications

☐

Edit

Sharing

Reset Password

Login

Freeze

View Summary

35°C

Partly sunny

ENG IN

03:34 PM

02-10-2026

Developer Edition

Setup Home Object Manager

users

Users

Analytics Groups

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Didn't find what you're looking for? Try using Global Search.

Search Setup

Users

User Lakshmi priya

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

[Permission Set Assignments \(0\)](#) | [Permission Set Assignments: Activation Required \(0\)](#) | [Permission Set Group Assignments \(0\)](#) | [Permission Set License Assignments \(0\)](#) | [Personal Groups \(0\)](#) | [Public Group Membership \(0\)](#) | [Queue Membership \(0\)](#) | [Team \(0\)](#) | [Managers in the Role Hierarchy \(1\)](#) | [OAuth Apps \(0\)](#) | [Third-Party Account Links \(0\)](#) | [Built-In Authenticators \(0\)](#) | [Installed Mobile Apps \(0\)](#) | [Authentication Settings for External Systems \(0\)](#) | [Login History \(0\)](#) | [User Provisioning Accounts \(0\)](#)

User Detail

Name

Lakshmi priya

Role

Vendor Manager

Alias

lpriya

User License

Salesforce Platform

Email

athu@an8625.61efc018824e@agentforce.com

Profile

Vendor Manager

Username

lakshmi@agentforce123.com

Active

☒

Nickname

Lakshmi

Marketing User

☐

Title

Offline User

☐

Company

Knowledge User

☐

Department

Flow User

☐

Division

Service Cloud User

☐

Address

Site.com Contributor User

☐

Time Zone

(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)

Site.com Publisher User

☐

Locale

English (United States)

WDC User

☐

Language

French

Mobile Push Notifications

☐

Edit

Sharing

Reset Password

Login

Freeze

View Summary


35°C

Partly sunny


ENG IN


03:35 PM

02-10-2026





Milestone 17






Milestone 18





Testing results screenshots



Developer Edition

Event Planner

Venues

Recently Viewed

3 items • Updated a few seconds ago

Search this list...

	☐ Venue Name	
1	☐ Amrith hall	
2	☐ Grand Palace Hall	
3	☐ Open Space at Hyderabad	

Developer Edition

Event Planner

Clients

Recently Viewed

5 items • Updated a few seconds ago

Search this list...

	☐ Client Name	
1	☐ arun kumar	
2	☐ pooja S	
3	☐ pooja S	
4	☐ Jeeva	
5	☐ Chandru	

Developer Edition

Event Planner

Vendors

Recently Viewed

3 items • Updated a few seconds ago

Search this list...

	☐ Vendor Name	
1	☐ evy catering services	
2	☐ Royal Catering Services	
3	☐ Balaji	

https://orgfarm-cb4c11dd61-dev-ed.develop.lightning.force.com/lightning/o/Vendor_c/home

Developer Edition

Search...

Event Planner

Events

Venues

Clients

Vendors

Feedbacks

Event Vendors

Dashboards

Reports

Client

arun kumar

New Contact

Edit

New Opportunity

Related

Details

Client Name

arun kumar

Owner

Athulya A

Email

athulyan8625@gmail.com

Phone

(876) 439-8765

Address

Country

India

City

Activity

Filters: All time • All activities • All types

Refresh • Expand All • View All

Upcoming & Overdue

No activities to show.

Get started by sending an email, scheduling a task, and more.

To change what's shown, try changing your filters.

Developer Edition

Search...

Event Planner

Events

Venues

Clients

Vendors

Feedbacks

Event Vendors

Dashboards

Reports

Venue

Amrith hall

New Contact

Edit

New Opportunity

Related

Details

Venue Name

Amrith hall

Owner

Athulya A

Address

Location

chennai

Capacity

300

Availability Status

Reserved

Created By

Last Modified By

Activity

Filters: All time • All activities • All types

Refresh • Expand All • View All

Upcoming & Overdue

No activities to show.

Get started by sending an email, scheduling a task, and more.

To change what's shown, try changing your filters.

Developer Edition

Search...

Event Planner

Events

Venues

Clients

Vendors

Feedbacks

Event Vendors

Dashboards

Reports

Dashboard

EventForce Operations Dashboard

Refresh

Edit

Subscribe

As of Oct 1, 2026, 8:48 PM • Viewing as Athulya A

Upcoming Events by Month

Upcoming Events Overview

Sum of Event Budget

Event Date


10/14/2026

\$10k

\$10k

View Report (Upcoming Events by Month)

As of Oct 1, 2026, 8:48 PM



Developer Edition

Event Planner

Search...

Events Venues Clients Vendors Feedbacks Event Vendors Dashboards Reports

Report: Events
Upcoming Events by Month

Enable Field Editing

Event Date	Event: Event Name	Venue	Event Budget	Event Type	Client
☐ 10/14/2026 (1)	Birthday Party	Open Space at Hyderabad	\$10,000.00	Birthday	Chandru
Subtotal			\$10,000.00		
☐ 10/21/2026 (1)	Pooja Wedding	Grand Palace Hall	\$50,000.00	Wedding	pooja S
Subtotal			\$50,000.00		
☐ 10/29/2026 (1)	Arun wedding	Amrith hall	\$50,000.00	Wedding	arun kumar
Subtotal			\$50,000.00		
Total (3)			\$110,000.00		

22. Conclusion

The EventForce Management System shows how Salesforce can streamline event planning through a strong data model, automation and analytics.

Key Outcomes

- Six objects with Lookup, Master-Detail and Many-to-Many relationships.
- Validation rule, approval process, flow, Apex classes and triggers, and a nightly batch job.
- Lightning app, report and dashboard for event insights.
- Role-based security with profiles, roles, a permission set, OWD and a sharing rule.

Business Benefits

- Fewer manual tasks and faster bookings.
- No double bookings and automatic venue status updates.
- Timely client communication.
- Secure, role-based access to data.

Future Enhancements

- Add Apex test classes for deployment to production.
- Add vendor performance and client feedback reports.
- Add a profile, role and user for the Venue Manager.
- Move the solution to a sandbox and production using change sets or Salesforce DX.