

Manual sqli

<https://chromewebstore.google.com/detail/link-gopher/bpjdkodggnbfalgghnbeggfbfjpcfamkf>

<https://addons.mozilla.org/en-US/firefox/addon/link-gopher/>

url/uri

Uniform Resource Locator/ Uniform Resource Identifier

<https://www.test.com/new/file.php?id=4>

<http://www.johnxxiii.co.in/php/gallery.php?id=1>

<http://www.johnxxiii.co.in/php/photogallery.php>

<https://> / <http://>

<http://test.com/admin>

User: admin

Pass: 123

<https://test.com/admin>

User: dsfhujksdfhuksdhjk

Pass: dfjkljklldsjskl

[Www.](#)

[johnxxiii.co.in/php/gallery.php](#)

Tld

dhjkhjkd≡hshkujwerwer

? &

[Untitled document - Google Docs](#)

[https://test.com/test/php/new.php](#)

?&

aws=65,alpha

alpha=aws65.html

c=71

arena=aws.php

a=YXJlbnEgd2ViIHNIY3VyaXR5IA==

Aws peram alpha value

5step of manual sqli

1st find dynamic url with peram and value (id=25)

2nd error finding or vuln finding ((',"'),/,\\.[]))

3rd total column finding 1000 must be 1

4th vuln column finding

5h dump he database

Dios = dump in one shot