

CLINICAL TRIAL PROTOCOL

StudyXYZ_Protocol_Study_v1.0

Protocol Title	A Phase III, Randomised, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of ABC-2201 in Adult Patients
Protocol Number	ABC-2201
Study Phase	Phase III
Version	1.0
Date	15 January 2025
Sponsor	Zydus Pharmaceuticals Ltd.
IND Number	IND-2024-0047
EudraCT Number	2024-002201-31
Regulatory Status	Active — IND Approved
Document Class	Zone 2 — Central Trial Documents / 02.01 Protocol
eTMF Filing Date	02 May 2026 09:14
Filed By	AI QC Agent (Auto-classify)

1. STUDY OBJECTIVES

Primary Objective:

To evaluate the efficacy of ABC-2201 compared with placebo in reducing the primary endpoint (mean change from baseline in HAM-A total score at Week 24) in adult patients aged 18–75 years.

Secondary Objectives:

- To assess safety and tolerability of ABC-2201 over 52 weeks.
- To evaluate patient-reported outcomes using validated quality-of-life instruments.
- To characterise the pharmacokinetic (PK) profile of ABC-2201 in the study population.
- To assess immunogenicity as measured by anti-drug antibody (ADA) titres.

2. STUDY DESIGN

Design	Phase III, randomised, double-blind, placebo-controlled, parallel-group
Randomisation	1:1 (ABC-2201 : Placebo); stratified by region and disease severity
Treatment Arms	Arm A: ABC-2201 200 mg SC Q2W Arm B: Matching Placebo SC Q2W
Study Duration	Screening (4 wk) + Treatment (52 wk) + Follow-up (12 wk) = 68 weeks total
Sample Size	N = 240 (120 per arm); 80% power at alpha = 0.05 (two-sided)
Primary Endpoint	Change from baseline in HAM-A Total Score at Week 24
Sites	8 investigational sites across USA, India, Japan

Estimated LPO	August 2025
---------------	-------------

3. INCLUSION / EXCLUSION CRITERIA (Summary)

Key Inclusion Criteria:

- Male or female patients aged 18–75 years at time of informed consent.
- Diagnosis of generalised anxiety disorder (GAD) per DSM-5 criteria.
- HAM-A Total Score >= 20 at screening.
- Willing and able to provide written informed consent.

Key Exclusion Criteria:

- Any prior treatment with ABC-2201 or any biologic agent within 12 weeks of screening.
- Active or latent TB, untreated.
- Pregnancy, breastfeeding, or unwillingness to use contraception.
- Clinically significant hepatic impairment (Child-Pugh B/C).

4. STATISTICAL ANALYSIS PLAN (Reference)

All efficacy analyses will be conducted on the Full Analysis Set (FAS) using a Mixed Model for Repeated Measures (MMRM) with treatment, visit, treatment-by-visit interaction, baseline score, and stratification factors as covariates. Safety analyses will be performed on the Safety Analysis Set (SAF).

Note: Section 9.3 — Statistical Analysis Appendix (SAP) is referenced here but was NOT attached to this filing. This constitutes a Major QC finding (Completeness failure).

5. PROTOCOL AMENDMENTS

Amendment	Version	Date	Summary	Status
—	v1.0	15 Jan 2025	Original Protocol	Current
AM-01	v1.1	Pending	SAP Appendix (Section 9.3) to be filed	Outstanding

6. ALCOA+ QC ASSESSMENT

ALCOA+ Criterion	Result	QC Note
Attributable	PASS	PI/Sponsor name in metadata matches Delegation of Authority log.
Legible	PASS	All 48 pages readable. No blur or degradation detected by AI QC.
Contemporaneous	PASS	Document upload timestamp within acceptable eTMF filing window.
Original	PASS	No duplication flag. Verified as original submission.
Accurate	PASS	Protocol version v1.0 consistent with EDC study setup and IND filing.
Complete	FAIL	CRITICAL: Section 9.3 Statistical Analysis Appendix not attached. Action: Upload complete protocol with Appendix 9.3. Flag: Major.

7. QC SCORE SUMMARY

Completeness (×40%)	Timeliness (×30%)	Quality (×30%)	Weighted Score
75.0%	100.0%	100.0%	90.0%

Formula: $(75.0 \times 0.40) + (100.0 \times 0.30) + (100.0 \times 0.30) = 30.0 + 30.0 + 30.0 = 90.0\%$

Status: AT RISK — QC score 90.0% (threshold: >=92% Green)