

CERTIFICATE OF ANALYSIS

STATUS

PRE-RELEASE

Batch-specific quality documentation for qualified B2B sourcing review

Document note: This COA record is prepared for buyer review and must be matched to the final batch-specific HPLC, MS/LC-MS and QA release records before commercial shipment.

COA Number	COA-ATL-BPC157-2026-001	Issue Date	20 May 2026
Client / Recipient	MagLab / Qualified B2B Buyer	Prepared By	Atlas Labs QA Documentation
Document Type	Certificate of Analysis - Batch Specific	Revision	Rev. 01

1. Product Identification

Product Name	BPC-157 Acetate	Catalog Code	ATL-BPC157
Peptide Sequence	Gly-Glu-Pro-Pro-Pro-Gly-Lys-Pro-Ala-Asp-Asp-Ala-Gly-Leu-Val	Batch / Lot No.	ABLL-BPC157-2026-001
Molecular Weight	1419.56 g/mol	Molecular Formula	C62H98N16O22
Physical Form	Lyophilized powder	Appearance Spec	White to off-white powder
Grade / Scope	Research compound / B2B supply documentation	Pack Size	Bulk or private-label pack as ordered
Storage	-20 deg C, dry, protected from light	Retest Period	24 months from manufacture

2. Batch Summary

Manufacture Date	Pending batch confirmation	Retest / Expiry	Pending batch confirmation
Batch Quantity	Pending quotation / production confirmation	Manufacturing Site	Qualified partner production facility
Country of Origin	To be confirmed by final production batch	Release Site	Atlas Labs QA Documentation
Packaging	Amber vial / sealed pouch / bulk container	Label Option	Neutral label or private label
Shipping Conditions	Ambient or cold-chain as applicable	Document Pack	COA, HPLC, MS/LC-MS, SDS on request

3. Release Snapshot

Identity	HPLC Purity	Water Content	Release Decision
Pending LC-MS/MS review	Pending HPLC report	Pending KF result	Pending QA review

4. Intended Use & Documentation Scope

This COA format supports qualified B2B sourcing, documentation review, MOQ/bulk supply conversations, and private-label planning. No medical, therapeutic, diagnostic, veterinary, or human-use claims are made. Final release documentation must match the tested batch and the analytical records referenced in this document.

ANALYTICAL RESULTS & QUALITY REVIEW

5. Analytical Test Results

Test / Attribute	Method	Specification	Batch Result	Status
Appearance	Visual inspection	White to off-white powder	Pending QA check	Pending
Identity	LC-MS / MS	Consistent with reference MW / sequence	Pending LC-MS report	Pending
Purity	RP-HPLC	>= 98.0% by area normalization	Pending HPLC report	Pending
Peptide content	UV / HPLC calculation	Report result	Pending batch calculation	Pending
Water content	Karl Fischer	<= 5.0%	Pending KF result	Pending
Counter-ion	Ion chromatography / declaration	Report result	Acetate - to be confirmed	Pending
Residual solvents	GC / ICH-oriented screening	Meets internal limit	Pending GC report	Pending
Heavy metals	ICP-MS screen	<= 10 ppm total	Pending ICP-MS report	Pending
Microbial limits	USP/EP-oriented screen	As requested / applicable	Not included unless ordered	N/A
Endotoxin / Sterility	LAL / sterility test	Not standard unless requested	Not included unless ordered	N/A

6. Analytical Records Referenced

Record Type	Reference / File Name	Availability
HPLC chromatogram	To be attached to released batch COA	Batch-specific
LC-MS identity report	To be attached to released batch COA	Batch-specific
SDS / Safety Data Sheet	SDS_BPC157_ATL.pdf	On request
Raw data archive	Internal QA record folder	Controlled access

7. Certification Statement

Atlas Labs confirms that the product identity, specifications and release status listed in this document apply only to the batch/lot number referenced above. Final certification requires completed batch-specific analytical records and authorized signature. This document does not provide dosage, treatment, medical, diagnostic, veterinary or human-use instructions.

8. Authorization

Prepared By	Atlas Labs QA Documentation Officer	Reviewed By	Quality Assurance Manager
Date	20 May 2026	Date	20 May 2026
Authorized Signature	_____	Company Seal	Atlas Labs Seal / Stamp
Verification URL	atlasbiolabs.co/verify	QR Code	Assigned on final release