

<<FUSWAP SYSTEM>>

Software Requirement Specification

RECORD OF CHANGES

| Date | A* M, D | In charge | Change Description |
|----------|------------|------------|---|
| 30/06/24 | Α | Gia Bao | Add Non-Functional Requirements section |
| 30/06/24 | Α | Hai Anh | Add User Interfaces section |
| 30/06/24 | Α | Nguyen Anh | Add Technical Requirements section |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

^{*}A - Added M - Modified D - Deleted


Table of Contents

| I. Overview | 4 |
|-----------------------------------|----|
| 1. Introduction | 4 |
| 2. Use case | 5 |
| a. Use case diagram | 5 |
| b. Use case list | 5 |
| 3. Swimlane | 6 |
| a. Swimlane diagram | 6 |
| a. User Authorization | |
| c. Non-Screen Functions | 12 |
| 4. Entity Relationship diagram | 13 |
| II. Functional Requirements | 14 |
| 1. Feature list and authorization | 14 |
| 2.Functional Requirement Table | 15 |
| III. Non-Functional Requirements | 26 |
| 1. Usability | 26 |
| 2. Security | 26 |
| 3. Performance | 27 |
| IV. User Interfaces | 14 |
| V. Technical Requirements | 14 |

I. Overview

1. Introduction


Currently, students have to purchase many new study materials each year. This creates a significant financial burden for students, especially those with limited economic means. However, many of these materials remain in good condition after just one semester but are not reused. This situation not only increases the cost of education but also leads to unnecessary waste of resources. Students often lack convenient methods to exchange or resell these materials to other students, resulting in the need to buy completely new items at the start of each semester. Moreover, the continuous production and consumption of new materials contribute to the depletion of natural resources. Therefore, there is a need for a solution that maximizes the use of used study materials, reduces costs for students, and contributes to environmental protection.



2. Use case

Our system offers a wide range of features that help users interact easily and effectively. Below is a use case of the system

a. Use case diagram



b. Use case list

| UC01 | Log in with Google |
|------|-------------------------------|
| UC02 | Log in with username/password |
| UC03 | Log out |
| UC04 | Search goods |
| UC05 | View goods |
| UC06 | View contact information |
| UC07 | Manage posts |
| UC08 | Make transactions |
| UC09 | View transactios |
| UC10 | Input post id |


| UC11 | Feedback |
|------|-------------------------------|
| UC12 | Report |
| UC13 | Sort goods |
| UC14 | Filter goods |
| UC15 | Buy coins by VNPay |
| UC16 | Authorization |
| UC17 | Manage personal's information |
| UC18 | Moderate posts |
| UC19 | Moderate reports |
| UC20 | Manage user accounts |
| UC21 | View statistics |
| UC22 | Get vouchers |

3. Swimlane

a. Swimlane diagram


i. Making a goods post

Users create posts about goods they want to sell or exchange. They enter product details, upload image and set a price if it's for sale. Once completed, the post will be moderated, then deduct coins and appear on the platform for other users to view, buy or exchange goods.




ii. Searching, Buying and Trading

Users search for goods. After finding the desired product, they contact the goods supplier and conduct the transaction without going through the system. After the transaction is completed, the supplier will provide the consumer with the post id to open feedback, reporting functions and receive accumulated points.




iii. Buying post's service

Users purchase advertising services for their posts to enhance visibility. They select the type of service (e.g., boosting the post, highlighting it), pay the service fee, and their post will be given priority display on the platform.




iv. Buying coins

Users buy virtual coins on the platform using VNPay. They select the number of coins they want to purchase, proceed to the VNPay payment gateway, complete the transaction, and the corresponding number of coins will be added to their account.




v. Maing a feedback or report

Users provide feedback or report issues related to products or services. They fill out a feedback form, including detailed information about their experience or the issues encountered, and submit this report to the customer support system.



vi. Getting voucher

Users can use the accumulated points received after each transaction to redeem vouchers from the system.



b. User Authorization

| Screen | Guest | Admin | Mod | Consumer | Supplier |
|-----------------------|-------|-------|-----|----------|----------|
| Log in page | X | X | X | X | Χ |
| Home page | Х | X | X | X | Х |
| Create an account | | X | | | |
| Statistics | | X | | | |
| Create a post | | | | | Х |
| Feedback | | | | X | |
| Report | | | | X | Х |
| Goods details page | | | | X | Х |
| Profile page | | X | X | X | Х |
| Goods management page | | | | | Х |
| Getting voucher page | | | | Х | Х |


In which:

- *Guest:* a user who is browsing the platform without being logged in. They can view content and search for goods but have limited access to features such as purchasing or posting items.
- *Admin:* a user with the highest level of access, responsible for managing the entire platform. They can oversee user activities, manage content, handle complaints.
- *Mod:* a user with special privileges to monitor and manage community interactions. Moderators can review and moderate content, handle user reports, enforce platform rules, and support the admin in maintaining a safe and orderly environment.
- *Consumer:* a registered user who buys goods or services on the platform. They can create accounts, search for products, make transactions, leave feedback or report.
- **Supplier:** a registered user who sells goods or services on the platform. They can create posts for their products, manage their listings.

c. Non-Screen Functions

| # | Feature | System Function | Description |
|---|----------------------|---|---|
| 1 | VNPay | VNPay allows users to pay quickly and conveniently by scanning the automatically generated QR code when the customer clicks submit coins order | This function helps users save time when paying without having to use cash |
| 2 | Login with Google | The application allows users to log in with their Google account instead of creating a new account or logging in with a separate email and password | This function helps users save time and remember passwords by allowing them to use login information stored on their Google account. This also increases security by using protections and verification from Google |
| 3 | Earning points | The application automatically accumulates points for users every time they make a transaction | This function motivates users to continue using the application. Accumulated points can be redeemed for vouchers |

4. Entity Relationship Diagram



Entities Description

| | I = | |
|---|---------------|---|
| # | Entity | Description |
| 1 | Administrator | An individual with full access to the platform's backend, |
| 1 | Administrator | responsible for managing users, content |
| | | A user with permissions to oversee and regulate platform |
| 2 | Moderator | interactions. Moderators review content, address user reports, |
| | | enforce rules, and maintain a respectful community environment |
| | | A classification used to organize goods and services on the |
| 3 | Category | platform. Categories help users easily navigate and find specific |
| | | types of products or services |
| | | Services offered to enhance the visibility of user posts, such as |
| 4 | PostService | boosting, highlighting, or featuring the post. Users can purchase |
| | | these services to increase their post's exposure |
| | | Comments or reviews provided by users regarding their |
| 5 | Feedback | experience with products, services, or the platform. Feedback |
| | | helps improve quality and customer satisfaction |
| | | A formal notification submitted by users to highlight issues or |
| 6 | Report | violations on the platform. Reports are reviewed by moderators or |
| | | administrators for appropriate action |
| 7 | Trader | A user who engages in both trading and posting a trading post |
| 8 | Seller | A user who lists and sells goods on the platform. Sellers create |
| ð | Sellel | posts, manage goods posts |
| | | A user who purchases goods on the platform. Buyers search for |
| 9 | Buyer | products, make transactions, and can leave feedback on their |
| | | purchases |

| 10 | Voucher | A promotional tool that offers discounts or special offers to users. Coupons can be earned through points accumulated with each transaction |
|----|---------------------|--|
| 11 | City | A major geographic division within the platform's address system. Cities contain multiple districts and wards |
| 12 | District | A subdivision of a city, containing multiple wards. Districts help further pinpoint locations within the broader city area |
| 13 | Ward | The smallest administrative unit within a district, representing specific neighborhoods or communities. Wards provide detailed address information |
| 14 | SellTransaction | The process and record of a buyer purchasing goods or services from a seller. This includes information of transaction makers and transaction status |
| 15 | ExchangeTransaction | The process and record of trading goods or services between users. This includes information of transaction makers and transaction status |
| 16 | PostAddress | The location details provided in a user's post, including city, district, and ward, to specify where the goods or services are available |
| 17 | ExchangePost | A user-generated post listing items available for trade. Exchange posts specify what items are being offered and what the user is seeking in return |
| 18 | SellPost | A user-generated post listing goods or services for sale. Sell posts include product details, pricing, and availability for buyers to consider |

II. Functional Requirements

1. Feature list and authorization

| # | Guest | Admin | Mod | Consumer | Supplier | System |
|-------------------------------|-------|-------|-----|----------|----------|--------|
| Log in with Google | Х | | | | | |
| Log in with username/password | Х | | | | | |
| Log out | | X | X | X | X | |
| Search goods | Χ | Χ | X | X | Χ | |
| View goods | Χ | Χ | X | X | Χ | |
| View contact information | | X | X | X | X | |
| Manage posts | | | | | Х | |
| Make transactions | | | | Х | Х | |
| View transactions | | | | Х | Х | |
| Input post id | | | | Х | | |
| Feedback | | | | Х | | |
| Report | | | | Х | Х | |
| Sort goods | Χ | Х | X | Х | Х | |
| Filter goods | Х | Х | X | Х | Х | |
| Buy coins by VNPay | | | | Х | Χ | |
| Authorization | | | | | | Χ |
| Manage personal's information | | Х | X | Х | Х | |
| Moderate posts | | | X | | | |
| Moderate reports | | X | Х | | | |

| Manage user account | Χ | | | |
|---------------------|---|---|---|--|
| View statistics | X | | | |
| Get vouchers | | X | X | |

2. Functional Requirement Table

a. Log in with Google

| ID and Name: | UC01 - Log in with Google | | | | |
|-----------------|---|-------------------------|--------------------------------|--|--|
| Created By: | Gia Bao | Date Created: | 30/06/2024 | | |
| Primary Actor: | Guest | Secondary Actors: | FUSwap System | | |
| Description: | This use case describes the Google account | e process of logging ir | to the FUSwap platform using a | | |
| Trigger: | A user selects the "Log in v | with Google" option | | | |
| Preconditions: | The user must have a Google account | | | | |
| Postconditions: | The user is logged in and redirected to their dashboard | | | | |
| Normal Flow: | 1. The user clicks on the "Log in with Google" button | | | | |
| | 2. The system redirects the user to the Google login page | | | | |
| | 3. The user enters their Google credentials and consents to data sharing | | | | |
| | 4. Google authenticates the user and redirects them back to the FUSwap platform | | | | |
| | 5. The system logs the user in and displays their dashboard | | | | |
| Priority: | High | | | | |
| Business Rules: | The user's Google account | : must be FPT Student | email (@fpt.edu.vn) | | |

b. Log in with username/password

| | 5. Log with accomand, pateriora | | | | | | |
|-----------------|--|-------------------|---------------|--|--|--|--|
| ID and Name: | UC02 - Log in with username/password | | | | | | |
| Created By: | Gia Bao | Date Created: | 30/06/2024 | | | | |
| Primary Actor: | Guest | Secondary Actors: | FUSwap System | | | | |
| Description: | This use case describes the process of logging in to the FUSwap platform using a username and password | | | | | | |
| Trigger: | A user attempts to log in with their username and password | | | | | | |
| Preconditions: | The user must have an existing account on the platform | | | | | | |
| Postconditions: | The user is successfully logged in and redirected to their dashboard | | | | | | |
| Normal Flow: | 1. The user navigates to the login page | | | | | | |
| | 2. The user enters their username and password | | | | | | |

| | 3. The system verifies the credentials | | |
|--|---|--|--|
| 4. If the credentials are valid, the user is logged in and redirected to the dashb | | | |
| | 5. If the credentials are invalid, the system displays an error message | | |
| Priority: | High | | |
| Business Rules: | Username/password must meet requirements (e.g., minimum length, complexity) | | |

c. Log out

| ID and Name: | UC03 – Log out | | |
|-----------------|---|------------------------|---------------------------|
| Created By: | Gia Bao | Date Created: | 30/06/2024 |
| Primary Actor: | Users (Admin, Mod, Consumer, Supplier) | Secondary Actors: | FUSwap System |
| Description: | This use case describes the | e process of logging o | ut of the FUSwap platform |
| Trigger: | A user selects the log out option | | |
| Preconditions: | The user must be logged in | | |
| Postconditions: | The user is logged out and redirected to the homepage | | |
| Normal Flow: | The user clicks the "Log out" button The system terminates the user's session The system redirects the user to the homepage | | |
| Priority: | High | | |
| Business Rules: | User sessions must be securely terminated to prevent unauthorized access | | |

d. Search goods

| ID and Name: | UC04 – Search goods | | |
|-----------------|---|-------------------|---------------|
| Created By: | Gia Bao | Date Created: | 30/06/2024 |
| Primary Actor: | All users | Secondary Actors: | FUSwap System |
| Description: | This use case describes the process of searching for goods on the FUSwap platform | | |
| Trigger: | A user initiates a search for goods | | |
| Preconditions: | The user must be on the FUSwap platform | | |
| Postconditions: | The user is presented with a list of goods that match the search criteria | | |
| Normal Flow: | 1. The user navigates to the search bar | | |
| | 2. The user enters search criteria (keywords, categories, etc.) | | |

| | 3. The user submits the search query | |
|-----------------|--|--|
| | 4. The system retrieves and displays a list of goods matching the search criteria | |
| Priority: | Medium | |
| Business Rules: | Search results should be relevant and sorted by relevance Users can filter and sort search results | |

e. View goods

| ID and Name: | UC05 – View goods | | |
|-----------------|--|-------------------------|-----------------------------|
| Created By: | Gia Bao | Date Created: | 30/06/2024 |
| Primary Actor: | All users | Secondary Actors: | FUSwap System |
| Description: | This use case describes the | e process of viewing g | oods on the FUSwap platform |
| Trigger: | A user go to the homepage | e or search a goods lis | st |
| Preconditions: | The user must be on the FUSwap platform | | |
| Postconditions: | The user views general information about each goods | | |
| Normal Flow: | The user search and view a goods list The system displays general information about goods (title, price, images, etc.) The user submits the search query The system retrieves and displays a list of goods matching the search criteria | | |
| Priority: | Medium | | |
| Business Rules: | General information must be accurate and up-to-date | | |

f. View contact information

| ID and Name: | UC06 – View contact information | | |
|-----------------|---|-------------------|---------------|
| Created By: | Gia Bao | Date Created: | 30/06/2024 |
| Primary Actor: | Users (Admin, Mod, Consumer, Supplier) | Secondary Actors: | FUSwap System |
| Description: | This use case describes the process of viewing contact information on the FUSwap platform | | |
| Trigger: | A user selects to view the contact information of another users | | |
| Preconditions: | The user must have permission to view contact information | | |
| Postconditions: | The user views the contact information of the selected user | | |
| Normal Flow: | 1. The user selects to view contact information | | |

| | 2. The system retrieves and displays the contact information |
|-----------------|--|
| Priority: | Medium |
| Business Rules: | Contact information must be kept secure and only displayed to authorized users |

g. Manage posts

| ID and Name: | UC07 – Manage posts | | | | |
|-----------------|---|---|---------------------------------|--|--|
| Created By: | Gia Bao | Date Created: | 30/06/2024 | | |
| Primary Actor: | Supplier | Secondary Actors: | FUSwap System and Moderator | | |
| Description: | This use case describes the platform | e process of managing | g posts for goods on the FUSwap | | |
| Trigger: | A supplier creates, update | s, or deletes a post fo | r a good | | |
| Preconditions: | The user must be logged in | n as a supplier | | | |
| Postconditions: | The post is successfully cre | eated, updated, or del | eted | | |
| Normal Flow: | 1. The supplier navigates t | o the manage posts so | ection | | |
| | 2. The supplier chooses to | create, update, or de | lete a post | | |
| | For creating a post: | | | | |
| | 3. The supplier enters details about the good (title, description, price, images, etc.) | | | | |
| | 4. The supplier submits the post and waiting for moderate | | | | |
| | 5. The system saves the post and displays it in the listings | | | | |
| | For updating a post: | | | | |
| | 6. The supplier selects an existing post to update | | | | |
| | 7. The supplier modifies the details of the post | | | | |
| | 8. The supplier submits the | e changes | | | |
| | 9. The system updates the | post and displays the | e changes | | |
| | For deleting a post: | | | | |
| | 10. The supplier selects an | 10. The supplier selects an existing post to delete | | | |
| | 11. The supplier confirms the deletion | | | | |
| | 12. The system deletes the post from the listings | | | | |
| Priority: | High | | | | |
| Business Rules: | Posts must meet content guidelines and not contain prohibited goods | | | | |

h. Make transactions

| ID and Name: | UC08 – Make transactions | | | |
|-----------------|--|-----------------------------------|---------------------------|--|
| Created By: | Hai Anh | Date Created: | 30/06/2024 | |
| Primary Actor: | Consumer | Secondary Actors: | Supplier | |
| Description: | This use case describes the platform | e process of making tr | ransactions on the FUSwap | |
| Trigger: | A user decides to purchase | A user decides to purchase a good | | |
| Preconditions: | The user must be logged in as a Consumer The user must have selected a good to purchase | | | |
| Postconditions: | The transaction is successfully completed, and the good or service is marked as sold | | | |
| Normal Flow: | The user find the contact of supplier The user conducts transaction | | | |
| Priority: | High | | | |
| Business Rules: | Transaction records must be accurate and up-to-date | | | |

i. View transactions

| I. VIEW LIGHTSUCE | .10115 | | |
|-------------------|---|-----------------------|---------------------------------|
| ID and Name: | UC09 – View transactions | | |
| Created By: | Hai Anh | Date Created: | 30/06/2024 |
| Primary Actor: | Users (Consumer, Supplier) | Secondary Actors: | FUSwap System |
| Description: | This use case describes the process of viewing transaction history on the FUSwap platform | | |
| Trigger: | A user chooses to view their past transactions | | |
| Preconditions: | The user must be logged in | | |
| Postconditions: | The user views a list of past transactions with details | | |
| Normal Flow: | 1. The user navigates to the transaction history section | | |
| | 2. The system retrieves and displays a list of past transactions | | |
| Priority: | Medium | | |
| Business Rules: | Transaction data must be | kept secure and acces | ssible only to authorized users |

j. Input post id

| ID and Name: | UC10 – Input post id | | |
|-----------------|--|-------------------|---------------|
| Created By: | Hai Anh | Date Created: | 30/06/2024 |
| Primary Actor: | Consumer | Secondary Actors: | FUSwap System |
| Description: | This use case describes the process of inputting a post ID for opening feedback, report function and earn points | | |
| Trigger: | A user needs to input a post ID | | |
| Preconditions: | The user must have the necessary permissions | | |
| Postconditions: | The specified action is completed based on the input post ID | | |
| Normal Flow: | 1. The user navigates to the post ID input section | | |
| | 2. The user enters the post ID | | |
| | 3. The system retrieves the post associated with the ID | | |
| Priority: | High | | |
| Business Rules: | The post id must be 5 characters long | | |

k. Feedback

| ID and Name: | UC11 – Feedback | | |
|-----------------|--|------------------------|---------------------------------|
| Created By: | Hai Anh | Date Created: | 30/06/2024 |
| Primary Actor: | Consumer | Secondary Actors: | FUSwap System |
| Description: | This use case describes the | e process of providing | feedback on the FUSwap platform |
| Trigger: | A user decides to provide | feedback | |
| Preconditions: | The user must be logged in | | |
| Postconditions: | The feedback is successfully submitted and recorded | | |
| Normal Flow: | 1. The user navigates to the feedback section | | |
| | 2. The user enters their feedback in the provided form | | |
| | 3. The user submits the feedback | | |
| | 4. The system records the feedback and notifies the relevant parties | | |
| Priority: | High | | |
| Business Rules: | Feedback must be constructive and adhere to community guidelines | | |

I. Report

| ID and Name: | UC12 – Report | | |
|-----------------|--|------------------------|---------------------------------|
| Created By: | Hai Anh | Date Created: | 30/06/2024 |
| Primary Actor: | Consumer, Supplier | Secondary Actors: | FUSwap System, Admin and Mod |
| Description: | This use case describes the or issue about an user, pos | | an issue on the FUSwap platform |
| Trigger: | A user encounters an issue | e or violation and dec | ides to report it |
| Preconditions: | The user must be logged in | | |
| Postconditions: | The report is successfully submitted and investigated | | |
| Normal Flow: | The user navigates to the report section The user fills out the report form with details of the issue The user submits the report The system records the report and notifies the moderators for investigation | | |
| Priority: | High | | |
| Business Rules: | Reports must be genuine and include sufficient details for investigation | | |

m. Sort goods

| ID and Name: | UC13 – Sort goods | | |
|-----------------|--|-------------------------|-----------------------------|
| Created By: | Nguyen Anh | Date Created: | 30/06/2024 |
| Primary Actor: | All users | Secondary Actors: | FUSwap System |
| Description: | This use case describes the | e process of sorting go | oods on the FUSwap platform |
| Trigger: | A user wants to organize t | he search results or li | stings by specific criteria |
| Preconditions: | The user must be on the FUSwap platform | | |
| Postconditions: | The goods are sorted according to the selected criteria | | |
| Normal Flow: | The user selects the sort option from the search results or listings The user chooses the criteria for sorting (e.g., price, date) The system sorts the goods based on the selected criteria and displays the updated list | | |
| Priority: | Medium | | |
| Business Rules: | Sorting options must be relevant and useful to the user | | |

n. Filter goods

| ID and Name: | UC14 – Filter goods | | | |
|-----------------|--|---|------------------------------|--|
| Created By: | Nguyen Anh | Date Created: | 30/06/2024 | |
| Primary Actor: | All users | Secondary Actors: | FUSwap System | |
| Description: | This use case describes the | e process of filtering g | goods on the FUSwap platform | |
| Trigger: | A user wants to narrow do criteria | A user wants to narrow down the search results or listings based on specific criteria | | |
| Preconditions: | The user must be on the FUSwap platform | | | |
| Postconditions: | The goods are filtered according to the selected criteria | | | |
| Normal Flow: | The user selects the filter option from the search results or listings The user chooses the criteria for filtering (e.g., category, price range, location) The system filters the goods based on the selected criteria and displays the updated list | | | |
| Priority: | Medium | | | |
| Business Rules: | Filtering options must be relevant and useful to the user | | | |

o. Buy coins by VNPay

| | , , , , , , , , , , , , , , , , , , , | | |
|-----------------|--|------------------------|------------------------------------|
| ID and Name: | UC15 – Buy coins by VNPay | | |
| Created By: | Nguyen Anh | Date Created: | 30/06/2024 |
| Primary Actor: | Consumer and Supplier | Secondary Actors: | FUSwap System |
| Description: | This use case describes the using VNPay | e process of buying vi | rtual coins on the FUSwap platform |
| Trigger: | A user decides to purchase | e virtual coins | |
| Preconditions: | 1. The user must be logged | d in | |
| | 2. The user must have a VNPay account | | |
| Postconditions: | The coins are successfully purchased and added to the user's account | | |
| Normal Flow: | 1. The user navigates to the buy coins section | | |
| | 2. The user selects the amount of coins to purchase | | |
| | 3. The user chooses VNPay as the payment method | | |
| | 4. The system redirects the user to the VNPay payment gateway | | |
| | 5. The user completes the payment on VNPay | | |
| | 6. The system verifies the payment and credits the coins to the user's account | | |

| Priority: | High |
|-----------------|---|
| Business Rules: | Payments must be secure and verified by VNPay |

p. Authorization

| ID and Name: | UC16 – Authorization | | |
|-----------------|--|-----------------------|-------------------------------------|
| Created By: | Nguyen Anh | Date Created: | 30/06/2024 |
| Primary Actor: | | Secondary Actors: | FUSwap System |
| Description: | This use case describes the FUSwap platform | e process of managing | g user permissions and roles on the |
| Trigger: | System decides to update user permissions or roles | | |
| Preconditions: | The user must be logged in | | |
| Postconditions: | The user permissions or roles are successfully updated | | |
| Normal Flow: | 1. The user logged in | | |
| | 2. The system updates the user's permissions or roles | | |
| Priority: | High | | |
| Business Rules: | No one can modify user permissions or roles | | |

q. Manage personal's information

| ID and Name: | UC17 – Manage personal's information | | | |
|-----------------|--|---|-------------------------------|--|
| Created By: | Nguyen Anh | Date Created: | 30/06/2024 | |
| Primary Actor: | Users (Admin, Mod, Consumer, Supplier) | Secondary Actors: | FUSwap System | |
| Description: | This use case describes the FUSwap platform | e process of managing | g personal information on the | |
| Trigger: | A user decides to update t | A user decides to update their personal information | | |
| Preconditions: | The user must be logged in | | | |
| Postconditions: | The personal information is successfully updated | | | |
| Normal Flow: | 1. The user navigates to the personal information section | | | |
| | 2. The user updates their personal information (e.g., name, address) | | | |
| | 3. The user saves the changes | | | |
| | 4. The system updates the personal information | | | |
| Priority: | Medium | | | |

| Business Rules: | Personal information must be kept secure and accurate |
|-----------------|---|
| | |

r. Moderate posts

| ID and Name: | UC18 – Moderate posts | | |
|-----------------|---|-----------------------|---------------------------------|
| Created By: | Nhat Phi | Date Created: | 30/06/2024 |
| Primary Actor: | Mod | Secondary Actors: | FUSwap System |
| Description: | This use case describes the | e process of moderati | ng posts on the FUSwap platform |
| Trigger: | A moderator reviews posts | s for compliance with | platform guidelines |
| Preconditions: | The user must be logged in as a moderator | | |
| Postconditions: | The post is either approved or rejected | | |
| Normal Flow: | 1. The moderator navigates to the post moderation section | | |
| | 2. The moderator reviews the post content | | |
| | 3. The moderator approves or rejects the post | | |
| | 4. The system updates the post status | | |
| Priority: | High | | |
| Business Rules: | Posts must comply with platform guidelines | | |

s. Moderatore reports

| ID and Name: | UC19 – Moderate reports | | |
|-----------------|--|-----------------------|-----------------------------------|
| Created By: | Nhat Phi | Date Created: | 30/06/2024 |
| Primary Actor: | Mod | Secondary Actors: | FUSwap System |
| Description: | This use case describes the | e process of moderati | ng reports on the FUSwap platform |
| Trigger: | A moderator reviews user | reports for compliand | ce with platform guidelines |
| Preconditions: | The user must be logged in as a moderator | | |
| Postconditions: | The report is either resolved or escalated for further action | | |
| Normal Flow: | The moderator navigates to the report moderation section The moderator reviews the report details The moderator resolves the report or escalates it for further action The system updates the report status | | |
| Priority: | High | | |
| Business Rules: | Reports must be handled promptly and fairly | | |

t. Manage user accounts

| ID and Name: | UC20 – Manage user accounts | | | |
|-----------------|---|--|-------------------------------|--|
| Created By: | Nhat Phi | Date Created: | 30/06/2024 | |
| Primary Actor: | Admin | Secondary Actors: | FUSwap System | |
| Description: | This use case describes the platform | e process of managing | g user accounts on the FUSwap | |
| Trigger: | An admin decides to creat | e an account or upda | te user account details | |
| Preconditions: | The user must be logged in | n as an admin | | |
| Postconditions: | The user account details a | re successfully update | ed or created | |
| Normal Flow: | 1. The admin navigates to | the user account mar | nagement section | |
| | For update an account: | | | |
| | 2. The admin selects a user to update | | | |
| | 3. The admin modifies the user account details | | | |
| | 4. The admin saves the changes | | | |
| | 5. The system updates the | 5. The system updates the user account details | | |
| | For create an account: | | | |
| | 6. The admin input inform | ation of the mod acco | punt | |
| | 7. The admin click submit | | | |
| | 8. The system save the account | | | |
| Priority: | High | | | |
| Business Rules: | Only admins can modify user account details and create accounts | | | |
| | , | | | |

u. View statistics

| ID and Name: | UC21 – View statistics | | |
|-----------------|---|-------------------|---------------|
| Created By: | Nhat Phi | Date Created: | 30/06/2024 |
| Primary Actor: | Admin | Secondary Actors: | FUSwap System |
| Description: | This use case describes the process of viewing platform statistics on the FUSwap platform | | |
| Trigger: | An admin decides to view platform statistics | | |
| Preconditions: | The user must be logged in as an admin | | |
| Postconditions: | The platform statistics are successfully displayed | | |

| Normal Flow: | 1. The admin navigates to the statistics section | | |
|-----------------|--|--|--|
| | 2. The system retrieves and displays the platform statistics | | |
| Priority: | Medium | | |
| Business Rules: | Statistics must be accurate and up-to-date | | |

v. Get vouchers

| ID and Name: | UC21 – View statistics | | | |
|-----------------|--|-------------------|---------------|--|
| Created By: | Nhat Phi | Date Created: | 30/06/2024 | |
| Primary Actor: | Consumer, Supplier | Secondary Actors: | FUSwap System | |
| Description: | This use case describes the process of obtaining vouchers on the FUSwap platform | | | |
| Trigger: | A user decides to get a voucher | | | |
| Preconditions: | 1. The user must be logged in | | | |
| | 2. The user has enough points | | | |
| Postconditions: | The voucher is successfully obtained and added to the user's account | | | |
| Normal Flow: | 1. The user navigates to the voucher section | | | |
| | 2. The user selects a voucher to obtain | | | |
| | 3. The system adds the voucher to the user's account | | | |
| Priority: | Medium | | | |
| Business Rules: | The users must have enough points | | | |

III. Non-Functional Requirements

1. Usability

a. Intuitive Interface

The platform should have a clean and straightforward layout that allows users to easily find and use features such as searching for goods, posting items, and managing personal information.

b. User Assistance

Include help sections, tooltips, and FAQs to assist users in navigating the platform and resolving common issues.

2. Security

a. Data Protection

Ensure that all personal and transactional data is encrypted both in transit and at rest.

b. Authentication & Authorization

Implement strong authentication mechanisms and ensure proper authorization controls to restrict access to sensitive features.

3. Performance

a. Scalability

The platform should be designed to scale seamlessly to accommodate increasing numbers of users and transactions.

b. Response Time

Ensure that the system responds quickly to user interactions, with minimal latency for actions such as searching for goods, loading pages, and processing transactions.

IV. User Interfaces

V. Technical Requirements

| Usecase | Title | Prefix | No. | Description |
|---------|----------------------|--------|-----|----------------------------------|
| UC01 | | GG | 01 | Verify email suffix that must |
| | Log in with Google | | | have @fpt.edu.vn |
| 0001 | LOG III WILLI GOOGIC | 33 | 02 | Redirect to localhost:8080 |
| | | | | when clicking "Login with |
| | | | | Google" |
| UC02 | Log in with | UP | 03 | Username is required |
| | username/password | | 04 | Password is required |
| UC03 | Log out | LO | 05 | User cannot access pages that |
| 0003 | Log out | | | require authentication after |
| | | | | logging out |
| | | | 06 | Search keywords must match |
| | | | | the title or content of the post |
| | | | 07 | Empty search query displays |
| UC04 | Search goods | SEG | | default results |
| 0004 | Scarcii goods | JLG | 08 | Search results pagination |
| | | | | works correctly |
| | | | 09 | Special characters in search |
| | | | | query must limit the data |
| | | | | returned |
| UC05 | View goods | VG | 10 | Users can view all goods posts |
| | view Boods | | 11 | Users can view post details |
| UC06 | View contact | CI | 12 | Users can view the post's |
| | information | | | contact information |
| | | MP | 13 | Post type is required |
| | Manage posts | | 14 | Title must not be blank |
| | | | 15 | Title must be 5 – 50 characters |
| | | | | long |
| | | | 16 | Content must not be blank |
| UC07 | | | 17 | Content must be 10 – 200 |
| | | | | characters long |
| | | | 18 | Unit price (for sell post only) |
| | | | | must be a positive number |
| | | | 19 | Image must not be blank |
| | | | 20 | System must display a QR code |
| | | | | to pay for the post |
| | | | 21 | Users cannot update post type |
| | | | 22 | Users can enter post id |

| | | | 23 | Users can feedback/report if |
|-------|------------------------|------|----|---|
| | | | | the post id is valid |
| UC08 | Make transactions | MT | 24 | Users can earn points if the |
| | Trianto di arribabilio | | | post id is valid |
| UC09 | View transactions | VT | 25 | Users can view their |
| | | | | transactions |
| UC10 | Input post id | IPI | 26 | Post id must have 5 characters |
| | | | 27 | Feedback content must be 10 – |
| | | | | 50 characters long |
| | | | 28 | Users cannot submit blank |
| UC11 | Feedback | FB | | feedback content |
| | | | 29 | Submitting feedback displays a |
| | | | | confirmation message |
| | | | 30 | Feedback cannot be edited |
| | | | | once submitted |
| | | | 31 | Report content must be 10 – |
| 11012 | Danant | DD | | 200 characters long |
| UC12 | Report | RP | 32 | Report image must not be |
| | | | | blank |
| | | | 33 | Submitting report displays a |
| | | | | confirmation message |
| | | | 34 | Returns a sorted list from |
| | | | 25 | lowest price to highest price |
| | | | 35 | Returns a sorted list from |
| UC13 | Sort goods | SOG | 26 | highest price to lowest price Returns a sorted list from |
| | | | 36 | |
| | | | 37 | newest date to oldest date Returns a sorted list from |
| | | | 57 | oldest date to newest date |
| | | | 38 | Returns goods by price range |
| | | | 39 | Returns goods by post type |
| UC14 | Filton goods | F.C. | 40 | Returns goods by city |
| 0C14 | Filter goods | FG | 41 | Returns goods by district |
| | | | 42 | Returns goods by ward |
| | | | 43 | Number of coins must be a |
| UC15 | Buy coins by VNPay | VNP | 13 | positive integer |
| | | | 44 | Coins will be added to account |
| | | | | after successful payment |
| | | | 45 | Guests cannot access the |
| | | | | customer, administrator and |
| | | | | moderator pages |
| | | | 46 | Customers cannot access the |
| UC16 | Authorization | AZ | | admin and moderator pages |
| 0010 | AdditionZation | AL | 47 | Moderators cannot access the |
| | | | | administrator pages |
| | | | 48 | Admins can access the |
| | | | | customer, administrator and |
| | | | | moderator pages |
| | | | 49 | Guests cannot access the |
| | | | | customer, administrator and |
| | | | | moderator pages |
| | | | 50 | Users can view their profiles |

| | | | 51 | Users can update their profile |
|-------|-------------------|------|----|----------------------------------|
| UC17 | Manage personal's | PI | 52 | Customers cannot update |
| 0017 | information | | | email address |
| | | | 53 | Manager cannot update |
| | | | | username |
| | | | 54 | Moderators can view posts |
| UC18 | Moderate posts | MP | | that have been approved and |
| | ' | | | need approval |
| | | | 55 | Moderators can reject a post |
| | | | 56 | Moderators can approve a post |
| | | | 57 | Moderators can view reports |
| 11010 | | 1.45 | | have been approved and need |
| UC19 | Moderate reports | MR | | approval |
| | | | 58 | Moderators can reject a report |
| | | | 59 | Moderators can approve (send |
| | | | | to admin) a post |
| | | | 60 | Administrator can create |
| UC20 | Manage user | UA | | moderator accounts |
| | accounts | | 61 | Check that the username of |
| | | | | the moderator account already |
| | | | | exists |
| | | | 62 | Administrator can ban |
| | | | | accounts |
| | | | 63 | Administrator can view |
| | | | | statistics about the number of |
| | | | | posts |
| | | | 64 | Administrator can view |
| UC21 | View statistics | VS | | statistics about the number of |
| | | | | reports |
| | | | 65 | Administrator can view |
| | | | | statistics about the number of |
| | | | | transactions |
| | | | 66 | Administrator can view statistic |
| | | | | about the number of customer |
| | | | 67 | accounts |
| | | | 67 | Administrator can view |
| | | | | statistics about the number of |
| | | | 60 | moderator accounts |
| UC22 | Get vouchers | GV | 68 | Check user's point balance |
| UCZZ | GET AOUTHELS | ΟV | 69 | Voucher is available in the |
| | | | | account after successful |
| | | | | payment |