



Robinson #1

VAN ZANDT COUNTY, TEXAS



CONTENTS

02

TABLE OF CONTENTS



03	Executive Summary
04	Geologist's Summary
05	Site Access Map
06	Producing Zones
07	Structure
13	Formations
19	Permit
24	Area Wells Map
25	Area Production
26	Proven Production
28	Financial Projection
29	Contact Information

OVERVIEW

03

EXECUTIVE SUMMARY

ROBINSON #1 · VAN ZANDT COUNTY, TEXAS

Ferox Oil, LLC plans to drill a vertical well to a total depth of 8,900 +/- ft. in the Fruitvale Field area of Van Zandt County, Texas. The Cotton Valley and the Travis Peak are the primary targets, with production potential from as many as seventeen (17) proven oil and gas bearing formations in the area.

LOCATION

Van Zandt County, TX

WORKING INTEREST PER UNIT

1.0%

NET REVENUE INTEREST PER UNIT

.75%

TOTAL PRICE PER UNIT

\$45,000.00 · Drilling, Testing and Completion

This document constitutes part of an investor kit and should only be read in conjunction with the subscription agreement and memorandum. This document is for your private information, and we are not soliciting any action based upon it. This document is not to be construed as an offer to sell or as a solicitation of an offer to buy any security in any jurisdiction. Please review with care the subscription agreement enclosed within this document. No person is authorized to give any information or make any representation other than those contained or incorporated by reference in the subscription agreement and memorandum. If given or made, any such information or representation must not be relied upon as having been authorized by Ferox Oil, LLC.

GEOLOGIST'S SUMMARY

CONSULTING GEOLOGIST & DRILLING SUPERINTENDENT REPORT

Summary


The Louann salt bed found in a horizontal evaporite deposit at approximately 15,000 ft. is the source of all the upward migrating salt in the form of salt domes. As this salt is squeezed by the weight of the over burden, it forms these salt domes that crack the over laying rock formation causing faulting ahead of it. These faulted formations create oil and gas traps above and off to the flanks of the domes.

These traps can be mapped and "sweet spots" identified where accumulation of oil and gas gather forming isolated reservoirs.

In the area around the Robinson lease, no drilling is on record that reveals these traps.

The potential for faults, traps and accumulations of isolated reservoirs oil, gas and water is very likely on the flanks of the adjacent Fruitvale Field. There are as many as seventeen (17) proven oil and gas bearing formations in the area with production potential possible from any or all of the formations.

The Cotton Valley and the Travis Peak are the primary targets with the most proven production from neighboring wells. However, the deeper Smackover is approximately 13,000 ft. hold the highest probable production with billions of MCF recorded production.


Charles C. Blair, Jr. M.S. P.G.
Consulting Geologist and Drilling Superintendent



Researcher




Charles "Chuck" Blair, Jr. M.S. P.G. is an independent geologist/consultant with over 45 years of geologic research. He is the past CEO of Blair Energy Corporation, CEO of EML and field company representative as well as a pusher and driller for Rowan Drilling International with assignments throughout the world. Mr. Blair holds a BS degree in Geology from Texas Tech University and Tarleton State University, with an MS degree from Tarleton State University specializing in sub surface structures with graduate work from Colorado School of Mines.

LOCATION

05

SITE ACCESS MAP

C.J. ROBINSON WELL #1 · VAN ZANDT COUNTY, TEXAS




GEOLOGY

06

PRODUCING ZONES

PRINCIPAL OIL-PRODUCING STRATIGRAPHIC UNITS · GULF COAST & EAST TEXAS BASINS



Patterns of hydrocarbon accumulation and subsequent production are strongly related to facies type, resulting in a wide range of recovery efficiencies. Reservoir genesis—the geological origin and nature of the producing zone—is an important factor in determining (and predicting) recovery efficiency in well-managed reservoirs (tables 2 and 3). Fluvial/deltaic, deltaic, and slope/basin systems each contained between 11.6 and 13.2 billion barrels of OOIP, yet estimated ultimate recoveries range from less than 1.0 billion barrels for slope/basin sandstones to 8.5 billion barrels for deltaic reservoirs. Weighted recovery efficiencies, which average 41 percent statewide for clastic reservoirs, range from a low of only 8 percent for the slope/basin group of plays to 68 percent for the deltaic group of plays (table 2). Weighted ultimate recovery efficiencies of oil from the carbonate plays range from 26 percent in the unconformity-related play to a high of 50 percent in the three deep-water atoll and pinnacle-reef plays (table 3).


Simplified geologic age relations of the principal oil-producing stratigraphic units of the Gulf Coast and East Texas Basins. From Galloway and others (1983).

GEOLOGY

07


STRUCTURE

EAST TEXAS SALT STRUCTURE PROVINCE · QUITMAN FIELD CROSS SECTION



QUITMAN FIELD

NEIGHBORING FIELD. WOOD COUNTY — COMPLEX FAULT SYSTEM




GEOLOGY

09

EAST TEXAS BASIN

ISOMETRIC BLOCK DIAGRAM · LOUANN SALT CONFIGURATION




GEOLOGY

10

STRUCTURAL ELEMENTS

MAJOR STRUCTURAL ELEMENTS OF THE EAST TEXAS BASIN



GEOLOGY

11

ELECTRICAL CURVES

ELECTRICAL CURVES & LITHOLOGY





Figure 193. Map of major sand depositional systems of the Woodbine Group and location of fields of the Woodbine fluvial/deltaic/strandplain sandstone play (modified from Oliver, 1971). Van and Hawkins, which lie in the strandplain trend, are the largest fields in the play.

GEOLOGY

12

STRATIGRAPHIC CROSS SECTION


KAUFMAN & VAN ZANDT COUNTIES



FORMATIONS


13

AUSTIN CHALK 3,800'



FORMATIONS


PALUXY 7,700'



FORMATIONS

15

SMACKOVER 15,000'




FORMATIONS

16

MYRTLE SPRINGS FIELD

VAN ZANDT COUNTY, TEXAS




FORMATIONS

17

TRAVIS PEAK COMPLETION

FRUITVALE FIELD, VAN ZANDT COUNTY, TEXAS




FORMATIONS

18

MYRTLE SPRINGS FIELD – TYPE SECTION

VAN ZANDT COUNTY, TEXAS



PERMIT

19

PERMIT

RAILROAD COMMISSION OF TEXAS · FORM W-1 · APPROVED

API No. <u>42-467-31190</u>		RAILROAD COMMISSION OF TEXAS OIL & GAS DIVISION		FORM W-1 07/2004	
Drilling Permit # <u>916482</u>		APPLICATION FOR PERMIT TO DRILL, RECOMPLETE, OR RE-ENTER		Permit Status: <u>Approved</u>	
SWR Exception		This facsimile W-1 was generated electronically from data submitted to the RRC. A certification of the automated data is available in the RRC's Austin office.			
1. RRC Operator No. <u>101677</u>		2. Operator's Name (as shown on form P-5, Organization Report) <u>BLACK GOLD INDUSTRIES OPRNG LLC</u>		3. Operator Address (include street, city, state, zip): <u>1201 E ROAD TO SIX FLAGS</u> <u>#105</u> <u>ARLINGTON, TX 76011-0000</u>	
4. Lease Name <u>ROBINSON</u>		5. Well No. <u>1</u>			
GENERAL INFORMATION					
6. Purpose of filing (mark ALL appropriate boxes): ☒ New Drill ☐ Recompletion ☐ Reclass ☐ Field Transfer ☐ Re-Enter ☐ Amended ☐ Amended as Drilled (BHL) (Also File Form W-1D)					
7. Wellbore Profile (mark ALL appropriate boxes): ☒ Vertical ☐ Horizontal (Also File Form W-1H) ☐ Directional (Also File Form W-1D) ☐ Sidetrack					
8. Total Depth <u>8900</u>		9. Do you have the right to develop the minerals under any right-of-way? ☒ Yes ☐ No		10. Is this well subject to Statewide Rule 36 (hydrogen sulfide area)? ☐ Yes ☒ No	
SURFACE LOCATION AND ACREAGE INFORMATION					
11. RRC District No. <u>05</u>		12. County <u>VAN ZANDT</u>		13. Surface Location ☒ Land ☐ Bay/Estuary ☐ Inland Waterway ☐ Offshore	
14. This well is to be located <u>5</u> miles in a <u>N</u> direction from <u>CANTON</u> which is the nearest town in the county of the well site.					
15. Section		16. Block		17. Survey <u>VANSICKLE, E</u>	
				18. Abstract No. <u>A-885</u>	
				19. Distance to nearest lease line: ft.	
				20. Number of contiguous acres in lease, pooled unit, or unitized tract: <u>81.01</u>	
21. Lease Perpendiculars: <u>636</u> ft from the <u>SW</u> line and <u>755</u> ft from the <u>SE</u> line.					
22. Survey Perpendiculars: <u>5325</u> ft from the <u>SW</u> line and <u>1890</u> ft from the <u>NW</u> line.					
23. Is this a pooled unit? ☐ Yes ☒ No					
24. Unitization Docket No:					
25. Are you applying for Substandard Acreage Field? ☐ Yes (attach Form W-1A) ☒ No					
FIELD INFORMATION List all fields of anticipated completion including Wildcat. List one zone per line.					
26. RRC District No.	27. Field No.	28. Field Name (exactly as shown in RRC records)		29. Well Type	30. Completion Depth
<u>05</u>	<u>33139001</u>	<u>FRUITVALE</u>		<u>Oil Well</u>	<u>8550</u>
BOTTOMHOLE LOCATION INFORMATION is required for DIRECTIONAL, HORIZONTAL, AND AMENDED AS DRILLED PERMIT APPLICATIONS					
Remarks [RRC STAFF Jun 17, 2026 10:29 AM]: There have been problems identified with this permit (see problem letter attachment). Notification sent.; [RRC STAFF Jun 19, 2026 9:45 AM]: There have been problems identified with this permit (see problem letter attachment). Notification sent.; [RRC STAFF Jun 19, 2026 9:49 AM]: Uploaded a revised plat.; [RRC STAFF Jun 19, 2026 9:49 AM]: Problems identified with this permit are resolved.; [RRC STAFF Jun 19, 2026 1:35 PM]: The lease is 81.01 acres. The 40 and 41.01 acres appear to be proration units plats for each well. This permit can only be used for the ROBINSON #1 and the alternate will not be mapped.				Certificate: I certify that information stated in this application is true and complete, to the best of my knowledge. <u>Hampo Hekimian</u> <u>Jun 16, 2026</u> Name of filer Date submitted <u>(832)5734068</u> <u>hampohekimian@gmail.com</u> Phone E-mail Address (OPTIONAL)	
RRC Use Only Data Validation Time Stamp: Jun 19, 2026 1:52 PM(Current Version)					

Page 1 of 1

PERMIT

20

RRC MAP – WELL SITE

VAN ZANDT COUNTY, TEXAS




PERMIT

21

PERMIT PLAT


EPHRAIM VANSICKLE SURVEY, ABSTRACT 885, VAN ZANDT COUNTY, TEXAS



LAND

TOBIN OWNERSHIP MAP

C.J. ROBINSON · 81 ACRES



PERMIT

23

RRC PERMIT RECORDS

RAILROAD COMMISSION OF TEXAS ONLINE SYSTEM

Result #1	
API	46731168
GIS WELL NUMBER	1
GIS SYMBOL DESCRIPTION	Permitted Location
GIS LOCATION SOURCE	Coordinates - Operator reported
GIS LAT (NAD27)	32.641230
GIS LONG (NAD27)	-95.859229
GIS LAT (NAD83)	32.641361
GIS LONG (NAD83)	-95.859472

OPERATOR/WELLBORE	
WELLBORE STATUS	LOCATION
LAST PERMIT ISSUED	810881
LAST PERMIT OPERATOR NUMBER	278758
LAST PERMIT OPERATOR	FORTUNE ROYALTY EXPLORATION LLC
LAST PERMIT LEASE NAME	ROBINSON
TOTAL DEPTH	
SURFACE LOCATION	Land
ABSTRACT	885
SURVEY	VANSICKLE, E
BLOCK	
SECTION	
DISTANCE 1	5325
DIRECTION 1	SW
DISTANCE 2	1890
DIRECTION 2	NW

OPERATOR/WELLBORE	
WELLBORE STATUS	LOCATION
LAST PERMIT ISSUED	810881
LAST PERMIT OPERATOR NUMBER	278758
LAST PERMIT OPERATOR	FORTUNE ROYALTY EXPLORATION LLC
LAST PERMIT LEASE NAME	ROBINSON
TOTAL DEPTH	
SURFACE LOCATION	Land
ABSTRACT	885
SURVEY	VANSICKLE, E
BLOCK	
SECTION	
DISTANCE 1	5325
DIRECTION 1	SW
DISTANCE 2	1890
DIRECTION 2	NW

ONLINE SYSTEM											
Form W-1: Review											
Status # 810881	OP # 278758	FORTUNE ROYALTY EXPLORATION LLC				ROBINSON - Well # 1	New Dr				
API # 467-31168	Approved	Issued: 11/10/2015, Filed: Hardcopy				05 - VAN ZANDT County	Vertical				
Problems identified with this permit are (11/10/2015 02:38:35 PM)											
Status:											
Back to Public Query Search Results											
View Current W-1 View Current Permit View SWR 1.3 Formations											
General / Location Information											
Basic Information:											
Filing Purpose	Wellbore Profile	Lease Name	Well #	SWR	Total Depth	Horizontal Wellbore	Stacked Lateral Status #				
New Drill	Vertical	ROBINSON	1		8900						
Surface Location Information:											
API #	Distance from Nearest Town	Direction from Nearest Town	Nearest Town	Surface Location Type							
467-31168	5.0 miles	N	Canton	Land							
GPS Coordinates - Datum: NAD 83											
Latitude Degrees: 32 Latitude Minutes: 38 Longitude Seconds: 28.90											
Longitude Degrees: -95 Longitude Minutes: 51 Longitude Seconds: 34.10											
Survey / Legal Location Information:											
Section	Block	Survey	Abstract #	County							
		VANSICKLE, E	885	VAN ZANDT							
Township	League	Labor	Perchon	Share	Tract	Lot					
Perpendicular surface location from two nearest designated reference lines:											
Perpendiculars	Distance	Direction	Distance	Direction							
Survey Lines	5325.0 feet	from the SW line and	1890.0 feet	from the NW line							
Permit Restrictions:											
Code	Description										
29	This well must comply to the new SWR 3.13 requirements concerning the isolation of any potential flow zones and zones with corrosive formation fluids. See approved permit for those formations that have been identified for the county in which you are drilling the well in.										
Fields											
District	Field Name	Field #	Completion Depth	Lease Name	Well #	Well Type	Acres	Distance to nearest well	Distance to nearest Lease Line	SWR	Pooled/Unitized
05	FRUITVALE										
	Primary Field	33139001	8550	ROBINSON	1	Oil Well	81.0		494.0		N
Perpendiculars											
Surface Lease Lines		Distance	Direction	Distance	Direction						
		636.0 feet	from the SW line and	755.0 feet	from the SE line						
Comments											
Log In											
Remark											
There have been problems identified with this permit (see problem letter attachment). Notification sent.										Date Entered	Entered By
										10/01/2015 06:42:35 PM	RRC STAFF
dk										10/01/2015 06:43:52 PM	FILER
Problems identified with this permit are resolved.										10/09/2015 02:41:28 PM	RRC STAFF
There have been problems identified with this permit (see problem letter attachment). Notification sent.										10/09/2015 03:53:44 PM	RRC STAFF
Problems identified with this permit are resolved.										10/15/2015 05:03:58 PM	RRC STAFF
There have been problems identified with this permit (see problem letter attachment). Notification sent.										10/15/2015 05:04:06 PM	RRC STAFF
Problems identified with this permit are resolved.										11/10/2015 02:38:35 PM	RRC STAFF
Attachments											
Attachment Type		File Path		Associated Fields and/or Plats							
HardCopy W-1		revised w-1.tif									
PLAT #1(Paper Size : LGL)		revised plat.tif		FRUITVALE							
Permit Problem Letter		problem_letter_10-9-2015.pdf									
Permit Problem Letter		problem_letter_10-1-2015.pdf									
PLAT #2(Paper Size : LTR)		Unit Plat.tif		FRUITVALE							
As Approved W-1		AsApprovedW1-11-10-2015.pdf									
As Approved Permit		AsApprovedPermit-11-10-2015.pdf									


ONLINE SYSTEM											
ch for W-1s											
Search W-1 Results											
1 - 1 of 1 results											
No. 467-31168											
as lease name for detailed permit information											
Issued	Station #	API No.	Operator Name/Number	Lease Name	Well #	Dist. County	Wellbore Profile	Filing Purpose	Amend	Total Depth	Current Status
Issued 6/2015	810881	467-31168	FORTUNE ROYALTY EXPLORATION LLC (278758)	ROBINSON	1	05 VAN ZANDT	Vertical	New Drill		8900	Approved

PRODUCTION

24

AREA WELLS MAP

RRC PUBLIC GIS VIEWER · ACTIVE OIL WELLS NEAR THE ROBINSON LEASE



PRODUCTION

25

AREA PRODUCTION

RRC PRODUCTION DATA QUERY · CUMULATIVE REPORTED PRODUCTION

As reported to the Railroad Commission of Texas — Production Data Query (webapps.rrc.texas.gov/PDQ), retrieved July 17, 2026; coverage begins Jan 1993. Oil is reported per lease (wells combined; gas figure is casinghead gas); gas is reported per gas well ID (oil figure is condensate). Wells are those shown on the Area Wells Map, page 24.

LEASE / UNIT	WELL NO(S).	API5 NO(S).	FIELD	OPERATOR	CUM OIL (BBL)	CUM GAS (MCF)	REPORTED PERIOD
OIL LEASES — RANKED BY CUMULATIVE OIL							
FRUITVALE WATERFLOOD UNIT	701, 501, 801, 1101, 601, 101, 1201, 901, 1001	31143, 01026, 31114, 31148, 31139, 31128, 31120, 31117, 31124	FRUITVALE	JAMEX, INC.	315,261	0	Feb 2017 - Apr 2026
GROVES, C. A.	2	01025	FRUITVALE	JAMEX, INC.	147,284	21	Jan 1993 - Feb 2017
BRUCE FARMS	2	30086	MYRTLE SPRINGS	ATLANTIS OIL COMPANY, INC.	50,005	159	Jan 1993 - Apr 2026
BRITT	1	31162	FRUITVALE	JAMEX, INC.	32,986	0	Mar 2015 - Apr 2026
HEIDLE	1	31157	FRUITVALE	JAMEX, INC.	26,904	0	Aug 2013 - Apr 2026
VIEN LAM	1	31152	FRUITVALE	JAMEX, INC.	11,232	0	Aug 2013 - Jul 2024
WEST, W. E.	1B	01024	FRUITVALE	WEST, W. ERNEST	—	—	no production reported since Jan 1993
GAS WELLS — RANKED BY CUMULATIVE GAS							
FOSTER, B. G.	1	30560	FRUITVALE, S. (SMACKOVER)	TACTICAL OPERATING COMPANY, LLC	13	36,286,599	Jan 1993 - Sep 2024
BRUCE FARMS GAS UNIT	1	30061	MYRTLE SPRINGS (SMACKOVER 13250)	TACTICAL OPERATING COMPANY, LLC	0	6,234,731	Jan 1993 - Oct 2024
WEST, W. E. GAS UNIT	1	01022	FRUITVALE (SMACKOVER)	TACTICAL OPERATING COMPANY, LLC	891	5,826,662	Jan 1993 - Jan 2017
COX, AVA ETAL	1	30615	FRUITVALE, S. (SMACKOVER)	TACTICAL OPERATING COMPANY, LLC	0	4,798,300	Jan 1993 - Oct 2018
REZNICEK	1	31175	EDGEWOOD (COTTON VALLEY)	DIXIELAND ENERGY LLC	4,645	3,074,613	May 2018 - Apr 2026
PREWITT GAS UNIT	1	30085	FRUITVALE (SMACKOVER)	DYERSDALE PRODUCTION CO, INC.	842	2,991,330	Jan 1993 - Jan 2017
HUMPHRIES	1	31177	EDGEWOOD (COTTON VALLEY)	JAMEX, INC.	2,324	1,431,152	Oct 2018 - Apr 2026
PIERCE, C. J.	1	31130	EDGEWOOD (COTTON VALLEY)	TACTICAL OPERATING COMPANY, LLC	1,808	1,076,715	Jul 2011 - Jun 2018
BACHTEL	1	31169	EDGEWOOD (COTTON VALLEY)	DIXIELAND ENERGY LLC	920	1,026,909	Dec 2016 - Apr 2026
BOMAR	1	31179	EDGEWOOD (COTTON VALLEY)	DIXIELAND ENERGY LLC	571	701,201	Feb 2020 - Apr 2026
AREA TOTAL — REPORTED TO RRC SINCE JAN 1993 (OIL INCL. CONDENSATE; GAS INCL. CASINGHEAD)					595,686	63,448,392	

MULTIPLE STACKED PROVEN PRODUCTION

VAN ZANDT COUNTY · EAST TEXAS SALT STRUCTURE PROVINCE

The East Texas salt structure province covers over eleven (11) counties, which includes Van Zandt County. There are approximately seventeen (17) oil and gas bearing formations in Van Zandt County, which include: Nacatoch, Taylor, Pecan Gap, Austin, Eagle Ford, Woodbine, Buda, Grayson, Georgetown, Fredericksburg, Paluxy, Glen Rose, Rodessa, Pettet, Travis Peak, Cotton Valley and Smackover.

Any of these formations could be a potential trap for accumulating migrating oil and gas. As illustrated in the nearby Quitman Field, where close drilling occurred, main and secondary faults can be accurately defined. In this proposed Robinson #1 well, the lack of well control (number of wells) prevents such close control or mapping of these faults and structures.

There are four (4) fields surrounding the Robinson #1: the Myrtle Springs Field, Edgewood Field, Fruitvale East Field and the Fruitvale Field. The Robinson #1 is considered an extension of the Fruitvale Field. Faults that are created by the upward migration of the Louann salt bed have cut through some, if not all, of the formations above this salt and have created these four (4) surrounding fields as oil and gas became trapped and accumulated. All of the salt domes in the East Texas salt structure province have created dozens of fields throughout the province and these domes push upward in their migration toward the surface. The probability of undiscovered trapped oil and gas within any of these seventeen (17) plus formations is high due to this “under drilling” of the Robinson lease.


This area is termed a “stacked” field with potential production in many, if not all, of the shallower formations. No one (1) formation makes up these four (4) fields; however, the Smackover formation is the formation that is sustained, and high production is the common factor throughout.

REFERENCE

27

GEOLOGY OF TEXAS

BUREAU OF ECONOMIC GEOLOGY · THE UNIVERSITY OF TEXAS AT AUSTIN



FINANCIAL

28

FINANCIAL PROJECTION

POTENTIAL MONTHLY RETURN ON 1% · \$65 / \$75 / \$85 OIL PRICE SCENARIOS

Total Production One Well	Days	Price	Potential Gross Monthly Revenue	NRI%	Potential Montly Return on 1%	Months to Pay out for \$45,000
400 BOPD	30	\$65.00	780,000		Gross	\$ 8,213
3000 MCFD	30	\$3.50	315,000		(Tax)	\$ 616
			1,095,000	75.00%	(OP EXP)	\$ 25
					\$ 7,572	5.94
200 BOPD	30	\$65.00	390,000		Gross	\$ 4,500
2000 MCFD	30	\$3.50	210,000		(Tax)	\$ 338
			600,000	75.00%	(OP EXP)	\$ 25
					\$ 4,138	10.88
100 BOPD	30	\$65.00	195,000		Gross	\$ 2,250
1000 MCFD	30	\$3.50	105,000		(Tax)	\$ 169
			300,000	75.00%	(OP EXP)	\$ 25
					\$ 2,056	21.88

Total Production One Well	Days	Price	Potential Gross Monthly Revenue	NRI%	Potential Montly Return on 1%	Months to Pay out for \$45,000
400 BOPD	30	\$75.00	900,000		Gross	\$ 9,113
3000 MCFD	30	\$3.50	315,000		(Tax)	\$ 683
			1,215,000	75.00%	(OP EXP)	\$ 25
					\$ 8,404	5.35
200 BOPD	30	\$75.00	450,000		Gross	\$ 4,950
2000 MCFD	30	\$3.50	210,000		(Tax)	\$ 371
			660,000	75.00%	(OP EXP)	\$ 25
					\$ 4,554	9.88
100 BOPD	30	\$75.00	225,000		Gross	\$ 2,475
1000 MCFD	30	\$3.50	105,000		(Tax)	\$ 186
			330,000	75.00%	(OP EXP)	\$ 25
					\$ 2,264	19.87

Total Production One Well	Days	Price	Potential Gross Monthly Revenue	NRI%	Potential Montly Return on 1%	Months to Pay out for \$45,000
400 BOPD	30	\$85.00	1,020,000		Gross	\$ 10,013
3000 MCFD	30	\$3.50	315,000		(Tax)	\$ 751
			1,335,000	75.00%	(OP EXP)	\$ 25
					\$ 9,237	4.87
200 BOPD	30	\$85.00	510,000		Gross	\$ 5,400
2000 MCFD	30	\$3.50	210,000		(Tax)	\$ 405
			720,000	75.00%	(OP EXP)	\$ 25
					\$ 4,970	9.05
100 BOPD	30	\$85.00	255,000		Gross	\$ 2,700
1000 MCFD	30	\$3.50	105,000		(Tax)	\$ 203
			360,000	75.00%	(OP EXP)	\$ 25
					\$ 2,473	18.20



CONTACT INFORMATION

FEROX OIL, LLC

1910 Pacific Ave., Suite 5015

Dallas, TX 75201

P: (214) 257 - 0319

www.feroxoil.com

This document constitutes part of an investor kit and should only be read in conjunction with the subscription agreement and memorandum. This document is for your private information, and we are not soliciting any action based upon it. This document is not to be construed as an offer to sell or as a solicitation of an offer to buy any security in any jurisdiction. Please review with care the subscription agreement enclosed within this document. No person is authorized to give any information or make any representation other than those contained or incorporated by reference in the subscription agreement and memorandum. If given or made, any such information or representation must not be relied upon as having been authorized by Ferox Oil, LLC.