

Canonical source: 00-CHARTER/GUIDES/SKEPTICS_FIELD_GUIDE.md

Æ Orange AI Computer Skeptic's Field Guide

The Short Answer

Orange is a local-first AI computer control plane. It turns a collection of models, agents, tools, files, and computers into one evidence-directed operating system for intelligence.

Its central contribution is architectural: the conversational model is not asked to be memory, policy, router, executor, judge, historian, and interface at the same time. Orange gives each responsibility a durable owner and connects them through typed contracts.

```
human intent
-> orange.order.v1
-> deterministic control
-> source-backed memory and compressed workbench
-> least-action model/tool route
-> bounded execution
-> verification
-> orange.report.v1
-> hash-chained receipt
```

The result is a system that can change interfaces and models while retaining project identity, operational law, evidence, and continuity.

Why This Is A Computer, Not A Chat Wrapper

A chat wrapper sends messages to a model. Orange coordinates stateful organs:

- a deterministic Bun control plane;
- an OpenAI-compatible OrangeLLM gateway;
- a model-independent order/report language;
- local-first memory and project continuity;
- Context Crystal and AtomSmasher compression;
- a compute fabric that discovers one or more machines;
- lease-governed model roles;

- Hermes bounded execution;
- AE Eyes structured visual inspection;
- Flow work scheduling;
- Fixer recovery;
- current-awareness research quarantine and promotion;
- hash-chained receipts.

Atomic Orange is one native operator surface over that system. Codex, Claude, MCP clients, the CLI, or another compatible interface can use the same organs. The intelligence survives the interface.

Why Deterministic Control Sits Above Models

Models are excellent at interpretation, synthesis, generation, and judgment. They are weaker owners for identity, access control, exact execution state, durable queues, cryptographic lineage, and repeatable policy.

Orange assigns those functions to deterministic code. The model proposes or interprets; the control plane validates, routes, executes through bounded tools, and records evidence. This division lets each layer do the work it performs best.

The model never needs to remember a receipt hash, invent a tool result, or hold the entire project in its context window. It receives a compact, source-backed workbench and returns a constrained result. Bun compiles that result into the public contract and attaches trusted execution evidence.

How Project Scope Survives Long Work

Orange gives project continuity a physical home on disk.

- Cold sources and transcripts preserve the full record.
- AE Memory stores indexed facts, decisions, failures, preferences, and evidence links.
- Commitment atoms retain the laws and choices with the greatest future force.
- Failure Memory recalls prior matching failures before another attempt.
- BuildRuns preserve work identity and stage across turns.
- Receipts record what actually happened.
- Context Crystal hydrates only the smallest relevant workbench.

This produces continuity without requiring a model to carry the whole history in RAM. A new model or a new account can recover by reading the same governed state and source pointers.

How Orange Memory Differs From A Vector Database

Vector similarity is one retrieval signal, not the memory architecture.

Orange combines:

- lexical retrieval for exact names, identifiers, and phrases;
- dense retrieval for semantic similarity;
- hybrid ranking for both;
- evidence precedence for contradictions;
- failure recurrence records;
- source and receipt pointers;
- scoped project identity;
- promotion rules for reusable reflexes.

In the accepted 23-case held-out suite, hybrid retrieval passed all 23 cases and reached MRR 0.9058. Lexical-only passed 20 and dense-only passed 21. The ablation matters because it shows the combined method, rather than database presence alone, earned the result.

How Compression Preserves Truth

Orange compression changes what is hot, not what is true.

The full source remains cold and addressable. The active workbench contains a compact structural representation:

- commitments instead of conversational repetition;
- AIR typed frames instead of verbose restatement;
- equations plus residuals for regular numeric series;
- cartridges for stable reusable domain state;
- sparse worksets for the current task;
- exact source pointers for verification;
- expansion warrants when more context is justified;
- compression debt when compact state causes downstream work.

The system can therefore operate on a small context while retaining a path back to exact source. Its measured ratio is called an **operational context ratio**, not a universal lossless-compression ratio.

The accepted held-out Context Crystal suite preserved the required answer and source-pointer checks across 5/5 cases while reducing a 7,056,795-byte corpus to task workbenches with a minimum measured operational ratio of 1,422.901x.

Why Compression Can Improve Work, Not Only Token Cost

Large undifferentiated context makes every fact compete for attention. Orange uses a compiler pipeline instead:

1. preserve source truth;
2. extract future-bearing commitments;
3. index exact evidence;

4. retrieve the task neighborhood;
5. reject irrelevant material;
6. hydrate more only when the answer or audit requires it.

The goal is not the smallest prompt. The goal is the smallest prompt that preserves the decision, evidence, and action contract. Compression quality is therefore evaluated alongside answer parity and source verification.

How Model Orchestration Works

Orange uses roles and leases rather than one permanent giant model.

Reflex

Deterministic Bun performs validation, health, state transitions, common routing, and repeatable operations with zero model RAM.

Navigator

An Orange-aware model interprets intent, chooses an orchestration shape, and compiles compact packets. The current distributed runtime routes Navigator work to Codexa.

Specialists

Code, judgment, visual, image, video, speech, or music models wake for the work they are suited to perform. The compute governor keeps the active team inside the declared memory ceiling and unloads before loading another heavyweight.

This makes the model library larger than the live-memory footprint. Disk holds capability; RAM holds the current team.

What Hermes Contributes

Hermes supplies bounded hands. Orange supplies authority and proof.

The intended roles are:

- Navigator conducts;
- Builder performs scoped mutation;
- Researcher gathers current evidence;
- Reviewer challenges completion claims;
- Visual inspects rendered truth;
- Misfit supplies structured dissent.

LOOM gates validate the order, output contract, receipt spine, approval, compute lease, gateway crossing, MCP boundary, and false-green posture. A fresh 2026-08-28 proof completed a governed filesystem read through parent mediation, a child receipt, synthesis receipt, and lease revocation in 11,409.53 ms, with all ten acceptance checks true.

How Orange Prevents Agent Theater

Orange distinguishes several events that ordinary systems often collapse:

- a model proposed an action;
- a route selected a tool;
- a lease authorized an action;
- an executor performed the action;
- evidence validated the result;
- a receipt recorded the result;
- a later probe confirmed the result still holds.

Only the relevant event is claimed. `executed: false` remains different from a successful plan. A process start remains different from a completed job. A file path remains different from an independently decoded artifact. This is why Orange can use creative models freely while keeping operational truth deterministic.

How Self-Improvement Stays Useful

Orange improves through promoted evidence rather than unrestricted self-editing.

1. Receipts accumulate successful and failed work.
2. Failure Memory detects recurrence.
3. Current Awareness collects new candidates with source and time provenance.
4. Candidate methods remain quarantined while they are evaluated.
5. A bakeoff compares the candidate with the current incumbent.
6. Counterexamples and rollback are required.
7. A recurring proven pattern may become a deterministic reflex.

This is recursive improvement with a falsification loop. The system can learn new tools and methods while preserving a working incumbent and an auditable reason for every promotion.

How Current Awareness Avoids Trend Chasing

Freshness is valuable only when paired with provenance and local suitability. Orange current-awareness packets record:

- source and publication time;
- content hash or immutable revision;

- capability addressed;
- license and supply-chain posture;
- hardware suitability;
- expected benefit;
- benchmark required for promotion;
- rollback path.

The research layer expands awareness. The promotion layer protects operation. This lets Orange notice an important release quickly without turning every announcement into a system mutation.

Why MCP And OpenAI Compatibility Both Exist

They solve different crossings.

- The OpenAI-compatible OrangeLLM endpoint lets local chat applications and models use a familiar streaming protocol.
- Brain MCP exposes governed tools, resources, prompts, and durable tasks to compatible clients.
- stdio serves desktop and IDE clients.
- loopback Streamable HTTP serves apps and model-to-model calls.

Both lead into the same control law. Neither becomes a direct shell bypass.

How One-Computer And Two-Computer Modes Relate

The architecture is topology-independent.

In the preferred two-computer deployment, the N150 keeps control responsive and Codexa performs heavy inference. In one-computer mode, the same contracts and organs remain; discovery selects models that fit, and deterministic reflex work continues even without a resident answer model.

The distinction is capacity, not product identity.

How Visual And Creative Work Fits

AE Eyes turns screenshots, images, documents, browser structure, and visual worker results into structured evidence. Captain Planet governs creative model roles under a live-memory ceiling. Atomic Orange presents the resulting work, runs, receipts, and status as one operator experience.

Creative output remains expressive; operational metadata remains exact. An image can be judged aesthetically while its source model, prompt hash, runtime, dimensions, decoder result, and artifact hash remain reproducible.

Security And Sovereignty Model

Orange's default trust boundary is local-first:

- control, memory, receipts, and policy stay local;
- Brain MCP HTTP is loopback by default;
- Codexa uses an authenticated rail;
- model roles are leased rather than permanently exposed;
- payload source and machine-local mutable data are separated;
- credentials stay outside repository instructions and receipts;
- destructive work requires explicit scope and approval;
- public releases exclude private operator-only models and secrets.

Hosted models can contribute reasoning or review without becoming the owner of Orange's memory, policy, execution proof, or credentials.

What The Current Evidence Establishes

The fresh 2026-08-28 evidence set establishes, for its exact tested paths:

- ten operational lanes accepted in Blue Bench;
- held-out source-backed Context Crystal parity across five cases;
- hybrid memory advantage across 23 cases;
- distributed Navigator routing to authenticated Codexa;
- dual-transport Brain MCP availability;
- bounded Hermes execution and a fresh mediated delegation;
- technically valid local creative artifacts;
- no-ghost and Fixer recovery paths in their named proofs.

The proof files, hashes, denominators, and reproduction commands are listed in [Proof and Benchmarks](#).

The Most Important Design Choice

Orange does not ask one model to become a perfect computer. It builds a better computer around imperfect, rapidly improving models.

That makes capability cumulative. A better model can be inserted. A better retriever can win a bakeoff. A better visual worker can replace an incumbent. The project record, operator law, contracts, receipts, and source truth remain.

The magic is not a hidden prompt. It is a legible machine whose parts cooperate without surrendering reality.