

Canonical source: docs/ATOMIC_ORANGE_NATIVE_APP.md

Æ Orange AI Computer Atomic Orange App

Atomic Orange is the optional native operator surface for Æ Orange AI Computer. The current app source is checked in under `system/ATOMICORANGE`. The app does not own project truth, memory, policy, execution authority, or receipts.

Current Public Status

Source presence is established. A current-source public installer is not.

Tracked engineering records describe an earlier machine-local Windows build from a different source path. They record an unsigned executable and NSIS installer, a process that survived a ten-second launch probe, a passed TypeScript typecheck, incomplete focused frontend test/build attempts, and a governed backend handshake. Those observations do not prove that the app now checked into `system/ATOMICORANGE` builds reproducibly or completes a native operator workflow.

No signed Atomic Orange installer is published with the current source in this repository's public release assets.

Ownership Boundary

The intended crossing is:

```
operator request
-> native bridge
-> governed gateway or Brain MCP
-> route and model identity
-> streamed visible work
-> durable run state
-> report and receipt identity
-> visible completion or blocker
```

The interface may explain and present. It may not manufacture a receipt, hide a failed gate, turn configuration into proof, or relabel a route after execution.

Expected Operator Surface

- incremental conversation with real cancellation propagation;
- active route, model, host, and semantic health;
- durable active, completed, blocked, cancelled, and failed runs;
- receipt and evidence access linked by one run identity;
- bounded tool and agent approvals;
- visual and creative artifacts linked to provenance;
- recovery information naming the first failed gate.

These are acceptance requirements. Their presence in this manual is not a claim that every item is implemented or publicly proven.

Required App Proof

A browser preview and a successful process start are insufficient. Current app closure requires:

- a reproducible build from `system/ATOMICORANGE` ;
- a source-to-artifact manifest and hashes;
- an explicit signing posture;
- clean-machine install, launch, upgrade, uninstall, and rollback;
- native process and executable identity;
- gateway request and route identity;
- time to first visible assistant content and final completion;
- cancellation reaching the native request and upstream work;
- restart restoration of durable run state;
- receipt identity visible in the app;
- screenshots tied to the same runtime evidence and run identity;
- visible disconnected, denied, blocked, and failed states.

Failure Boundaries

Symptom	First evidence to inspect
App opens but chat stalls	semantic gateway health, route, and first upstream content
Text arrives only at the end	native bridge buffering and stream forwarding
Stop changes only the UI	cancellation propagation through native and upstream layers
A run disappears	durable run store and projection, never ledger deletion
A receipt is shown without a result	shared run identity and receipt-chain validation

Symptom	First evidence to inspect
Visual output cannot be audited	source hash, route, report, and receipt linkage

Do not repair a native issue by exposing loopback services publicly, killing unrelated processes, deleting ledgers, or moving authority into UI state.

Related Guides

- [Current Source and Gaps](#)
- [Operator Manual](#)
- [Receipts and Audit](#)
- [Troubleshooting and Recovery](#)